

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Abelia x 'Edward Goucher' Pink Abelia <i>EVERGREEN FLOWERING SHRUB; lavender-pink to purple-pink flowers all summer; bushy habit to about 5' high & wide; semi-evergreen foliage in northern range; attracts butterflies; resists deer browse; locate in full sun & well-drained slightly acidic moisture retentive soil [A. grandiflora x A. parvifolia] (Goucher/Glenn Dale) Zones (5) 6 - 9</i>			1g 2g 5g	N
Abelia x grandiflora 'Sherwoodii' Compact Glossy Abelia <i>EVERGREEN FLOWERING SHRUB; white flowers with pink flush in summer on new wood; small glossy semi-evergreen leaves (in northern range) turn purplish in winter; dense compact mound to about 4' tall & wide; attracts butterflies; resists deer browse; locate in full to partial sun & well-drained slightly acidic moisture retentive soil [A. chinensis x A.uniflora] Zones (5) 6 - 9</i>			1g 2g 5g	N
Abelia x 'Kaleidoscope' Compact Variegated Abelia <i>EVERGREEN FLOWERING SHRUB; light pink buds open to white flowers persisting into fall on new wood; green red yellow & orange semi-evergreen foliage (in northern range); compact spreading habit to about 2' tall by 3' wide; locate in full sun or partial shade & moist, acidic well-drained soil (Plant Haven) Zones 6 - 9</i>			1g 2g 5g	
Acer circinatum Oregon Vine Maple <i>DECIDUOUS ORNAMENTAL TREE; bushy upright habit to about 20' tall & wide; red samaras in late spring; fall foliage is a mix of yellow, orange & red; native to moist wooded sites in the woods of the Pacific Northwest, but will handle sun & dryer soils; Zones 5 - 6 (7)</i>		MULTI STEM	5g 7g 15g	
Acer x freemanii Autumn Blaze® ('Jeffersred') Freeman Maple <i>DECIDUOUS SHADE TREE; rapid grower; adaptable to a wide range of conditions; red fall foliage; locate in full sun & most any soil regardless of acidity or moisture but not wet; native US cross [A. rubrum x A. saccharinum] Zones 3 - 7</i>			7g 15g	
Acer miyabei State Street®,¢ ('Morton') Miyabei Maple <i>DECIDUOUS SHADE TREE; upright oval habit to about 40' tall by 25' wide with more uniform branching; dark green summer foliage turns yellow in fall; deeply furrowed corky bark; pest resistant; locate in full sun or partial shade & well-drained moisture retentive organic soil that's slightly acidic; Japanese native (Chicagoland Grows) Zones 4 - 6 (7)</i>			7g 15g	
Acer palmatum Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; soft green foliage; vibrant orange to red fall foliage colors; upright spreading habit to 30' or more; 3 seedlings are combined to make the clumps; locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>		CLUMP	7g	
Acer palmatum Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; soft green foliage; vibrant orange to red fall foliage colors; upright spreading habit to 30' or more; locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>		TREE FORM	5g 7g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p>Acer palmatum 'Bihou' Beautiful Mountain Range Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; emerging spring foliage is light yellowish-green with a pink flush; summer foliage is medium green before transitioning to bright yellow or light orange in fall; in winter young branches turns shades of orange or pink &/or gold; bushy upright habit when young to 7' tall by 3' wide in 10 years; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native (Yano) Zones 5 - 7</i></p>			5g	
<p>Acer palmatum 'Bloodgood' Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red spring & summer foliage turns bright crimson in fall; broadly upright habit to 25' or more in 25 years; branching starts about 3' or more above grade; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i></p>			5g 7g 15g	
<p>Acer palmatum 'Crimson Queen' Red Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red laceleaf foliage into mid-summer; summer foliage is reddish-green; fall foliage is scarlet; compact mounding spreading habit to about 10' tall by 15' wide; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i></p>			5g 7g	
<p>Acer palmatum Emperor 1® ('Wolff') Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red foliage from spring through summer; bud-break a little later than 'Bloodgood' in spring; more upright and darker red foliage in late summer than 'Red Emperor'; afternoon shade helps retain best foliage colors; locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese native (Wolff) Zones 5 - 7</i></p>			5g 7g 15g	
<p>Acer palmatum 'Fireglow' Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; bright red spring & summer foliage that is almost translucent when viewed looking through them toward the sun; moderate growing upright habit to about 15' tall & 12' wide; more heat tolerant than most other red cultivars; afternoon shade helps retain best foliage colors; locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i></p>			5g 7g	
<p>Acer palmatum Metamorphosa® ('ARJOS1') Dwarf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; inconspicuous red & white flowers in spring; small winged samaras appear in late spring & mature in fall; very deeply cut light green 5 lobed leaves in spring with pink margins that become white by late spring then partially red in summer before turning shades of yellow, orange &/or red in fall; bushy broadly upright habit to about 10' tall by 8' wide at maturity; locate in full sun to partial shade & well-drained moisture retentive organic soil that's neutral to acidic; Japanese native (van Meuwen & Keijzer / PW) Zones (5) 6 - 7</i></p>			2g	N
<p>Acer palmatum 'Mikawa yatsubusa' Dwarf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; compact upright spreading habit to about 10' tall & equally wide at maturity; very tightly layered foliage emerges yellowish before turning dark green by summer; fall foliage is yellow to orange or reddish; brilliant red samaras appear in late spring; locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i></p>			5g	N

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Acer palmatum 'Orangeola' Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; orange-red spring foliage turns dark green in summer; a second summer flush of orange-red foliage contrasts beautifully with the darker green mature foliage; persistent bright orange-red fall foliage; compact weeping mound to about 10' tall by 7-8' wide; locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese native (Kraxberger) Zones 5 - 7</i>			5g 7g	
Acer palmatum 'Sango kaku' Coral Bark Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; bright green spring & summer foliage turns bright shades of yellow & gold in fall; winter bark is bright electric red on younger stems; upright vase-shaped habit to 20'; fairly slow grower; tends to grow late into the fall which can cause tip die-back from early frosts; locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese native; Zones 6 - 7</i>			5g 7g 15g	
Acer palmatum 'Shaina' Dwarf Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; bright red deeply divided spring foliage matures to darker red by summer then crimson in fall; very compact broadly upright habit to about 10' tall & wide at maturity; grafted at 2-3'; afternoon shade helps retain best foliage colors; sport of 'Bloodgood'; breaks bud early in spring & can get hurt by late freezes; locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese native (Wolf) Zones 6 - 7</i>		STANDARD	5g	
Acer palmatum Shirazzâ„¢ ('Gwen's Rose Delight') Variegated Red Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; deeply divided spring foliage opens mostly deep pink with lighter margins & some darker red in the lobe centers; fall foliage is scarlet; upright habit to about 15' tall & wide; locate in full sun or partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 6 - 7</i>			5g 7g	N
Acer palmatum 'Shishigashira' Lion's Head Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; crinkly green layered foliage all spring & summer turns shades of gold & crimson in fall; green bark; slow broadly upright to vase-shaped habit that will be as wide or wider than tall; natural bonsai look; locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>			5g	
Acer palmatum 'Shishio Improved' / 'Chishio Improved' Dwarf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; new foliage is crimson red; by summer the foliage is green; in fall it turns shades of bright red & orange; fairly small mostly 5-lobed leaves; young stems are red; small red flowers are not conspicuous; compact bushy habit to 9' x 9'; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>			5g	N
Acer palmatum 'Skeeter's Broom' Dwarf Columnar Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; bright red spring foliage turns darker red by early summer then mostly dark reddish-green before turning bright scarlet in fall; slow to moderate upright grower to about 6' high by 3' wide at maturity; witches broom from 'Bloodgood'; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native (Rodd) Zones 5 - 7</i>			5g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p>Acer palmatum 'Tamuke yama' Red Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red laceleaf foliage holds color well through summer before turning bright scarlet; vigorous spreading horizontal habit to about 4' tall by 6' wide & larger at maturity; afternoon shade helps retain best foliage colors; locate in full sun to partial shade & well-drained moisture retentive organic soil; PHS Gold Metal; Japanese native; Zones 5 - 7</i></p>			5g 7g 15g	
<p>Acer palmatum 'Viridis' Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; medium green deeply dissected foliage; broadly spreading mounding habit; grows slower than 'Waterfall' & branches grow more horizontally; bright orange yellow & gold fall foliage; locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i></p>			5g 7g	
<p>Acer platanoides 'Crimson King' Redleaf Norway Maple <i>DECIDUOUS SHADE TREE; dark burgundy-red foliage all spring and summer; maroon-yellow flowers before the foliage yield to purple samaras in early summer; can be invasive; compact rounded head reaching about 40' tall & wide; shallow root system and dense shade makes under-planting difficult for many plants; locate in full sun to partial shade & any soil with adequate drainage; European native; Zones (3) 4 - 7</i></p>			7g 15g	
<p>Acer rubrum 'Brandywine' Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; oval to pyramidal crown; medium green summer foliage turns red before becoming purple-red & is resistant to leafhoppers; male flowers produce no seeds; locate in full sun & moisture retentive well-drained slightly acidic soil; US native (Townsend / USNA) Zones 4 - 9</i></p>			7g	
<p>Acer rubrum 'October Glory' Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; broad oval head to about 50' tall & about as wide; brilliant orange-red to red fall foliage; the last A. rubrum to color in fall; locate in full sun & moisture retentive well-drained slightly acidic soil; not as cold hardy as Red Sunset; US native (Flemer) Zone 5 - 9</i></p>			7g 15g	
<p>Acer rubrum Red Sunset® ('Franksred') Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; pyramidal to rounded head; grows to 50' tall; showy orange to red fall foliage; locate in full sun & moisture retentive well-drained slightly acidic soil; US native; not as drought tolerant as most other cultivars (Schmidt) Zones 4 - 9</i></p>			7g 15g	
<p>Acer rubrum Redpoint® ('Frank Jr') Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; rapid growing broadly pyramidal habit to about 45' tall by 30' wide with dominant central leader; dark green summer foliage turns bright red in early fall; locate in full sun & moisture retentive well-drained slightly acidic soil; US native (Schmidt) Zones 4 - 9</i></p>			7g 15g	N
<p>Acer rubrum 'Sun Valley' Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; upright oval crown to about 20' tall & 10' wide at 10 years; smaller than normal medium green summer leafhopper resistant foliage turns brilliant bright red in fall; seedless; locate in full sun & moisture retentive well-drained slightly acidic soil; US native (Townsend / USNA) Zones 4 - 7</i></p>			7g 15g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Acer saccharum Fall Fiesta® ('Bailsta') Sugar Maple <i>DECIDUOUS SHADE TREE; thick glossy green summer foliage resists leaf tatter & leafhopper damage; fall foliage is more red & orange than most other cultivars; rapid upright grower to about 60' tall by 50' wide; locate in full sun or partial shade & well-drained organic soil; not tolerant of compacted soils deicing salt reflected heat or restricted root zones; US native (Bailey) Zones 4 - 7</i>			7g	
Acer shirasawanum 'Autumn Moon' Golden Full Moon Maple <i>DECIDUOUS ORNAMENTAL TREE; orange-yellow foliage through the summer; fall brings shades of yellow, orange & red; more sun tolerant than 'Aureum'; slow grower to about 20'; locate in full to partial sun & well-drained moisture retentive soil; Asian native; Zones 5 - 7</i>			5g	
Acer tataricum Hot Wings® ('GarAnn') Tatarian Maple <i>DECIDUOUS SHADE TREE; clusters of small white flowers just after leaf break are followed promptly by very showy fire engine red samara clusters; dark green summer foliage turns shades of yellow & red in fall; bushy heads reaching 15' or more tall & wide; locate in full sun & moist well-drained soil but tolerant of a wide variability including high alkalinity; native to SE Asia & western Europe (Colorado St U / PlantSelect) Zones 4 - 8</i>			7g	
Acer tataricum subsp. ginnala 'Ruby Slippers' Amur Maple <i>DECIDUOUS SHADE TREE; persistent bright red samaras in profusion in June; glossy green summer foliage turns shades of yellow & green in fall; compact rounded heads to 25' high & wide; good under utility lines; locate in full sun to light shade & moist well-drained soil of any acidity; Asian native (Princeton Ns) Zones 3 - 8</i>			7g	
Acer truncatum Main Street® ('WF-AT1') Shangtung Maple <i>DECIDUOUS SHADE TREE; compact oval heads reaching up to 30' tall by 25' wide; spring foliage emerges purplish before turning medium green by summer then consistent orange-red in fall; good heat & drought tolerance for urban areas; locate in full sun or light to partial shade & acidic well-drained moisture retentive soil; native to China (Worthington) Zones 4 - 8 (9)</i>			7g 15g	
Actinidia arguta 'Issai' Hardy Kiwi Vine <i>EDIBLE DECIDUOUS TWINING VINE; fragrant greenish-white flowers in June; large sweet fruit in June is green & smooth-skinned that can be eaten without peeling; more compact than the species; seldom reaching beyond 20'; locate in full sun or partial shade & about any soil that doesn't dry out; Asian native; Zones 3 - 8</i>		STAKED	2g	
Albizia julibrissin 'E.H. Wilson' / 'Ernest Wilson' Mimosa <i>DECIDUOUS ORNAMENTAL TREE; small tree with lacey pink summer flowers; very fine leaflets give an airy appearance; very late to break bud in the spring; upright arching habit to about 40' tall by 25' wide; locate in full sun & well-drained soil; very adaptable to drought, high humidity & saline soils; native to southern Asia; Zones (6) 7 - 11</i>			5g 7g 15g	
Albizia julibrissin 'Evey's Pride' Mimosa <i>DECIDUOUS ORNAMENTAL TREE; fragrant lacey dark pink pincushion summer flowers; bean-like seed pods from fall into winter; lacey compound foliage emerges deep purple in late spring then transitions to gray-green by summer then brick red in fall; broadly upright habit to about 15' tall by 12' wide in 10 years; resists disease & insects; tolerates heat, humidity, salt & drought; locate in full sun & any very well-drained soil; native to southern Asia; Zones (6) 7 - 11</i>			5g 7g	N

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Amelanchier x grandiflora 'Autumn Brilliance' CLUMP Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly upright upright habit to about 25' tall & wide; trained to 3 or more separate trunks; stoloniferous; locate in full sun to partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>			7g 15g	N
Amelanchier x grandiflora 'Autumn Brilliance' MULTI STEM Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly upright upright habit to about 25' tall & wide; stoloniferous; locate in full sun to partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>			7g	
Amelanchier x grandiflora 'Autumn Brilliance' TREE FORM Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly upright upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun to partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>			2g 7g 15g	N N
Andropogon gerardii 'Blackhawks' Big Bluestem; Turkeyfoot Grass <i>ORNAMENTAL GRASS; purple turkey foot-like seed heads in August; gray to bluish-green upright spring foliage becomes more green with some red in summer then starts to turn purplish-red when August nights get cooler & almost black by late Sept.; clumping upright habit to about 5' tall by 2' wide; resists deer browse, drought & Black Walnut; locate in full sun & well-drained soil; native to North American prairies; seedling of 'Red October'; US native (Horvath / Intrinsic Perennial Gardens) Zones 4 - 9</i>			1g	
Arbutus x 'Marina' TREE FORM Strawberry Tree <i>EVERGREEN ORNAMENTAL TREE; rosy-pink flowers from late fall into winter; red & yellow strawberry-like fruit appears at the same time; peeling orange bark; large dark green foliage; bushy habit to about 25' tall & wide; locate in full sun & well-drained soil; European native; Zones 7 - 9</i>			2g 5g	N
Arbutus unedo 'Compacta' MULTI STEM Compact Strawberry Bush <i>EVERGREEN ORNAMENTAL SHRUB; white flowers in fall followed by bright red edible strawberry-like fruit; glossy dark green foliage; cinnamon colored bark; moderate grower to 8' tall & 6' wide in 10 years; locate in full sun or light shade & well-drained soil; native to southern Europe; Zones 7 - 9</i>			1g 5g 7g	N
Arctostaphylos uva-ursi 'Massachusetts' Kinnickinnick; Bearberry <i>EVERGREEN GROUND COVER; pinkish-white flowers in April; red fruit appears in late summer; resistant to leaf spot & gall; needs well drained neutral to acidic infertile soil; full sun to partial shade; slow spreading habit to 12" tall; will tolerate light foot traffic & coastal sites; eastern US native (Tichnor) Zones 2 - 7 (8)</i>			1g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Aronia melanocarpa 'Autumn Magic' Black Chokeberry <i>DECIDUOUS FLOWERING SHRUB; masses of small white flowers in May; large persistent black fruit into winter; glossy dark green summer foliage turns brilliant purplish-red in the fall; broadly upright habit to about 6' tall by 7' wide; spreads by root suckers; locate in full sun to part shade & well-drained to boggy soils that don't stay wet; eastern US native (U of British Columbia) Zones 3 - 8 (9)</i>			2g 5g	N
Aronia melanocarpa Low Scape® Moundâ„¢ ('UCONNAM165') Black Chokeberry <i>DECIDUOUS FLOWERING SHRUB; profuse white flowers in May; profusion of blue-black fruit in fall; bright red fall foliage; low spreading habit to about 2' tall & wide that will weep over walls; spreads by root suckers; locate in full sun to part shade & well-drained to boggy soils that don't stay wet; eastern US native (PW) Zones 3 - 8 (9)</i>			2g	
Asimina triloba Common Pawpaw <i>DECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large yellowish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' high & wide; highly resistant to deer browse; locate in full sun or shade & moist to wet soils, although is being seen in dryer sites; eastern US native; Zones 5 - 8</i>			2g	N
Azalea Autumn Autumn Amethystâ„¢ [Encore®] ('Conlee') Purple Encore Azalea <i>EVERGREEN FLOWERING SHRUB; 2" single dark purplish-pink flower; good bloom in spring, sporadic bloom in summer and heavy bloom in the fall; compact habit to 4' x 4'; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light to moderate shade & deep organic well-drained moisture retentive acidic soils; Zones 7 - 10</i>			1g 3g	
Azalea Autumn Autumn Bonfireâ„¢ [Encore®] ('Robleza') Red Encore Azalea <i>EVERGREEN FLOWERING SHRUB; single & semi-double bright red flowers; good bloom in spring, sporadic bloom in summer and heavy bloom in the fall; dark green foliage; compact mounding habit up to about 3' tall by 3.5' wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light to moderate shade & deep organic well-drained moisture retentive acidic soils; Zones (6) 7 - 10</i>			1g 3g	
Azalea Autumn Jewelâ„¢ [Encore®] ('Robleu') Pink Encore Azalea <i>EVERGREEN FLOWERING SHRUB; 2" single pink flower; good bloom in spring, sporadic bloom in summer and heavy bloom in the fall; bushy habit to about 4' tall & wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light to moderate shade & deep organic well-drained moisture retentive acidic soils; Zones (6) 7 - 10</i>			1g 3g	
Azalea Autumn Lilyâ„¢ [Encore®] ('Roblex') White Encore Azalea <i>EVERGREEN FLOWERING SHRUB; 3" single white flower with occasional thin purple stripes; good bloom in spring, sporadic bloom in summer and heavy bloom in the fall; dark green foliage; upright habit to 4.5' tall by 4' wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light to moderate shade & deep organic well-drained moisture retentive acidic soils; Zones (6) 7 - 10</i>			1g 3g	
Azalea 'Pastel' Pink Exbury Azalea <i>DECIDUOUS FLOWERING SHRUB; pastel pink flower with cream & orange flare; upright habit to about 6' tall by 5' wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or partial shade & deep organic well-drained moisture retentive acidic soils; Zones 5 - 8</i>			3g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Azalea Perfecto Mundo® Double Pink Pink Reblooming Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; double pink flower in mid-spring & sporadically thereafter until mid-fall; dark green disease & lacewing resistant foliage; bushy mounding habit to about 3' tall & wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to medium shade & deep organic well-drained moisture retentive acidic soils (Ranney / PW) Zones (6) 7 - 9</i>			2g	
Azalea Perfecto Mundo® Double Purple Purple Reblooming Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; ruffled light double lavender-pink flower in mid-spring & sporadically thereafter until mid-fall; dark green disease & lacewing resistant foliage; bushy mounding habit to about 3' tall & wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to medium shade & deep organic well-drained moisture retentive acidic soils (Ranney / PW) Zones (6) 7 - 9</i>			2g	
Azalea Perfecto Mundo® Double White White Reblooming Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; double pure white flower in mid-spring & sporadically thereafter until mid-fall on new & old wood; dark green foliage; bushy mounding habit to about 3' tall by 4' wide; resists foliar diseases & lacewing; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to medium shade & deep organic well-drained moisture retentive acidic soils (Ranney / PW) Zones (6) 7 - 9</i>			2g	
Azalea Perfecto Mundo® Orange ('NCRX6') Orange Reblooming Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; single bright reddish-orange flower in mid-spring & sporadically thereafter until mid-fall on new & old wood; dark green foliage; bushy mounding habit to about 30" tall by 4' wide; resists foliar diseases & lacewing; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to medium shade & deep organic well-drained moisture retentive acidic soils (Ranney / PW) Zones (6) 7 - 9</i>			2g	
Azalea Perfecto Mundo® Red ('NCRX8') Red Reblooming Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; bright red flower in mid-spring & sporadically thereafter until mid-fall on new & old wood; dark green foliage; bushy mounding habit to about 30" tall by 4' wide; resists foliar diseases & lacewing; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to medium shade & deep organic well-drained moisture retentive acidic soils (Ranney / PW) Zones (6) 7 - 9</i>			2g	
Azalea Pure White Julia White Encore Azalea <i>EVERGREEN FLOWERING SHRUB; white flower in spring & again in fall; bushy habit to about 5' tall by 4' wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soils; Zones 7 - 10</i>			1g 2g	N
Azalea 'Red / Orange' Red / Orange Exbury Azalea <i>DECIDUOUS FLOWERING SHRUB; dark red & orange petals & stamens in June; upright habit to about 6' tall by 5' wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or partial shade & deep organic well-drained moisture retentive acidic soils; Zones 5 - 8</i>			3g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Azalea Solar Glow[®],[☿] [Sunbow[®]] ('QbackA') Orange Deciduous Azalea <i>DECIDUOUS FLOWERING SHRUB; dark orange buds open to honeysuckle-like fragrant reddish-orange flowers in early spring; upright habit matures about 8' tall by 5' wide; attracts hummingbirds & many pollinators; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soil; US native hybrid (Lee) Zones 5 - 9</i>			3g	
Azalea 'Yellow' Yellow Exbury Azalea <i>DECIDUOUS FLOWERING SHRUB; bright yellow flowers with darker centers in June; upright habit to about 6' tall by 5' wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or partial shade & deep organic well-drained moisture retentive acidic soils; Zones 5 - 8</i>			3g	
Berberis thunbergii 'Admiration' Variegated Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; solid bright new coral-red foliage matures to reveal thin golden margin; compact rounded habit to 3' in 10 years; no flowers or fruit have been observed; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native (Plant Haven) Zones 5 - 8</i>			1g 2g	
Berberis thunbergii Bonanza Gold[®],[☿] ('Bogozam') Golden Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; compact spreading mound to 2' tall by 3' wide; bright gold foliage can burn in full sun; yellow fall foliage; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native (Lake County N) Zones 5 - 8</i>			1g 2g 5g	
Berberis thunbergii 'Concorde' Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; probably the most dwarf of the low spreading mounding cultivars; a mature plant is 18" tall and wide; dark red foliage intensifies in the fall; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native; Zones 5 - 8</i>			1g 2g 5g	
Berberis thunbergii 'Crimson Pygmy' Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; dwarf spreading mound; dark red foliage; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native; Zones 5 - 8</i>			1g 2g 5g	
Berberis thunbergii 'Golden Rocket' Columnar Golden Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; compact columnar habit to 5' tall by 2' wide at maturity; bright yellow deciduous summer foliage; coral stems; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native (Plant Haven) Zones 5 - 8</i>			1g 2g	
Berberis thunbergii Mini Maroon[®] [Sunjoy[®]] ('NCBT1') Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; small yellow sterile flowers in late spring; seedless; small bright reddish-purple foliage in spring & fall fall; compact mound to about 3' tall & wide in 10 years; resists deer & rabbit browse; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native (Ranney / PW) Zones 5 - 8</i>			2g 5g	N

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p>Berberis thunbergii 'Orange Rocket' Columnar Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; compact columnar habit to 4' tall by 2' wide at maturity; scarlet deciduous spring foliage matures to orange-red in summer foliage & becomes scarlet in the fall; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native (Plant Haven) Zones 5 - 8</i></p>			1g 2g 5g	
<p>Berberis thunbergii 'Rose Glow' Variegated Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; compact upright habit; creamy variegation on red foliage; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native; Zones 5 - 8</i></p>			1g 2g 5g	
<p>Berberis thunbergii Royal Burgundy® ('Gentry') Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; very compact spreading mound to 2' tall by 3' wide in 10 years; small dark burgundy-purple deciduous foliage summer foliage turns darker in the fall; small yellow flowers in spring aren't especially notable; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native (Gentry) Zones 5 - 8</i></p>			1g	
<p>Berberis thunbergii var. atropurpurea Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; small red deciduous foliage; bushy upright habit; the infamous "red sticker bush"; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade & most moisture retentive well-drained soils; Japanese native; Zones 5 - 8</i></p>			1g 2g 5g	
<p>Berberis verruculosa Warty Barberry <i>EVERGREEN SHRUB; small yellow flowers in early spring; glossy medium green foliage with silvery indumentum gets reddish tones in winter; dense upright mounding habit can reach 6' tall by 4' wide at maturity; very prominent thorns resists deer browse; locate in full sun or light shade & well drained soil; Zones 5 - 7</i></p>			1g 2g 5g	
<p>Betula x Avalanche™ ('Avalzam') Hybrid White Birch <i>DECIDUOUS ORNAMENTAL TREE; minimally ornamental light green catkins in early spring; new bark starts tan turns pinkish then almost pure white bark with black highlights under side branches on mature trunks & stems; dark green summer foliage turns shades of yellow in fall; broadly rounded habit to about 50' by 35' wide; resists bronze birch borer; fall dig hazard; locate in full sun or partial shade & well-drained moisture retentive neutral to acidic soil; probably an Asian cross (Zampini / PW) Zones 4 - 7</i></p>		CLUMP	7g	N
<p>Betula nigra River Birch <i>DECIDUOUS ORNAMENTAL TREE; tiny male & female catkins in early spring aren't ornamental; small cone-like fruit follow in late summer; green summer foliage turns golden in fall; broadly pyramidal heads to about 40' or more tall; shaggy tan to pinkish-tan exfoliating bark; resists bronze birch borer; tolerates a wide soil range & limited drought; fall dig hazard; locate in full sun or minimal shade & moisture retentive neutral to acidic soil; US native; Zones 4 - 9</i></p>		CLUMP	7g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Betula nigra Fox Valleyâ„¢ / Little King CLUMP Dwarf River Birch <i>DECIDUOUS ORNAMENTAL TREE; insignificant flowers are brown (male) or green (female) catkins in spring; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of yellow in fall; very compact bushy habit to about 10' tall & wide in 10 years; resists leaf spot & borers; tolerates wet soils; somewhat drought tolerant; fall dig hazard; locate in full sun or minimal shade & moist acidic soil; US native (Jacobson / King N) Zones (3) 4 - 9</i>			7g	
Betula nigra Heritage® ('Cully') CLUMP River Birch <i>DECIDUOUS ORNAMENTAL TREE; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of yellow in fall; leaf spot resistance; broadly upright habit to about 45' tall by 30' wide; 3 or more main trunks; fall dig hazard; locate in full sun or minimal shade & moist acidic soil; somewhat drought tolerant; supposedly improved selection of original Heritage; US native (Cully) Zones 3 - 9</i>			7g	
Betula nigra 'Shiloh Splash' TREE FORM Variegated River Birch <i>DECIDUOUS ORNAMENTAL TREE; tiny male & female catkins in early spring aren't ornamental; small cone-like fruit follow in late summer; green foliage is liberally edged with creamy white & turns golden in fall; upright pyramidal habit to about 15' tall by 10' wide; shaggy tan to pinkish-tan exfoliating bark; resists bronze birch borer; tolerates a wide soil range & limited drought; fall dig hazard; locate in full sun or minimal shade & moisture retentive neutral to acidic soil; US native (Allen) Zones 4 - 9</i>			7g	
Betula platyphylla Dakota Pinnacle® ('Fargo') TREE FORM Columnar Asian Birch <i>DECIDUOUS ORNAMENTAL TREE; slightly exfoliating yellowish-white bark; light green summer foliage is held late into fall before turning yellowish-brown; columnar to narrowly pyramidal habit to about 30' tall by 10' wide at maturity; bronze birch borer susceptibility; fall dig hazard; locate in full sun & moisture retentive well-drained soil; probably more reliable in colder range; Asian native (N. Dakota St U) Zones 3 - 6 (7)</i>			7g	
Bouteloua gracilis 'Blonde Ambition' Blue Grama Grass <i>ORNAMENTAL GRASS; chartreuse summer flowers turn to blonde seed heads that are effective from fall into early winter; upright arching habit to 30" tall by 18" wide; blue-green summer foliage; stems resist heavy snow loads; resistant to Black Walnut, air pollution, erosion & drought; locate in full sun; tolerant of most soils that drain well; won't tolerate moist soils; US native (Salman) Zones 3 - 10</i>			1g	
Bouvardia Estrellitaâ„¢ Scarlet ('WNBVESRED24') Firecracker Bush <i>EVERGREEN ORNAMENTAL SHRUB; scarlet orange-red tubular flowers from late spring through summer on new wood; compact bushy habit to about 2' tall & wide; attracts butterflies & hummingbirds; resists deer browse; tolerates heat & limited drought; locate in full sun to partial shade & very well-drained acidic to neutral soil; SW US native; (PW) Zones 8 - 10</i>			2g	N
Buddleia 'Miss Molly' Compact Red Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; bright wine-red flower spikes on new wood from mid-summer to fall; compact habit to 4' tall & wide; cut back in late fall or early spring; attracts butterflies & hummingbirds; resistant to deer browse; locate in full to mostly sunny areas & well-drained moisture retentive organic garden soils; native of China [B. davidii] (PW) (Werner) Zones 5 - 9</i>			1g 2g 5g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Buddleia 'Miss Ruby' Compact Pink Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; fragrant fuchsia-pink flower spikes on new wood from mid-summer to fall; compact habit to 4' tall & wide; gray-green foliage; cut back in late fall or early spring; attracts butterflies & hummingbirds; resistant to deer browse; locate in full to mostly sunny areas & well-drained moisture retentive organic garden soils; native of China (Werner) Zones 5 - 9</i>			1g 2g	
Buddleia 'Miss Violet' Lavender Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; fragrant violet-purple flower spikes on new wood from mid-summer to fall; compact habit to 5' tall & wide; gray-green foliage; cut back in late fall or early spring; attracts butterflies & hummingbirds; resistant to deer browse; locate in full to mostly sunny areas & well-drained moisture retentive organic garden soils; native of China (PW) Zones 5 - 9</i>			1g 2g 5g	
Buxus x 'Green Gem' Dwarf Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark glossy green summer foliage tends to bronze in winter; rounded mound to about 2' tall & wide in 10 years; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>			1g 2g 5g	
Buxus x 'Green Mountain' Upright Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer & winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; sheared so a round ball sits over a bottom one on a straight stem; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>		2 TIER	5g	
Buxus x 'Green Mountain' Upright Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer & winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; sheared into tight round cones; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>		CONE	5g	
Buxus x 'Green Mountain' Upright Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer & winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; tops sheared to be about as tall as wide; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>		SHRUB	1g 2g 5g 7g	N
Buxus x 'Green Velvet' Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer & winter foliage; compact mounding habit to about 2' high by 3' wide in 10 years; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>			1g 2g 5g 7g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Buxus microphylla Baby Gemâ„¢ ('Gregem') Dwarf Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dwarf rounded habit to about 4' tall & wide at maturity; dark green summer foliage; minimal winter bronzing; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant (Greenleaf Ns) Zones (4) 5 - 8 (9)</i>			1g 3g	
Buxus microphylla 'Faulkner' Japanese Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; good hedging plant with glossy green foliage; densely branched habit will reach 6' at maturity, but can be kept at or under 3'; adaptable to shady and coastal sites; resistant to late spring frosts; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones 5 - 9</i>			2g 5g	
Buxus microphylla 'Little Missy' Japanese Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; small lustrous dark green foliage through the winter; tight spreading mound to about 2' tall by 3' wide in 10 years; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japanese native (Cole) Zones (5) 6 - 9</i>			1g 2g 5g	
Buxus microphylla Sprinter® ('Bulthouse') Japanese Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; glossy dark green foliage; compact broadly upright habit to about 4' tall & wide; good for low to medium-sized hedges; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native (PW) Zones 5 - 8</i>			2g	N
Buxus sempervirens Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage with minimal bronzing except in exposed locations in winter; broadly upright habit to about 4' tall & wide in 10 years; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8</i>	BUSH		1g 2g 5g	
Buxus sempervirens North Star® ('Katerberg') Dwarf Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; glossy dark green foliage; bred in Michigan to retain good winter foliage color; slow growing compact globular habit reaches about 30" x 30" at maturity; sheared into formal cones; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa (Katerberg) Zones 5 - 7</i>	CONE		5g	
Buxus sempervirens North Star® ('Katerberg') Dwarf Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; glossy dark green foliage; bred in Michigan to retain good winter foliage color; slow growing compact globular habit reaches about 30" x 30" at maturity; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa (Katerberg) Zones 5 - 7</i>	SHRUB		1g 2g 5g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Buxus sempervirens 'Rotundifolia' <p style="text-align: right;">SHRUB</p> Roundleaf Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; large round dark green convex foliage usually retains good winter color; broadly upright habit to about 5' ball by 4' wide in 10 years; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8</i>			1g 2g	
Buxus sempervirens 'Variegata' <p style="text-align: right;">CONE</p> Variegated Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; could be one of several cultivars; creamy to gold edged foliage around dark green centers; broadly upright habit to about 5' tall & wide; sheared into tight round cones; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8</i>			5g	
Buxus sempervirens 'Variegata' <p style="text-align: right;">SHRUB</p> Variegated Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; could be one of several cultivars; creamy to gold edged foliage around dark green centers; broadly upright habit to about 5' tall & wide; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8</i>			1g 2g 5g	
Buxus sinica var. insularis 'Fastigiata' Columnar Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage is retained in winter; compact upright habit will grow to about 5' tall by 3' wide in 10 years; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones 4 - 9</i>			1g 5g	
Buxus sinica var. insularis 'Fastigiata' <p style="text-align: right;">2-TIER</p> Columnar Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage is retained in winter; compact upright habit will grow to about 5' tall by 3' wide in 10 years; 2 balls sheared about the same size with a stem between them; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones 4 - 9</i>			5g	
Buxus sinica var. insularis 'Fastigiata' <p style="text-align: right;">COLUMN</p> Columnar Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage is retained in winter; compact upright habit will grow to about 5' tall by 3' wide in 10 years; sheared into formal columns; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones 4 - 9</i>			5g	N
Buxus sinica var. insularis 'Fastigiata' <p style="text-align: right;">CONE</p> Columnar Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage is retained in winter; compact upright habit will grow to about 5' tall by 3' wide in 10 years; sheared into formal cones; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones 4 - 9</i>			5g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Buxus sinica var. insularis 'Fastigiata' <p style="text-align: right;">STANDARD</p> Columnar Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage is retained in winter; compact upright habit will grow to about 5' tall by 3' wide in 10 years; rounded heads on a single trunk usually about 18" to 24" above the ground; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones 4 - 9</i>			5g	
Buxus sinica var. insularis 'Winter Gem' Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; new lime-green foliage matures to dark glossy green; compact spreading habit to about 4' tall & wide in 10 years; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones 5 - 9</i>			1g 2g 5g 7g	
Calamagrostis x acutiflora 'Karl Foerster' Feather Reed Grass <i>ORNAMENTAL GRASS; upright foliage to 4' tall; pinkish to golden inflorescence from June to September which are sterile reach as much as 6' tall; deer browse resistant; salt tolerant; locate in full sun to light shade & moisture retentive soils; performs well in dry & boggy situations; & areas with coolish nights; Zones (3) 4 - 9</i>			1g 5g	
Callicarpa bodinieri Bodinier's Beautyberry <i>DECIDUOUS FLOWERING SHRUB; small lavender flowers with yellow stamens in spring on new wood; profuse clusters of lavender berries held close to the stems for about 6 weeks in in late summer & early fall are more prolific when planted in mass; dull bluish-green summer foliage turn pinkish-purple in fall; broadly upright habit to about 10' tall by 8' wide; locate in full sun to light shade & most well-drained soils; Chinese native; Zones 6 - 8</i>			1g 2g	N
Calluna vulgaris 'Firefly' Scotch Heather <i>EVERGREEN GROUNDCOVER; semi-double dark mauve-pink flowers from July to Sept; spring & summer foliage is a mix of yellow & chartreuse which intensifies to oranges & red in fall then turns brick-red through winter; compact bushy habit to about 2' tall & wide; some tolerance to deer browse; not tolerant of hot humid climates & soil that doesn't drain or retains too much moisture; prune in early spring; locate in full sun to part shade & most well-drained moisture retentive soils; native to N America & Eurasia; Zones 4 - 6</i>			1g	
Calluna vulgaris 'Multicolor' Scotch Heather <i>EVERGREEN GROUNDCOVER; single pale mauve-pink flowers in late summer; golden summer foliage turns brilliant shades of red & orange in late fall through early spring; low spreading habit habit to about 6" tall by 12" wide; tolerates drought & deer browse; not tolerant of hot humid climates & soil that retains too much moisture; prune in early spring; locate in full sun or minimal shade & most well-drained moisture retentive acidic soils; native to N America & Eurasia; Zones 4 - 7</i>			1g	N
Calluna vulgaris 'Silver Knight' Scotch Heather <i>EVERGREEN GROUNDCOVER; lavender flowers in late summer; silvery-gray foliage turns soft purple by & through winter; compact bushy habit to about 20" tall 2' wide; some tolerance to deer browse; not tolerant of hot humid climates & soil that doesn't drain or retains too much moisture; prune in early spring; locate in full sun to part shade & most well-drained moisture retentive soils; native to N America & Eurasia; Zones 4 - 6</i>			1g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Camellia japonica Early Wonder Pink Japanese Camellia <i>EVERGREEN FLOWERING SHRUB; large double rosy-pink flowers from Sept. through fall - unusual!; glossy dark green foliage; upright habit to about 8' tall by 6' wide; protect from winter winds in northern range; locate in light to filtered shade & moist acidic well-drained organic soil; Zones 7 - 10</i>			1g 3g	
Camellia japonica Early Wonder Pink Japanese Camellia <i>EVERGREEN FLOWERING SHRUB; large double rosy-pink flowers from Sept. through fall - unusual!; glossy dark green foliage; upright habit to about 8' tall by 6' wide; protect from winter winds in northern range; locate in light to filtered shade & moist acidic well-drained organic soil; Zones 7 - 10</i>		TREE FORM	3g	
Camellia sasanqua Dianaâ„¢ White Sasanqua Camellia <i>EVERGREEN FLOWERING SHRUB; semi-double white flowers with faint light yellow centers from mid to late fall & into winter with mild temperatures; dark glossy green foliage; upright habit to about 10' tall by 8' wide at maturity; needs a sheltered location in winter for colder areas; locate in partial shade & acidic well-drained moisture retentive organic soil (Southern Living) Zones 7 - 9</i>			1g 3g	
Camellia sasanqua October Magic® Brideâ„¢ ('Green 99-006') White Sasanqua Camellia <i>EVERGREEN FLOWERING SHRUB; single dark red flowers with yellow centers from mid to late fall & into winter with mild temperatures; dark glossy green foliage; upright habit to about 5' tall by 4' wide; needs a sheltered location in winter for colder areas; locate in partial shade & acidic well-drained moisture retentive organic soil (Green / Plants Nouveau) Zones (6) 7 - 9</i>			1g 3g	
Camellia sasanqua October Magic® Crimson N' Cloverâ„¢ ('Green 08-052') Red Sasanqua Camellia <i>EVERGREEN FLOWERING SHRUB; single dark red flowers with yellow centers from mid to late fall & into winter with mild temperatures; dark glossy green foliage; upright habit to about 12' tall by 8' wide; needs a sheltered location in winter for colder areas; locate in partial shade & acidic well-drained moisture retentive organic soil (Green / Plants Nouveau) Zones (6) 7 - 9</i>			1g 3g	
Camellia sasanqua October Magic® Crimson N' Cloverâ„¢ ('Green 08-052') Red Sasanqua Camellia <i>EVERGREEN FLOWERING SHRUB; single dark red flowers with yellow centers from mid to late fall & into winter with mild temperatures; dark glossy green foliage; upright habit to about 12' tall by 8' wide; needs a sheltered location in winter for colder areas; locate in partial shade & acidic well-drained moisture retentive organic soil (Green / Plants Nouveau) Zones (6) 7 - 9</i>		TRELLIS	3g	
Camellia sasanqua October Magic® Orchidâ„¢ ('Green 94-035') Pink Sasanqua Camellia <i>EVERGREEN FLOWERING SHRUB; semi-double pink & white petals appear in mid to late fall & with mild temperatures can bloom into mid-winter; glossy dark green foliage; broadly upright habit to about 5' tall by 4' wide; provide sheltered location from wind in northern range; locate in full sun to partial shade & acidic well-drained moisture retentive organic soil (Green / Plants Nouveau) Zones (6) 7 - 9</i>			1g 3g	
Camellia sasanqua October Magic® Rubyâ„¢ ('Green 02-003') Red Sasanqua Camellia <i>EVERGREEN FLOWERING SHRUB; lightly fragrant profuse flowering double bright red flowers in mid to late fall & with mild temperatures can bloom into mid-winter; broadly upright habit to about 4' tall by 5' wide; glossy olive-green foliage; needs a sheltered location in northern range; locate in full sun or partial shade & acidic well-drained moisture retentive organic soil (Green / Plants Nouveau) Zones (6) 7 - 9</i>			1g 3g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Camellia sasanqua October Magic ® White Shi Shiâ„¢ ('Green 02-004') White Sasanqua Camellia EVERGREEN FLOWERING SHRUB; lightly fragrant profuse double white flowers in mid to late fall & with mild temperatures can bloom into mid-winter; mounding habit to about 4' tall & wide; glossy olive-green foliage; needs a sheltered location in northern range; locate in full sun or partial shade & acidic well-drained moisture retentive organic soil (Green / Plants Nouveau) Zones 7 - 9			1g 3g	
Camellia sasanqua 'Yuletide' Red Sasanqua Camellia EVERGREEN FLOWERING SHRUB; single crimson petals with prominent gold stamens in the middle; fall bloomer; dark evergreen foliage; grows to about 10' by 8' wide; locate in partial shade & moist acidic well drained organic soil for best results; Zones (6) 7 - 9			1g 3g	
Carex morrowii 'Ice Dance' Variegated Japanese Sedge ORNAMENTAL GRASS; evergreen or semi-evergreen foliage; thin creamy margins edge dark green centers on narrow blades; grows to about 12" tall by 18" wide; rhizomatous clumping habit; not invasive; deer browse resistant; locate in full to partial shade & rich organic moisture retentive soil; Japanese native; Zones 5 - 9			1g	
Carex oshimensis 'Everest' [Evercolor®] Variegated Oshima Sedge ORNAMENTAL GRASS; narrow green arching foliage with thin white edges; compact clumping habit to 12" high & wide; good groundcover or in containers; deer browse resistant; locate is partial to filtered shade & moisture retentive soils that don't stay wet; Japanese native [C. oshimensis] (Tesselaar) Zones (5) 6 - 9			1g 2g	N
Carex oshimensis 'Evergold' Variegated Oshima Sedge ORNAMENTAL GRASS; creamy-white new foliage with green margins matures to creamy-yellow; densely clumping with arching leaves reaches 12" tall by 18" wide; good groundcover or in containers; deer browse resistant; locate is partial to filtered shade & moisture retentive soils that don't stay wet; Japanese native; Zones (5) 6 - 8 (9)			1g	
Carex oshimensis 'Everillo' [Evercolor®] Yellow Oshima Sedge ORNAMENTAL GRASS; lime green arching foliage transitions to gold with maturity; becomes chartreuse in more shade; densely clumping with arching leaves reaches 12" tall & wide; good groundcover or in containers; deer browse resistant; locate in full sun to partial or filtered shade & moisture retentive soils that don't stay wet; Japanese native (Fitzgerald) Zones (5) 6 - 8 (9)			1g	
Carex pensylvanica Oak Sedge; Pennsylvanica Sedge ORNAMENTAL GRASS; flowers sparsely in late spring & is not especially ornamental; narrow bright green arching foliage forming clumps to 10" tall; spreads by stolons (runners above ground); resists deer browse; somewhat drought tolerant; locate in partial to dappled shade & most well-drained soils; native to eastern US & Canada; Zones (3) 4 - 8			1g	
Carex testacea Copper Hair Sedge EVERGREEN ORNAMENTAL GRASS; brownish flowers in late spring to early summer; narrow bronze-orange foliage; spreads by rhizomes, arching habit to 15" tall by 18" wide; deer browse resistant; locate in sunny to mostly sunny locations & moisture retentive well-drained soil; New Zealand native; Zones 6 - 9			1g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Carpinus betulus 'Columnaris Nana' Dwarf Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; bright green summer foliage turns a better yellow in fall than others; narrow upright habit to 4' tall by 18" wide in 10 years; like the larger forms it widens with age (just like us); branching starts at or very close to the ground; locate in full sun or part shade & any soil with moderate drainage; native to Europe & Asia Minor; Zones 5 - 8</i>			5g	
Carpinus betulus 'Fastigiata' Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; dark green summer foliage turns yellowish then tan by winter; columnar habit when young matures to about 40' tall & about 30' wide; good for hedging as it takes shearing well & the foliage is often retained through winter - especially in protected locations; branching starts at or near the ground; locate in full sun or part shade & any soil with moderate drainage; native to Europe & Asia Minor; Zones 5 - 8</i>		LOW BRANCHED	5g 7g 15g	
Carpinus betulus 'Franz Fontaine' Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer foliage turns yellowish then tan by winter; narrower columnar habit that's supposed to stay that way when matures; Franz can't read so also gets about 40' tall & about 30' wide; good for hedging as it takes shearing well & the foliage is often retained through winter - especially in protected locations; branching normally starts about 4' above the ground; locate in full sun or part shade & any soil with moderate drainage; native to Europe & Asia Minor; Zones 5 - 8</i>			7g	N
Caryopteris x clandonensis Beekeeperâ„¢ ('Minigold') Gold False Spirea; Gold Bluebeard <i>DECIDUOUS FLOWERING SHRUB; bright blue flowers on new wood from mid-summer through fall; gold foliage in spring & summer; compact mounding habit to about 3' tall & wide; retains color in full sun; resists deer browse & rabbit browse; attracts bees, butterflies & hummingbirds; minimal disease or insect problems; locate in full sun or minimal shade & well-drained moisture retentive slightly acidic soil; native Asian cross (Bloomin' Easy) Zones 6 - 9</i>			2g	
Caryopteris x clandonensis 'Blue Mist' False Spirea; Bluebeard <i>DECIDUOUS FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in August; silver-gray foliage; resists deer browse & rabbit browse; attracts bees, butterflies & hummingbirds; minimal disease or insect problems; locate in full sun or minimal shade & well-drained neutral garden soil; native Asian cross; Zones 6 - 9</i>			1g 2g 5g	
Ceanothus 'Concha' California Lilac <i>DECIDUOUS FLOWERING SHRUB; profuse clusters of deep blue flowers from late spring into early summer; red seed heads; small dark green foliage; broadly arching habit to as much as 8' tall by 12' wide; attracts bees, butterflies & birds; tolerates drought & coastal conditions; resists deer & rabbit browse; locate in full sun or minimal shade & well-drained moisture retentive neutral to alkaline soil [C. impressus x C. papillosus] Zones 7 - 10</i>			1g 5g	
Ceanothus gloriosus Point Reyes Ceanothus <i>EVERGREEN GROUND COVER; dark bluish-purple flower in late winter & early spring; spreading habit to 3' high by 6' wide at maturity; attracts butterflies & bees; locate in partial shade and moisture retentive well-drained soil; California native; Zone 7 - 9</i>			1g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Ceanothus impressus 'Victoria' California Lilac <i>EVERGREEN GROUND COVER; dark blue flower in spring; upright mounding habit to 9' high by 12' wide at maturity; attracts butterflies & bees; tolerant of coastal conditions; locate in full sun and well-drained soil; California native; Zone 7 - 9</i>			1g 2g 5g	
Ceanothus maritimus 'Popcorn' California Lilac <i>EVERGREEN FLOWERING SHRUB; lightly fragrant clusters of white flowers in late winter or early spring; reddish-gray bark on young stems mature to gray; low spreading habit to about 2' tall by 6' wide; attracts pollinators; resists deer browse & coastal locations; tolerates limited drought; locate in full sun to partial shade & just about any soil that's close to neutral acidity; western US native; Zones (7) 8 - 9</i>			1g	
Ceanothus x 'Ray Hartman' California Lilac <i>DECIDUOUS FLOWERING SHRUB; clusters of medium blue flowers from late spring into early summer; followed by red seed heads; broadly upright habit to as much as 20' tall & wide; attracts bees, butterflies & birds; tolerant of drought & coastal conditions; loved by deer; locate in full sun or minimal shade & very well drained neutral to alkaline soil [C. arborescens x C. griseus] Zones 9 - 11</i>			1g 5g	
Ceanothus thyrsiflorus 'Cool Blue' Compact Variegated Blueblossom <i>EVERGREEN FLOWERING SHRUB; true blue flowers (rare!) from mid-May to mid-June; small edible fruit; glossy green alternate leaves have creamy margin; compact mounding habit to about 4' tall by 5' wide; attracts pollinators; locate in full sun or minimal shade & moisture retentive well-drained alkaline soil; western US native; Zones (7) 8 - 10</i>			1g 3g	
Cedrus atlantica 'Glauca Pendula' Weeping Blue Atlas Cedar <i>EVERGREEN ORNAMENTAL CONIFER; blue-green needles; trunks are staked in an undulating shape to resemble a multi-curved S; ultimate shape and undulation will vary with staking; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9</i>		SERPENTINE	5g	
Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar <i>EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles; compact pyramidal habit to about 25' tall which matures more flat-topped & about half as wide; terrific plant for small properties where a blue evergreen accent is desired; somewhat drought tolerant; protect from winter winds in northern range; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; north African native; Zones (5) 6 - 9</i>			5g	
Cedrus deodara Deodara Cedar; Himalayan Cedar <i>EVERGREEN CONIFER; medium green pointed needles; densely pyramidal habit when young maturing to about 60' or more tall by 40' wide at the base; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in northern range; native to western Himalaya; Zones (6) 7 - 9</i>			5g 10g	
Cedrus deodara 'Feelin' Blue' Compact Blue Deodara Cedar <i>EVERGREEN ORNAMENTAL CONIFER; blue-green needles; compact spreading habit to about 2' tall by 6' wide in 10 years; if leader is staked lateral branches will droop gracefully downward; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in northern range; native to western Himalaya; Zones (6) 7 - 9</i>			5g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cedrus deodara 'Gold Cone' Golden Deodara Cedar <i>EVERGREEN ORNAMENTAL CONIFER; golden yellow on the outside become green inside; pyramidal habit to about 12' tall by 6' wide in 10 years; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in northern range; native to western Himalaya; Zones (6) 7 - 9</i>			5g	
Cedrus deodara 'Karl Fuchs' Blue Deodara Cedar <i>EVERGREEN ORNAMENTAL CONIFER; silvery to steel-blue pointed needles; vigorous open pyramidal habit to about 15" tall by 6' wide in 10 years; slightly pendulous branching; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in northern range; hardy selection from Afghanistan; native to western Himalaya (Fuchs) Zones (5) 6 - 9</i>			5g	
Cephalotaxus harringtoniana Yewtopia ('Plania') Compact Plum Yew <i>EVERGREEN CONIFER; medium to dark green Taxus-like needles; compact spreading mound to about 3' high & wide in 10 years; 1" fleshy fruit on female plants in late summer; resists deer browse; locate in partial sun to full shade & well-drained moisture retentive soil; somewhat drought tolerant when established; Asian native; Zones 6 - 9</i>			1g 3g	
Cercis canadensis Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; multiple plants with branching to ground; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil; US native; Zones (3) 4 - 9</i>		CLUMP	7g	N
Cercis canadensis Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching starts at the ground; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil; US native; Zones (3) 4 - 9</i>		MULTI-STEM	5g 7g	
Cercis canadensis Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching usually starts about 3' to 5' above the ground from a single stem; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones (3) 4 - 9</i>		TREE FORM	5g 7g	N
Cercis canadensis Amethyst [Garden Gemsâ„†] ('NC2017-6') Compact Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; deep purple-pink buds open to lavender-pink flowers in April before the foliage; small burgundy spring foliage becomes greenish-burgundy by summer; compact rounded heads to about 10' tall & wide; attracts pollinators; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil; US native (Star) Zones 5 - 9</i>			5g	N

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p>Cercis canadensis Burgundy Hearts® ('Greswan') Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; deep purple-pink buds open to lavender-pink flowers in April before the foliage; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil; US native (Greenleaf N) Zones 4 - 9</i></p>			7g	
<p>Cercis canadensis Carolina Sweetheartâ„¢ ('NCCC1') Variegated Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; flowers are more pink than the species; new leaves unfurl bright pink & soon add green & white before maturing to mostly green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Star) Zones 4 - 9</i></p>			7g	
<p>Cercis canadensis Flame Thrower® ('NC2016-2') Variegated Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9</i></p>			7g	
<p>Cercis canadensis 'Forest Pansy' Purpleleaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges purple before becoming dark purplish-green by mid-summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Forest N) Zones (4) 5 - 9</i></p>		TREE FORM	7g 15g	N
<p>Cercis canadensis Golden Falls® ('NC2015-12') Golden Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9</i></p>			7g	
<p>Cercis canadensis Lavender Twistâ„¢ ('Covey') Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Brotzman) Zones 4 - 9</i></p>			7g 15g	
<p>Cercis canadensis 'Merlot' Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright pink self-cleaning flowers in April; low seed set; smaller thicker spring foliage emerges purple before turning dark green by late summer then variable shades of yellow in fall; compact spreading habit to about 20' tall by 25' wide; branching more horizontal than 'Forest Pansy'; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet soil; parentage makes it more heat & drought tolerant; US native ['Texas White' x 'Forest Pansy'] (Werner / Plant Haven) Zones 4 - 9</i></p>			7g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p>Cercis canadensis Midnight Expressâ„¢ ('RNI-RCC3') Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright pink pea-shaped flowers in April; velvety purple foliage; upright oval heads to about 30' tall by 20' wide; attracts hummingbirds; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil; US native (Robinson / PW) Zones 4 - 9</i></p>			7g	
<p>Cercis canadensis 'Oklahoma Sparklerâ„¢ ('JN21') Compact Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; dark lavender-pink blooms along all the branches in April before the foliage; spring foliage emerges purple before turning glossy dark green by summer; compact rounded habit to about 15' tall & wide; attracts pollinators; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil; US native (Garden Debut) Zones 5 - 9</i></p>			7g	N
<p>Cercis canadensis Rise 'N Shineâ„¢ ('JN15') Gold-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges yellow with reddish tones before turning chartreuse by summer then variable shades of yellow in fall; drought stress will turn the summer foliage green; compact upright habit to about 25' tall by 20' wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil; US native (Garden Debut) Zones 4 - 9</i></p>			7g	
<p>Cercis canadensis 'Ruby Falls' Purpleleaf Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in mid to late April; spring foliage emerges reddish-purple before turning dark green by late summer then variable shades of yellow in fall; narrow weeping habit like Lavender Twist; size is determined by staking, resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; not tolerant of very wet or dry soils; US native ['Covey' x 'Forest Pansy'] (Werner / Plant Haven) Zones 5 - 9</i></p>			7g	
<p>Cercis canadensis subsp. texensis 'Pink Pom Poms' Pink Oklahoma Redbud <i>DECIDUOUS ORNAMENTAL TREE; masses of double pink flowers in April before the foliage; seedless; thick glossy dark green drought resistant foliage; compact rounded habit to about 12' tall & wide in 8 years; locate in sun or part shade & most well-drained moisture retentive soil; US native (Werner / Star) Zones 6 - 9</i></p>			7g	
<p>Cercis canadensis The Rising Sunâ„¢ ('JN2') Golden Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; profuse rosy-lavender flowers appear in spring before the leaves; spring foliage break is a wow as the new leaves unfurl bright orange-pink before turning chartreuse & finally lime green by summer; fall reintroduces the bright gold to orange tones; rounded habit to about 25' tall & wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Jackson) Zones (5) 6 - 9</i></p>		TREE FORM	5g	N
<p>Chaenomeles lagenaria Double Takeâ„¢ Eternal White ('SMNCSDW') White Quince <i>DECIDUOUS FLOWERING SHRUB; sterile double to semi-double creamy white camellia-like flowers with yellow stamens from early to late spring; fruitless; thornless; bushy spreading habit to about 4' tall by 5' wide; attracts bees & butterflies; tolerates drought; locate in full sun to light shade & neutral to acidic soil with good to moderate drainage; somewhat drought tolerant (PW) Zones 5 - 8 (9)</i></p>			2g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Chaenomeles lagenaria Double Take[®] Orange Orange Quince <i>DECIDUOUS FLOWERING SHRUB; sterile double to semi-double dark orange camellia-like flowers with yellow stamens from late winter into spring; fruitless; thornless; bushy upright habit to about 5' tall by 4' wide; drought tolerant; locate in full sun to light shade & neutral to acidic soil with good to moderate drainage; somewhat drought tolerant (PW) Zones 5 - 8 (9)</i>			2g	
Chaenomeles lagenaria Double Take Peach[®] ('NCCS4') Pink Flowering Quince <i>DECIDUOUS FLOWERING SHRUB; large double peachy-pink flowers with yellow stamens from mid to late spring; can re-bloom in fall; fruitless; thornless; bushy habit to about 4' tall & wide; spread by root suckers; somewhat resistant to drought & deer browse; locate in full sun to light shade & neutral to acidic well-drained soil; species renamed: lagenaria (PW) Zones 5 - 9</i>			2g	
Chaenomeles lagenaria Double Take Scarlet[®] ('Scarlet Storm') Red Flowering Quince <i>DECIDUOUS FLOWERING SHRUB; 2" double dark red flowers with yellow stamens from early to late spring; can re-bloom in fall; fruitless; thornless; glossy dark green summer foliage; bushy habit to about 4' tall & wide; spread by root suckers; somewhat resistant to drought & deer browse; locate in full sun to light shade & neutral to acidic well-drained soil; species renamed: lagenaria (PW) Zones 5 - 9</i>			2g	
Chaenomeles lagenaria (speciosa) Double Take[®] Eternal White ('SMNCSDW') White Quince <i>DECIDUOUS FLOWERING SHRUB; sterile double to semi-double creamy white camellia-like flowers with yellow stamens from early to late spring; fruitless; thornless; bushy spreading habit to about 4' tall by 5' wide; attracts bees & butterflies; tolerates drought; locate in full sun to light shade & neutral to acidic soil with good to moderate drainage; somewhat drought tolerant (PW) Zones 5 - 8 (9)</i>			2g	N
Chamaecyparis nootkatensis 'Glauca Pendula' Blue Weeping Alaskan Cedar <i>EVERGREEN ORNAMENTAL CONIFER; flatened sprays of blue-green foliage; pronounced single leader with branchlets hanging downward from horizontal lateral branches; open layered pyramidal habit to about 15' tall by 8' wide in 10 years; locate in full sun or partial shade & deep organic well-drained moisture retentive soil; northwestern US native [Genus renamed: Cupressus] Zones 4 - 7 (8)</i>			5g 10g	
Chamaecyparis nootkatensis 'Green Arrow' Narrow Weeping Alaskan Cedar <i>EVERGREEN ORNAMENTAL CONIFER; flatened sprays of medium green foliage; pronounced single leader with all branches hanging almost straight downward; very narrow profile to about 18' tall & 3' wide in 10 years; sometimes develops a broad skirt at the base; locate in full sun or partial shade & deep organic well-drained moisture retentive soil; northwestern US native (Bentham & Buchholz) [Genus renamed: Cupressus] Zones 4 - 7 (8)</i>			5g 10g	
Chamaecyparis obtusa 'Compacta' Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright dark green foliage; compact (not dwarf) upright habit to about 3' tall by 2' wide in 10 years; ultimate size varies greatly with local conditions; also probably a lot of strains with various growth rates; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>			5g	
Chamaecyparis obtusa 'Nana' Dwarf Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage is mostly vertical; slow broadly maounding to upright habit to about 2' tall & wide in 10 years; often broader than tall at maturity; usually grafted about 24" above the ground on a clear stem; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		LOW GRAFT	5g	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p>Chamaecyparis obtusa 'Nana'</p> <p style="text-align: right;">STANDARD</p> <p>True Dwarf Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage is mostly vertical; slow broadly mounding to upright habit to about 2' tall & wide in 10 years; often broader than tall at maturity; usually grafted about 24" above the ground on a clear stem; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i></p>			5g 7g	N
<p>Chamaecyparis obtusa Night Light™ (Conschlecht)</p> <p style="text-align: right;">SHRUB</p> <p>Golden Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; golden spring & summer foliage turns bronze in winter; rounding mounding habit to about 4' tall & wide in 10 years; best color in full sun; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native (Star / So. Living) Zones 5 - 8</i></p>			1g 2g 5g	
<p>Chamaecyparis obtusa 'Templehof'</p> <p>Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark green cupped summer foliage gets slightly bronze in winter; broadly upright habit in time, but is more rounded in youth; very compact mound to about 3' tall by 2' wide in 10 years; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native (Templehof N) Zones 5 - 8</i></p>			5g	
<p>Chamaecyparis obtusa 'Verdon'</p> <p>Compact Golden Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright gold foliage tends not to burn in full hot sun with adequate moisture; dwarf broadly upright habit to about 2' tall by 18" wide in 10 years; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native (W. Rogers N) Zones 5 - 8</i></p>			2g 5g	
<p>Chamaecyparis pisifera Cedar Rapids™ (RutCham1')</p> <p>Sawara False-Cypress <i>EVERGREEN ORNAMENTAL CONIFER; lacey lime-green foliage with a slight twist; compact upright pyramidal habit with horizontal layered branches to about 30' tall & half as wide in 10 years; somewhat tolerant of salt & deer browse (reportedly); locate in full to light shade & organic well-drained moisture retentive soil; Japanese native (PW) Zones (4) 5 - 8</i></p>			2g 5g	N
<p>Chamaecyparis pisifera 'Cream Ball'</p> <p style="text-align: right;">BUSH</p> <p>Dwarf Golden Sawara Cypress <i>EVERGREEN ORNAMENTAL CONIFER; lacey creamy yellow foliage in full sun; interior foliage is greenish; compact upright habit to about 5' tall by 3' wide in 10-15 years; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i></p>			1g 2g 5g	
<p>Chamaecyparis pisifera 'Lemon Thread'</p> <p>Gold Thread Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright gold thread-like foliage all year; broadly pyramidal arching habit to about 4' tall by 3' wide in 10 years; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; sport of 'Lutescens' (Mitsch) Zones 5 - 8</i></p>			1g 2g 5g	
<p>Chamaecyparis pisifera Soft Serve® ('Dow Whiting')</p> <p>False-Cypress <i>EVERGREEN ORNAMENTAL CONIFER; lacey medium green foliage with flecks of silver-blue below; compact pyramidal habit with horizontal layered branches to about 6' tall by 4' wide in 10 years; somewhat tolerant of salt & deer browse (reportedly); locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; sport of 'Boulevard' (Whiting / PW) Zones (4) 5 - 8</i></p>			1g 2g 5g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Chamaecyparis pisifera 'Sungold' Gold Threadleaf Cypress <i>EVERGREEN ORNAMENTAL CONIFER; gold thread-like foliage in full sun on new growth; will become more green by summer with golden highlights; not as gaudy; compact spreading mound to about 3' tall by 4' wide in 10 years; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; seedling of 'Filifera Aurea' (Goddard) Zones 5 - 8</i>			1g 2g 5g	
Chamaecyparis pisifera 'Sungold' Gold Threadleaf Cypress <i>EVERGREEN ORNAMENTAL CONIFER; gold thread-like foliage in full sun on new growth; will become more green by summer with golden highlights; compact spreading mound to about 3' tall by 4' wide in 10 years; most branches removed; those that remain have sheared pads at the ends; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native; seedling of 'Filifera Aurea' (Goddard) Zones 5 - 8</i>		POM POM	10g	N
Chitalpa El Ninoã„¢ ('NCXC1') Desert Orchid <i>DECIDUOUS FLOWERING SHRUB; fragrant lavender-purple orchid-like flowers from late spring to early summer & sporadically thereafter; light green summer flower; bushy upright habit to about 8' tall by 6' wide; attracts pollinators; may resist deer browse; tolerates drought; locate in full sun to light shade & just about any well-drained soil; intergeneric hybrid between Chilopsis linearis & Catalpa sp.; North American native hybrid; Zones 6 - 9</i>			2g	
Cistus x pulverulentus 'Sunset' Magenta Rock Rose <i>EVERGREEN ORNAMENTAL SHRUB; bright hot pink flowers with yellow pistals in the center from late spring through summer; bushy wide-spreading habit to about 30" tall by up to 8' wide; small wavy gray-green foliage; drought & salt tolerant; locate in full sun & moisture retentive well-drained soil; Mediterranean native [C. albidus x C. crispus] Zones 8 - 10</i>			1g 5g	
Cistus x purpureus Pink Rockrose <i>EVERGREEN ORNAMENTAL SHRUB; 3" magenta flowers have a red spot & yellow pistals in the center in late spring or early summer; compact habit to about 6' tall & slightly wider; narrow dark green foliage; drought & salt tolerant; locate in full sun & moisture retentive well-drained soil; Mediterranean native [C. ladanifer x C. incanus creticus] Zones 7 - 9</i>			1g 5g	
Cistus x 'Snow Fire' White Rockrose <i>EVERGREEN ORNAMENTAL SHRUB; pure white flowers have a red spot & yellow pistals in the center from late spring into mid-summer; compact habit to about 4' tall & slightly wider; bright green foliage & red stems; drought & salt tolerant; locate in full sun & moisture retentive well-drained soil; Mediterranean native [C. populifolius subsp. major x C. inflatus] (Sammons) Zones (7) 8 - 9</i>			1g 5g	
Cornus alba Ivory Halo® ('Bailhalo') Variegated Red-twig Dogwood <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant creamy-white flower clusters from late May into June; clusters of white fruit in summer that birds love; narrow white edges surround medium green leaves; fall color is purplish; young winter twigs are bright red; bushy habit to 6' tall & wide; locate in full sun to partial shade & moisture retentive well-drained soil; northeastern Asian native (Bailey) Zones 3 - 6 (7)</i>			1g 2g 5g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cornus alba Sgt. Pepper[®],[♣] ('Verpaalen2') Variegated Red-twig Dogwood; Variegated Tatarian Dogwood <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant creamy cymes from late May into June; white fruit clusters in mid-summer; new foliage emerges bright green with cream & pink highlights before turning variable shades of burgundy & hot pink in fall; young stems turn variable shades of bright coral-red from late fall through winter; for best winter stem color, cut out older stems; broadly upright habit to about 6' tall by 8' wide at maturity; flowers attract pollinators; fruit attracts birds; resists deer & rabbit browse; tolerates wet soil & erosion; locate in full sun to partial shade & moisture retentive well-drained soil; northeastern Asian native; Zones 3 - 6 (7)</i>			2g	N
Cornus florida Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy white flower bracts in late April or early May; red fruit in late summer is devoured by birds; variably bright to dark red fall foliage; layered spreading habit to about 25' tall & wide; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9</i>			5g	
Cornus florida 'Jean's Appalachian Snow' White Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse, large, white, bracts in May; red fruit in late summer loved by birds; large medium green foliage turns dark red in fall; layered spreading habit to about 20' tall & wide; excellent resistance to powdery mildew; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (U of TN) Zones (5) 6 - 9</i>			5g	N
Cornus florida Ragin' Red[®],[♣] ('JN13') Red Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark burgundy-red flower bracts in late April or early May; red fruit in late summer is devoured by birds; new foliage opens dark red before becoming green with red shading by summer then dark red with orange shades in fall; layered broadly upright habit to about 25' tall by 20' wide; locate in full sun to partial shade & good organic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9</i>			5g	N
Cornus kousa Kousa Dogwood; Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; variable reddish-purple fall foliage; mottled gray & tan exfoliating bark; short single trunk; tan & gray exfoliating bark; vase shaped when young becomes as high & wide at maturity - about 25'; branching starting at about 2-3'; locate in full sun to partial shade & acidic organic well-drained moisture retentive soil; Asian native; Zones 4 - 8</i>		TREE FORM	5g 7g	
Cornus x Rosy Teacups[®] ('KNI44-2') Pink Rutgers Hybrid Dogwood <i>DECIDUOUS ORNAMENTAL TREE; very floriferous 3" dia. light to medium pink overlapping bracts from late May into June; 1" orange-red fruit in late summer; dense compact spreading habit reaching 20' tall & perhaps wider in 15 years; no diseases reported; locate in full sun to partial shade & rich organic well-drained neutral to slightly acidic soil [C. kousa x C. nuttallii] (Orton / Rutgers) Zones 6 - 8</i>			5g	N
Cornus sericea Arctic Fire[®] Red ('Farrow') Compact Red-twig Dogwood; Compact Redosier Dogwood <i>DECIDUOUS FLOWERING SHRUB; white flowers from late May into early June; white fruit in late summer; reddish-purple fall foliage; bright red young stems in winter; not stoloniferous; compact bushy habit to 5' tall & wide; locate in full sun to partial shade & any organic boggy to moderately draining soil [formerly: Cornus stolonifera] [genera recently changed to Swida] US native (Farrow / PW) Zones 3 - 7</i>			2g	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cornus sericea Arctic Fire™, ☼ Yellow ('SMNCSBD') Compact Yellow-twig Dogwood; Compact Redosier Dogwood <i>DECIDUOUS FLOWERING SHRUB; white flowers from late May into early June; white fruit in late summer; reddish-purple fall foliage; bright yellow young stems in winter; not stoloniferous; compact broadly upright habit to about 5' tall by 6' wide; locate in full sun to partial shade & any organic boggy to moderately draining soil [formerly: Cornus stolonifera] [genera recently changed to Swida] US native (Wood / PW) Zones (2) 3 - 7</i>			2g	N
Cornus sericea 'Bailey' Red-twig Dogwood; Redosier Dogwood <i>DECIDUOUS FLOWERING SHRUB; clusters of fairly insignificant creamy flowers in early summer; creamy fruit clusters in late summer; purple-red fall foliage; bright red young stems in the winter; cut away older stems to maximize red effect; broadly upright habit to about 8' tall by 10' wide; spreads by stolons; locate in full sun to partial shade & any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native; Zones 2 - 7</i>			1g 2g 5g	
Cornus sericea 'Flaviramea' / 'Lutea' Yellow-twig Redosier Dogwood; Yellow-twig Dogwood <i>DECIDUOUS FLOWERING SHRUB; clusters of fairly insignificant creamy flowers in early summer; creamy fruit clusters with a blue tinge in late summer; red to orange fall foliage; bright yellow young stems in the winter; cut away older stems to maximize red effect; compact broadly upright habit to about 6' tall by 6' wide; spreads by stolons; locate in full sun to partial shade & any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native; Zones 2 - 7</i>			1g 5g	
Cornus sericea 'Isanti' Compact Red-twig Dogwood; Compact Redosier Dogwood <i>DECIDUOUS FLOWERING SHRUB; clusters of fairly insignificant creamy flowers in early summer; creamy fruit clusters in late summer; purple-red fall foliage; bright red young stems in the winter; cut away older stems to maximize red effect; broadly upright habit to about 5' tall by 7' wide; spreads by stolons; locate in full sun to partial shade & any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native (MN Lp Arb.) Zones 3 - 7</i>			1g	
Cornus sericea 'Kelseyi' Dwarf Red-twig Dogwood; Dwarf Redosier Dogwood <i>DECIDUOUS FLOWERING SHRUB; clusters of fairly insignificant creamy flowers in early summer; creamy fruit clusters in late summer; purple-red fall foliage; bright red young stems in the winter; cut away older stems to maximize red effect; compact broadly upright habit to about 3" tall; width determined by spreading stolons; locate in full sun to partial shade & any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native; Zones 2 - 7</i>			1g 2g 5g	
Cornus x Venus® ('KN30-8') White Jersey Star Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse 6" diameter white bracts in mid to late May; round red strawberry-like fruit in fall; dark green summer foliage turns orange in fall; vigorous upright vase-shaped habit to about 20' tall & wide in 20 years & wider than tall at maturity; resistant to powdery mildew, anthracnose & borers; locate in full sun to partial shade & organic well-drained moisture retentive acidic soil [C. kousa x C. nuttallii x C. kousa] (Orton) Zones 6 - 8 (9)</i>			5g	
Corylus avellana 'Red Dragon' MULTI-STEM Red Harry Lauder's Walking Stick; Red Contorted Filbert <i>DECIDUOUS FLOWERING SHRUB; new burgundy foliage retains color fairly well into summer; contorted stems; drooping burgundy catkins in March before the foliage; red nut hulls in fall; bushy grower to about 12' tall by 8' wide; complete resistance to Eastern Filbert Blight; locate in full sun (for best foliage color) or light shade & any well-drained organic soil; native to Europe & western Asia (Holden) Zones 4 - 7</i>			7g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cotinus coggygia 'Royal Purple' <p style="text-align: right;">BUSH</p> Purple Smoketree <i>DECIDUOUS FLOWERING SHRUB; purple spring & summer foliage lightens to reddish-purple in fall; puffy gray flowers in early summer; broadly upright to 12' by 12'; locate in full to mostly sunny locations & virtually any soil with good to moderate drainage; drought resistant; native to southern Europe & Asia; Zones (4) 5 - 8</i>			1g 2g	
Cotinus coggygia Winecraft Black® ('NCCO1') Purple Smoketree <i>DECIDUOUS FLOWERING SHRUB; purple spring foliage turns darker in summer before reds & oranges take over in fall; puffy gray flowers in early summer; compact rounded habit to about 6' tall & wide; locate in full to mostly sunny locations & virtually any soil with good to moderate drainage; drought resistant; native to southern Europe & Asia (PW) Zones (4) 5 - 8</i>			2g	
Cotinus coggygia Winecraft Gold® ('MINCOJAU3') Gold Smokebush <i>DECIDUOUS FLOWERING SHRUB; from insignificant small yellowish flowers on old wood come masses of puffy greenish-pink hairs in early summer giving a smoky appearance; new foliage unfurls orange to chartreuse then becomes lime-green by summer before turning clear yellow in fall; compact upright habit to about 6' tall by 4' wide; resists deer browse & clay soils; tolerates drought & shade; locate in full to mostly sunny locations & virtually any soil with good to moderate drainage; native to southern Europe & Asia (Liquiere / PW) Zones 5 - 8</i>			2g	
Cotoneaster apiculatus Cranberry Cotoneaster <i>EVERGREEN GROUND COVER; light pink flowers in late May; small bright red fruit from August into November; small glossy deciduous green summer foliage turns dark red in fall; wide spreading mounding habit staying under 3' tall; locate in sun to moderate shade & most well-drained soils; native to western China; Zones 4 - 7</i>			1g 2g 5g	
Cotoneaster dammeri 'Coral Beauty' Bearberry Cotoneaster <i>EVERGREEN GROUND COVER; low evergreen spreader; white spring flowers followed by persistent red fruit in late summer; locate in sun to moderate shade & most well-drained soils; native to China; Zones 5 - 8</i>			1g 2g 5g	
Cotoneaster x suecicus Emerald Beautyâ„¢ ('OSUCOT2') Spreading Hybrid Cotoneaster <i>EVERGREEN GROUND COVER; masses of small white flowers in spring followed by small orange fruit in late summer; small shiny dark green foliage turns purplish in late fall; spreading mound to about 2' tall by 5' wide; resists fireblight; locate in full sun to moderate shade & most well-drained soils; open pollinated seedling of 'Coral Beauty' (Contreras / OSU) Zones 5 - 8</i>			1g 2g 5g	
Cotoneaster x suecicus Emerald Spriteâ„¢ ('OSUCOT1') Dwarf Mounding Cotoneaster <i>EVERGREEN GROUND COVER; masses of small white flowers in spring followed by small orange fruit in late summer; very compact mound to about 10" tall by 30" wide; shiny foliage is semi-evergreen in northern range; resists fireblight; locate in sun to moderate shade & most well-drained soils; somewhat drought tolerant when established (Contreras / OSU) Zones 5 - 9</i>			1g	N
Cupressus arizonica var. glabra 'Chaparral' Arizona Cypress <i>EVERGREEN ORNAMENTAL CONIFER; medium to light green foliage; loose lateral branching; pyramidal to columnar habit to about 10' tall by 5' wide in 10 years; very drought tolerant; locate in full sun & any well-drained soil; native to Arizona; Zones (6) 7 - 9</i>			5g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cupressus arizonica var. glabra 'Sulphurea' Compact Golden Arizona Cypress <i>EVERGREEN ORNAMENTAL CONIFER; pale gold tipped foliage that's more to gray-green closer to the trunk; loose lateral branching; pyramidal to columnar habit to about 10' tall by 4' wide in 10 years; very drought tolerant; locate in full sun & any well-drained soil; native to Arizona; Zones (6) 7 - 9</i>			5g	
Cupressus glabra var. glabra 'Blue Ice' Blue Arizona Cypress <i>EVERGREEN ORNAMENTAL CONIFER; powder-blue foliage; loose lateral branching; pyramidal to columnar habit to about 10' tall by 4' wide in 10 years; very drought tolerant; locate in full sun & any well-drained soil; native to Arizona; Zones (6) 7 - 9</i>			5g	
Cupressus leylandii Leyland Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage all year; fast-growing pyramidal habit to as much as 50' tall by 20' wide in 15 years; exposed locations in winter subject to wind-burn in northern range; tolerant of saline soils & urban conditions; locate in full sun or minimal shade & any well-drained soil; native US cross; Genus recently changed to Cupressus [Cupressus macrocarpa x Cupressus nootkatensis] Zones 6 - 10</i>			2g	N
Cupressus leylandii 'Gold Rider' Golden Leyland Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright golden foliage all year that doesn't sunburn; pyramidal habit to about 35' tall by 15' wide in 15 years; exposed locations in winter subject to wind-burn in northern range; tolerant of saline soils & urban conditions; locate in full sun or minimal shade & any well-drained soil; native US cross; Genus recently changed to Cupressus [Cupressus macrocarpa x Cupressus nootkatensis] (Vergeer) Zones 6 - 10</i>			5g	
Cupressus macrocarpa 'Golden Pillar' Golden Monterey Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright chartreuse juvenile foliage; compact narrow pyramidal habit to about 20' tall by 4' wide at maturity; locate in full sun for best golden color & well-drained organic moisture retentive soil; native to California; Zones 8 - 9</i>			5g	
Cupressus sempervirens 'Glauca' Italian Cypress; Mediterranean Cypress <i>EVERGREEN ORNAMENTAL CONIFER; narrow evergreen with bluish-green needles; narrow upright habit to 60' tall by about 10' wide; locate in full sun & any well-drained soil; native to southern Europe; Zones 7 - 9</i>			5g 15g	N
Daphne odora 'Sweet Amethyst' Pink Winter Daphne; Pink Fragrant Daphne <i>EVERGREEN FLOWERING SHRUB; clusters of very fragrant pale to purplish-pink flowers in February & March; infrequent red berries; thick glossy foliage is usually deciduous in northern range; upright habit to about 6' tall by 4' wide; attracts pollinators; tolerates some salt; can be poisonous; locate in dappled or afternoon shade & rich organic well-drained soil; Asian native; Zones 7 - 10</i>			2g 5g	N
Daphne x Perfume Princessâ„¢ Hybrid Daphne <i>EVERGREEN FLOWERING SHRUB; bright pink buds open to large masses of pinkish-white intensely fragrant flowers from mid-winter through spring; dark green foliage; bushy habit to about 4' tall by 3' wide; locate in light to medium shade & well-drained organic moisture retentive slightly acidic soils (Tesselaar) Zones 7 - 8</i>			2g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Daphne x Perfume Princess Whiteâ„¢ White Hybrid Daphne <i>EVERGREEN FLOWERING SHRUB; large masses of pure white intensely fragrant flowers from mid-winter through spring; dark green foliage; bushy habit to about 4' tall by 3' wide; locate in light to medium shade & well-drained organic moisture retentive slightly acidic soils [D. odora x D. bholua] (Tesselaar) Zones (7) 8</i>			2g	
Daphne x transatlantica Eternal Fragranceâ„¢ ('Blafra') Eternal Fragrance Daphne <i>DECIDUOUS FLOWERING SHRUB; intensely fragrant light pink flowers in spring & creamy white from mid-summer into fall; compact ball-like habit to 3' by 3'; evergreen to semi-evergreen in southern range; locate in light to medium shade & well drained moisture retentive soils of neutral pH; finicky, but worth it; Zones 6 - 8</i>			2g	
Diervilla splendens Nightglowâ„¢ ('El Madrigal') Red Bush Honeysuckle <i>DECIDUOUS FLOWERING SHRUB; small fragrant sulphur-yellow flowers on new wood in June & July contrast with the dark purple foliage; bushy habit to about 3' tall by 3' wide; fall foliage color is a more intense red; deer browse resistant; attracts bees, hummingbirds & butterflies; locate in full sun to full shade & well-drained soils with moderate moisture; US native (Blomin' Easy) Zones 4 - 7 (8)</i>			2g 5g	
Diospyros kaki 'Fuju' Japanese Persimmon; Oriental Persimmon; Chinese Fig <i>DECIDUOUS FRUIT TREE; inconspicuous pale yellow flowers in summer; mature orange to scarlet fruit is medium to large which persists into winter & can be picked when bright orange; non-astringent; jelly-like consistency can be used in cooking, eaten fresh or frozen; self-fruiting; glossy dark green summer foliage turns a brilliant reddish-orange in fall; broad habit to about 30' tall by 35' or more wide; locate in full sun & well-drained moisture retentive slightly acidic loamy soil; Asian native; Jiro group; Zones (6) 7 - 10</i>			5g 7g	
Diospyros kaki 'Fuyu Jiro' Japanese Persimmon; Oriental Persimmon; Chinese Fig <i>DECIDUOUS FRUIT TREE; yellow flowers in late May; mature fruit is medium to large, persists into winter & can be picked when bright orange; non-astringent; jelly-like consistency can be used in cooking, eaten fresh or frozen; self-fruiting; glossy dark green summer foliage turns a nice reddish-orange in fall; bushy habit to about 25' tall & wide; locate in full sun & well-drained moisture retentive slightly acidic loamy soil; Jiro group; Asian native; Zones 7 - 10</i>		TREE FORM	5g 7g	N N
Distylium Cast in Bronze® ('BLDY02') Distylium <i>EVERGREEN FLOWERING SHRUB; small insignificant red flowers in early spring; bronzy new foliage matures to dark shiny dark green; mature size is about 4'tall & wide; disease & pest resistant; locate in full sun to partial shade & neutral to acidic well-drained soil; Zones 7 - 9</i>			1g	N
Distylium Jewel Boxâ„¢ ('BLDY01') Distylium <i>EVERGREEN FLOWERING SHRUB; small reddish flower in late winter; fine textured needle-like blue-green foliage; compact spreading habit about 3' tall by 4' wide; disease & pest resistant; locate in full sun to partial shade & neutral to acidic well-drained soil; Zones 7 - 9</i>			1g	
Distylium Swing Lowâ„¢ [First Editions®] ('PIIDIST-VI') Distylium <i>EVERGREEN FLOWERING SHRUB; small reddish flower all along the stems in late winter; dark green summer foliage emerges dark red in spring; compact mounding habit to about 3' tall by 6' wide in about 10 years; resists insects, deer browse & most diseases; locate in full to partial sun & wet or dry neutral to slightly acidic soils; tolerant of seasonal flooding (Plant Introductions / Bailey) Zones 7 - 9</i>			2g 5g	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p>Dryopteris erythrosora var. prolifica' Autumn Fern; Japanese Shield Fern <i>EVERGREEN FERN; new deeply serrated foliage emerges quite red before turning glossy green by summer; semi-evergreen in northern range; upright habit to about 30" tall & wide; resists deer & rabbit browse; locate in full to partial shade & rich organic neutral to slightly acidic moisture retentive soil that doesn't dry out; native to Japan & China; Zones 5 - 8</i></p>			1g	
<p>Dryopteris wallichiana 'Jurassic Gold' Golden Wallich's Wood Fern <i>SEMI-EVERGREEN FERN; new fronds emerge golden orange then yellow before maturing to rich green; upright habit to about 24" tall by 18" wide on hairy blackish-brown stems; spreads by spores; can be evergreen in southern range; clumping habit; resists deer & rabbit browse; tolerates heavy shade & drought when established; prefers cool summers; locate in full to moderate shade & deep organic moisture retentive soils of any pH; native to Asia & Central America; Zones 6 - 9</i></p>			1g	
<p>Elaeagnus x ebbingei Olive Martiniâ„¢ ('Viveleg') Variegated Ebbing's Silverberry <i>DECIDUOUS ORNAMENTAL SHRUB; fragrant white fall flowers aren't particularly showy; semi-evergreen gray-green foliage with a narrow yellow edge southern range; more stable variegation than 'Gilt Edge'; bushy habit to about 12' tall & wide; will grow in sun or shade & virtually any soil with some drainage; very tolerant of coastal situations; native cross from Asia [E. macrophylla x E. pungens] Zones (6) 7 - 9</i></p>			1g 2g	
<p>Erica x darleyensis 'Kramer's Red' / 'Kramer's Rote' Red Winter Heath <i>EVERGREEN GROUND COVER; profuse magenta flowers from winter into early spring covers the foliage; dark bronze-green foliage; spreading mounds to about 18" tall by 24" wide; attracts bees; tolerant of coastal conditions & deer browse; don't fertilize; locate in full to mostly sunny locations & acidic sandy to loamy well-drained somewhat moisture retentive soils; European native; Zones 6 - 8</i></p>			1g	
<p>Erica x darleyensis 'Mediterranean Pink' Pink Heath <i>GROUND COVER; pink flower November through April; broadly spreading mounds to 24" tall; locate in full sun & acidic sandy to loamy well drained soils; don't fertilize; tolerant of coastal conditions; European native; Zones (5) 6 - 7</i></p>			1g	
<p>Erica x darleyensis 'Mediterranean White' White Heath <i>GROUND COVER; white flower November through April; broadly spreading mounds to 24" tall; locate in full sun & acidic sandy to loamy well drained soils; don't fertilize; tolerant of coastal conditions; European native; Zones (5) 6 - 7</i></p>			1g	
<p>Escallonia x exoniensis 'Pink Princess' Pink Escallonia <i>EVERGREEN FLOWERING SHRUB; pink flowers in summer; locate in full sun to partial shade & any well drained soil; tolerant of coastal locations; doesn't perform well in eastern US; native to Chile; Zones 8 - 9 (10)</i></p>			1g 2g 5g	N
<p>Euonymus alatus 'Compacta' Compact Burning Bush <i>DECIDUOUS ORNAMENTAL SHRUB; upright arching habit when young; wider than tall with maturity; can get quite large in time; bright red fall foliage; red seeds in fall; can be invasive; not very drought tolerant; locate in sun or shade & any soil that drains; native to Asia; Zones 4 - 8</i></p>			1g 2g 5g 7g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Euonymus alatus Fire Ball Seedless[®] (NCEA1') Seedless Dwarf Burning Bush <i>DECIDUOUS ORNAMENTAL SHRUB; inconspicuous greenish flowers in spring; dark green summer foliage turns bright red in fall; slightly corky bark protrusions (or wings) along the younger stems; compact rounded habit to about 6" tall & wide at maturity; considered invasive in many areas; locate in sun or shade & about any well-drained soil; not very drought tolerant; native to Asia (Ranney / PW) Zones 4 - 8</i>			2g	N
Euonymus alatus Little Moses[®] (Odom') Dwarf Burning Bush <i>DECIDUOUS ORNAMENTAL SHRUB; low widely spreading habit to 2' tall by 3' wide in 10 years; brick red fall foliage; very few seeds which are not viable; locate in sun or shade; tolerant of any soil that drains; not very drought tolerant; native to Asia; Zones 4 - 8</i>			1g 2g 5g 7g	
Euonymus fortunei 'Emerald Gaiety' Variegated Wintercreeper Euonymus <i>EVERGREEN GROUND COVER; green foliage with irregular white margins; spreading to mounding habit that can climb up walls; locate in sun or shade & any soil that drains; tolerant of coastal locations; native to China; Zones 5 - 8</i>			1g 2g 5g	
Euonymus fortunei 'Emerald 'n Gold' Variegated Wintercreeper Euonymus <i>EVERGREEN GROUND COVER; gold mottled foliage; low spreader that can climb up walls; locate in sun or shade & any soil that drains; tolerant of coastal locations; native to China; Zones 5 - 8</i>			1g 2g	
Euonymus fortunei 'Ivory Jade' Variegated Wintercreeper Euonymus <i>EVERGREEN GROUND COVER; green foliage with creamy white margins and pink highlights in winter; spreading to mounding habit can reach 3' tall by 6' wide & can climb up walls; tolerant of coastal locations; locate in partial to full shade & any soil that drains; native to China; Zones 5 - 8</i>			1g 2g 5g	
Euonymus fortunei 'Moonshadow' Variegated Wintercreeper Euonymus <i>BROADLEAF EVERGREEN SHRUB; low spreading evergreen to 2' tall; narrow dark green edged leaves with prominent golden centers; can climb walls; locate in sun or shade & any soil that drains; tolerant of coastal locations; native to China (Dugan N) Zones 5 - 8</i>			1g 2g 5g	
Euonymus japonicus 'Aureo-marginatus' Variegated Japanese Euonymus <i>BROADLEAF EVERGREEN SHRUB; yellow margins on medium green foliage; compact upright habit to as much as 10' tall; locate in sun or shade & any soil that drains; tolerant of coastal locations; Asian native; Zones (6) 7 - 9</i>			1g 2g 5g	
Euonymus japonicus 'Silver King' Variegated Japanese Euonymus <i>BROADLEAF EVERGREEN SHRUB; green foliage with creamy edges; compact upright habit to as much as 10' tall; locate in sun or shade & any soil that drains; tolerant of coastal locations; Asian native; Zones (6) 7 - 9</i>			1g 2g 5g	
Fatsyhedera lizei 'Angyo Star' Tree Ivy <i>EVERYGREEN VINE; non-ornamental creamy flower in winter; green foliage with variable creamy yellow margins; semi-upright grower without the ability to cling to structures; Genus cross: Fatsia x Hedera (Stevens) Zones (7) 8 - 10</i>			1g 3g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Festuca ovina glauca Beyond Blue „☿ (‘Casca11’) Blue Fescue <i>ORNAMENTAL GRASS; low clumping grass with improved deep blue foliage & inflorescence; few flower stems fade into foliage; plants don't open in the middle - even after 2 winters; locate in full sun & well-drained soil; drought tolerant; will not tolerate soils that don't dry out (Skagit) Zones 5 - 9</i>			1g	
Ficus carica 'Brown Turkey' Common Fig <i>FRUIT TREE; inconspicuous green flowers in spring on old & new wood yield medium to large purplish-brown fruit in late summer to early fall; can be a bush to 15' high & wide or a tree to 30' tall; this cultivar is among the more hardy, but needs winter protection in northern range; can be kept in containers that are brought inside a garage or basement for the winter; locate in full to mostly sunny location with organically rich well-drained moisture retentive soil [F. carica] Zones (6) 7 - 10</i>			2g 7g	N
Ficus carica 'Champagne' Common Fig <i>FRUIT TREE; inconspicuous green flowers in spring on old & new wood; small yellow to light green skinned fruit with yellow, creamy honey-flavored pulp with crunchy seeds that ripens in late summer; can be a bush to about 15' tall & wide; this cultivar is among the more hardy, but needs winter protection in northern range; can be kept in containers that are brought inside a garage or basement for the winter; locate in full to mostly sunny location with organically rich well-drained moisture retentive soil [F. 'Celeste' x F. C1] (LSU / LAES) Zones (6) 7 - 10</i>			2g	
Ficus carica 'Desert King' Common Fig <i>FRUIT TREE; inconspicuous white flowers in spring on old wood yield green fruit with a pink blush in summer; can be a bush to 15' high & wide or a tree to 25' tall; can be kept in containers that are brought inside a garage or basement for the winter; locate in full to mostly sunny location with organically rich well-drained moisture retentive soil [F. carica] Zones (6) 7 - 10</i>			1g 2g 5g	N
Ficus carica Little Little Miss Figgy ® (‘MAJOAM’) Dwarf Common Fig <i>FRUIT TREE; inconspicuous white flowers in spring on old wood yield abundant dark purple fruit in summer; compact bushy habit to about 6' tall by 4' wide; can be kept in containers that are brought inside a garage or basement for the winter; locate in full to mostly sunny location with organically rich well-drained moisture retentive soil [F. carica] (Nobles) Zones (6) 7 - 10</i>			2g 3g	
Ficus carica Little Ruby „☿ Dwarf Common Fig <i>FRUIT TREE; inconspicuous self pollinating green flowers in spring on old & new wood; new fruit appears green before ripening to reddish-tan fruit from late summer into early fall; compact bushy habit to about 4' high & wide; attracts pollinators; needs winter protection in northern range; can be kept in containers that are brought inside a garage or basement for the winter; locate in a full to mostly sunny location & organically rich well-drained neutral to slightly acidic moisture retentive soil; Mediterranean native; Zones (6) 7 - 10</i>			2g	N
Ficus carica 'Olympian' Common Fig <i>FRUIT TREE; inconspicuous white flowers in spring on old wood yield very large sweet thin-skinned purple fruit in summer; can be a bush to or tree; can be kept in containers that are brought inside a garage or basement for the winter; locate in full to mostly sunny location with organically rich well-drained moisture retentive soil [F. carica] Zones (6) 7 - 10</i>			2g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Ficus carica 'Panache' Tiger Fig <i>FRUIT TREE; inconspicuous self pollinating green flowers in spring on old & new wood; new fruit appears green before ripening to yellow with green stripes from late summer into early fall with a taste resembling strawberries; compact bushy habit to about 15' high & wide; attracts pollinators; needs winter protection in northern range; can be kept in containers that are brought inside a garage or basement for the winter; locate in a full to mostly sunny location & organically rich well-drained neutral to slightly acidic moisture retentive soil; Mediterranean native; Zones 7 - 10</i>			2g 5g	
Ficus carica Violette de Bordeaux Compact Common Fig <i>FRUIT TREE; inconspicuous white flowers in spring on old wood yield medium sized very sweet purplish-black fruit with red pulp in early summer & again in fall; compact broadly upright habit to about 10' tall by 8' wide; locate in a full to mostly sunny location & rich organic well-drained moisture retentive soil [F. carica] Zones (5) 6 - 10</i>			1g 2g 5g	N
Forsythia x intermedia Gold Tide® ('Courtasol') Compact Border Forsythia <i>DECIDUOUS FLOWERING SHRUB; compact spreading habit (1.5' tall x 5' wide); profuse yellow flowers; graceful arching branches; locate in full sun (for maximum flower effect) to medium shade & any soil with reasonable drainage; tolerant of urban conditions; Chinese hybrid [F. suspensa x F. viridissima] Zones 5 - 8</i>			1g 2g 5g	N
Forsythia x intermedia 'Northern Gold' Border Forsythia <i>DECIDUOUS FLOWERING SHRUB; masses bright yellow flowers in early spring; spreading mounded shrub to about 8' tall & wide; supposedly more bud hardy; tolerant of urban conditions; locate in full sun (for maximum flower effect) to medium shade & any soil with reasonable drainage; Chinese hybrid [F. suspensa x F. viridissima] Zone (3b) 4 - 8</i>			2g	
Forsythia x intermedia Show Offâ„¢ ('Mindor') Border Forsythia <i>DECIDUOUS FLOWERING SHRUB; abundant bright yellow flowers in early spring from the bottom to the top of the plant; often won't flower if winter temps are below -5â„ƒ; compact upright habit to about 5' tall & wide; reported resistance to deer browse; tolerates urban conditions & Black Walnut; locate in full sun (for maximum floral display) to partial shade & most soils types that aren't excessively wet or dry; Chinese hybrid [F. suspensa x F. viridissima] Zones 5 - 8</i>			1g 2g 5g	
Gardenis jasminoides Steady As She Goes® ('Prince Charles') Cape Jasmine; Gardenia <i>EVERGREEN FLOWERING SHRUB; very fragrant pure white double flowers in May & sporatically through the summer; dark glossy foliage all year; broadly upright habit to 5' high by 7' wide; attracts many pollinators; resists disease & deer browse; tolerates some drought; needs good air circulation; locate in full to partial sun & well-drained acidic organic moisture retentive soil (Dark) Zones 7 - 9</i>			2g	
Ginkgo biloba 'Autumn Gold' Ginkgo; Maidenhair Tree <i>DECIDUOUS CONIFER; a male selection; upright head to 45' tall by 35' or more wide; clear golden-yellow fall foliage; highly resistant to pests & diseases; not as hardy as other cultivars; very tolerant of urban & coastal conditions; locate in full sun & any soil that drains; Chinese native; Zones (6) 7 - 8 (9)</i>			5g 7g	N
Ginkgo biloba 'Marieken' Dwarf Ginkgo; Dwarf Maidenhair Tree <i>DECIDUOUS ORNAMENTAL CONIFER; male cultivar; golden yellow fall foliage; dwarf spreading habit to about 2' tall & wide at 10 years & 3' tall by 8' wide at maturity; highly resistant to pests & diseases; very tolerant of urban & coastal conditions; locate in full sun & any soil that drains; witches broom; Chinese native (Vergeldt) Zones 4 - 8 (9)</i>			5g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Ginkgo biloba Skinny Fit® ('Menhir') <p style="text-align: right;">TREE FORM</p> Columnar Ginkgo; Columnar Maidenhair Tree <i>DECIDUOUS CONIFER; blue-green summer foliage turn a persistent gold in fall; very narrow columnar habit reaching about 20' tall by by 8' wide in 10 years; male clone; highly resistant to pests & diseases; very tolerant of urban & coastal conditions; locate in full sun & any soil that drains; Chinese native; Zones 4 - 8 (9)</i>			7g	N
Gleditsia triacanthos f. inermis Skyline® ('Skycole') Thornless Honeylocust <i>DECIDUOUS SHADE TREE; upright pyramidal habit; small dark green compound foliage turns golden in fall and casts a light dappled shade; seedless; locate in full sun; prefers moist neutral to alkaline soils, but is very adaptable; very tolerant of urban conditions including soil compaction & salt; US native; Zones 4 - 9</i>			7g 15g	
Gleditsia triacanthos f. inermis Sunburst® ('Suncole') Golden Thornless Honeylocust <i>DECIDUOUS SHADE TREE; golden tipped foliage on new growth; open spreading heads; golden fall foliage; seedless; locate in full sun; prefers moist neutral to alkaline soils, but is very adaptable; very tolerant of urban conditions including soil compaction & salt; US native; Zones 4 - 9</i>			7g 15g	
Hakonechloa macra 'Allgold' Golden Hakone Grass; Golden Japanese Forest Grass <i>ORNAMENTAL GRASS; golden to chartreuse foliage; clumping arching foliage to 12" tall by 18" wide; fairly slow grower; tolerates Black Walnut; locate in partial shade & organic well-drained moisture retentive soil; Japanese native; Zones (5) 6 - 8 (9)</i>			1g	
Hakonechloa macra 'Beni-kaze' Hakone Grass; Japanese Forest Grass <i>ORNAMENTAL GRASS; yellowish-green flowers in mid summer; bright green spring & summer foliage turns shades of red & gold in fall; arching habit to about 18" high by 3' wide; tolerates deer browse, air pollution & Black Walnut; locate in shade & organic moisture retentive well-drained soil; Japanese native; Zones 5 - 8</i>			1g	
Hamamelis x intermedia 'Arnold Promise' Yellow Hybrid Witchhazel <i>DECIDUOUS FLOWERING SHRUB; large fragrant clear yellow ribbon-like flowers with a red calyx from late February into March; latest to flower of intermediate types; large green summer foliage turns yellow to orangish in fall; large broadly upright habit to about 12' high & wide; somewhat more susceptible to foliar diseases than others; tolerant of deer browse, clay soils & urban situations; locate in full sun to light shade & rich organic well-drained neutral to acidic soil; Asian cross [H. japonica x H. mollis] (Arnold Arb) Zones 5 - 8</i>			7g	N
Hamamelis x intermedia 'Diane' Red Hybrid Witchhazel <i>DECIDUOUS FLOWERING SHRUB; mildly fragrant dark red flowers in late February & early March; fall foliage can be a mix of yellow, orange & red; broad spreading habit to about 10' tall by 12' wide; tolerant of deer browse, clay soils & urban situations; locate in full sun to light shade & rich organic well-drained neutral to acidic soil; PHS Gold Metal; Asian cross [H. japonica x H. mollis] Zones 5 - 8</i>			7g	N
Helictotrichon sempervirens Blue Oat Grass <i>ORNAMENTAL GRASS; medium width blue foliage; clumping habit to 24" tall; flowers appear 12-18" above the foliage from June to August; locate in full sun to light shade & moist fertile soil that drains well; won't tolerate soggy soils; Zones 4 - 8</i>			1g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Hemerocallis 'Mauna Loa' Orange Daylily <i>PERENNIAL; tetraploid; 5" amber-gold repeat blooming flowers with narrow dark red edges & light green throat on 22" stems in early mid-season; narrow clumping arching foliage to about 18" tall & wide; attracts hummingbirds & butterflies; tolerant of drought, road salt, urban conditions & rabbits but not deer browse; locate in full sun or minimal shade & organic well-drained moisture retentive soil; Asian native (Roberts) Zones 3 - 9</i>			1g	
Hemerocallis 'Night Embers' Purple Daylily <i>PERENNIAL; 5" fragrant double reddish-purple reblooming flowers with thin golden edge in early mid-season on 30" stems; narrow clumping arching foliage to about 30" tall & wide; attracts hummingbirds & butterflies; tolerant of drought, road salt, urban conditions, Black Walnut & rabbits but not deer browse; locate in full sun or minimal shade & organic well-drained moisture retentive soil; Asian native (Apps) Zones 3 - 9</i>			1g	
Hemerocallis 'Pardon Me' Red Daylily <i>PERENNIAL; fragrant 3" dark red repeat blooming flowers on 24" stems in latter summer & possibly again in fall; clumping arching foliage to about 18" tall & wide; attracts hummingbirds & butterflies; tolerant of drought, road salt, urban conditions & rabbits but not deer browse; locate in full sun or minimal shade & organic well-drained moisture retentive soil; Asian native (Apps) Zones 3 - 9</i>			1g	
Hemerocallis 'Stella 'd Oro' Yellow Daylily <i>PERENNIAL; repeat blooming golden blooms; dwarf habit; best located in full sun or minimal shade & organic well-drained moisture retentive soils, however adapts well to most well-drained soils; somewhat drought tolerant; Asian native; Zones 3 - 9</i>			1g	
Heptacodium miconioides Temple of Bloom® ('SNMHMRF') Seven-son Flower <i>DECIDUOUS ORNAMENTAL SHRUB; fragrant creamy white flowers in dense clusters from mid-summer into early fall; good pollen source; green fruit follows that turns rosy-pink & is effective into late fall; compact upright habit to about 8' tall & wide; tan exfoliating bark gives winter interest; locate in full sun to partial shade & organic moisture retentive well-drained acidic soil; Chinese native; Zones 5 - 8</i>			2g	
Hibiscus syriacus 'Aphrodite' Pink Rose-of-Sharon; Pink Althea <i>DECIDUOUS FLOWERING SHRUB; single rose-pink with red eye; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall & almost as wide; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to light shade & rich organic well drained soils; not fussy about pH; Asian native (Egolf) Zones 5 - 8 (9)</i>		TREE FORM	7g	N
Hibiscus syriacus Blue Satinâ„¢ [Azurri] ('DVPazurri') Rose-of-Sharon; Pink Althea <i>DECIDUOUS FLOWERING SHRUB; large, single, purple-blue flower; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall & almost as wide; locate in full sun to light shade & rich organic well drained soils; not fussy about pH; Asian native (PW) Zones 5 - 8 (9)</i>		MULTI-STEM	2g	
Hibiscus syriacus Blue Satinâ„¢ [Azurri] ('DVPazurri') Blue Rose-of-Sharon; Blue Althea <i>DECIDUOUS FLOWERING SHRUB; large single blue flowers with darker purple eye on new wood; virtually seedless; blooms well in hot weather; medium green summer foliage turns a nondescript yellow in fall; upright habit to about 12' tall & almost as wide; branching starts at about 3-4' above the ground on a single trunk; tolerates heat, drought, salt & wide pH range; locate in full sun to light shade & rich organic well-drained soils; Asian native (PW) Zones 5 - 8 (9)</i>		TREE FORM	7g	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p>Hibiscus syriacus Blue Satinâ„¢ [Azurri] ('DVPazurri')</p> <p>TREE FORM</p> <p>Rose-of-Sharon; Pink Althea <i>DECIDUOUS FLOWERING SHRUB; large, single, purple-blue flower; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall & almost as wide; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to light shade & rich organic well drained soils; not fussy about pH; Asian native (PW) Zones 5 - 8 (9)</i></p>			7g	
<p>Hibiscus syriacus 'Coelestis'</p> <p>MULTI-STEM</p> <p>Lavender Rose-of-Sharon; Lavender Althea <i>DECIDUOUS FLOWERING SHRUB; single lavender flower with a red throat; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall & 6' wide; locate in full sun to light shade & rich organic well drained soils; not fussy about pH; Asian native; Zones 5 - 8 (9)</i></p>			2g	
<p>Hibiscus syriacus Danica® ('Variegata')</p> <p>MULTI-STEM</p> <p>Double White Rose-of-Sharon; Double White Althea <i>DECIDUOUS FLOWERING SHRUB; double white flower with petals edged in red; blooms well in hot weather; yellowish fall foliage; upright habit to about 8' tall by 4' wide; locate in full sun to light shade & rich organic well drained soils; not fussy about pH; Asian native; Zones 5 - 8 (9)Zones 5 - 8</i></p>			5g	
<p>Hibiscus syriacus Danica® ('Variegata')</p> <p>TREE FORM</p> <p>Double White Rose-of-Sharon; Double White Althea <i>DECIDUOUS FLOWERING SHRUB; double white flower with petals edged in red; blooms well in hot weather; yellowish fall foliage; upright habit to about 8' tall by 4' wide; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to light shade & rich organic well drained soils; not fussy about pH; Asian native; Zones 5 - 8 (9)Zones 5 - 8</i></p>			5g 7g	
<p>Hibiscus syriacus Dark Lavender Chiffon® ('SMNHSPCL')</p> <p>MULTI-STEM</p> <p>Double Lavender Rose-of-Sharon; Double Lavender Althea <i>DECIDUOUS FLOWERING SHRUB; large double to semi-double lavender bloom; blooms all summer; medium green summer foliage turns a nondescript yellow in fall; broadly upright habit to about 12' tall & almost as wide; tolerates heat, drought, salt & wide pH range; locate in full sun to light shade & rich organic well-drained soils; Asian native (PW) Zones 5 - 9</i></p>			2g	
<p>Hibiscus syriacus Lavender Chiffonâ„¢ ('Notwoodone')</p> <p>TREE FORM</p> <p>Lavender Rose-of-Sharon; Lavender Althea <i>DECIDUOUS FLOWERING SHRUB; large single lavender bloom with lacy center; blooms all summer; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall & almost as wide; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to light shade & rich organic well drained soils; not fussy about pH; Asian native (PW) Zones 5 - 8 (9)</i></p>			7g	N
<p>Hibiscus syriacus 'Lucy'</p> <p>TREE FORM</p> <p>Red Rose-of-Sharon; Red Althea <i>DECIDUOUS FLOWERING SHRUB; double red; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall & almost as wide; branching starts at about 3-4' above the ground on a single trunk; tolerates heat, drought, salt & wide pH range; locate in full sun to light shade & rich organic well-drained soils; Asian native; Zones 5 - 8 (9)</i></p>			7g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p>Hibiscus syriacus Magenta Chiffon® ('Rwoods5')</p> <p>TREE FORM</p> <p>Purple Rose-of-Sharon; Purple Althea <i>DECIDUOUS FLOWERING SHRUB; large double magenta bloom with lacy center on new wood all summer; minimal seeds; medium green summer foliage turns a nondescript yellow in fall; broadly upright habit to about 12' tall by 10' wide; branching starts at about 3-4' above the ground on a single trunk; attracts bees, butterflies & hummingbirds; tolerates heat, drought, salt & wide pH range; locate in full sun to light shade & rich organic well-drained soils; Asian native (PW) Zones 5 - 9</i></p>			7g	
<p>Hibiscus syriacus 'Minerva'</p> <p>TREE FORM</p> <p>Lavender Rose-of-Sharon; Lavender Althea <i>DECIDUOUS FLOWERING SHRUB; 4" diameter single lavender-pink flower with red eye that's effective from June through September; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall & almost as wide; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to light shade & rich organic well drained soils; not fussy about pH; Asian native; Zones 5 - 8 (9)</i></p>			7g 15g	
<p>Hibiscus syriacus Paraplu Pink Ink® ('Minsywhi07')</p> <p>MULTI-STEM</p> <p>Bicolor Rose-of-Sharon; Bicolor Althea <i>DECIDUOUS FLOWERING SHRUB; single white flower margin with starburst bright center & prominent white stamens; medium green summer foliage turns yellowish in fall; upright habit to about 6' tall by 4' wide; attracts pollinators; tolerates heat, drought, salt & wide pH range; locate in full sun to light shade & rich organic well-drained soils; Asian native (Minier N / PW) Zones 5 - 9</i></p>			2g	
<p>Hibiscus syriacus Paraplu Rouge® ('Minsyrou17')</p> <p>MULTI-STEM</p> <p>Pink Rose-of-Sharon; Pink Althea <i>DECIDUOUS FLOWERING SHRUB; single dark pink flower red center & prominent white stamens; medium green summer foliage turns a nondescript yellow in fall; upright habit to about 8' tall by 5' wide; attracts pollinators; tolerates heat, drought, salt & wide pH range; locate in full sun to light shade & rich organic well-drained soils; Asian native (Minier N / PW) Zones 5 - 9</i></p>			2g	
<p>Hibiscus syriacus Paraplu Violet® ('Minsybv3s01')</p> <p>MULTI-STEM</p> <p>Purple Rose-of-Sharon; Purple Althea <i>DECIDUOUS FLOWERING SHRUB; single violet flower with dark red eye & prominent white stamens; medium green summer foliage turns yellowish in fall; upright habit to about 8' tall by 5' wide; attracts pollinators; tolerates heat, drought, salt & wide pH range; locate in full sun to light shade & rich organic well-drained soils; Asian native (Minier N / PW) Zones 5 - 9</i></p>			2g	
<p>Hibiscus syriacus Pink Chiffon® ('JWNWOOD4')</p> <p>TREE FORM</p> <p>Pink Rose-of-Sharon; Pink Althea <i>DECIDUOUS FLOWERING SHRUB; large double soft pink bloom with lacy center on new wood all summer; minimal seeds; small medium green summer foliage turns a nondescript yellow in fall; upright habit to about 12' tall by 6' wide; branching starts at about 3-4' above the ground on a single trunk; attracts bees, butterflies & hummingbirds; tolerates heat, drought, salt & wide pH range; locate in full sun to light shade & rich organic well-drained soils; Asian native (PW) Zones 5 - 9</i></p>			7g	
<p>Hibiscus syriacus Purple Pillar® ('Gandini Santiago')</p> <p>MULTI-STEM</p> <p>Columnar Purple Rose-of-Sharon; Columnar Purple Althea <i>DECIDUOUS FLOWERING SHRUB; semi-double sterile light purple flower with darker red eye; can re-bloom; blooms well in hot weather; columnar habit to about 12' tall by 3' wide; locate in full sun to light shade & rich organic well-drained soil of about any pH; Asian native (PW) Zones 5 - 8 (9)</i></p>			2g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Hibiscus syriacus Red Pillar®,☪ ('GFNHSRP') <p style="text-align: right;">MULTI-STEM</p> Columnar Red Rose-of-Sharon; Columnar Red Althea <i>DECIDUOUS FLOWERING SHRUB; large single light red bloom with darker centers & a prominent yellow stamen in the center on new wood all summer; bushy upright to about 16' tall by 5' wide; medium green summer foliage turns a nondescript yellow in fall; attracts bees, butterflies & hummingbirds; resists deer browse; tolerates heat, drought, salt & wide pH range; locate in full sun to light shade & rich organic well-drained soils of any pH; Asian native (PW) Zones 5 - 9</i>			2g	
Hibiscus syriacus White Pillar® ('Gandini van AArt') Columnar White Rose-of-Sharon; Columnar White Althea <i>DECIDUOUS FLOWERING SHRUB; semi-double sterile pure white flower; can re-bloom; blooms well in hot weather; columnar habit to about 15' tall by 3' wide; locate in full sun to light shade & rich organic well-drained soil of about any pH; Asian native (PW) Zones 5 - 8 (9)</i>			2g	
Hosta 'Francee' Plantan Lily; Funkia <i>PERENNIAL; pale lavender flowers on 18" scapes in late summer; medium sized dark green foliage with a narrow white edge; mounding habit to 21" tall by 36" wide; attracts hummingbirds; tolerates Black Walnuts & urban conditions; locate in partial sun to heavy shade & organic slightly acidic well-drained moisture retentive soil; sport of H. fortunei 'Albomarginata'; Asian native (Klopping) Zones 3 - (8) 9</i>			1g	
Hosta 'Hadspen Blue' Plantan Lily; Funkia <i>PERENNIAL; lavender to off-white flowers on 18" scapes in mid-summer; thick heavily textured slightly cupped and nearly round powdery gray-blue-foliage; spreading mound to about 12" tall by 2' wide; takes several years to fully mature; attracts hummingbirds; tolerates Black Walnuts & urban conditions; "deer candy"; locate in partial sun to heavy shade & organic slightly acidic well-drained moisture retentive soil; Asian native (E. Smith & P. Ruth) Zones 3 - (8) 9</i>			1g	
Hosta lancifolia Narrow-leafed Plantan Lily; Narrow-leafed Funkia <i>PERENNIAL; lavender flowers in late summer; narrow medium green foliage; spreading mound to about 12" tall by 18" wide; attracts hummingbirds; tolerates Black Walnuts, light drought & urban conditions; locate in partial sun to heavy shade & organic slightly acidic well-drained moisture retentive soil; Asian native; Zones 3 - 8</i>			1g	
Hosta lancifolia 'Aurea' Yellow Narrow-leafed Plantan Lily; Yellow Narrow-leafed Funkia <i>PERENNIAL; lavender flowers in late summer; narrow yellow foliage; spreading mound to about 12" tall by 18" wide; attracts hummingbirds; tolerates Black Walnuts, light drought & urban conditions; locate in partial sun to heavy shade & organic slightly acidic well-drained moisture retentive soil; Asian native; Zones 3 - 8</i>			1g	
Hosta 'Rainforest Sunrise' Plantan Lily; Funkia <i>PERENNIAL; pale lavender flowers on 24" scapes; variably narrow bright green margins surround yellow to chartreuse centered foliage that's heavily textured; compact spreading mound to about 8" tall by 16" wide; ; attracts hummingbirds; somewhat resistant to slugs; tolerates Black Walnuts & urban conditions; "deer candy"; locate in light to heavy shade & organic well-drained moisture retentive soil; sport of 'Maui Buttercups'; Hosta/Year 2013; Asian native; Zones 3 - 9</i>			1g	
Hydrangea anomala subsp. petiolaris Climbing Hydrangea <i>DECIDUOUS VINE; dull fragrant white flowers open in late June for about 2 weeks; glossy dark green summer foliage into mid-fall turns a variable yellow; exfoliating tan bark; can cover very large surfaces in time; needs support when climbing flat surfaces; locate in full sun or shade & organic well-drained organic moisture retentive soil; native of Asia; Zones 4 - 7 (8)</i>			1g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Hydrangea anomala subsp. petiolaris STAKED Climbing Hydrangea <i>DECIDUOUS VINE; dull fragrant white flowers open in late June for about 2 weeks; glossy dark green summer foliage into mid-fall turns a variable yellow; exfoliating tan bark; can cover very large surfaces in time; attached to one or more stakes; needs additional support when climbing flat surfaces; locate in full sun or shade & organic well-drained organic moisture retentive soil; native of Asia; Zones 4 - 7 (8)</i>			2g 5g	N
Hydrangea macrophylla Starfieldâ„¢ ('Hortmafarfa') Reblooming Bigleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; masses of reblooming pink mophead blooms with pointed petals & yellow centers on old & new wood; dark glossy green summer foliage; compact mounding habit to about 3' tall & wide; good salt tolerance for coastal areas; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Japanese native (Plants Nouveau) Zones (5) 6 - 9</i>			2g	
Hydrangea paniculata Boboâ„¢ ('ILVOBO') SHRUB Dwarf Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white cone-shaped flowers in late summer fade to pink with age on new wood; blooms on new wood from mid summer into fall; compact spreading habit to about 3' tall by 4' wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 3 - 9</i>			1g 2g 5g	
Hydrangea paniculata Fire Lightâ„¢ ('SMHPFL') SHRUB Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white sterile flowers from mid-summer into fall on new wood that turn reddish pink by late summer on sturdy stems; dark green foliage; broadly upright habit to about 6' tall & wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones (3) 4 - 9</i>			1g 2g 5g 7g	
Hydrangea paniculata Fire Light Tidbitâ„¢ ('SMNHPK') SHRUB Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; profuse sterile white flowers for about 3 months from mid-summer into fall on new wood quickly turn pink after opening then reddish pink by late summer on sturdy stems; dark green summer foliage; compact rounded habit to about 3' tall & wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones (3) 4 - 9</i>			1g 2g 5g 7g	N N
Hydrangea paniculata 'Limelight' SHRUB Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark green foliage; spreading habit to about 8' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asian native (PW) Zones 4 - 9</i>			1g 2g 5g 7g	
Hydrangea paniculata 'Limelight' TREE FORM Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark green foliage; spreading habit to about 8' tall & wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asian native (PW) Zones 4 - 9</i>			7g 15g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Hydrangea paniculata Limelight Prime™, ♂ ('SMNHPPH') SHRUB Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large profuse bright greenish-white flowers in mid-summer on new wood then turn reddish-pink by late summer into fall on sturdy stems; dark green summer foliage; compact upright habit to about 6' tall by 4' wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones (3) 4 - 9</i>			1g 2g 5g 7g	N
Hydrangea paniculata Little Lime® ('Jane') SHRUB Dwarf Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright lime green flowers in late summer on new wood; dark green foliage; spreading habit to about 5' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9</i>			1g 2g 5g	
Hydrangea paniculata Little Lime® ('Jane') TREE FORM Dwarf Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright lime green flowers in late summer on new wood; dark green foliage; spreading habit to about 5' tall & wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9</i>			7g 15g	
Hydrangea paniculata Little Quick Fire® ('SMHPLQF') SHRUB Dwarf Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; white flowers appear a month earlier than older H. paniculata types on new wood, then turn rosy-pink; dark green foliage; compact rounded habit to about 4' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			1g 2g 5g	N
Hydrangea paniculata 'Phantom' TREE FORM Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; huge white ball-like panicle clusters on stiff branches in late summer on new wood; dark green foliage; spreading habit to about 10' tall & wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			7g	
Hydrangea paniculata Pinky Winky™, ♂ ('DVPPinky') TREE FORM Pink Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; profuse 12" white flowers turn pink as they age while pushing more white flowers at the tips, giving a two-tone effect in late summer on new wood; dark green foliage; spreading habit to about 8' tall & wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9</i>			7g	
Hydrangea paniculata Quick Fire® ('Bulk') TREE FORM Pink Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; white flowers appear a month earlier than older H. paniculata types on new wood, then turn rosy-pink; dark green foliage; spreading habit to about 8' tall & wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			7g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Hydrangea paniculata Quick Fire Fab® ('SMNHMPM') SHRUB Pink Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; creamy-white flowers appear a month earlier than older H. paniculata types on new wood & quickly turn watermelon-pink; dark green summer foliage; spreading habit to about 8' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9</i>			1g 2g 5g	N
Hydrangea paniculata Vanilla Strawberryâ„¢ ('RENhy') TREE FORM Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large pyramidal flower clusters open greenish, quickly turn creamy white, then light pink before maturing to dark rosy-pink as they age; new flowers continually appear providing a two-tone effect in late summer on new wood; dark green summer foliage; broadly upright to about 7' tall by 5' wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			7g	
Hydrangea paniculata White Wedding® ('LeeP') SHRUB Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white conical flowers from late spring into fall on new wood; dark green foliage; upright habit to about 6' tall by 4' wide at maturity; good cut flower; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (Lee) Zones 4 - 9</i>			1g 3g	
Hydrangea quercifolia 'Pee Wee' Dwarf Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white pyramidal blooms in June & July on old wood; burgundy-red fall foliage; tan exfoliating bark; compact spreading habit to 4' tall by 6' wide even in full shade; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native; Zones 5 - 9</i>			2g 5g	N
Hydrangea quercifolia 'Ruby Slippers' Compact Pink Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; 9" flowers open white on old wood, but quickly turn pale pink then rose by mid-summer; compact spreading habit to 3.5' tall by 5' wide in 7 years; dark green summer foliage turns mahogany-red in fall; tan exfoliating bark; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native (Reed / USNA) Zones 5 - 8</i>			2g 5g 7g	N
Hydrangea quercifolia 'Sikes Dwarf' Compact Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; 12" tall flowers open light green in late June on old wood, turn pure white then pinkish in late summer; burgundy to scarlet fall foliage; tan exfoliating bark; compact spreading habit to 3' tall by 4' wide; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native (Sikes) Zones 5 - 9</i>			2g 5g 7g	N
Hydrangea quercifolia Snow Queen® ('Flemygea') Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; masses of 6" to 8" fragrant white pyramidal flowers in late June on old wood turn pinkish by late summer; dark green summer foliage turns burgundy to scarlet in fall; tan exfoliating bark; broadly upright habit to about 5' tall & wide; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native; PHS Gold Metal (Flemer) Zones 5 - 9</i>			2g 5g 7g	N N

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Hydrangea serrata Pink Dynamo™ ('JPD01') Sawtooth Hydrangea; Mountain Hydrangea <i>DECIDUOUS FLOWERING SHRUB; hot pink lace-cap flowers from early summer into fall; dark black-green summer foliage; compact habit to about 3' high & wide; attracts butterflies; locate in partial shade & well-drained moisture retentive soil; Japanese native; Zones 5 - 9</i>			2g	
Ilex x China Girl® ('Mesog') Female Hybrid Meserveae Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous off-white flowers in spring; bright red fruit persists from fall into or through winter; glossy bright green foliage; bushy upright habit to about 8' tall by 6' wide; more heat tolerant than the Blue Hollies; locate in full sun to partial shade & neutral to acidic well-drained organic soil [I. rugosa x I. cornuta] Zones 6 - 9</i>			1g 2g	N
Ilex crenata 'Compacta' Compact Japanese Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous male or female flowers in late spring; black fruit on female plants; dark green flat foliage; compact spreader to about 4' tall by 6' wide; several forms seem to be in the trade; locate in full sun to partial shade & neutral to acidic well-drained organic soil; Asian native; Zones (5) 6 - 7 (8)</i>			5g	N
Ilex crenata 'Convexa' Japanese Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous male or female flowers in late spring; black fruit on female plants; old selection with dark glossy green convex foliage; wide spreading compact habit to about 3' tall by 6' wide; hardy selection; small black fruit; locate in full sun to partial shade & neutral to acidic well-drained organic soil; Asian native; Zones (5) 6 - 7 (8)</i>			1g	
Ilex crenata 'Lucky Marble' Compact Japanese Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous male or female flowers in late spring; black fruit on female plants; tiny glossy dark green foliage; compact mounding habit to about 4' tall & wide; locate in full sun to partial shade & neutral to acidic well-drained organic soil; Asian native; Zones (5) 6 - 7 (8)</i>			1g 2g	
Ilex crenata LUXUS® Globe ('Annys5') Compact Japanese Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous male flowers in late spring; no fruit; flat dark green foliage; compact upright to globular mound to about 2' tall by 20" wide; locate in full sun to partial shade & neutral to acidic well-drained organic soil; Asian native (van Nijnatten / Concept P) Zones (5) 6 - 7 (8)</i>			1g 2g 5g	N
Ilex glabra Gem Box® ('SMNIGAB17') Dwarf flnkberry <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous creamy flowers in late spring; black fruit from fall to following spring; compact gobular habit to about 3' high & wide; spring flush has red-tipped foliage before turning dark green by summer; needs shearing to retain lower branches & foliage; deer & rabbit browse resistant; tolerant of air pollution & coastal locations; good for wet sites; will colonize from root suckers; locate in full sun to partial shade & neutral to slightly acidic moist organic soil; US native (PW) Zones (4) 5 - 9</i>			1g	
Ilex x meserveae Blue Princess® ('Conapry') Female Blue Holly; Female Meserve Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; bright red fruit persists from fall into or through winter; dark blue-green foliage on purple stems; upright mounding upright habit to about 10' tall by 8' wide; locate in full sun to partial shade & neutral to acidic well-drained organic soil [I. rugosa x I. aquifolium] Zones 5 - 9</i>			1g 2g 5g	N N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Ilex x meserveae Castle Spireâ„¢ ('Hachfee') Pyramidal Female Blue Holly; Pyramidal Female Meserveae Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; red fruit clusters persist from fall into or through winter; very large glossy dark green foliage on green stems; compact pyramidal habit to about 10' tall by 5' wide; locate in full sun to partial shade & neutral to acidic well-drained organic soil [I. rugosa x I. aquifolium] (Hachman) Zones 5 - 9</i>			1g 2g 5g	N
Ilex x meserveae Castle Wallâ„¢ ('Hachenstar') Upright Male Blue Holly; Upright Male Meserve Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; no fruit; very large glossy dark green foliage on purple stems; compact pyramidal habit to about 8' tall by 3' wide; locate in full sun to partial shade & neutral to acidic well-drained organic soil [I. rugosa x I. aquifolium] (Hachman) Zones 5 - 9</i>			1g 2g 5g	N N
Ilex x meserveae 'Honey Maid' Variegated Female Blue Holly; Variegated Female Meserve Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; bright red fruit persists from fall into or through winter; irregular patches of creamy gold accentuate the blue-green foliage; broadly upright to somewhat pyramidal habit to 8' tall by 8' wide; locate in full sun to partial shade & neutral to acidic well-drained organic soil; sport of 'Blue Maid' [I. rugosa x I. aquifolium] Zones 5 - 8</i>	BUSH		1g	
Ilex x meserveae Little Rascal® ('Mondo') Compact Male Blue Holly; Compact Male Meserve Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; no fruit; dark blue-green foliage on purple stems turn purple in winter; compact low spreading habit to about 2' tall by 3' wide; good pollinator for female Blue Hollies; locate in full sun to partial shade & neutral to acidic well-drained organic soil [I. rugosa x I. aquifolium] (Monrovia) Zones 5 - 8</i>			2g	N
Ilex x 'Screen Play' Holly <i>BROADLEAF EVERGREEN TREE; small inconspicuous flowers in spring; bright red fruit persists from fall into or through winter; bronzy-green new spineless foliage matures dark green; vigorous upright columnar habit to about 12' tall by 6' wide in 10 years; locate in full sun to partial shade & well-drained acidic organic soil; Asian cross [I. integra x i. latifolia] Zones 7 - 9</i>			1g 3g 7g	N
Itea virginica Fizzy Missyâ„¢ ('SMNIVMM') Compact Virginia Sweetspire <i>DECIDUOUS FLOWERING SHRUB; mildly fragrant upright 3-4" white racemes in late May or early June; thick dark bright green summer foliage turns reddish-purple in fall & is persistent into winter; compact bushy habit to about 4' tall & wide; spreads by root suckers; tolerates moist soils; attracts bees & butterflies; locate in full sun or shade & well-drained moisture retentive acidic soils; not drought tolerant; US native (PW) Zones 5 - 9</i>			2g	
Itea virginica 'Henry's Garnet' Virginia Sweetspire <i>DECIDUOUS FLOWERING SHRUB; mildly fragrant white flowers in late May or early June; bushy upright habit to 6'; persistent burgundy foliage in fall; locate in full sun or shade & moist or well-drained acidic moisture retentive soils; not drought tolerant; PHS Gold Metal plant; US native; Zones 5 - 9</i>			1g	N
Itea virginica Scentlandia ('SMNIVDFC') Compact Virginia Sweetspire <i>DECIDUOUS FLOWERING SHRUB; large very fragrant white flowers in late May or early June; more bud hardy; bushy upright habit to 3' tall & wide; persistent burgundy foliage in fall; locate in full sun or shade & moist or well-drained acidic moisture retentive soils; not drought tolerant; US native (PW) Zones 5 - 9</i>			2g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Juniperus chinensis 'Daub's Frosted' <i>see: Juniperus x pfitzeriana 'Daub's Frosted'</i>				
Juniperus chinensis Gin Fizz ã,® ('RIKAG') Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; female flowers produce prominent light greenish-blue female cones in fall; dark green foliage; pyramidal habit to about 20' tall by 12' wide; attract birds; tolerates drought & deer browse; locate in full sun or minimal shade & most well-drained soils; Asian native (PW) Zones (4) 5 - 8 (9)</i>			2g 5g	
Juniperus chinensis 'Hetzi Columnaris' / 'Fairview' Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; narrow pyramidal habit to 25'; somewhat loose branching; prominent light blue fruit; mature green and bluish juvenile foliage; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; Zones 5 - 9</i>			5g 10g	
Juniperus chinensis 'Old Gold' Golden Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; compact spreading habit to 3' high by 4' or more wide; golden tipped foliage; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>			1g 2g 5g	
Juniperus chinensis 'Saybrook Gold' Golden Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright yellow summer foliage becomes bronze-yellow in winter; low spreading habit of 2' tall by 5' wide; may be more subject to tip blight than other cultivars; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; Zones 5 - 9</i>			1g 2g 5g	
Juniperus chinensis 'Sea Green' Spreading Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; compact spreading habit; bright green evergreen arching foliage; grows to 6' high by 8' wide; easily trimmed to desired size; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>			1g 2g 5g	
Juniperus chinensis 'Spartan' Upright Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright green evergreen needles; narrowly pyramidal to columnar habit; grows to about 15' tall by 5' wide; susceptible to Phomopsis; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; Zones 5 - 9</i>			5g 10g	
Juniperus chinensis 'Torulosa' / 'Kaizuka' Hollywood Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright evergreen foliage; irregular upright habit to 30'; heat & salt tolerant; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; Zones (5) 6 - 9</i>			5g 10g	
Juniperus horizontalis 'Andorra Compacta' Compact Andorra Juniper <i>EVERGREEN ORNAMENTAL CONIFER; compact bushy spreader; burgundy winter foliage; resists deer browse; locate in full sun & well-drained soil; tolerant of coastal locations; native to North America; Zones 4 - 9</i>			1g 2g 5g	
Juniperus horizontalis 'Bar Harbor' Blue Creeping Juniper <i>EVERGREEN ORNAMENTAL CONIFER; low prostrate spreader; gray-blue foliage; plum winter foliage; resists deer browse; locate in full sun & well-drained soil; tolerant of coastal locations; native to North America; Zones 4 - 9</i>			1g 2g 5g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Juniperus horizontalis 'Blue Chip' Blue Creeping Juniper <i>EVERGREEN ORNAMENTAL CONIFER; low, compact, spreading habit; blue foliage turns purplish in winter; subject to tip blight especially further south; resists deer browse; locate in full sun & well-drained soil; tolerant of coastal locations; native to North America; Zones 4 - 7</i>			1g 2g 5g	
Juniperus horizontalis 'Hughes' Blue Creeping Juniper <i>EVERGREEN ORNAMENTAL CONIFER; low prostrate spreader reaching about 12" tall; can spread up to 8' wide; gray-blue foliage all year; resists deer browse; locate in full sun & well-drained soil; tolerant of coastal locations; native to North America; Zones 4 - 9</i>			1g 2g 5g	
Juniperus horizontalis 'Wiltonii' Blue Creeping Juniper <i>EVERGREEN ORNAMENTAL CONIFER; prostrate blue evergreen; stays under 3"; turns plum in winter; resists deer browse; locate in full sun & well-drained soil; tolerant of coastal locations; native to North America; Zones 4 - 9</i>			1g 2g 5g	
Juniperus x pfitzeriana 'Daub's Frosted' Prostrate Golden Pfitzer Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright gold spreader to 2' tall by 4' wide that doesn't burn; disease resistant; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; formerly listed as J. chinensis or J. x media [J. chinensis x J. sabina] Zones 4 - 9</i>			1g 2g 5g	
Juniperus x pfitzeriana 'Daub's Frosted' STANDARD Prostrate Golden Pfitzer Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright gold spreader to 2' tall by 4' wide that doesn't burn; grafted on a bare single stem at about 18-24" above the ground; disease resistant; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; formerly listed as J. chinensis or J. x media [J. chinensis x J. sabina] Zones 4 - 9</i>			5g	
Juniperus x pfitzeriana 'Gold Lace' Golden Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; blue-green interior foliage with bright lacey gold tipped branches; can get 4' tall by 6' wide, however can be kept smaller with trimming; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>			1g 2g 5g	
Juniperus procumbens 'Nana Green Mound' Dwarf Japanese Garden Juniper <i>EVERGREEN ORNAMENTAL CONIFER; low mounding spreader to 12" tall by 5' wide; lighter green juvenile foliage than 'Nana'; resists deer browse; locate in full sun & any well-drained soil; native to Japan Zones 4 - 8</i>			1g	
Juniperus sabina 'Broadmoor' Savin Juniper <i>EVERGREEN ORNAMENTAL CONIFER; slow growing, but wide spreading mound to 3' tall by 10' wide at maturity if not trimmed; gray-green foliage; resistant to Juniper blight; locate in full sun & well-drained neutral to alkaline soils; tolerant of urban conditions; performs better in northern hardiness range; native to Europe & western Asia (D. Hill N) Zones 3 - 6 (7)</i>			1g 2g 5g	
Juniperus sabina 'Buffalo' Savin Juniper <i>EVERGREEN ORNAMENTAL CONIFER; slow growing, but wide spreading mound to 18" tall by 8' wide at maturity if not trimmed; bright green foliage; blue berries from summer into winter; locate in full sun & well-drained neutral to alkaline soils; tolerant of urban conditions; performs better in northern hardiness range; native to Europe & western Asia; Zones 3 - 6 (7)</i>			1g 2g 5g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Juniperus sabina Calgary Carpet ('Monna') Savin Juniper <i>EVERGREEN ORNAMENTAL CONIFER; slow growing, but wide spreading mound with layered branching; spreading habit 12" tall by 6' wide at maturity; soft smooth green foliage; locate in full sun & well-drained neutral to alkaline soils; tolerant of urban conditions; performs better is northern hardiness range; native to Europe & western Asia; Zones 3 - 6 (7)</i>			1g 2g 5g	
Juniperus sabina 'Mini Arcade' Savin Juniper <i>EVERGREEN ORNAMENTAL CONIFER; slow wide-spreading habit with layered branches to about 15" tall by 6' wide at maturity; soft smooth green foliage that doesn't bronze in winter; locate in full sun & well-drained neutral to alkaline soils; tolerant of urban conditions; performs better is northern hardiness range; native to Europe & western Asia; Zones 3 - 6 (7)</i>			2g	
Juniperus scopulorum 'Moonglow' Blue Rocky Mountain Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; fairly narrow upright pyramidal habit to 15'; subject to tip blight on the East Coast; needs full sun & dry well-drained soils; does not perform well in areas with high humidity & high evening temperatures; native western to US & Canada; Zones 3 - 6 (7)</i>			5g 10g	
Juniperus scopulorum 'Moonglow' Blue Rocky Mountain Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; fairly narrow upright pyramidal habit to 15'; foliage sheared into spirals around a central stem; subject to tip blight on the East Coast; needs full sun & dry well-drained soils; does not perform well in areas with high humidity & high evening temperatures; native western to US & Canada; Zones 3 - 6 (7)</i>		SPIRAL	5g	
Juniperus squamata 'Blue Star' Dwarf Blue Singleseed Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright blue foliage; very compact mounding habit; can reach 3' tall by 3' or more wide in time; locate in full sun & most well-drained soils; does not perform well in areas with high humidity & high evening temperatures; native to Asia; Zones 4 - 7</i>			1g 2g 5g	
Juniperus squamata 'Blue Star' Dwarf Blue Singleseed Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright blue foliage; very compact mounding habit; can reach 3' tall by 3' or more wide in time; usually grafted between 18" & 3' on top of a clear trunk & forms a very compact silvery-blue ball at the top; locate in full sun & most well-drained soils; does not perform well in areas with high humidity & high evening temperatures; native to Asia; Zones 4 - 7</i>		STANDARD	5g	N
Juniperus virginiana 'Gray Owl' Compact Blue Eastern Red Cedar <i>EVERGREEN ORNAMENTAL CONIFER; silvery gray-blue summer foliage exhibits some winter bronzing on branch tips; compact broadly spreading habit to 3' tall by 6' wide; light blue fruit appearing in summer is a valuable bird food; tolerant of deer browse, drought, air pollution, sterile soil & Black Walnut; locate in full sun & well-drained soil of any pH; German introduction; may be a cross of 2 or more species; native to eastern North & Central America; Zones 3 - 9</i>			1g 2g 5g	
Juniperus virginiana 'Taylor' Columnar Eastern Red Cedar <i>EVERGREEN CONIFER; narrow pyramid habit reaching about 25' tall by 4' wide; gray-green summer foliage bronzes a little in winter; tolerant of drought, air pollution, sterile soil & Black Walnut; locate in full sun & well-drained soil of any pH; native to eastern North & Central America; Zones (3) 4 - 9</i>			5g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Lagerstroemia Early Bird Purple ('JD827') Compact Purple Crape-myrtle <i>DECIDUOUS FLOWERING TREE; bright light purple flowers begin blooming in late May & will continue for almost 4 months; green summer foliage turns yellow in fall; exfoliating gray-brown bark on mature branches; compact upright habit to about 6' tall by 4' wide; heat & drought tolerant; locate in full sun to light or partial shade & well-drained moisture retentive soil that's only moderately fertile; too much fertility encourages foliage growth instead of flowers (Davy) [Zones 7 - 10</i>			1g 3g	
Lagerstroemia Early Bird White ('JD900') Compact White Crape-myrtle <i>DECIDUOUS FLOWERING TREE; white flowers begin blooming in late May & will continue for almost 4 months; compact upright habit to about 8' tall by 4' wide; gray exfoliating bark; locate in full sun to light or partial shade & well-drained moisture retentive soil that's only moderately fertile; too much fertility encourages foliage growth instead of flowers [L. Acoma seedling] (Davy) Zones 7 - 10</i>			1g 3g	N
Lagerstroemia indica Lunar Magic , [®] (PIILAG-X') STANDARD White Crape-myrtle <i>DECIDUOUS FLOWERING TREE; masses of white flowers all summer on red stems; purplish-black foliage; upright habit to 10' tall by 8' wide; resistant to Cercospora & powdery mildew; locate in full sun to light or partial shade & well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers; Zones 7 - 9</i>			5g	N
Lagerstroemia Purple Magic , [®] [First Editions] Purple Crape-myrtle <i>DECIDUOUS FLOWERING TREE; clusters of vivid purple flowers on new wood in early summer; red new foliage matures to glossy green by summer then red again in fall; broadly upright habit to about 8' tall & wide; resistant to leaf spot & powdery mildew; locate in full sun to light or partial shade & well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers [L. indica] Zones 7 - 9</i>			2g	
Lagerstroemia Purple Magic , [®] [First Editions] STANDARD Purple Crape-myrtle <i>DECIDUOUS FLOWERING TREE; clusters of vivid purple flowers on new wood in early summer; red new foliage matures to glossy green by summer then red again in fall; broadly upright habit to about 8' tall & wide; resistant to leaf spot & powdery mildew; locate in full sun to light or partial shade & well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers [L. indica] Zones 7 - 9</i>			5g 7g	N
Laurus nobilis Bay Laurel <i>BROADLEAF EVERGREEN SHRUB; small yellowish-green male or female flowers in spring; purplish-black fruit on female plants; leathery dark green aromatic foliage; compact bushy upright habit to about 25' tall by 15' wide; easily sheared to any almost size; tolerates coastal conditions; locate in full sun to partial shade & well-drained moisture retentive organic soil of any acidity; Mediterranean native; Zones 8 - 10</i>			1g 2g 5g	N
Lavandula angustifolia 'Hidcote Blue' English Lavender <i>EVERGREEN PERENNIAL; fragrant purple flower from June to August; compact mounding habit to about 30" tall & wide; small fragrant gray-green foliage; good cut flower; attracts butterflies; tolerant of deer & rabbit browse & air pollution; locate in full sun & neutral to alkaline well-drained soil with minimal fertility; native to western Mediterranean area; Zones (5) 6 - 8 (9)</i>			1g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Lavandula x intermedia 'Bridget Chloe' Lavender <i>PERENNIAL; strongly fragrant purple flowers on strong stems above the foliage from mid-June to early summer; fragrant gray-green semi-evergreen to evergreen foliage (in the southern range); bushy habit to 30" tall by 5' wide; good for cutting; attracts bees & butterflies; resists leaf spot, humidity as well as deer & rabbit browse; locate in full sun & deep organic well-drained soil; sport or seedling of 'Provence' [L. angustifolia x L. latifolia] (Hendon) Zones 5 - 9</i>			1g	
Lavandula x intermedia Sensational! ('Tesseract') Lavender <i>PERENNIAL; very fragrant dark-purple flower on strong stems from late June to late Sept; bushy habit to 22" tall & wide with prominent flower stems above the foliage; fragrant gray-green semi-evergreen to evergreen foliage (in the southern range); good for cutting; attracts butterflies; deer & rabbit browse resistant; locate in full sun & deep organic well-drained soil; more tolerant of high humidity & heat [L. angustifolia x L. latifolia] (Peace Tree F) Zones 5 - (8) 9</i>			1g	
Leucothoe axillaris Coast Leucothoe; Dog-hobble <i>EVERGREEN FLOWERING SHRUB; drooping white flowers in late April & early May; compact spreading mound to 3' tall by 5' wide; resists deer browse; locate in partial to full shade & well-drained moisture retentive acidic soil; US native; Zones (4) 5 - 7</i>			1g 2g	
Leucothoe fontansiana 'Girard's Rainbow' Variegated Drooping Leucothoe; Variegated Fetterbush <i>EVERGREEN FLOWERING SHRUB; red, white & green evergreen foliage; spreading mound to 6' or taller; resists deer browse; locate in full to partial shade & well-drained moisture retentive acidic soil; eastern US native; Zones (4) 5 - 8</i>			1g	
Leucothoe keiskei 'Burning Love' [Leafscape] ('Opstal50') Japanese Leucothoe <i>EVERGREEN FLOWERING SHRUB; narrow bright dark red new growth matures to dark green in summer before turning purple in fall through winter; compact spreading habit to about 30" high & wide; locate in full sun or moderate shade & well-drained moisture retentive acidic soil (van Opstal / Concept Plants) Zones (5) 6 - 9 (10)</i>			1g	
Ligustrum japonicum 'Texanum' Compact Waxleaf Privet; Compact Japanese Privet <i>BROADLEAF EVERGREEN SHRUB; fragrant creamy white flowers in early June; glossy dark green foliage; compact bushy upright habit can reach 8' tall by 6' wide in time, however, can be pruned to almost any size & shape; locate in sun or shade & any soil that doesn't remain wet; Asian native; Zones (7) 8 - 9</i>			1g 2g 5g	N
Ligustrum sinense 'Sunshine' Golden Chinese Privet <i>EVERGREEN ORNAMENTAL SHRUB; golden foliage all season in full sun; greenish-gold in shade; this variety does not produce flowers or fruit; bushy habit to 10' high & wide, however, can be pruned to almost any size & shape; locate in sun or shade & any soil that doesn't remain wet; Asian native; (Ball) Zones (6) 7 - 10</i>			1g 3g	
Ligustrum x vicary Golden Privet <i>DECIDUOUS SHRUB; golden foliage spring & summer in full sun; greenish-gold in shade; small fragrant white flowers in late spring; dark fruit from summer into fall; broadly upright habit to about 12' high by 10' wide, however, can be pruned to almost any size & shape; locate in sun or shade & any soil that doesn't remain wet; Zones 5 - 8</i>			1g 2g 5g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p>Ligustrum vulgare 'Lodense' Lodense Privet <i>DECIDUOUS ORNAMENTAL SHRUB; profuse white flowers in late spring; black fruit favored by birds in late summer; compact bushy habit to 4' high & wide can be sheared to any size; locate in full sun or partial shade & any soil that doesn't remain wet; Zones 4 - 7</i></p>			1g	N
<p>Ligustrum vulgare Straight Talk ('Swift') Columnar Lodense Privet <i>DECIDUOUS ORNAMENTAL SHRUB; profuse white flowers in late spring; black fruit favored by birds in late summer; narrow columnar habit to about 12' tall by 2' wide; can be sheared to any size; locate in full sun or partial shade & any soil that doesn't remain wet (First Editions) Zones 4 - 7 (8)</i></p>			2g	
<p>Liquidambar styraciflua 'Slender Silhouette' Columnar American Sweetgum <i>DECIDUOUS ORNAMENTAL TREE; very narrow upright habit to 60' tall by 7' wide; minimal to moderate fruit production; shiny dark green summer foliage turns mostly yellow with a red tinge in fall; locate in full sun & moist to partially wet organic soils; native to eastern of US & Mexico (Shadow) Zones (5) 6 - 8 (9)</i></p>			7g	
<p>Liriodendron tulipifera Tuliptree; Tulip Poplar <i>DECIDUOUS SHADE TREE; rapid narrowly upright habit to approaching 100' tall; somewhat weak wooded; light orange-green flowers in early June; green summer foliage turns variable yellow in fall; locate in full sun or light shade & deep organic soil that retains moisture & is somewhat acidic; not drought tolerant; US native; Zones 4 - 9</i></p>			7g	
<p>Liriodendron tulipifera Little Volunteer Compact Tuliptree; Compact Tulip Poplar <i>DECIDUOUS SHADE TREE; compact upright habit to oval heads reaching about 35' tall by 20' wide; light orange-green flowers in early June; medium green summer foliage turns butter yellow in fall; locate in full sun or light shade & deep organic soil that retains moisture & is somewhat acidic; not drought tolerant; US native; Zones 4 - 9</i></p>			7g	
<p>Lonicera caerulea 'Berry Blue' Honeyberry; Blue Honeysuckle <i>DECIDUOUS FRUITING SHRUB; slightly fragrant white early spring flowers; tasty blueberry-like fruit ripens in late spring; gray-green foliage; compact bushy habit to about 4' tall & wide; tolerates deer & Black Walnut; locate in full sun to partial shade & moist richly organic moisture retentive well-drained soil; North American native; Zones (2) 3 - 7 (8)</i></p>			1g	
<p>Lonicera caerulea 'Borealis' Honeyberry; Blue Honeysuckle <i>DECIDUOUS FRUITING SHRUB; slightly fragrant white early spring flowers; tasty blueberry-like fruit ripens in late spring; multiple plants increases the harvest; gray-green foliage; compact bushy habit to about 3' tall & wide; tolerates deer & Black Walnut; locate in full sun to partial shade & moist organic moisture retentive well-drained soil of any pH; Asian native (U of Saskatchewan) Zones 2 - 7</i></p>			1g	
<p>Lonicera x heckrottii 'Gold Flame' STAKED Goldflame Honeysuckle; Everblooming Honeysuckle <i>DECIDUOUS VINE; red buds open to fragrant rose-pink flowers with yellow centers which persist all summer while attracting butterflies & hummingbirds; oval blue-green foliage from reddish stems add interest; may be evergreen or semi-evergreen in southern hardiness range; twining habit to a structure of up to 15' but can be pruned as a bush; locate in full sun to partial shade & soils with good to moderate drainage [L. sempervirens x L. americana] Zones 5 - 9</i></p>			2g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Lonicera x 'Mandarin' Mandarin Honeysuckle <i>DECIDUOUS VINE; profuse lightly scented sterile mandarin-orange flowers on darker tubes in late spring or early summer & intermittently through summer; seedless; new foliage emerges coppery-brown & matures to dark green; twining habit that needs a structure of up to 20'; attracts butterflies & hummingbirds; resists deer browse (maybe) & most diseases; locate in full to mostly sunny location & well-drained moisture retentive soil of any pH [L. tragophylla x L. brownii] Zones (3) 4 - 8 (9)</i>			2g 5g		N
Lonicera nitida Thunderbolt (Golden Glow) Golden Boxleaf Honeysuckle <i>EVERGREEN FLOWERING SHRUB; small mildly fragrant creamy flowers; small bright chartreuse foliage; very compact arching habit to about 5' tall & wide; easily trimmed to desired shape; locate in partial sun & any moisture retentive well-drained slightly acidic soil; Asian native (Bloomin' Easy) Zones 5 - 9</i>			2g 5g		
Lonicera periclymenum 'Peaches & Cream' Woodbine Honeysuckle <i>EVERGREEN VINE; fragrant pink & white flowers from spring through mid-summer followed by red fruit; can cover a structure up to 20' tall which allows it to twine; attracts butterflies & humming birds; tolerant of drought & heat; locate in full to partial shade & most soils with good drainage; North American native (Ball) Zones 4 - 9</i>			2g 5g		
Lonicera pileata Privet Honeysuckle <i>EVERGREEN SHRUB; small fragrant yellowish-white flowers in spring; amethyst fruit in late summer on mature plants; low spreading habit reaching up to 3' tall; tolerates deer browse & salt spray; locate in full sun to almost full shade & most well-drained soils; Chinese native; Zones (5) 6 - 9</i>			1g 2g 5g		
Lonicera reticulata Kintzey's Ghost,® ('PO15S') Grape Honeysuckle <i>DECIDUOUS VINE; slightly fragrant yellow flowers with inside silvery-gray bracts from late spring through fall; red berries replace the yellow flowers inside the bracts in late summer; twining habit growing up to about 10' tall by 4' wide - depending on staking; attracts hummingbirds & butterflies; resists deer browse; tolerates limited drought; locate in full sun or partial shade & organic well-drained acidic to neutral soil; US native or native cross [possibly: L. reticulata x L. prolifera] (Kintzey / PW) Zones 4 - 8</i>			2g		N
Magnolia x acuminata 'Butterflies' Yellow Cucumbertree Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant deep yellow flower in early April before the foliage opens; rarely produces seed; upright pyramidal habit to about 20' tall by 15' wide; multiple main branches reach upward from the ground; locate in full sun to partial shade & well-drained organic moisture retentive soil of varying pH; US / Asian cross [M. acuminata x M. denudata] (Savage) Zones (3) 4 - 8</i>			5g 7g		
Magnolia x acuminata 'Yellow Bird' Yellow Hybrid Cucumbertree Magnolia <i>DECIDUOUS ORNAMENTAL TREE; bright yellow flower with slight greenish tint as the foliage opens in spring; bushy upright habit up to about 40' tall by 25' wide in time; locate in full sun to partial shade & well-drained organic moisture retentive soil of varying pH; US / Asian cross [M. acuminata var. subcordata x M. xbrooklynensis (Evamaria, -a, c) (Stone/BBG) Zones (3) 4 - 8</i>			5g		N

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Magnolia 'Butterflies' <i>see: Magnolia x acuminata 'Butterflies'</i>				
Magnolia figo 'Stellar Ruby' Purple Hybrid Banana Magnolia <i>EVERGREEN ORNAMENTAL TREE; strongly banana scented star-like purplish-pink flower with yellow centers in late spring & sporadically beyond; bushy upright habit to about 15' tall by 8' wide at maturity; dark green foliage; somewhat resistant to deer browse; locate in full sun or light shade & moisture retentive organic well-drained soil; Chinese native [M. f. var. crassipes x M. f. var. skinneriana] (McCracken) Zones 7 - 8 (9)</i>			3g	
Magnolia x 'Galaxy' Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; profuse 9" lightly fragrant reddish-purple to pink flowers in mid-April; narrowly pyramidal to columnar habit to about 30' tall by 15' wide; multiple main branches reach upward from the ground; locate in full sun to light shade & well-drained organic slightly acidic soil; PHS Gold Metal [M. kobus var. stellata x M. sprengeri 'Diva'] (USNA / Kosar) Zones 5 - 9</i>			5g 7g	
Magnolia x 'Genie' LOW BRANCHED Dwarf Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant 6" deep maroon-purple flowers inside & out appearing in late April & May with minimal repeat blooms in summer; very compact bushy upright habit to about 12' tall by 6' wide; locate in full sun or light shade & moist organic well-drained soils of varying acidity [M. soulangeana x M. liliiflora] (Hooper) Zones (5) 6 - 9</i>			5g	N
Magnolia x 'Genie' TREE FORM Dwarf Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant 6" deep maroon-purple flowers inside & out appearing in late April & May with minimal repeat blooms in summer; very compact bushy upright habit to about 12' tall by 6' wide; locate in full sun or light shade & moist organic well-drained soils of varying acidity [M. soulangeana x M. liliiflora] (Hooper) Zones (5) 6 - 9</i>			5g 7g	
Magnolia grandiflora 'Bracken's Brown Beauty' TREE FORM Southern Magnolia <i>EVERGREEN FLOWERING TREE; fragrant white flowers in June; dark green leathery foliage is quite smaller than the species with dark brown indumentum; showy red seeds in late summer; broadly upright habit to about 30' by 20' wide; locate in full sun to partial shade & acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Bracken) Zones (5) 6 - 9 (10)</i>			2g 5g 7g 15g	N
Magnolia grandiflora 'D.D. Blanchard' TREE FORM Southern Magnolia <i>EVERGREEN FLOWERING TREE; fragrant white flower in from late May into summer; showy red seeds in late summer; large leathery dark green foliage with prominent orange-brown indumentum; upright habit to about 50' tall by 35' wide; locate in full sun to partial shade & acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Robbins N) Zones 7 - 9</i>			5g 7g	N N
Magnolia grandiflora 'Kay Parris' Compact Southern Magnolia <i>EVERGREEN FLOWERING TREE; slightly smaller fragrant white flowers from late spring through summer; showy red seeds appear in late summer; glossy medium green foliage with orange-brown indumentum; narrow upright habit to about 20' tall by 10' wide in 10 years; moderate cold tolerance; locate in full sun to partial shade & acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Gilberts N) Zones 7 - 9</i>			5g 7g 15g	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Magnolia x liliiflora 'Susan' Hybrid Lily Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fuzzy light gray buds open to reddish-purple flowers that have white centers in mid/late April as the foliage emerges; sporadic summer flowers; medium green summer foliage turns yellowish in fall; upright habit to 20' or more' tall; wide; smooth gray bark; locate in full sun or light shade & moist organic well-drained soils of varying acidity; tolerates limited excessive moisture; native Asian cross [M. liliiflora 'Nigra' x stellata 'Rosea'] (Kosar & deVos / USNA) Zones 3 - 8</i>			5g 7g	N
Magnolia x soulangeana Saucer Magnolia <i>DECIDUOUS ORNAMENTAL TREE; flowers are whitish inside & dark pink outside in early April before the foliage; broadly upright habit to 30' tall & wider with age; locate in full sun to light or dappled shade & deep well-drained moisture retentive acidic soil [M. denudata x M. liliiflora] (Soulange-Bodin) Zones 4 - 9</i>			7g	
Magnolia 'Yellow Bird' <i>see: Magnolia x acuminata 'Yellow Bird'</i>				
Mahonia aquifolium Oregon Grapeholly <i>EVERGREEN ORNAMENTAL SHRUB; yellow flower in early April; blue-black fruit from late summer into late fall; spiny evergreen foliage; upright evergreen to 6'; spreads by suckers; deer browse resistant; locate in full to partial shade & well-drained organic acidic moisture retentive soil; protect from desiccating winter winds; US native to the Pacific Northwest; Zones (4) 5 -7 (8)</i>			1g 5g	
Mahonia eurybacteata 'Marvel' Fine-leaf Oregon Grape <i>EVERGREEN ORNAMENTAL SHRUB; fragrant yellow flowers in late fall to early winter; large clusters of dark blue fruit the following summer; coarse upright habit to 6' tall by up to 4' wide; dark green foliage; resists deer browse; locate in partial to full shade & organic well-drained neutral to acidic soil; somewhat drought tolerant when established; protect from desiccating winter winds; Zones (6) 7 - 9</i>			1g 3g 7g	N
Mahonia eurybacteata 'Soft Caress' Fine-leaf Oregon Grape <i>EVERGREEN ORNAMENTAL SHRUB; fragrant lemon yellow flowers in late winter; large clusters of silver-blue fruit after the flower; spreading habit to 3' tall by up to 5' wide; dark black-green foliage; locate in partial to full shade & organic well-drained neutral to acidic soil; somewhat drought tolerant when established; protect from desiccating winter winds; Zones 7 - 9</i>			1g 3g	
Mahonia repens Creeping Mahonia; Creeping Oregon Grape <i>EVERGREEN ORNAMENTAL SHRUB; small racemes of deep yellow flower spikes in April; clusters of small bluish-purple fruit mature in late summer; slow low spreading habit to 12" tall by 18" wide; glossy spiny dark-green foliage turns purplish in winter; locate in partial to full shade & organic well-drained neutral to acidic soil; somewhat drought tolerant when established; protect from desiccating winter winds; Zones 6 - 8</i>			1g	
Malus domestica Fruiting Apple <i>DECIDUOUS FRUIT TREE; white flowers in May; full sized sweet yellow fruit in early fall; narrow columnar habit to about 10' tall by 2' wide; two varieties needed for pollination; does well in containers; attracts hummingbirds & butterflies; resists disease; locate in full sun & organic moisture retentive well-drained slightly acidic soil; native to western Asia (Tupy) Zones 4 - 9</i>			7g	N

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Malus domestica Fruiting Apple <i>multiple cultivars grafted on 1 plant; refer to www.AlphaNursery.com for details.</i>			7g	
COMBO				
Malus domestica 'Ambrosia' Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; firm fruit has pinkish-red blush over yellow which matures in late Sept & is sweet with low acidity; habit varies with rootstock but tends to be more upright than wide; attracts hummingbirds & butterflies; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained slightly acidic soil; best pollination with at least 1 other variety; native to western Asia (Mennell) Zones 5 - 9</i>			7g	
Malus domestica Blushing Delight Urban Apple ('UEB 3727/4Ã¢â¬â, -â¬â, ¢) Columnar Fruiting Apple <i>DECIDUOUS FRUIT TREE; white flowers in May; green fruit (with pink blush) in the fall; narrow columnar habit to about 10' tall by 2' wide; attracts hummingbirds & butterflies; does well in containers; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; native to western Asia; Zones 4 - 8</i>			7g	
Malus domestica 'Braeburn' Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; red fruit follows in the fall; habit varies with rootstock but tends to be as high as wide; attracts hummingbirds & butterflies; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; best pollination with at least 1 other variety; native to western Asia; Zones 3 - 8</i>			5g 7g	N
Malus domestica 'Chehalis' Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers in May; yellowish-green fruit in early fall; habit varies with root-stock but tends to be as high as wide; sweet juicy flavor; attracts hummingbirds & butterflies; resists scab; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained slightly acidic soil; excellent pollinator; self fruitful (but more fruit with other cultivar nearby); native to western Asia; Zones 4 - 8</i>			5g 7g	
Malus domestica 'Fuji' Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers in May; fruit usually follows in early fall; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained soil; native to western Asia; Zones 3 - 8</i>			5g 7g 15g	N
Malus domestica 'Gala' Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers in May; fruit usually follows in early fall; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained soil; native to western Asia; Zones 3 - 8</i>			5g 7g	
Malus domestica 'Granny Smith' Fruiting Apple <i>DECIDUOUS FRUIT TREE; light pink to white flowers in May; green fruit in late summer; grows to about 20' tall and wide; attracts hummingbirds & butterflies; used mostly for baking & sauces; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; chance seedling from Australia that might be M. pumila x M. sylvestris; native to western Asia; Zones 3 - 8</i>			7g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Malus domestica 'Gravenstein' Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers in May; fruit usually follows in early fall; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained soil; native to western Asia [M. domestica] Zones 3 - 8</i>			5g	
Malus domestica 'Haralson' Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in mid-spring; medium sized yellowish-green & red fruit follows in early fall; can be an alternate bearer; flowers attract pollinators; plant another variety with the same bloom period for more fruit; depending on rootstock will normally reach about 12' tall & wide; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained soil; native to western Asia; Zones 3 - 8</i>			5g	
Malus domestica Honeycrisp Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; very juicy & sweet large red fruit with yellowish stripping follows in early fall; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds & butterflies; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; native to western Asia (U of MN) Zones 3 - 8</i>			5g 7g	
Malus domestica 'Pink Lady[™],® ('Cripps Pink') Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white or very light pink flowers in May; medium sized sweet crisp juicy yellow fruit with reddish-pink blush in mid-fall; rounded habit whose size depends on root-stock; attracts hummingbirds & butterflies; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained neutral soil; best pollination with at least 1 other variety; native to western Asia [M. Lady Williams x M. Golden Delicious] Zones (5) 6 - 8 (9)</i>			5g 7g	
Malus domestica 'Red Delicious' Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; large slightly tart dark red fruit follows in early fall; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds & butterflies; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained slightly acidic soil; best pollination with at least 1 other variety; native to western Asia; Zones 5 - 8</i>			5g	N
Malus domestica Tangy Green Urban Apple ('UEB 3812-2') Columnar Fruiting Apple <i>DECIDUOUS FRUIT TREE; white flowers in May; juicy tart lime-green fruit in the fall; narrow columnar habit to about 10' tall by 2' wide; two varieties needed for pollination; attracts hummingbirds & butterflies; does well in containers; disease resistant; locate in full sun & organic moisture retentive well-drained slightly acidic soil; native to western Asia (Tupy) Zones 4 - 9</i>			7g	N
Malus domestica Tasty Red Urban Apple ('UEB 3449-1') Columnar Fruiting Apple <i>DECIDUOUS FRUIT TREE; white flowers in May; sweet juicy bright red fruit in the fall; narrow columnar habit to about 10' tall by 2' wide; two varieties needed for pollination; attracts hummingbirds & butterflies; does well in containers; disease resistant; locate in full sun & organic moisture retentive well-drained slightly acidic soil; native to western Asia (Tupy) Zones 4 - 9</i>			7g	
Malus domestica 'Wealthy' Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers for an extended period in mid to late spring; normally alternate bearer; good pollinator for other cultivars; yellow fruit with red stripes follows in early fall; habit varies with root-stock but tends to be about 10' tall & wide; attracts hummingbirds & butterflies; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; hardy introduction from MN; native to western Asia; Zones 3 - 9</i>			7g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Malus domestica 'Yellow Delicious' Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers in May; fruit usually follows in early fall; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds & butterflies; locate in full sun (for best fruit production) or light shade & organic moisture retentive well-drained slightly acidic soil; excellent pollinator; self fruitful; native to western Asia; Zones 4 - 8</i>			5g 7g 15g	N
Malus 'Prairiefire' Pink Crabapple <i>DECIDUOUS ORNAMENTAL TREE; red buds open to exceedingly showy purplish-red flowers; persistent 3/8" purplish-red fruit; new bronze-red foliage matures to bronze-green by summer before turning to shades of orange & red in fall; rounded heads to 20' x 20'; excellent disease resistance; locate in full or mostly sunny areas with loamy moist well-drained acidic soil, but more widely adaptable; tolerant of urban conditions if not allowed to dry out; sprout-free rootstock (Dayton) Zones 4 - 8</i>			7g	
Malus Royal Raindrops ('JFS-KW5') Pink Crabapple <i>DECIDUOUS ORNAMENTAL TREE; single deep pink flower; persistent 1/4" bright red fruit; purple cutleaf summer foliage turns shades of orange & red in fall; upright oval heads to 20' tall by 15' wide; excellent disease resistance; locate in full or mostly sunny areas with loamy moist well-drained acidic soil; tolerant of urban conditions if not allowed to dry out; sprout-free rootstock (Schmidt) Zones 4 - 8</i>			7g 15g	
Malus Showtime ('Shotizam') Red Crabapple <i>DECIDUOUS ORNAMENTAL TREE; red buds open to profuse fuchsia-pink flowers; abundant red 5/8" fruit throughout the fall; broadly upright habit to about 20' high by 15' wide; dark green summer foliage has a purplish cast & turns an impressive gold in fall; flowers attract pollinators; fruit attracts birds; resists foliar diseases; tolerates urban conditions if not allowed to dry out; locate in full or mostly sunny areas & moisture retentive well-drained acidic soil (Zampini / PW) Zones 4 - 8</i>			7g	N
Malus 'Spring Snow' White Crabapple <i>DECIDUOUS ORNAMENTAL TREE; sterile white flowers; no fruit; densely branched upright oval head to 25' tall by 20' wide; susceptible to scab & moderately to cedar apple rust & fireblight; locate in full or mostly sunny areas with loamy moist well-drained acidic soil, but more widely adaptable; tolerant of urban conditions if not allowed to dry out; sprout-free rootstock; Zones 4 - 8</i>			7g 15g	
Malus Starlite ('Jeflite') White Crabapple <i>DECIDUOUS ORNAMENTAL TREE; fragrant white flowers in mid-spring; red fruit effective from late summer to late fall; dark green pointed foliage turns bright yellow in fall; rounded heads to 20' tall & wide; susceptible to scab & moderately to cedar apple rust & fireblight; locate in full or mostly sunny areas with loamy moist well-drained acidic soil, but more widely adaptable; tolerant of urban conditions if not allowed to dry out; Zones 4 - 8</i>			7g	
Microbiota decussata Celtic Pride ('Prides') Siberian Cypress; Russian Arborvitae <i>EVERGREEN GROUNDCOVER; compact spreading mound to 15" tall by 5' or more wide; bright green summer foliage turns plum in late fall through winter; improved disease resistance; resists deer browse; locate in full sun or filtered shade & loamy well-drained soils that don't totally dry out; will not tolerate wet soils; Russian native; Zones 3 - 8</i>			2g	N
Miscanthus sinensis 'Gold Bar' Variegated Miscanthus <i>ORNAMENTAL GRASS; reddish plumes rise 1' above the foliage in mid to late fall before turning tan; upright clumps of green foliage with horizontal gold bands to about 5' tall by 4' wide; winter foliage is tan; clumping habit spreads by rhizomes; tolerates drought, high humidity, salt, deer browse & Black Walnut; no pest or disease problems; can be invasive in southern range where seed matures; locate in full sun or light to partial shade & most moisture retentive well-drained soils of any pH; sport of 'Strictus'; Asian native (Joy Creek N) Zones 5 - 9</i>			1g 2g 5g	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p>Miscanthus sinensis 'Gracillimus' Slender Miscanthus <i>ORNAMENTAL GRASS; narrow arching foliage to 5'; silvery plumes extend to 7' in late summer; deer browse resistant; deer browse resistant; locate in full sun or light to partial shade & most moist well-drained soils; tolerant of drought & high humidity; can be invasive in southern range; Asian native; Zones 4 - 7</i></p>			1g 2g	
<p>Miscanthus sinensis 'Little Miss' Dwarf Miscanthus <i>ORNAMENTAL GRASS; red flower plumes appear in mid-summer & mature to tan by fall; narrow green arching spring foliage gets reddish-purple in summer; tolerant of drought & high humidity; can be invasive in southern range; locate in full sun or light to partial shade & most most well-drained soils; Asian native (Menzel) Zones 6 - 8</i></p>			1g	
<p>Miscanthus sinensis 'Morning Light' Silver Slender Miscanthus <i>ORNAMENTAL GRASS; narrow foliage with silver edged stripes that usually remains upright all winter; reaches about 5' tall; turns tan in fall; deer browse resistant; locate in full sun or light to partial shade & most moist well-drained soils; tolerant of drought & high humidity; Asian native; Zones 5 - 9</i></p>			1g 2g 5g	
<p>Myrica californica Pacific Waxmyrtle; California Waxmyrtle <i>BROADLEAF EVERGREEN SHRUB; inconspicuous yellowish-green to red male & female flowers; small green berries that turn black (on female plants) appear in fall; dark green toothed foliage; bushy habit to about 6' tall & wide; locate in full to partial shade & just about any soil; native to California; Zones 7 - 10</i></p>			1g 5g	N
<p>Nandina domestica Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; white flowers in June; clusters of red fruit in fall; brilliant red fall & winter foliage; resistant to deer browse; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones (6) 7 - 9</i></p>			2g	N
<p>Nandina domestica 'Alpha Compact' Compact Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; minimal if any flowers or fruit; new foliage has silvery tones with hints of orange & turns orange in late fall & winter; resistant to deer browse; compact bushy habit to about 3' tall & wide; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native (Tancredi) Zones 6 - 9</i></p>			1g 2g 5g	
<p>Nandina domestica 'Atropurpurea Nana' Dwarf Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; spreading habit to about 2' tall by 3' wide; spreads wider by rhizomes; yellowish-green summer foliage turns purple-red in fall & winter; deer browse resistant; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6 - 9</i></p>			1g	
<p>Nandina domestica 'Compacta' Compact Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; white flowers in June; clusters of red fruit appear in the fall; coppery new foliage turns green through the summer then bright red to orange-red in late fall & winter; resistant to deer browse; upright habit to about 5' tall by 4' wide; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6 - 9</i></p>			2g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Nandina domestica 'Lemon Lime' Compact Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; very few white flowers in spring; no fruit; compact grower up to 4' tall & wide; chartreuse new foliage turns medium in green summer then bright red in fall & winter; somewhat drought tolerant; deer browse resistant; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6 - 9</i>			1g 3g	
Nandina domestica 'Moyer's Red' Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; white flowers in June; tight clusters of red fruit from late summer through winter; grows to 6' tall by 5' wide; purple-red fall and winter foliage; not as hardy; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 7 - 9</i>			2g	
Nandina domestica 'Tuscan Flame' Compact Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; both white flowers & red fruit are mostly hidden by the foliage; grows to about 4' tall by 3' wide; new foliage is bright red which is retained all year; mature foliage is yellowish-green; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native (Tancredi / Plant Haven) Zones 6 - 9</i>			1g 2g 5g	
Nepeta 'Blue Wonder' Blue Catnip; Blue Catmint <i>PERENNIAL; abundant dark blue flowers in loose racemes from May to Sept above the foliage; aromatic gray-green foliage; compact mounding habit to 15" tall by 12" wide; attracts butterflies; tolerant of deer browse, drought, poor soil & urban pollution; locate in full sun or light shade & well-drained soil; native to southwestern Asia [N. racemosa] Zones 4 - 9</i>			1g	
Nyssa sylvatica Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; black fruit in fall favored by birds; glossy dark green summer foliage turns brilliant shades of red, orange &/or yellow in fall; pyramidal heads in youth usually become wide-spreading to about 40' tall by 25' wide; taproot; fall transplanting hazard; locate in full sun to partial shade & moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native; Zones 4 - 9</i>			7g	
Nyssa sylvatica 'Wildfire' Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; bright red new leaves, veins & petioles contrasts with mature dark green foliage; fall foliage is bright red; pyramidal habit to about 50' tall by 30' wide; less susceptible to leaf spot; taproot; fall transplanting hazard; locate in full sun to partial shade & moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native (Hottovy) Zones 4 - 9</i>			7g	
Olea europaea 'Arbequina' Fruiting Olive <i>EVERGREEN FRUIT TREE; very small inconspicuous fragrant white flowers on 2" long panicles appear in June & July shortly before 'Arbosana'; green fruit (drupes) follow & mature to purplish-black, edible; self-fruiting, but more fruit with 2 or more trees; gray-green foliage on top & silvery below; bushy habit to about 30' tall by 25' wide; tolerates drought; locate in full sun & well-drained soil that's slightly acid or alkaline; Mediterranean native; Zones (7b) 8 - 10</i>			2g 3g 5g	N

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Olea europaea 'Arbosana' Fruiting Olive <i>EVERGREEN FRUIT TREE; very small inconspicuous fragrant white flowers on 2" long panicles appear in June & July shortly after 'Arbequina'; green fruit (drupes) follow & mature to purplish-black, edible; self-fruiting, but more fruit with 2 or more trees; gray-green foliage on top & silvery below; bushy habit to about 30' tall by 25' wide; tolerates drought; locate in full sun & well-drained soil that's slightly acid or alkaline; Mediterranean native; Zones (7b) 8 - 10</i>			2g 3g 5g	N
Ophiopogon planiscapus Black Beard (Yapard) Long Black Mondo Grass <i>GROUND COVER; longer, narrow, jet black foliage; low mounding habit to 12" tall by 24" wide; small white flowers held slightly above the foliage in Aug & Sept, followed by black inconspicuous fruit, more vigorous and faster suckering than 'Nigrescens', so it fills in quicker; resists deer & rabbit browse; locate in full sun to light shade & moisture retentive well-drained soil that doesn't totally dry out for extended periods; not specific to soil acidity; Asian native (Yandell) Zones 6 - 8</i>			1g	
Ophiopogon planiscapus 'Nigrescens' Black Mondo Grass <i>GROUND COVER; pinkish flowers held slightly above the foliage in July & Aug followed by glossy dark purple fruit; long, narrow, dark purple grass-like foliage that often appears black; upright mounding clumps to about 8" tall; stoloniferous, but fills in slowly; resists deer & rabbit browse; locate in full sun to light shade & moisture retentive well-drained soil that doesn't totally dry out for extended periods; not specific to soil acidity; Asian native; Zones (6) 7 - 8</i>			1g	
Osmanthus x burkwoodii Burkwood Osmanthus; Burkwood False-holly <i>BROADLEAF EVERGREEN SHRUB; profuse small fragrant white flowers in spring; little to no fruit; compact upright habit to about 8' tall & wide; lightly toothed linear dark green foliage; highly resistant to deer browse; locate in full sun to partial shade; prefers moist organic well-drained acidic soil, but is tolerant of slight alkalinity [O. delavayi x O. decorus] Zones 7 - 9</i>			1g 2g 5g	
Osmanthus delavayi Delavay Osmanthus; Little-leaf Fragrant False-holly <i>BROADLEAF EVERGREEN SHRUB; fragrant white flower in spring; compact bushy upright habit to about 8' & almost as wide; spiny dark green holly-like foliage; resistant to deer browse; good hedging plant, but not in windy locations in northern range; locate in full sun to partial or afternoon shade & moist organic well-drained acidic soil; Zones 7 - 10</i>			1g 2g 5g	
Osmanthus heterophyllus 'Goshiki' Compact Variegated False-holly <i>BROADLEAF EVERGREEN SHRUB; new foliage emerges gold & cream with green flecks which mature to mostly gold with green; best foliage color in dappled or afternoon shade, but plant grows in full sun; small fragrant white flowers in fall followed by black drupe; compact bushy grower to 6' tall & wide; deer browse resistant; locate in full sun to partial shade; prefers moist organic well-drained acidic soil, but is tolerant of slight alkalinity; native to Japan; Zones 6 - 9</i>			1g 2g 5g	
Osmanthus heterophyllus 'Gulftide' Hardy False-holly <i>BROADLEAF EVERGREEN SHRUB; compact upright habit to 15'; spiny holly-like foliage; small fragrant white flowers in fall followed by black drupe; highly resistant to deer browse; locate in full sun to partial shade; prefers moist organic well-drained acidic soil, but is tolerant of slight alkalinity; native to Japan; Zones 6 - 9</i>			1g 2g 5g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Osmunda regalis 'Purpurascens' Purple-stemmed Royal Fern <i>DECIDUOUS FERN; spores appear on upright golden-tan stems in summer; well separated bright green leaflets on purple stems in summer turn yellow to brown in fall; upright habit to about 4' tall & wide or larger in optimal conditions; resists rabbit & deer browse; locate in part shade & medium to moist highly organic acidic soil; can survive in waterways that drain; native to much of the world; Zones 3 - 9</i>			1g	
Paeonia 'Coral Charm' Pink Garden Peony <i>PERENNIAL; deep coral-pink buds open to fragrant 5" semi-double coral-peach flowers before fading to off-white in late spring to early-summer; good cut flower; bushy habit to about 36" tall by 30" wide; attracts butterflies; resists deer & rabbit browse; locate in full sun or miinima shade & organic well-drained moisture retentive soil; native to eastern Asia; Zones 3 - 8</i>			3g	
Paeonia lactiflora 'Felix Crousse' Pink Garden Peony <i>PERENNIAL; large fragrant double frilly dark raspberry-pink flowers in late spring to early summer; good cut flower; bushy habit to about 3' tall by 30" wide; dark green summer foliage; resists deer & rabbit browse; attracts butterflies; locate in full sun for most flowers & about any soil with reasonable drainage; native to central & eastern Asia; Zones 3 - 9</i>			3g	
Paeonia 'Monsieur Jules Elie' Double Pink Garden Peony <i>PERENNIAL; profuse very large fragrant ruffled double rose-pink flowers in late spring on relatively weak stems (needs staking); good cut flower; bushy habit to about 3' tall by 30" wide; attracts butterflies; resists deer & rabbit browse; locate in full sun to partial shade & organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] Zones 3 - 8</i>			3g	
Paeonia 'Mr. Ed' Double Pink Garden Peony <i>PERENNIAL; lightly fragrant 3.5" dia. double pink or white flowers in late spring or early summer on strong stems; some will be almost white & some dark pink & others a mix of both; good cut flower; bushy habit to about 3' tall & wide; attracts butterflies; resists deer & rabbit browse; locate in full sun to partial shade & organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] (Klehm) Zones 3 - 8</i>			3g	
Paeonia 'Raspberry Charm' Red Garden Peony <i>PERENNIAL; semi-double crimson-red flowers with yellow centers in late-spring on sturdy stems; good cut flower; bushy habit to 30" tall & wide; attracts butterflies; resists deer & rabbit browse; locate in full sun to partial shade & organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] (Wissing / Klehm) Zones 3 - 8</i>			3g	
Paeonia 'Raspberry Sunday' Double Pink Garden Peony <i>PERENNIAL; large fragrant double pink & white flowers with dark red crests in late spring or early summer on strong stems; good cut flower; bushy habit to about 3' tall & wide; attracts butterflies; resists deer & rabbit browse; locate in full sun to partial shade & organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] (Klehm) Zones 3 - 8</i>			3g	
Paeonia 'Red Charm' Double Red Garden Peony <i>PERENNIAL; large fragrant double crimson-red flowers in late-spring on sturdy stems; good cut flower; bushy habit to about 3' tall & wide; attracts butterflies; resists deer & rabbit browse; locate in full sun to partial shade & organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] (Glasscock) Zones 3 - 8</i>			3g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Paeonia 'Sarah Bernhardt' Double Pink Garden Peony <i>PERENNIAL; fragrant double apple blossom pink flowers in late spring; good cut flower; bushy habit to 3' tall & wide; attracts butterflies; resists deer & rabbit browse; locate in full sun to partial shade & organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] Zones 3 - 8</i>			3g	
Panicum virgatum 'Heavy Metal' Blue Switch Grass <i>ORNAMENTAL GRASS; metallic lavender-blue foliage; tight upright clumps to 4' tall; silvery flowers in late summer; locate in full sun or partial shade & just about any soil; tolerates drought, salt spray, wet soils & Black Walnuts; North American native; Zones 5 - 8</i>			1g 2g	
Panicum virgatum 'Shenandoah' Red Switch Grass <i>ORNAMENTAL GRASS; deep green spring foliage gets red tips in summer then the whole plant turns burgundy in fall which is retained into winter; upright habit to 4' tall; locate in full sun or partial shade & just about any soil; tolerates drought, salt spray, wet soils & Black Walnuts; North American native; Zones 5 - 8</i>			1g 2g	
Parrotia persica 'Ruby Vase' Columnar Persian Ironwood <i>DECIDUOUS ORNAMENTAL TREE; new foliage is ruby red; upright vase-shaped habit to 30' tall by 12' wide; locate in full sun or partial shade and most well-drained soils; native of Asia Minor (Carlton Plants) Zones (4) 5 - 8</i>		TREE FORM	7g	
Pennisetum alopecuroides 'Burgundy Bunny' Dwarf Red Fountain Grass <i>ORNAMENTAL GRASS; green & red arching foliage in summer to 15" tall & wide; small off-white bottlebrush flowers appear above the foliage in late summer; foliage turns bright red in fall until frost; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native (Walla Walla N) Zones 5 - 9</i>			1g	
Pennisetum alopecuroides 'Hameln' Dwarf Fountain Grass <i>ORNAMENTAL GRASS; off white plumes to 24" by late summer; foliage is narrower than the species & reaches 18"; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun & average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8</i>			1g 2g	
Pennisetum alopecuroides 'Red Head' Red Fountain Grass <i>ORNAMENTAL GRASS; pinkish-gray bottle-brush flowers appear in late summer before turning tan & reaching to 4'; narrow medium green arching foliage to 3.5' tall by 30" wide; resists dry & wet soil, deer browse, air pollution & Black Walnut; birds eat seeds in winter; locate in full sun & neutral to acidic well-drained organic soil; Asian native; Zones 6 - 9</i>			1g	
Perovskia atriplicifolia Russian Sage <i>PERENNIAL; lavender-blue flower from July to Sept on new wood; bushy upright habit to 3'; best to cut back hard before new spring growth; resistant to drought & deer browse; locate in full sun & any well-drained soil; Asian native; Zones 5 - 9</i>			1g 2g	
Perovskia atriplicifolia 'Blue Jean Baby' Dwarf Russian Sage <i>PERENNIAL; lavender-blue flowers in early summer through mid-fall on new wood; compact bushy habit to 30" tall by 36" wide; grayish-green foliage; best to cut back hard before new spring growth; attracts hummingbirds; resistant to drought, air pollution, salt & deer & rabbit browse; locate in full sun or minimal shade & any well-drained soil; Asian native [P. atriplicifolia] (Walter Gdns) Zones 4 - 9</i>			1g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Philadelphus coronarius Illuminati Spice (‘SMNPSDW’) Compact Fragrant Mockorange <i>DECIDUOUS FLOWERING SHRUB; very fragrant clusters of showy double white flowers in late May or early June on old wood; flowers can be cut; dark green summer foliage develops no fall color; brown exfoliating bark; compact bushy habit to about 4' tall & wide; spreads by suckers; tolerates clay soil & limited drought; locate in full or partial sun & well-drained soil of any pH; native to Eurasia (PW)</i> Zones 4 - 7			2g	N
Philadelphus coronarius Illuminate Tower (‘SMNPVG’) Dwarf Sweet Mockorange <i>DECIDUOUS FLOWERING SHRUB; very fragrant single white flowers from late May to early June; dark green summer foliage; compact upright habit to about 4' tall by 18" wide; attracts butterflies; resists drought & deer; locate in full sun or light shade & moisture retentive well-drained soil (Wood)</i> Zones 4 - 8			2g	
Philadelphus x virginalis 'Snowbelle' Mockorange <i>DECIDUOUS FLOWERING SHRUB; fragrant double pure white flowers in late spring or early summer; insignificant fall foliage color; compact spreading habit to 4' high & wide; locate in full sun or light shade & moist well-drained soil for maximum growth; will tolerate other conditions; Zones 4 - 8</i>			2g	N
Phormium cookianum Black Adder (‘Fit01’) Purple New Zealand Flax; Purple Mountain Flax <i>EVERGREEN PERENNIAL; yellow-orange flowers on long spikes that arch outward in late spring to early summer; long black seed pods; 1.5" wide glossy dark purple sword-like foliage; arching habit to about 4' tall & wide; tolerates coastal areas; locate in full sun or shade & well-drained moisture retentive soil; can take limited drought; native to New Zealand (Fitzgerald) Zones 8 - 10</i>			1g 3g	N
Phormium cookianum 'Blondie' Variegated New Zealand Flax; Variegated Mountain Flax <i>EVERGREEN PERENNIAL; yellow-orange flowers on long spikes that arch outward in late spring to early summer; long black seed pods; arching chartreuse foliage with narrow dark green margins; broadly arching habit to about 2' tall by 4' wide; tolerates coastal areas; locate in full sun or shade & well-drained soil; can take some drought; native to New Zealand; Zones 8 - 10</i>			1g 3g	
Phormium 'Sundowner' New Zealand Flax <i>PERENNIAL; upright sword-like bronze-green foliage with pink edges that turn creamy in summer; upright habit to about 8' tall; locate in full sun or partial shade & rich organic soil; moisture tolerant; native to New Zealand (Porteous) Zone 7 - 9</i>			2g	
Photinia x fraseri Fraser's Photinia; Redtip <i>BROADLEAF EVERGREEN SHRUB; bright red new foliage; glossy evergreen foliage; upright habit to 15' tall & half as wide; excellent medium sized evergreen hedge; locate in full to partly sun & moist well-drained soil, although it tolerates almost all conditions (Conard-Pyle & Alpha N) Zones (6) 7 - 9</i>			1g 2g 5g	
Photinia x fraseri TREE FORM Fraser's Photinia; Redtip <i>BROADLEAF EVERGREEN SHRUB; bright red new foliage; glossy evergreen foliage; upright habit to 15' tall & half as wide; excellent medium sized evergreen hedge; locate in full to partly sun & moist well-drained soil, although it tolerates almost all conditions (Star) Zones (6) 7 - 9</i>			7g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Photinia x fraseri Pink Marble (Cassini) Variegated Fraser's Photinia; Variegated Redtip <i>BROADLEAF EVERGREEN SHRUB; bright red & pink new foliage that matures to glossy green with pink & white highlights; bushy upright oval habit to about 12' tall by 8' wide; excellent medium sized evergreen hedge; locate in full to partly sun & moist well-drained soil, although it tolerates almost all conditions (Conard-Pyle & Alpha N) Zones (6) 7 - 9</i>			1g 2g 5g 7g	N
Photinia glabra Dynamo Red (Parsur) Japanese Photinia; Red-leaf Photinia <i>BROADLEAF EVERGREEN SHRUB; bright red new foliage matures to dark glossy green in summer; broadly upright habit to about 10' tall by 7' wide; locate in full to partial sun & moist well-drained soil, although it tolerates almost all conditions (Ball) Zones 7 - 11</i>			1g	
Photinia glabra Fireball Red (Parbri) Japanese Photinia; Red-leaf Photinia <i>BROADLEAF EVERGREEN SHRUB; small bright red new foliage matures to dark glossy green in summer; white spring flowers; compact bushy habit to about 4' tall by 5' wide; heat & drought tolerant; locate in full to partial sun & moist well-drained soil, although it tolerates almost all conditions (Ball) Zones 7 - 11</i>			5g	
Physocarpus opulifolius Panther (N5) Dwarf Purple Ninebark <i>DECIDUOUS FLOWERING SHRUB; sparse light pink summer flower; small dark purple foliage; exfoliating bark exhibits dark & light tan longitudinal striations; compact narrowly upright habit to about 5' tall by 3' wide; resists mildew; can spread by suckers; locate in full sun or light to partial shade & most well-drained soils; drought tolerant; US native (Bloomin' Easy) Zones 3 - 6 (7)</i>			2g	
Physocarpus opulifolius Summer Wine (Seward) Red Ninebark <i>DECIDUOUS FLOWERING SHRUB; button-like pinkish-white late spring flowers; finely cut dark crimson-red foliage all summer; compact rounded habit to 6' high & wide; exfoliating bark exhibits dark & light tan longitudinal striations; can spread by suckers; locate in full sun or partial shade & most well drained soils; drought tolerant; US native (PW) Zones 3 - 7</i>			5g	
Physocarpus opulifolius Tiny Wine (SMPOTW) Dwarf Red Ninebark <i>DECIDUOUS FLOWERING SHRUB; profuse pinkish-white flowers in late spring; small maroon-bronze foliage; exfoliating bark exhibits dark & light tan longitudinal striations; can spread by suckers; locate in full sun or light to partial shade & most well-drained soils; drought tolerant; US native (PW) Zones (3) 4 - 6 (7)</i>			2g	
Picea abies Norway Spruce <i>EVERGREEN CONIFER; pyramidal habit to about 60' tall by 30' wide at maturity; dark green needles persist for several years; plants are lightly tipped for shape; loose branching; resists deer browse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 3 -</i>		LIGHT SHEARED	1g 5g	
Picea abies 'Cupressina' Columnar Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER; narrow pyramidal to columnar habit to about 6' tall by 2' wide in 10 years; dark green summer needles become bluish-green in winter; heavy snow or ice in winter can spread branches; resists deer browse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i>			5g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Picea abies 'Little Gem' Dwarf Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER; very tight bun with very short green needles; mounding spreader; grows about 1" per year; red spiders & sun burn can be problems; resists deer browse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils; native to northern Europe [witches broom: P. a. 'Nidiformis'] (Grootendorst N) Zones 2 - 7</i>			1g 2g	N
Picea abies 'Little Gem' Dwarf Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER; very tight bun with very short green needles; mounding spreader; grows about 1" per year; usually grafted about 18-24" above the ground on a straight stem; red spiders & sun burn can be problems; resists deer browse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils; native to northern Europe [witches broom: P. a. 'Nidiformis'] (Grootendorst N) Zones 2 - 7</i>			5g	
Picea abies 'Nidiformis' Bird's Nest Spruce <i>EVERGREEN ORNAMENTAL CONIFER; densely spreading nest-like habit to about 18" tall by 3' or more wide in 10 years; dark green needles; resists deer browse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils; native to northern Europe (Rulemann Grisson N) Zones 2 - 7</i>			1g 2g 5g	
Picea abies 'Pendula' Weeping Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER; dark green needles; leader staked upright; can develop a broad skirt in time; height & shape varies with staking & source; resists deer browse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i>			5g	
Picea glauca 'Conica' Alberta Spruce <i>EVERGREEN ORNAMENTAL CONIFER; compact pyramidal habit with short green needles; becomes broadly pyramidal when mature; rarely exceeds 10' in height; highly deer browse resistant; locate in full sun or light shade & moist organic soils, although tolerant of many soil conditions; US native; Zones 2 - 6 (7)</i>			1g 2g 5g	
Picea glauca 'North Pole' Columnar White Spruce <i>EVERGREEN CONIFER; new foliage is bright green before maturing to gray-green; narrowly pyramidal habit to about 12' tall by 4' wide; tolerates coastal conditions & broad soil range; resists deer browse; locate in full sun or minimal shade & moist organic soils; native to northern US & Canada; Zones 3 - 6 (7)</i>			2g 5g	N
Picea glauca 'Pendula' Weeping White Spruce <i>EVERGREEN ORNAMENTAL CONIFER; the very narrow profile is great for tight spaces; the leader goes straight up and the lateral branches hang almost straight down; gray-green evergreen needles; deer browse resistant; locate in full sun or light shade & moist organic soils, although tolerant of many soil conditions; US native; Zones 2 - 6 (7)</i>			5g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<p>Picea glauca Spruce It Up (‘Kolmschagi’)</p> <p>Dwarf White Spruce</p> <p>EVERGREEN CONIFER; gray-green needles; compact conical habit to about 7' tall by 4' wide in 10 years; tolerates coastal conditions; resists mites & deer browse; locate in full sun or minimal shade & moist organic soils, although tolerant of many soil conditions; native to northern US & Canada (Plants Nouveau) Zones 2 - 6 (7)</p>			1g 2g	N	
<p>Picea mariana 'Nana'</p> <p>Dwarf Black Spruce; Blue Nest Spruce</p> <p>EVERGREEN ORNAMENTAL CONIFER; steel-blue needles; horizontal nest-like habit; locate in full sun; tolerant of dry & moist soils if well drained; native to northern US & Canada; Zones 3 - 5 (6 - 7)</p>			1g 2g 5g	N	
<p>Picea pungens</p> <p>Colorado Spruce</p> <p>EVERGREEN CONIFER; variable green to gray-green needles; needle color is consistent throughout the plant; compact pyramidal habit to about 60' tall by 25' wide; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)</p>			1g 2g 5g 10g		
<p>Picea pungens 'Baby Blue'</p> <p>Blue Colorado Spruce</p> <p>EVERGREEN ORNAMENTAL CONIFER; bright blue needles; compact pyramidal habit to about 8' tall by 3' wide in 10 years; grown from a select seed source; tolerant of deer browse, drought & coastal conditions; subject to needle cast in warmer zones; locate in full sun & just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US (W Montrose Fm) Zones 3 - 7 (8)</p>			5g		
<p>Picea pungens 'Bakeri' / 'Bacheri'</p> <p>Select Blue Colorado Spruce</p> <p>EVERGREEN ORNAMENTAL CONIFER; pyramidal habit growing to 50' or more in time; gray-blue needles; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)</p>			5g		
<p>Picea pungens 'Fastigiata' / 'Glauca Fastigiata' / 'Iseli Fastigiata'</p> <p>Columnar Blue Colorado Spruce</p> <p>EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit when young; widens with age (like we do); gray-blue needles; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US (Iseli) Zones 3 - 7 (8)</p>			5g		
<p>Picea pungens 'Fat Albert'</p> <p>Select Blue Colorado Spruce</p> <p>EVERGREEN ORNAMENTAL CONIFER; uniform broadly compact pyramidal habit; good blue color; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US (Iseli) Zones 3 - 7 (8)</p>			5g		
<p>Picea pungens 'Glauca Globosa'</p> <p style="text-align: right;">24" STANDARD</p> <p>Dwarf Blue Colorado Spruce</p> <p>EVERGREEN ORNAMENTAL CONIFER; short silvery-blue needles; dwarf spreading globular habit to about 5' tall by 6' wide in 20 years; usually grafted between 18" & 3' on top of a clear trunk; tolerant of deer browse, drought & coastal conditions; subject to needle cast in warmer zones; locate in full sun & just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US; Zones 3 - 7 (8)</p>			12 - 15" spr 15 - 18" spr	5g 5g	N
<p>Picea pungens 'Glauca Globosa'</p> <p style="text-align: right;">30" STANDARD</p> <p>Dwarf Blue Colorado Spruce</p> <p>EVERGREEN ORNAMENTAL CONIFER; short silvery-blue needles; dwarf spreading globular habit to about 5' tall by 6' wide in 20 years; usually grafted between 18" & 3' on top of a clear trunk; tolerant of deer browse, drought & coastal conditions; subject to needle cast in warmer zones; locate in full sun & just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US; Zones 3 - 7 (8)</p>			15 - 18" spr	5g	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Picea pungens 'Glauca Globosa' Dwarf Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; short silvery-blue needles; dwarf spreading globular habit to about 5' tall by 6' wide in 20 years; tolerant of deer browse, drought & coastal conditions; subject to needle cast in warmer zones; locate in full sun & just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US; Zones 3 - 7 (8)</i>	LOW GRAFT	12 - 15" spr 15 - 18" spr 18 - 21" spr 18 - 21" spr	5g 5g 5g 7g	 N N
Picea pungens Slenderina ('Glauca Slenderina Pendula') Weeping Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; bright silvery-blue needles; upright weeping habit; ultimate shape will vary with staking; habit similar to P. abies 'Pendula'; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)</i>			5g	
Picea sitchensis Papoose' / 'Tenas' Dwarf Sitka Spruce <i>EVERGREEN ORNAMENTAL CONIFER; very compact pyramidal habit; bicolor green & blue needles; locate in full sun & acidic moisture retentive soil with reasonable drainage; won't tolerate hot humid summer nights; tolerates coastal conditions; native to Pacific Northwest; Zones 6 - 7</i>			1g 2g	
Pieris japonica 'Cavatine' Dwarf Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; long lasting white flowers in early April; dwarf compact mound to 3' by 3'; highly deer browse resistant; locate in dappled or afternoon shade & moist well-drained organic neutral to acidic soil; native to Japan & eastern China; Zones (4b) 5 - 7</i>			1g 2g	 N
Pieris japonica 'Dorothy Wycoff' Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; deep red flower buds all winter; pendulous light pink racemes from late March into early April; dark green foliage; highly deer browse resistant; locate in dappled or afternoon shade & moist well-drained organic neutral to acidic soil; native to Japan & eastern China; Zones 5 - 7</i>			1g 2g 5g	
Pieris japonica 'Flaming Silver' Variegated Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; pendulous white racemes from late March into early April; new foliage opens red with pink margins before maturing to green white & pink; highly deer browse resistant; locate in dappled or afternoon shade & moist well-drained organic neutral to acidic soil; native to Japan & eastern China; Zones 5 - 7</i>			1g 2g	 N
Pieris japonica 'Forest Flame' Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; pink winter buds open to pendulous white racemes from late March into early April; bright red new growth fades to pink before turning glossy dark green in summer; highly deer browse resistant; locate in dappled or afternoon shade & moist acidic well-drained organic neutral to acidic soil; native to Japan & eastern China; Zones 5 - 7 (8)</i>			1g 2g 5g	
Pieris japonica 'Katsura' Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; pendulous rosy-pink racemes from late March into early April; wine-red new foliage turns glossy green by summer; broadly upright habit to 4' tall by 3' wide in 5 years; highly deer browse resistant; locate in dappled or afternoon shade & moist well-drained organic neutral to acidic soil; native to Japan & eastern China (Hirose / PlantHaven) Zones 5 - 7 (8)</i>			1g 2g	 N

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Pieris japonica 'Mountain Fire' Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; very limited quantity of pendulous white racemes from late March into early April; bright red new growth appears for a long time; highly deer browse resistant; locate in dappled or afternoon shade & moist well-drained organic neutral to acidic soil; native to Japan & eastern China; Zones 5 - 7</i>			1g 2g 5g	N
Pieris japonica 'Variegata' Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; limited pendulous white racemes from late March into early April; compact upright habit; slower growing than the species; narrow white edged foliage; highly deer browse resistant; not a strong grower; locate in dappled or afternoon shade & moist well-drained organic neutral to acidic soil; native to Japan & eastern China; Zones 5 - 7</i>			1g 2g	N
Pinus contorta var. contorta Shore Pine <i>EVERGREEN ORNAMENTAL CONIFER; upright pyramidal habit with dark green needles; locate in full sun & moist to wet soils - especially in tidal areas near the ocean; native to Pacific northwestern US; Zones 4 - 7</i>			5g	
Pinus contorta var. contorta Shore Pine <i>EVERGREEN ORNAMENTAL CONIFER; upright pyramidal habit with dark green needles; sheared balls at the ends of selectively retained branches radiating out from the central trunk; locate in full sun & moist to wet soils - especially in tidal areas near the ocean; native to Pacific northwestern US; Zones 4 - 7</i>		POM POM	10g	
Pinus contorta var. latifolia Lodgepole Pine <i>EVERGREEN ORNAMENTAL CONIFER; dark green needles; upright somewhat open habit; locate in full sun & moist well-drained soil; doesn't adapt well to areas with hot humid summers without cool nights; western US native; Zones (3) 4 - 7</i>			5g 10g	N
Pinus mugo 'Slowmound' Dwarf Mugo Pine; Dwarf Swiss Mountain Pine <i>EVERGREEN ORNAMENTAL CONIFER; very compact spreading mounding habit to 12" tall by 18" wide in about 10 years; short dark green needles in groups of 2; size and shape can be maintained by pruning; locate in full sun or light shade & soils of any pH that drain; native to southeastern European mtns (Iseli) Zones (2) 3 - 7</i>			2g	N
Pinus mugo var. pumilio Dwarf Mugo Pine; Dwarf Swiss Mountain Pine <i>EVERGREEN ORNAMENTAL CONIFER; very compact spreading mounding habit; short medium green needles in groups of 2; locate if full sun or light shade & most soils that drain; tolerant of a wide pH range; native to Europe; Zones 3 - 7</i>			1g 2g 5g	
Pinus nigra Austrian Pine <i>EVERGREEN CONIFER; broad pyramidal habit; dark green needles in groups of 2; high salt tolerance makes it good for roadsides and coastal areas; watering during drought conditions in the mid-Atlantic region is needed to prevent Diplodia blight; locate in full sun & most well-drained moisture retentive soils; European native; Zones 4 - 7</i>			5g 10g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Pinus nigra 'Oregon Green' Compact Austrian Pine <i>EVERGREEN ORNAMENTAL CONIFER; compact pyramidal habit that is somewhat open or loose; not unlike a pyramidal P. thunbergii 'Thunderhead'; with prominent off-white buds in winter; dark green needles in groups of 2; high salt tolerance makes it good for roadsides and coastal areas; watering during drought conditions in the mid-Atlantic region is needed to prevent Diplodia blight; locate in full sun & most well-drained moisture retentive soils; European native; Zones 4 - 7</i>			5g	
Pinus strobus Eastern White Pine <i>EVERGREEN CONIFER; long medium green needles in groups of 5; pyramidal habit in youth becomes dramatic open irregular specimens with maturity; sheared heavily, but have loose new growth on the outer branches; locate in full sun or very light shade & acidic well-drained soil; native to eastern US & Canada; Zones 3 - 7 (8)</i>			1g 5g	N
Pinus strobus 'Blue Shag' Dwarf Eastern White Pine <i>EVERGREEN ORNAMENTAL CONIFER; dark blue-green needles in groups of 5; compact mounding habit; locate in full sun & well drained acidic soil; protect from wind in colder locations; native to eastern US & Canada; Zones 3 - 7 (8)</i>		15 - 18" spr	5g	
Pinus strobus 'Blue Shag' Dwarf Blue Eastern White Pine <i>EVERGREEN ORNAMENTAL CONIFER; fairly dark bluish-green needles in groups of 5; compact mounding habit to about 3' tall & slightly wider in 10 years; usually grafted between 18" & 3' on top of a clear trunk; not tolerant of windy winter locations in northern range; locate in full sun or very light shade & acidic well-drained moisture retentive soil; native to eastern US & Canada (Waxman) Zones 3 - 7 (8)</i>		10 - 12" spr	5g	STANDARD
Pinus sylvestris Scotch Pine; Scots Pine <i>EVERGREEN CONIFER; moderate growing pyramidal habit; grey-blue needles in bundles of 2; locate in full sun & well-drained acidic soil; survives in areas with poor soils if drained; native to northern Europe & Asia; Zones 3 - 6 (7)</i>			5g 10g	
Pinus sylvestris Scotch Pine; Scots Pine <i>EVERGREEN ORNAMENTAL CONIFER; moderate growing pyramidal habit; grey-blue needles in bundles of 2; sheared balls at the ends of selectively retained branches radiating out from the central trunk; locate in full sun & well-drained acidic soil; survives in areas with poor soils if drained; native to northern Europe & Asia; Zones 3 - 6 (7)</i>			10g	POM POM
Pinus sylvestris 'Green Penguin' Dwarf Scotch Pine <i>EVERGREEN ORNAMENTAL CONIFER; dark green needles in bundles of 2 keep their color even in the coldest hardiness zones; compact upright to pyramidal habit to about 4' tall by 18" wide in 10 years; tolerant of poor soils & urban conditions with good drainage; not tolerant of areas with hot humid summers; locate in full sun & well-drained acidic soil; native to northern Europe & Asia (Lewis) Zones (2) 3 - 6 (7)</i>			5g	
Pinus thunbergii 'Thunderhead' Compact Japanese Black Pine <i>EVERGREEN ORNAMENTAL CONIFER; long dark green needles in bundles of 2 with long prominent white buds in winter; broadly upright irregular habit to about 6' tall by 5' wide in 10 years; usually is wider than tall at maturity; can have multiple leaders; very resistant to salt from coastal & urban situations; locate in full sun & well-drained neutral to acidic soil; native to Japan & Korea; Zones (5) 6 - 8</i>			5g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Pittosporum tobira Mojo ('CNI Three') Dwarf Variegated Pittosporum <i>BROADLEAF EVERGREEN SHRUB; fragrant white spring flowers; glossy green foliage with white tips; compact bushy habit to 3' tall & wide; tolerant of salt spray; locate in full sun to partial shade & well-drained soil; Zones (7) 8 - 10</i>			1g	
Platanus x acerifolia Exclamation (Morton Circle) London Planetree <i>DECIDUOUS SHADE TREE; vigorous large pyramidal shade tree to 60' tall or more; lighter fruit production; exfoliating bark reveals patches of off-white & tan; high resistance to mildew & anthracnose; locate in full sun & a wide range of moisture retentive soils; good in wet soils and urban conditions [P. orientalis x P. occidentalis] (Ware / Morton Arb.) Zones (5) 6 - 8 (9)</i>			7g	
Podocarpus macrocarpa Mood Ring (Sosa) Japanese Yew; Shrubby Podocarpus; Chinese Podocarpus <i>EVERGREEN CONIFER; inconspicuous yellowish pollen cones; light blue fleshy seeds on red stalks; spirally arranged flattened needles emerge bronze-red in spring before turning dark green by summer & are fragrant when crushed; compact bushy upright habit to about 15' tall by 8' wide; birds attracted to fruit; resists deer browse; tolerates drought, coastal conditions & shearing; locate in full sun or partial shade & organic well-drained slightly acidic soil; Asian native; Zones 7 - 9</i>			1g	
Podocarpus macrocarpa Roman Candle (Miu) Japanese Yew; Shrubby Podocarpus; Chinese Podocarpus <i>EVERGREEN CONIFER; inconspicuous yellowish pollen cones; light blue fleshy seeds on red stalks; spirally arranged flattened needles emerge light green with a creamy white edge in spring before turning dark green by summer & are fragrant when crushed; compact bushy upright habit to about 15' tall by 8' wide; birds attracted to fruit; resists deer browse; tolerates drought, coastal conditions & shearing; locate in full sun or partial shade & organic well-drained slightly acidic soil; Asian native (Plant Network) Zones (8) 9 - 10</i>			1g	
Polystichum munitum Western Sword Fern <i>EVERGREEN FERN; dark green leathery fronds reach about 3-6' tall & wide; resists rabbit & deer browse; drought tolerant; low maintenance; locate in full to partial shade & moist organic well-drained soil; adaptable to multiple soil types; western US native; Zones 3 - 9</i>			1g	
Populus deltoides 'Siouxland' Eastern Cottonwood <i>DECIDUOUS SHADE TREE; male catkins only; no seeds; large heart-shaped dark green foliage turns yellow in fall; rapid upright oval habit to about 80' tall by 40' wide; tolerates salt, air pollution & some standing water while dormant; locate in full sun & most soils of any pH; native to eastern & central US (NDSU) Zones 3 - 9</i>			7g 15g	N
Populus tremula 'Erecta' Columnar Swedish Aspen <i>DECIDUOUS ORNAMENTAL TREE; rapid narrow upright habit to as much as 50' tall by 10' wide; more disease resistant than Lombardy Poplar; dark green summer foliage turns yellow in fall; locate in full sun & most well-drained moisture retentive soils; European native; Zones 2 - 6 (7)</i>			7g	
Populus tremuloides Quaking Aspen; Quaking Poplar <i>DECIDUOUS SHADE TREE; narrow upright habit to 30' tall & half as wide; can be larger in ideal conditions - not the mid-Atlantic; medium green summer foliage turns brilliant yellow in fall; flat petiole permits leaves to quiver in the slightest breeze; performs best in northern range or higher elevations; locate in full sun or minimal shade & most well-drained moisture retentive soils; US native; Zones 2 - 6 (7)</i>		TREE FORM	5g 7g	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Populus tremuloides Summer Shimmer CLUMP Quaking Aspen; Quaking Poplar <i>DECIDUOUS SHADE TREE; insignificant gray-green male or female catkins in early Spring; small drooping fruit clusters in May on female plants; dark glossy green summer foliage with lighter undersides turns brilliant yellow in fall; flat petiole permits leaves to quiver in the slightest breeze; light gray bark becomes more white with age; upright habit to about 50' tall by 30' wide; performs best in northern range &/or higher elevations; attracts birds; not tolerant of urban conditions; locate in full sun or minimal shade & most well-drained moisture retentive soils; US native (Klaus) Zones 2 - 6 (7)</i>			7g	N
Populus tremuloides Summer Shimmer TREE FORM Quaking Aspen; Quaking Poplar <i>DECIDUOUS SHADE TREE; insignificant gray-green male or female catkins in early Spring; small drooping fruit clusters in May on female plants; dark glossy green summer foliage with lighter undersides turns brilliant yellow in fall; flat petiole permits leaves to quiver in the slightest breeze; light gray bark becomes more white with age; upright habit to about 50' tall by 30' wide; performs best in northern range &/or higher elevations; attracts birds; not tolerant of urban conditions; locate in full sun or minimal shade & most well-drained moisture retentive soils; US native (Klaus) Zones 2 - 6 (7)</i>			7g	N
Potentilla fruticosa 'Abbottswood' White Bush Cinquefoil <i>DECIDUOUS FLOWERING SHRUB; white flowers all summer; bluish-green foliage; compact habit; deer browse resistant; locate in full sun & moisture retentive soil; tolerant of highly alkaline soils; US native; Zones 2 - 6 (7)</i>			1g 2g	
Potentilla fruticosa 'Goldfinger' Yellow Bush Cinquefoil <i>DECIDUOUS FLOWERING SHRUB; golden yellow summer flower; upright habit; locate in full sun with ample moisture; deer browse resistant; locate in full sun & moisture retentive soil; tolerant of highly alkaline soils; US native; Zones 2 - 6 (7)</i>			1g 2g 5g	
Prunus armeniaca Chinese Apricot; Mormon Apricot <i>FRUIT TREE; profuse clusters of fragrant white flowers in April; medium sized yellow-orange fruit with orange pulp in August that are a mild / sweet flavor; good for eating, canning, baking or drying; self-pollinating but bears heavier near other varieties; broadly upright habit to about 25' tall & wide; locate in full sun or minimal shade & deep fertile well-drained soil of any alkalinity; Chinese native; Zones 5 - 9</i>			7g	N
Prunus armeniaca 'Blenheim' Chinese Apricot <i>DECIDUOUS FRUIT TREE; profuse clusters of fragrant pinkish-white flowers in early April; large freestone pale orange fruit with orange pulp in August that are a mild / sweet flavor; good for eating, canning, baking or drying; self-pollinating; broadly upright habit to about 25' tall & wide; flowers attract pollinators; fruit attracts birds & mammals; locate in full sun or minimal shade & deep fertile well-drained soil of any alkalinity; native to (probably) W. Asia (Armenia); Zones 5 - 7</i>			5g 7g	N N
Prunus armeniaca 'Goldcot' Chinese Apricot <i>FRUIT TREE; profuse pink flowers in April; medium sized golden yellow fruit with orange pulp at an early age in late August that are very sweet; green summer foliage turns yellow in fall; good for eating, canning, baking or drying; self-pollinating but bears heavier near other varieties; bushy habit to about 20' tall & wide; good disease resistance; locate in full sun or minimal shade & deep fertile moisture retentive well-drained soil of any alkalinity; Chinese native; Zones 5 - 8</i>			5g 7g	N N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Prunus armeniaca 'Moorpark' Chinese Apricot <i>FRUIT TREE; blush pink flowers in April; large yellowish-orange sweet juicy fruit with orange pulp in August; good for eating, jam, baking or drying; self-pollinating but bears heavier near other varieties; broadly upright habit to about 10' tall & wide; locate in full sun or minimal shade & well-drained soil; Chinese native; Zones 4 - 7 (8)</i>			5g 7g	N
Prunus armeniaca 'Puget Gold' Chinese Apricot <i>FRUIT TREE; pinkish-white flowers in late March; large orange-yellow fruit with rose blush in mid-summer; fruit is sweet juicy; good for eating, jam, baking or drying; self-pollinating but bears heavier near other varieties; broadly upright habit to about 20' tall & wide; locate in full sun or minimal shade & well-drained soil; Chinese native (Wash. St. U) Zones 5 - 8 (9)</i>			5g	
Prunus armeniaca 'Tilton' Chinese Apricot <i>FRUIT TREE; soft pink flowers in early April; medium heart-shaped fruit with light orange skin in early summer; fruit is sweetly tart; good for freezing, drying or canning; self-pollinating but bears heavier near other varieties; broadly upright habit to about 20' tall & wide; locate in full sun or minimal shade & well-drained soil; Chinese native; Zones 4 - 8</i>			5g 7g	N N
Prunus armeniaca 'Wenatchee' Chinese Apricot <i>DECIDUOUS FRUIT TREE; profuse clusters of fragrant white to light pink flowers in April; medium sized orange fruit with orange pulp in August that are a mild / sweet flavor; good for eating, canning, baking or drying; self-pollinating but bears heavier near other varieties; broadly upright habit to about 25' tall by 20' wide; flowers attract pollinators; fruit attracts birds & mammals; locate in full sun or minimal shade & deep fertile well-drained soil of any alkalinity; native to (probably) W. Asia (Armenia); Zones 5 - 7</i>			5g	N
Prunus avium Black Cherry; Sweet Cherry <i>multiple cultivars; see www.AlphaNursery.com for details.</i>	COMBO		7g	N
Prunus avium 'Bing' Black Cherry; Sweet Cherry <i>FRUIT TREE; sweet flavor; firm texture; burgundy-purple skin; broadly upright to about 25' tall & wide; white flowers in late April or early May; harvest in late June to early July; good for eating or cooking; needs pollinator for maximum harvest; pollinators: 'Ranier', 'Black Tartarian' or 'Stella'; locate in full sun & well-drained soil; native to Europe & Asia (Lewelling) Zones (4) 5 - 8 (9)</i>			5g 7g 15g	N
Prunus avium 'Lapins' Black Cherry; Sweet Cherry <i>FRUIT TREE; fragrant pinkish-white flowers in mid-spring; large sweet dark red fruit in mid-summer; long glossy dark green foliage turns beautiful shades of red, orange & yellow in fall; upright spreading habit to about 18' tall by 15' wide but varies with rootstock; good for eating or cooking; self-pollinates; fruit attracts birds so netting can help protect crop; consider good pollinator for other cultivars; locate in full sun with good air flow & organic well-drained moisture retentive soil; native to Europe & Asia; Zones 5 - 7</i>			5g 7g	
Prunus avium 'Ranier' Black Cherry; Sweet Cherry <i>FRUIT TREE; fragrant white flowers in mid-spring; large sweet golden-yellow fruit with a large red blush in early to mid-summer has a high sugar content; needs other cultivar to cross-pollinate; long glossy dark green foliage turns bronze to yellow in fall; upright spreading habit to as much as 25' tall by 15' wide but varies with rootstock; good for eating or cooking; fruit attracts birds so netting can help protect crop; locate in full sun with good air flow & organic well-drained moisture retentive soil; native to Europe & Asia; Zones 5 - 7</i>			5g 7g	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Prunus avium 'Royal Ann' Black Cherry; Sweet Cherry <i>FRUIT TREE; white flowers in early April; light yellow skin with a rose blush maturing early in season; sweetly tart flavor with firm texture; broadly upright to about 25' tall & wide; harvest in late June to early July; good for eating or cooking; needs pollinator such as: 'Ranier', 'Black Tartarian' or 'Stella'; used to make Maraschino Cherries; locate in full sun & well-drained soil; native to Europe & Asia; Zones 5 - 7</i>			5g	
Prunus avium 'Stella' Black Cherry; Sweet Cherry <i>FRUIT TREE; white flowers in late April or early May; dark red fruit that's semi-sweet; broadly upright habit to about 30' tall & wide; often grafted on dwarf or semi-dwarf rootstock which determines size; harvest in late June to early July; good for eating or cooking; self fruitful; often used as a pollinator for other cultivars; locate in full sun & well-drained soil; native to Europe & Asia; Zones (4) 5 - 8 (9)</i>			5g 7g	N
Prunus avium 'Sweetheart' Black Cherry; Sweet Cherry <i>DECIDUOUS FRUIT TREE; profuse fragrant white flowers in spring just before the foliage; very sweet dark red fruit in fall after most others; dark green serrated foliage turns shades of yellow in fall; broadly upright heads to about 30' tall & wide; flowers attract butterflies & other pollinators; fruit attracts birds & squirrels; locate in full sun & well-drained moisture retentive soil of any pH; Euro-Asian native; cross of Van & Newstar (Summerland) Zones 3 - 8</i>			5g 7g	N
Prunus avium 'Utah Giant' Black Cherry; Sweet Cherry <i>FRUIT TREE; fragrant white spring flowers; large juicy very sweet dark red fruit in mid-season begins at an early age; bushy habit to about 15' tall & wide but varies with rootstock; good for eating & canning; self-pollinates but more fruit with another variety close by such as Lambert, Bing, Van or Ranier; locate in full sun with good air flow & well-drained soil; native to Europe & Asia; Zones 5 - 9</i>			5g	N
Prunus x 'Carmine Jewel' Fruiting Bush Cherry <i>DECIDUOUS FRUITING SHRUB; sweet dark red fruit that's considered a super food; bushy habit to about 8' tall; high resistance to pests; locate in full sun & most well drained soils; European native [P. cerasus x P. fruticosa] (Kerr) Zones 2 - 7</i>			3g	
Prunus cerasifera 'Krauter Vesuvius' Purple-leaf Plum <i>DECIDUOUS ORNAMENTAL TREE; light pink flowers in early spring before the foliage; dark purple foliage; upright oval to rounded heads to 30' by 20' wide; locate in full sun & any well-drained soil; Asian native; Zones 5 - 8</i>			5g 7g	N
Prunus cerasifera 'Newport' Purple-leaf Plum <i>DECIDUOUS ORNAMENTAL TREE; earliest flowering Plum; pale pink to white flowers in early spring before the foliage; purple foliage loses its intensity by mid-summer; strong grower; rounded heads to 30'; locate in full sun & any well-drained soil; Asian native; Zones 4 - 8</i>			5g 7g	N
Prunus cerasifera 'Thundercloud' Purple-leaf Plum <i>DECIDUOUS ORNAMENTAL TREE; fragrant pink flower in early April before the foliage; purple foliage all summer; grows to 30' or more high & wide; locate in full sun & any well-drained soil; Asian native; Zones (4) 5 - 8</i>			5g 7g	N

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Prunus cerasus 'Montmorency' Sour Cherry <i>FRUIT TREE</i> ; dark red skin; broad heads to 15' high & wide; white flowers in May; fruit matures in July; used for pies, not eating; no pollinator needed - self fruitful; locate in full sun & well-drained soil [P. cerasus] Zones 4 - 8			5g 7g	N N
Prunus x cistena Purple-leaf Sand Cherry <i>DECIDUOUS FLOWERING SHRUB</i> ; fragrant light pink flowers in late April or early May after the foliage breaks; purple foliage; bushy upright habit to 8' tall by 6' wide; locate in full sun & any well drained soil [P. pumila x P. cerasifera] Zone 3 - 6 (7)		BUSH	1g 5g 7g	N N
Prunus x cistena Purple-leaf Sand Cherry <i>DECIDUOUS FLOWERING SHRUB</i> ; fragrant light pink flowers in late April or early May after the foliage breaks; purple foliage; bushy upright habit to 8' tall by 6' wide; locate in full sun & any well drained soil [P. pumila x P. cerasifera] Zone 3 - 6 (7)		TREE FORM	7g	
Prunus domestica 'Brooks' European Plum; Prune Plum <i>DECIDUOUS FRUIT TREE</i> ; fragrant showy white flowers in April before the foliage; large sweet dark purple fruit in Sept; prune plums have firmer flesh & higher sugar content which allows them to be dried into prunes; rounded heads to about 12' or more tall - depending on rootstock; partially self-fertile but bears more heavily with other plum trees; locate in full to mostly sunny locations & well-drained moisture retentive soil; European native (NY Experimental Sta.) Zones 5 - 7			5g	N
Prunus domestica 'Italian' European Plum; Prune Plum <i>DECIDUOUS FRUIT TREE</i> ; fragrant showy white flowers in April before the foliage; large sweet dark purple fruit in Sept; prune plums have firmer flesh & higher sugar content which allows them to be dried into prunes; upright habit to about 20' tall by 10' wide - depending on rootstock; partially self-fertile but bears more heavily with other plum trees; locate in full to mostly sunny locations & well-drained moisture retentive soil; European native; Zones 5 - 7			5g 7g	
Prunus dulcis 'All In One' Compact Almond <i>DECIDUOUS NUT TREE</i> ; fragrant white & pale pink flowers in mid-spring before bud break; self-fertile; sweet flavored nuts follow in fall; green summer foliage turns yellowish in fall; rounded habit to about 15' tall & wide; locate in full sun & well-drained moisture retentive fertile soil; southwestern Asian native; Zones (5) 6 - 8			7g	
Prunus dulcis 'Hall's Hardy' Almond <i>DECIDUOUS NUT TREE</i> ; fragrant pale pink flowers in mid-spring before bud break; bitter-sweet nuts follow about 7-8 months later; somewhat self-pollinating but multiple trees increase crop; green summer foliage turns yellowish in fall; upright habit to about 20' tall by 15' wide; locate in full sun with low humidity & well-drained moisture retentive fertile soil; southwestern Asian native; Zones 5 - 8			7g	
Prunus dulcis 'Texas Mission' Almond <i>DECIDUOUS NUT TREE</i> ; fragrant white flowers with pink centers in mid-spring before bud break; very sweet meaty nuts follow about 7-8 months later; somewhat self-pollinating but multiple trees increase crop; green summer foliage turns yellowish in fall; upright habit to about 20' tall by 15' wide; locate in full sun with low humidity & well-drained moisture retentive fertile soil; southwestern Asian native; Zones 7 - 9			7g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Prunus incisa Little Twist ('Kojou No Mai') 3' STANDARD Dwarf Contorted Fuji Cherry <i>DECIDUOUS FLOWERING SHRUB; profuse white flowers with pink centers in spring; interesting zig-zag stems for winter interest; very compact habit to 5' x 5'; full sun to partial shade; green summer foliage turns maroon in fall; locate in full sun to partial shade & any soil with adequate drainage; can be grown as a shrub or grafted on a standard to create a small ornamental tree - especially for small spaces (Carlton Plants) Zones (4) 5 - 8</i>			7g	
Prunus x Juliet Fruiting Bush Cherry <i>DECIDUOUS FRUITING SHRUB; fragrant white flowers in early spring; self-pollinating dark red fruit in late spring or early summer; bushy habit to about 8' tall by 6' wide; high resistance to pests; locate in full sun & most well drained soils; European native [P. cerasus x P. fruticosa] (U of Saskatchewan) Zones (2) 3 - 7</i>			3g	
Prunus laurocerasus 'Chestnut Hill' Compact English Laurel; Upright Cherrylaurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer that are poisonous; large glossy dark green foliage; compact habit to 4' by 4'; somewhat tolerant of deer browse & salt spray; locate in partial shade & most moisture retentive well-drained soils; takes shearing well; native to Europe & Asia Minor (Morris Arb / C-P) Zones 6 - 8</i>			1g 5g 7g	
Prunus laurocerasus 'Mt Vernon' Prostrate English Laurel; Prostrate Cherrylaurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer that are poisonous; low compact spreading broadleaf evergreen; mounding with age; locate in full sun or moderate shade & moist well-drained soil that's pH adaptable; native to Europe & Asia Minor; Zones (6) 7 - 8</i>			1g 5g	
Prunus laurocerasus 'Nana' Compact English Laurel; Upright Cherrylaurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer that are poisonous; broad mounding habit; oval evergreen foliage; deer browse resistant; slightly faster grower than 'Anbri' with foliage that's not quite as dark in mid-summer; locate in full sun or moderate shade & moist well-drained soil that's pH adaptable; native to Europe & Asia Minor; Zones (6) 7 - 8</i>			1g 5g 7g	
Prunus laurocerasus 'Otto Luyken' Spreading Cherrylaurel; Spreading English Laurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer that are poisonous; low spreading evergreen; long dark evergreen foliage; deer browse resistant; locate in full sun or moderate shade & moist well-drained soil that's pH adaptable; native to Europe & Asia Minor; Zones (6) 7 - 8</i>			1g 5g 7g	
Prunus laurocerasus 'Schipkaensis' Upright Schip Laurel; Upright Schip Cherrylaurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer that are poisonous; broadly columnar habit; long dark evergreen foliage; deer browse resistant; locate in full sun or moderate shade & moist well-drained soil that's pH adaptable; native to Europe & Asia Minor; Zones (6) 7 - 8</i>			1g 5g 7g 15g	
Prunus lusitanica Portugese Laurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black to black fruit in summer that are poisonous; bushy broadleaf evergreen to about 25' tall; locate in full sun or moderate shade & moist well-drained soil that's pH adaptable; native to southern Europe; Zones (6) 7 - 8</i>			1g 5g 7g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Prunus pendula 'Pendula Rosea' <i>see: Prunus subhirtella 'Pendula Plena Rosea'</i>				
Prunus persica 'Avalon Pride' Yellow Peach <i>FRUIT TREE; showy pink flowers in early spring yield a heavy crop of juicy yellowish fruit with reddish tones in early August; good for eating or canning; broadly upright habit to about 7' tall by 4' wide in 10 years depending on rootstock; self-pollinating; resists leaf curl;; locate in full sun & rich organic well-drained soil; additional fertilizer & regular pruning to promote new growth are suggested [P. persica] Zones 5 - 9</i>			5g	
Prunus persica 'Babcock' / 'Veteran' White Freestone Peach <i>FRUIT TREE; showy pink flowers in late mid-spring yield a heavy crop of very sweet white pulp in an almost fuzz-less reddish skin with yellow hades in mid August; low chill; plants are self-fertile; green summer foliage turns golden yellow in fall; bushy habit to about 12' tall & wide depending on root stock; good for eating or cooking; locate in full sun & rich organic well-drained soil; Chinese native; Zones 7 - 9</i>			7g	
Prunus persica 'Bonanza' Dwarf Yellow Freestone Peach <i>DECIDUOUS FRUIT TREE; profuse fragrant hot pink flowers in early to mid-spring before the foliage emerges; self-fertile fuzzy light yellow to reddish skinned fruit matures in August; bushy upright habit to about 4' high & wide; locate in full sun & rich organic well-drained slightly acidic soil; Chinese native; Zones 6 - 9</i>			7g	N
Prunus persica 'Canadian Harmony' Yellow Freestone Peach <i>FRUIT TREE; showy pink flowers in late spring yield a heavy crop of large yellowish fruit with a red blush; sweet yellow pulp ripens in mid to late August; high chill; self-fertile; green summer foliage turns golden yellow in fall; bushy habit to about 12' tall & wide depending on root stock; good for eating, canning or cooking; locate in full sun & rich organic well-drained slightly acidic soil; Chinese native; Zones 5 - 8</i>			5g 7g	
Prunus persica 'Contender' Yellow Freestone Peach <i>FRUIT TREE; showy pink flowers in early spring; self-pollinating sweet juicy medium sized reddish-burgundy fruit in mid to late August; good for eating, canning, baking or freezing; dark green summer foliage turns yellow in fall; semi-dwarf upright habit to about 20' tall by 15' wide; flowers attract bees; fruit attracts birds; tolerates slightly alkaline soil; locate in full sun & rich organic well-drained soil in the slightly acidic to neutral range; Zones 4 - 8</i>			7g	N
Prunus persica 'Donut' White Peach <i>FRUIT TREE; showy pink flowers in early spring yield a heavy crop of medium sized yellowish fruit with reddish patches in late July & has a depressed center - like a donut; good for eating or cooking; self-fruitful; broadly upright habit to about 20' tall & wide; locate in full sun & rich organic well-drained soil; Chinese native; also known as Stark Saturn; Zones 4 - 9</i>			5g 7g	
Prunus persica 'Early Elberta' Yellow Freestone Peach <i>FRUIT TREE; showy fragrant pink flowers in early to mid-spring yield a heavy crop of large sweet yellow skinned fruit with red blush; sweet yellow pulp ripens in early to mid-August, about a week before 'Elberta'; medium chill; self-fertile; green summer foliage turns golden yellow in fall; bushy habit to about 15' tall by 12' wide depending on root stock; good for eating, canning or cooking; locate in full sun & rich organic well-drained slightly acidic soil; Chinese native [sport of 'Elberta'] Zones 5 - 8</i>			7g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Prunus persica 'Elberta' Yellow Freestone Peach <i>DECIDUOUS FRUIT TREE; profuse fragrant light pink flowers in early spring before the foliage emerges; yellow skinned fruit with red blush matures in mid to late summer; self pollinating; bushy upright habit to about 15' high by 12' wide depending on roodstock; good for eating, baking or canning; locate in full sun & rich organic well-drained slightly acidic soil; Chinese native; Zones 5 - 8</i>			5g 7g	N
Prunus persica 'Frost' Yellow Peach <i>FRUIT TREE; showy pink flowers in early spring yield a heavy crop of yellowish fruit with reddish tones in early August; good for eating or canning; upright spreading habit to as much as 25' tall; locate in full sun & rich organic well-drained soil; additional fertilizer & regular pruning to promote new growth are suggested [P. persica] Zones 5 - 9</i>			5g 7g	N
Prunus persica 'Golden Jubilee' Yellow Freestone Peach <i>DECIDUOUS FRUIT TREE; profuse fragrant pink flowers in early spring before bud break; yellow skinned fruit with red blush matures in mid-summer; self pollinating; bushy upright habit to as much as 25' high by 20' wide but less on a dwarf roodstock; good for eating, freezing, preserves or canning; locate in full sun & rich organic well-drained slightly acidic soil; Chinese native; Zones 5 - 8</i>			7g	
Prunus persica 'Hale Haven' Freestone Peach <i>DECIDUOUS FRUIT TREE; double pink flowers in early spring before the foliage emerges; thick skinned yellow & red fruit in profusion matures by August; standard rootstock produces upright broad habit to about 30' high & wide; dwarf rootstock produces a tree about half as large; locate in full sun & well-drained sandy to loamy moisture retentive soil that is neutral to slightly acidic [P. persica] (Michigan State U) Zones 5 - 8</i>			5g	N
Prunus persica 'Honeykist' Freestone Nectarine <i>FRUIT TREE; mildly fragrant pink flowers in early spring yield a heavy crop of smooth red & yellowish fruit in early August with very sweet yellow pulp; good for eating or canning; self-fruitful; upright spreading habit to as much as 20' tall & wide; locate in full sun & rich organic well-drained soil; Chinese native; Zones (5) 6 - 9</i>			5g	
Prunus persica 'Oregon Curl' Orange Peach <i>DECIDUOUS FRUIT TREE; soft pink flowers in early spring before the foliage emerges; large yellowish-orange semi-freestone fruit matures in mid-August; good for eating, freezing & preserves; leaf curl resistant; upright habit to about 15' high by 12' wide depending on rootstock; self pollinating; locate in full sun or partial shade & well-drained moisture retentive soil that is neutral to slightly acidic [P. persica] Zones 5 - 8 (9)</i>			5g	
Prunus persica 'Pix Zee' Dwarf Yellow Freestone Peach <i>DECIDUOUS FRUIT TREE; profuse fragrant hot pink flowers in early to mid-spring before the foliage emerges; large (for a dwarf) self-fertile fuzzy light yellow to reddish skinned fruit matures in early to mid-August; bushy upright habit to about 6' high & wide; locate in full sun & rich organic well-drained slightly acidic soil; Chinese native; Zones 6 - 9</i>			7g	N
Prunus persica 'Redhaven' Peach <i>DECIDUOUS FRUIT TREE; showy pink flowers in early spring yield a heavy crop of reddish fruit with yellow undertones in late July; considered by many the best; good for eating, freezing or canning; semi-dwarf habit to about 15' tall; locate in full sun & rich organic well-drained soil; Asian native; Zones 5 - 9</i>			5g 7g	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Prunus persica 'Reliance' Freestone Peach <i>DECIDUOUS FRUIT TREE; soft pink flowers in early spring before the foliage emerges; medium to large yellow & red fruit matures in early August; standard rootstock produces upright broad habit to about 20' high by 15' wide; dwarf rootstock produces a tree about half as large; self pollinating; locate in full sun & well-drained sandy to loamy moisture retentive soil that is neutral to slightly acidic [P. persica] Zones 5 - 8</i>			5g		N
Prunus persica Ruby Ruffle[™],® ('NC Peach-6') Dwarf Ornamental Peach <i>DECIDUOUS FRUIT TREE; profuse fragrant ruffled dark pink flowers in early to mid-spring before the foliage; new foliage emerges ruby red & wavy; bushy upright habit to about 5' high & wide; locate in full sun & rich organic well-drained slightly acidic soil; Chinese native (NCSU) Zones 5 - 8</i>			7g		N
Prunus persica var. nucipersica 'Flavortop' Freestone Nectarine <i>FRUIT TREE; mildly fragrant pink flowers in early spring yield a heavy crop of smooth red fruit in early August with sweet yellow pulp; good for eating or canning; self-fruitful; upright spreading habit to as much as 25' tall & wide; locate in full sun & rich organic well-drained soil; Chinese native; Zones (5) 6 - 9</i>			3g		N
Prunus persica var. nucipersica 'Pacific Pride' White Nectarine <i>FRUIT TREE; mildly fragrant pink flowers in early spring yield a heavy crop of smooth yellowish-red skinned fruit in early August with very sweet juicy white pulp; good for eating or canning; self-fruitful; upright spreading habit to as much as 20' tall & wide; locate in full sun & rich organic well-drained soil; Chinese native; Zones (5) 6 - 9</i>			5g		
Prunus persica 'Veteran' <i>see: Prunus persica 'Babcock' / 'Veteran'</i>					
Prunus x Romeo Fruiting Bush Cherry <i>DECIDUOUS FRUITING SHRUB; fragrant white flowers in early to mid-spring; very sweet self-pollinating non-splitting crimson fruit in early summer; bushy habit to about 6' tall & wide; high resistance to pests; locate in full sun & most well drained soils; European native [P. cerasus x P. fruticosa] (U of Saskatchewan) Zones (2) 3 - 7</i>			3g		
Prunus salicina 'Elephant Heart' Japanese Plum; Chinese Plum <i>DECIDUOUS FRUIT TREE; white to light pink flowers in late winter or early spring; large red fruit with an amber blush; sweet juicy dark red pulp matures in fall; pulp easily separates from the pit; somewhat self-fruitful but will bear heavier with another variety near by; depending on the rootstock it will mature to about 15' tall & wide; locate in full sun & fertile organic well-drained acidic soil; Asian native; Zones 4 - 10</i>			7g		
Prunus salicina 'Howard's Miracle' Hybrid Plum <i>DECIDUOUS FRUIT TREE; white flowers in late winter to early spring yield large yellowish-orange freestone fruit; sweet juicy pulp matures in late July to early August; needs separate pollinator for best production; depending on the rootstock it will mature to about 15' tall & wide; locate in full sun & fertile organic well-drained moisture retentive neutral to acidic soil; Asian native; Zones 5 - 9</i>			5g		N

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Prunus salicina 'Santa Rosa' Japanese Plum; Chinese Plum <i>DECIDUOUS FRUIT TREE; fragrant white flowers in late winter to early spring yield large purplish-red fruit by late summer; sweet juicy red pulp; self-fruitful; good for eating, canning or jelly; depending on the rootstock it will mature to as much as 20' tall & wide; not particularly heat tolerant; locate in full sun & fertile organic well-drained acidic soil; Asian native; Zones 5 - 9</i>			5g 7g	N N
Prunus salicina 'Satsuma' Japanese Plum; Chinese Plum <i>DECIDUOUS FRUIT TREE; white flowers in spring yield large dark red fruit with sweet juicy red pulp from July into August; depending on the rootstock it will mature about 20' tall & wide; can use 'Burbank' or 'Superior' to pollinate; locate in full sun & fertile organic well-drained acidic soil; Asian native; Zones 5 - 7</i>			5g	
Prunus serrulata 'Kwanzan' Japanese Flowering Cherry; Oriental Cherry <i>DECIDUOUS ORNAMENTAL TREE; profuse dark double pink flowers in late April or early May are sterile; vase shaped heads to about 30' tall & wide; brilliant reddish-orange fall foliage; shiny dark brown bark; tolerant of salt & urban locations; locate in full sun & any well-drained soil; Asian native; Zones 4 - 7</i>			5g 7g 15g	N
Prunus serrulata 'Mt. Fuji' / 'Shirotae' Japanese Flowering Cherry; White Oriental Cherry <i>DECIDUOUS ORNAMENTAL TREE; pink buds open to 2" fragrant semi-double white flowers in late April; new foliage opens with a bronze tint but quickly turns dark green before turning coppery-bronze in fall; broad semi-weeping habit about 20' tall & often wider; locate in full sun & any well-drained soil; Asian native; Zones (5) 6 - 8</i>			5g	N
Prunus x subhirtella 'Autumnalis' / var. autumnalis Pink Fall Flowering Cherry <i>DECIDUOUS ORNAMENTAL TREE; semi-double light pink flowers in early April fade to white; sporadic fall flowers during warmer weather; spreading upright habit to 30' and almost as wide; locate in full sun & any well-drained soil; Asian native; Zones (5) 6 - 8</i>			5g	N
Prunus x subhirtella 'Pendula Plena Rosea' Weeping Higan Cherry <i>DECIDUOUS ORNAMENTAL TREE; dark pink buds open to profuse double bright pink flowers in April for a couple weeks before the foliage; new foliage emerges bronze-green; broadly arching heads to about 30' tall & wide; grafted at 36" on top of a straight trunk; longer lived & more heat & cold tolerant than most other cherries; locate in full sun or light shade & moisture retentive well-drained organic soil; species recently renamed; Asian native; Zones (4) 5 - 8</i>		3' GRAFT	7g	
Prunus x subhirtella 'Pendula Plena Rosea' Weeping Higan Cherry <i>DECIDUOUS ORNAMENTAL TREE; dark pink buds open to profuse double bright pink flowers in April for a couple weeks before the foliage; new foliage emerges bronze-green; broadly arching heads to about 30' tall & wide; grafted at 48" on top of a straight trunk; longer lived & more heat & cold tolerant than most other cherries; locate in full sun or light shade & moisture retentive well-drained organic soil; species recently renamed; Asian native; Zones (4) 5 - 8</i>		4' GRAFT	7g 15g	
Prunus x subhirtella 'Pendula Plena Rosea' Weeping Higan Cherry <i>DECIDUOUS ORNAMENTAL TREE; dark pink buds open to profuse double bright pink flowers in April for a couple weeks before the foliage; new foliage emerges bronze-green; broadly arching heads to about 30' tall & wide; grafted at 66" on top of a straight trunk; longer lived & more heat & cold tolerant than most other cherries; locate in full sun or light shade & moisture retentive well-drained organic soil; species recently renamed; Asian native; Zones (4) 5 - 8</i>		5.5' GRAFT	7g 15g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Prunus x subhirtella Snow Fountains[™],[®] ('Snofozam') 3' GRAFT White Weeping Cherry <i>DECIDUOUS ORNAMENTAL TREE; pink buds open to fragrant profuse white flower in April before the foliage; dark green summer foliage turns shades of gold to orange in fall; strictly weeping habit; will be a groundcover without staking; graft height is at about 3' on top of a straight trunk; locate in full sun & just about any well-drained soil (LCN) Zones (5) 6 - 9</i>			7g	
Prunus x subhirtella Snow Fountains[™],[®] ('Snofozam') 4' GRAFT White Weeping Cherry <i>DECIDUOUS ORNAMENTAL TREE; strictly weeping; profuse white flower in April before the foliage; dark green foliage turns orange in fall; grafted at 48" on top of a straight trunk; locate in full sun & any well-drained soil; Zones 6 - 9</i>			7g 15g	N
Prunus x subhirtella Snow Fountains[™],[®] ('Snofozam') 5.5' GRAFT White Weeping Cherry <i>DECIDUOUS ORNAMENTAL TREE; strictly weeping; profuse white flower in April before the foliage; dark green foliage turns orange in fall; grafted at 66" on top of a straight trunk; locate in full sun & any well-drained soil; Zones 6 - 9</i>			7g 15g	
Prunus x 'Toka' Hybrid Prune Plum <i>DECIDUOUS FRUIT TREE; fragrant showy white flowers in April before the foliage; purplish-red fruit in late summer; Prune Plums have firmer flesh & higher sugar content which allows them to be dried into prunes; also good for eating, canning or jelly; green summer foliage turns yellow in fall; rounded heads to 20' tall by 20' wide; somewhat self-fertile; excellent pollinator for other varieties; locate in full sun & well-drained moisture retentive neutralish soil; American-Asian cross [P. americana x P. salicina] Zones 3 - 7</i>			5g 7g	N
Prunus virginiana 'Canada Red' CLUMP Red Chokecherry <i>DECIDUOUS ORNAMENTAL TREE; white racemes in early May; fruit is not ornamental, but is used for used in cooking; foliage opens bright green and matures to a dark crimson; broadly upright habit to 30' tall by 25' wide; 3 or more separate trunks; locate in full sun & any well-drained soil; native to US & Canada; Zones 2 - 6</i>			7g	
Prunus virginiana 'Canada Red' TREE FORM Red Chokeberry <i>DECIDUOUS ORNAMENTAL TREE; white racemes in early May; fruit is not ornamental, but is used for used in cooking; foliage opens bright green and matures to a dark crimson; broadly upright habit to 30' tall by 25' wide; locate in full sun & any well-drained soil; native to US & Canada; Zones 2 - 6</i>			7g 15g	N
Prunus x Weeping Extraordinaire[™] ('Extrazam') 4' GRAFT Weeping Japanese Flowering Cherry; Weeping Oriental Cherry <i>DECIDUOUS ORNAMENTAL TREE; buds open to mildly fragrant double light pink flowers similar to 'Kwanzan' before fading to near white in late April; few if any seeds; new foliage emerges coppery before turning glossy hunter green by late spring then burgundy in the fall; the vigorous weeping habit generally attains a height of about 20' with a similar spread; locate in full sun & well-drained neutral to acidic soil; Asian native (LCN) Zones 5 - 9</i>			7g	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Pseudotsuga menziesii Douglas Fir <i>EVERGREEN CONIFER; large pyramidal habit to 80' or more tall; short medium green needles; brown pendulous cones; locate in full sun & neutral to slightly acidic well-drained moisture retentive soil; native to western US, Canada & Mexico; Zones 4 - 6 (7)</i>			1g 5g	
Pyrus calleryana Chanticleer ('Glenn's Form') / 'Cleveland Select' Flowering Pear; Callery Pear <i>DECIDUOUS ORNAMENTAL TREE; profuse white flowers in mid April; yellow to red fall foliage is retained late into the season; narrowly pyramidal to columnar heads reaching 40' tall by 20' wide; weak wooded - especially from wet snow or ice storms; locate in full sun or light shade & just about any soil with reasonable drainage; tolerant of drought & urban conditions; Chinese native (Scanlon) Zones 5 - 8</i>			7g 15g	
Pyrus communis 'Anjou' European Pear; Common Pear <i>DECIDUOUS FRUIT TREE; profuse white flowers in mid-April; sweet juicy white flesh & greenish-yellow skin ripens in Sept; best pollinator if Luscoius;; semi-dwarf habit to 15' tall & wide; glossy dark green summer foliage turns purple in fall; locate in full sun & neutral to acidic well-drained moisture retentive soil; Zones 5 - 8</i>			5g 7g	
Pyrus communis 'Bartlett' European Pear; Common Pear <i>DECIDUOUS FRUIT TREE; profuse white flowers in early spring; greenish-yellow fruit in early fall; upright oval habit to about 10' tall by 8' wide; locate in full sun & neutral to acidic well-drained moisture retentive soil; Zones 5 - 8</i>			5g 7g	
Pyrus communis 'Bosc' European Pear; Common Pear <i>DECIDUOUS FRUIT TREE; profuse white flowers in early spring; sweet flavored russett brown fruit in early fall; needs a pollinator; upright habit to 45' tall by 30' wide; glossy dark green summer foliage turns purple in fall; locate in full sun & neutral to acidic well-drained moisture retentive soil; Zones 5 - 8</i>			5g 7g	N N
Pyrus communis 'Comice' / 'Doyenne du Comice' European Pear; Common Pear <i>DECIDUOUS FRUIT TREE; fragrant showy white flowers in early May; greenish-yellow fruit appears in early fall; 2 or more cultivars for fruit; not self-fertile; dark green summer foliage turns shades of red & yellow in fall; broadly upright habit to about 20' tall & wide on own roots; flowers attract pollinators; fruit attracts birds; moderate resistance to fire blight; tolerates atmospheric pollution & clay soil; locate in full sun (for best fruit production) or light shade & most well-drained moisture retentive soils; native to Europe & SW Asia; Zones 5 - 7 (8)</i>			5g 7g	N N
Pyrus communis 'Red Bartlett' European Pear; Common Pear <i>DECIDUOUS FRUIT TREE; profuse white flowers in early spring; red fruit in early fall; upright oval habit to about 15' tall by 10' wide; glossy green summer foliage turns purple in fall; excellent sweet flavor can be stored, canned, cooked or eaten fresh; locate in full sun & neutral to acidic well-drained moisture retentive soil; Zones 5 - 8</i>			5g	N
Pyrus pyrifolia 20th Century ('Nijisseiki') Asian Pear <i>DECIDUOUS FRUIT TREE; profuse white flowers in early spring; golden fruit in fall; 2 different cultivars yields more fruit; stores well; glossy dark green summer foliage turns bright orange in fall; upright habit to about 35' tall by 25' wide at maturity; locate in full sun & well-drained soil; native to Asia; Zones 5 - 8 (9)</i>			5g 7g	N N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Pyrus pyrifolia 'Hosui' Asian Pear <i>DECIDUOUS FRUIT TREE; fragrant profuse creamy-white flowers in mid-spring; sweet round yellowish-tan fruit in late summer; needs another cultivar for fruit production; coppery spring foliage becomes dark glossy green by summer then turns bright red in fall; attracts butterflies; locate in full sun & well-drained moisture retentive slightly acidic to neutral soil; Asian native; Zones 5 - 8 (9)</i>			5g	N
Pyrus pyrifolia 'Shinseiki' Asian Pear <i>DECIDUOUS FRUIT TREE; profuse fragrant creamy-white flowers in early spring; golden yellow textured sweet juicy fruit matures in late summer or early fall with at least 2 other cultivars such as 'Bartlett' & 'Chojuro'; bronzy spring foliage turns dark glossy green by summer then bright red in fall; upright habit to about 10' tall by 7' wide at maturity depending on rootstock; locate in full sun & fertile moisture retentive well-drained soil; native to Asia; Zones 5 - 8 (9)</i>			5g	N
Quercus Kindred Spirit ('Nadler') Columnar Hybrid English Oak <i>DECIDUOUS ORNAMENTAL TREE; narrow columnar habit to about 40' tall by 8' wide; dark green summer foliage with silvery undersides turns shades of yellow & bronze in fall; drought & moisture tolerant; mildew resistant; important wildlife food source; fall transplant hazard however, if dug before leaf drop & thoroughly hydrated it has better survival results; sister seedling of Regal Prince; locate in full sun & most acidic to slightly alkaline soils [Q. robur 'Fastigiata' x Q. bicolor] (Nadler / Heritage) Zones 4 - 8</i>			7g 15g	
Rhamnus frangula Fine Line ('Ron Williams') Fastigiata Buckthorn; Tall Hedge <i>ORNAMENTAL SHRUB; narrow upright habit to 6'; very narrow fern-like foliage; great for hedging where space is limited; seeds reported to have very low viability - 3%; locate in full sun or partial shade & any well-drained soil; tolerant of drought & urban conditions; native to Europe & western Asia (PW) Zones 3 - 7</i>			1g 2g 5g	N
Rhododendron 'Anah Krushke' Purple Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; reddish-purple flowers in late May; 6'; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light or partial shade & deep organic well-drained moisture retentive acidic soil (Kruschke) - 15°F, ° F</i>			2g 5g	
Rhododendron 'Anna Rose Whitney' Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; deep pink flower in late May; broadly upright habit to 6' tall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; - 5°F, ° F</i>			2g 5g	
Rhododendron 'Baden Baden' Dwarf Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; red flowers in early May; 2'; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light or partial shade & deep organic well-drained moisture retentive acidic soil; - 15°F, ° F</i>			2g	
Rhododendron 'Catawbiense Album' White Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; pure white flowers with yellow blush in late May; grows to about 6' in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; level; locate in light or partial shade & deep organic well-drained moisture retentive acidic soil (Waterer) - 25°F, ° F</i>			2g 5g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rhododendron 'Catawbiense Boursault' Lavender Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; lavender flowers in May; compact mound to 6' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; level; locate in light or partial shade & deep organic well-drained moisture retentive acidic soil (Boursault) -20Å,° F</i>			2g 5g	
Rhododendron 'Chionoides' White Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; white flowers with yellow throat in May; compact spreading habit to 4' in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to light shade and deep organic well-drained acidic soils (Waterer) - 10Å,° F</i>			2g 5g	
Rhododendron 'Cunningham's White' White Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; white flowers in late May; grows to about 4' tall in 10 years; compact; will often throw some flowers in the fall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (Cunningham) - 15Å,° F</i>			2g 5g	
Rhododendron 'Everred' Dwarf Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; loose trusses waxy deep red flowers in mid-season; very compact mounding habit to 2' tall by 30" wide in 10 years; new foliage emerges dark purple-red which matures to reddish-green by summer; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. williamsianum] (Cox) Zones: 7 - 9</i>			2g	
Rhododendron Gold Prinz [MiyamaÅâ] ('Goldschatz') Yellow Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; golden-yellow flowers with dark red spots in May; compact spreading mound to about 3' tall by 4' wide in 10 years; dark glossy green foliage; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in partial sun & shade & deep organic well-drained moisture retentive acidic soil ['Festivo' x 'Alice Street'] (Hachmann) Zones (5) 6 - 8</i>			2g	
Rhododendron 'Holden' Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; rosy red flower in early May; compact habit to about 4' in 10 years; dark green foliage; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soil (Shammarello) - 15Å,° F</i>			2g 5g	N
Rhododendron Holden'sÅâ Fuchsia ('HoldenRhodo213') Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; colorful buds open to compact pink trusses at an early age; glossy dark green foliage; compact spreading habit to about 5' tall by 8; wide in 10 years; attracts pollinators; resists Phytophthora cinnamomi; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soil; Zones 5 - 8</i>			2g	N
Rhododendron Holden'sÅâ Red Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; colorful buds open to compact trusses of ruffled red flowers with lighter centers at an early age; glossy dark green foliage; compact spreading habit to about 5' tall by 8; wide in 10 years; attracts pollinators; resists Phytophthora cinnamomi; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soil; Zones 5 - 8</i>			2g	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rhododendron 'Holden's Solar Flare' Yellow Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; red buds open to yellow flowers with a crimson blotch; compact upright habit to 4' tall by 3' wide in 10 years; deep green mildew resistant foliage; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soil (Leach) (- 25Å, ° F) - 15Å, ° F</i>			2g	
Rhododendron 'Honeybutter' Yellow Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; flowers are a combination of pink & yellow with lighter centers in dome-shaped trusses; mid-season; compact habit to 3' in 10 years; glossy wine-red new foliage; deep green foliage; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade & deep organic well-drained moisture retentive acidic soil (Barlup) 0Å, ° F</i>			2g	
Rhododendron 'Jean Marie de Montague' Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; bright dark red flowers in domed trusses in mid-season; compact habit to 5' in 10 years; thick sun-tolerant emerald green foliage; this is the red against which all other red rhododendron flowers are judged; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (C. B. van Nes & Sons) - 5Å, ° F</i>			2g 5g	
Rhododendron 'Minnetonka' Lavender Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; reddish-purple fades to lavender flowers with vivid yellow-green spots in late May; grows to about 4' in 10 years; gets wider than tall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic moisture retentive soils (Motzkau) - 25Å, ° F</i>			2g 5g	
Rhododendron 'Nova Zembla' Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; wine red flower in May; grows to 6' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (Koster) - 25Å, ° F</i>			2g 5g	
Rhododendron 'PJM Elite' Compact PJM Rhododendron <i>EVERGREEN FLOWERING SHRUB; Lepidote; lavender-pink flowers in flat ball-shaped trusses of 10-15 flowers in early April ; compact upright habit to 4' tall in 10 yrs.; larger burgundy winter foliage; may have weakest root system of PJM cultivars; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil (Mezitt) - 25Å, ° F</i>			2g 5g	
Rhododendron 'Polarnacht' Purple Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; nearly black flower buds open to frilly dark purplish-red flowers with spotted red centers in mid to late season; grows to 3' tall by 6' wide; clean dark green foliage; resistant to leaf spot & root rot; locate in acidic organic well drained soil; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (Hachmann / Briggs) - 10Åfâ€ŠÅ, ° F</i>			2g	
Rhododendron 'Pomegranate Splash' Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; 3" trusses of dark red edged flowers with white centers in mid-season; dark green semi-glossy foliage; upright habit to 5' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil (Fujioka) + 10Åfâ€ŠÅ, ° F</i>			2g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rhododendron 'Ramapo' Dwarf Lavender Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; pinkish-violet; April; 2'; low mounding dwarf; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; - 20°F-65°F</i>			2g 5g	
Rhododendron 'Roseum Elegans' Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; lilac-pink flowers in mid-late May; compact habit to about 6' in 10 years; does well in full sun & conditions where other varieties fail; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light shade and deep organic well-drained acidic soils (Waterer) - 25°F-65°F</i>			2g	
Rhododendron 'Vulcan' Red Hybrid Rhododendron <i>FLOWERING EVERGREEN SHRUB; dark red flowers in May; spreading mound to about 5' in 10 years; dark green pointed foliage; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (Waterer) - 10°F-65°F</i>			2g	
Rhododendron 'Wine & Roses' Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; dark pink flowers in April; bronze spring foliage matures to dark green by summer & exhibits striking deep reddish-purple indumentum; compact rounded habit to about 3' tall & wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil (Cox) Zones 6 - 7</i>			2g 5g	
Rhus aromatica 'Gro-Low' Dwarf Fragrant Sumac <i>DECIDUOUS ORNAMENTAL SHRUB; low spreading habit to 2' tall by 6' or more wide; orange to red fall foliage; red fruit in summer; excellent spreading groundcover is perfect on banks with moderate to limited moisture (when established); locate in full sun or moderate shade & well-drained acidic soil; native to eastern US & Canada; Zones (3) 4 - 9</i>			1g 2g 5g	N
Rhus typhina Tiger Eyes ('Bailtiger') Yellow Cutleaf Staghorn Sumac <i>DECIDUOUS ORNAMENTAL SHRUB; deeply dissected foliage open chartreuse & turns bright yellow by summer before turning yellow, orange & scarlet in fall; somewhat compact spreading habit to 5' high & wide; dark crimson fruit; locate in full sun; performs well on dry sterile ground; US native (Bailey) Zones 4 - 8</i>			2g 5g	N
Ribes alpinum Alpine Currant <i>DECIDUOUS ORNAMENTAL SHRUB; non-showy greenish-yellow flowers in April; scarlet fruit in fall on female plants; male plants more resistant to rust; twiggy rounded shrub to about 6' tall & wide; bright green summer foliage turns yellowish in fall; locate in sun or shade & just about any soil; native to northern Europe & Russia; Zones 2 - 7</i>			2g	
Ribes nigrum Blackcurrant <i>DECIDUOUS FRUITING SHRUB; inconspicuous fragrant yellowish-green flower clusters in spring; clusters of dark purple-black fruit appear in late summer & can be eaten fresh, used in drinks or in cooking; bushy habit to about 5' tall & wide; fruit attracts birds; locate in full sun or minimal shade & moisture retentive soil with neutral acidity; European native; Zones 3 - 7</i>			1g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Ribes sanguineum 'King Edward VII' Compact Flowering Currant; Compact Winter Currant <i>DECIDUOUS FRUITING SHRUB; pinkish-red pendulous flower clusters in early spring; clusters of bluish-black fruit appear in late summer are loved by birds; dark green pubescent foliage; compact bushy habit to about 6' tall & wide; attracts pollinators & birds; locate in full sun or minimal shade & moisture retentive well-drained soils with neutral acidity; US native; Zones 6 - 8</i>			1g	
Ribes uva-crispa 'Little Ben' Compact Gooseberry <i>DECIDUOUS FRUITING SHRUB; ornamentally insignificant small yellowish-green flowers in spring; self-fruitful; small brownish-red fruit appears in late summer on younger branches have sweet flesh but tart skins; fewer thorns; spreading habit to about 2.5' tall by 3' wide; resists mildew; locate in full sun to moderate shade & well-drained moisture retentive soil; native to Europe & N. Africa; Zones 3 - 7</i>			1g 2g	
Rosa Apricot Drift ('Meimirrote') Double Pink Drift Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; abundant 1.5" dia clusters of double apricot-pink flowers from mid spring through mid fall; low vigorous spreading ground cover to 18" high by 30" wide; good disease resistant very glossy dark green foliage; locate in full sun & organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10</i>			2g	
Rosa Bonica[®] ('Meidomonac') Pink Meidiland Rose <i>DECIDUOUS FLOWERING SHRUB; 3" dia double pastel pink flower all summer; bushy plants to 4' tall by 5' wide; dark green foliage; resistant to black spot & mildew; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Star) Zones 4 - 9</i>			3g	
Rosa Coral Drift ('Meidrifora') Pink Drift Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; abundant slightly scented 1.5" dia semi-double coral-orange cup-shaped flowers from mid spring through mid fall; low spreading mound to 18" high by 30" wide; dark green foliage with improved resistance to black spot, rust & mildew; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10</i>			2g	
Rosa Lemon Drift ('Meisentmil') Yellow Drift Rose <i>DECIDUOUS FLOWERING SHRUB; clusters of double bright yellow flowers from mid spring through mid fall; compact bushy habit to about 3' high & wide; good disease resistant very glossy dark green foliage turns yellow in fall; locate in full sun & organic well-drained slightly acidic or neutral soil (C-P) Zones 4 - 9</i>			2g	
Rosa Peach Drift ('Meiggili') Pink Drift Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; very floriferous soft pink flowers from mid spring to mid fall; flowers tolerates light freezes; compact spreading habit to 18" tall by 2' wide; dark green foliage with improved resistance to black spot, rust & mildew; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10</i>			2g	
Rosa Pink Drift ('Meijocos') Pink Drift Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; clusters of deep pink flowers with yellowish centers from spring through frost; low spreading habit to 18" tall by 36" wide; use in containers or as a ground cover; dark green foliage with improved resistance to black spot, rust & mildew; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10</i>			2g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rosa Red Drift ('Meigalpio') Red Drift Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; very small clusters of red roses from spring through frost; low spreading habit to 18" tall by 36" wide; use in containers or as a ground cover; dark green foliage with improved resistance to black spot, rust & mildew; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10</i>			2g	
Rosa rugosa Rugosa Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant rose-pink summer flower; red fruit in fall; locate in full sun & organic well-drained slightly acidic soil; very tolerant of coastal areas & somewhat alkaline soil; Asian native; Zones 2 - 7 (8)</i>			2g 3g	
Rosa rugosa 'Alba' White Rugosa Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant 3.5" pure white flower from May through July; deadheading extends booming into fall.; bright red hips in fall; thick leathery dark green foliage turns shades of yellow, orange & red in fall; bushy upright habit to about 6' tall by 4' wide; attracts butterflies; tolerates coastal conditions; locate in full sun or minimal shade & organic well-drained neutral to slightly acidic moisture retentive soil; Asian native; Zones 3 - 8</i>			2g 3g	
Rosa rugosa 'Blanc Double de Coubert' White Rugosa Rose <i>DECIDUOUS FLOWERING SHRUB; very fragrant pure white flower from May to frost; scarlet hips in fall; dark green foliage; bushy upright habit to about 7' tall by 4' wide; attracts pollinators & birds; fairly disease resistant; tolerates coastal conditions; locate in full sun or minimal shade & organic well-drained neutral to slightly acidic moisture retentive soil; Asian native; Zones 4 - 9</i>			2g 3g	
Rosa rugosa 'Hansa' Pink Rugosa Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant double 3" dark pinkish-purple flower from May to frost; scarlet hips in fall; broadly upright habit to about 5' tall by 4' wide; attracts birds & butterflies; resists diseases; tolerates coastal conditions; locate in full sun or minimal shade & organic well-drained neutral to slightly acidic moisture retentive soil; Asian native (Schaum & Van Tol) Zones (2) 3 - 7 (8)</i>			2g	
Rosa rugosa 'Moje Hammarberg' Pink Rugosa Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant semi-double magenta flower from May to frost; scarlet hips in fall; compact bushy habit to about 4' tall & wide; attracts birds & butterflies; resists diseases; tolerates coastal conditions; locate in full sun or minimal shade & organic well-drained neutral to slightly acidic moisture retentive soil; Asian native (Hammarberg) Zones 3 - 9</i>			2g	
Rosa rugosa Snow Pavement ('Schneekoppe') White Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant flowers open blush-pink maturing to double white from May to frost; deadheading increases flowering; red hips in fall; compact bushy habit to about 30" tall & wide; resists diseases; tolerates coastal conditions; locate in full sun or minimal shade & organic well-drained neutral to slightly acidic moisture retentive soil; Asian native (Baum) Zones 4 - 9</i>			2g 3g	
Rosa rugosa 'Therese Bugnet' Pink Rugosa Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant ruffled double pink flower from June into fall; red fruit in fall; bushy habit to 7' tall & wide; excellent disease resistant medium green foliage turns red in fall; locate in full sun & organic well-drained slightly acidic soil; very tolerant of coastal areas & somewhat alkaline soil; Asian native; Zones 3 - 7 (8)</i>			2g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rosa Sunorita[™],[®] ('CHEWGEWEST') Orange Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; reddish-orange buds open to double soft orange flowers on new wood that mature to gold-yellow from late spring to frost without deadheading; dark green foliage; bushy habit to about 4' tall & wide; attracts butterflies; resists black spot & mildew; locate in full sun or minimal shade & organic well-drained moisture retentive soil of any pH (PW) Zones 5 - 9</i>			3g 5g	
Rosa Sweet Drift[™],[®] ('Meiswedom') Double Pink Drift Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; abundant 1.5" dia clusters of double medium clear pink flowers from mid spring through mid fall; low vigorous spreading mound to 2' high by 3' wide; dark green foliage with improved resistance to black spot, rust & mildew; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10</i>			2g	N
Rosa The Coral Knockout[™],[®] ('Radral') Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; floriferous double coral-pink self-cleaning flowers from spring to frost that intensify in hot humid climates; bushy habit to 4.5' by 4.5'; medium green foliage is resistant to black spot; drought tolerant; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 10</i>			2g 3g	
Rosa The Double Knockout[™],[®] ('Radtko') Red Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; very floriferous dark double red self-cleaning flowers from summer to frost; bushy habit to 4' by 4'; dark green foliage is resistant to black spot; drought tolerant; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 9</i>			2g 3g	
Rosa The Easy Bee-zy Knockout[™],[®] ('SRPylwko') Yellow Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant semi-double medium yellow flowers on new wood from spring to frost fade to off-white; dark green foliage; bushy habit to about 4' tall by 3' wide; attracts bees & butterflies; resists black spot & mildew; locate in full sun or minimal shade & organic well-drained slightly acidic to neutral moisture retentive soil (Star) Zones 5 - 9</i>			2g 3g	
Rosa The Knockout[™],[®] ('Radrazz') Red Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; single florescent cherry-red blooms from late spring to frost; dark green foliage; disease resistant & carefree; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9</i>			3g	
Rosa The Peachy Knockout[™],[®] ('RADgor') Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; semi-double shell-pink flowers with a yellow center fade to a softer pink & are effective from spring to frost; compact spreading mound to 3' tall by 4' wide; dark green highly disease resistant foliage; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 10</i>			2g 3g	
Rosa The Petite Knockout[™],[®] ('Meibenbino') Dwarf Red Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; single non-fading fire-engine-red blooms from late spring to frost; glossy dark green foliage; bushy habit to about 18" tall; disease resistant & carefree; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Meilland / Star) Zones 4 - 9</i>			2g 3g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rosa The Pink Double Knockout[™],[®] ('Radtkopink') Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; floriferous double hot pink self-cleaning flowers from summer through frost; bushy habit to 4' by 4'; black spot resistant dark glossy green foliage; drought tolerant; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9</i>			2g 3g	
Rosa The Pink Knockout[™],[®] ('RADcon') Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; strong 2" self-cleaning clear pink blooms from spring to frost; dark green foliage resists black spot & mildew; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9</i>			3g	
Rosa The Rainbow Knockout[™],[®] ('RADcor') Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; profuse, lightly scented, semi-double coral pink blooms with yellow centers from spring to frost; disease resistant foliage; bushy habit to 3' tall and wide; orange hips all winter; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil; AARS (Radler) Zones 4 - 9</i>			2g 3g	
Rosa The White Knockout[™],[®] / The Whiteout[™],[®] ('Radwhite') White Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; single white flowers to 3.5" diameter with yellow centers from late spring to frost; dark green foliage; highly resistant to black spot, mildew, rust & Japanese Beetles; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Radler / C-P) Zones 5 - 9</i>			3g	
Rosa White Drift ('Meizorland[™]Ĉâ,-â,Ĉ) White Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; abundant clusters of double bright white flowers from mid spring through mid fall; low vigorous spreading mound to 18" high by 30" wide; dark green foliage with improved resistance to black spot, rust & mildew; locate in full sun or minimal shade & organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 11</i>			2g	
Rosmarinus officinalis Chef's Choice ('Roman Beauty') Rosemary <i>EVERGREEN HERB; violet-blue spring flower; compact upright habit to about 18" tall by 12" wide; grayish-green foliage has higher oil content for cooking; good cut flower; tolerant of deer browse, heat, drought & salt; locate in full sun & well-drained garden soil; Zones (6) 7 - 11</i>			1g 3g	
Rubus 'Arapaho' Thornless Blackberry <i>DECIDUOUS FRUITING SHRUB; small pinkish-white flower clusters in late spring; self-fruitful; large glossy black fruit with small seeds early summer on 2 year old wood; thornless; bushy habit to about 5' tall & wide; self-supporting; attracts birds & pollinators; increased disease resistance; locate in full sun to minimal shade & rich organic well-drained moisture retentive neutral to acidic soil; Zones 5 - 8 (9)</i>			1g	N
Rubus - assorted Blackberry <i>see online availability for available sizes & varieties</i>			1g	
Rubus Baby Cakes[™],[®] [Bushel & Berry[™],[®]] ('APF-236T') Dwarf Thornless Blackberry <i>FRUITING SHRUB; small white spring flowers yield very large glossy black & red fruit in mid-summer & sometimes again in early fall; thornless; broadly mounding habit to about 4' tall & wide; valuable for a wide variety of birds & insects; locate in full sun & rich organic well-drained moisture retentive soil; European native; Zones 4 - 8</i>			1g 2g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rubus 'Black Satin' Thornless Blackberry <i>FRUITING SHRUB; small white flowers yield very large glossy black fruit in late spring or early summer; thornless; broadly upright habit to about 6' tall by 5' wide; valuable for a wide variety of birds & insects; locate in full sun & rich organic well-drained moisture retentive soil; European native [R. fruitcosus] Zones 5 - 9</i>			1g 5g	N
Rubus 'Boysen' Boysenberry <i>DECIDUOUS FRUITING SHRUB; small white to light pink flowers in May; large nearly seedless black fruit is somewhat tart; thornless; trailing habit whose height is determined by stake height; attracts a wide variety of birds & insects; locate in full sun & rich organic well-drained moisture retentive soil; Zones 5 - 9</i>			1g 5g	N
Rubus Bushel & Berry Blackberry <i>see online availability for available sizes & varieties</i>			1g 2g	
Rubus 'Canby' Red Raspberry <i>DECIDUOUS FRUITING VINE; white flowers in spring; large sweet red fruit in late spring to early summer; nearly thornless; height determined by staking; can reach about 5' tall & can spread almost as much; attracts birds & pollinators; locate in full sun & rich organic well-drained moisture retentive soil; Zones (4) 5 - 8</i>			1g	
Rubus 'Chester' Blackberry <i>DECIDUOUS FRUITING SHRUB; small white to light pink flower clusters in late spring; self-fruitful; very large glossy black fruit in mid to late summer on 2 year old wood; thornless; bushy habit to about 5' tall & wide; attracts birds & pollinators; increased disease resistance; locate in full sun & rich organic well-drained moisture retentive neutral to acidic soil; Zones 5 - 8</i>			1g	
Rubus 'Encore' Red Raspberry <i>DECIDUOUS FRUITING SHRUB; small light pink flowers in spring; abundant large sweet red fruit in late July to early August; self-fruitful; broadly upright habit to about 8' tall by 3' wide; nearly thornless; attracts birds & pollinators; locate in full sun & rich organic well-drained moisture retentive acidic to neutral soil (Cornell U) Zones 6 - 8</i>			1g	
Rubus fruticosus 'Triple Crown' Thornless Blackberry <i>DECIDUOUS FRUITING SHRUB; small white to pinkish-white flower clusters in late spring; self-fruitful; large glossy black fruit in early summer on 2 year old wood; thornless; bushy habit to about 5' tall & wide; self-supporting; attracts birds & pollinators; increased disease resistance; not tolerant of wet soil; locate in full sun to minimal shade & rich organic well-drained moisture retentive neutral to acidic soil; Zones 5 - 8 (9)</i>			1g 5g	N N
Rubus 'Hall's Beauty' Blackberry <i>DECIDUOUS FRUITING VINE; pink buds open to larger than normal showy white flowers in late spring; large glossy black fruit in late spring to early summer; thornless; trailing habit needs support & can reach about 5' tall with support; attracts birds & pollinators; locate in full sun & rich organic well-drained moisture retentive neutral to acidic soil; Zones 6 - 8</i>			1g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rubus idaeus 'Boyne' Raspberry <i>DECIDUOUS FRUITING SHRUB; small white rose-like flowers in late spring to early summer; self-fruitful medium sized bright red fruit in early summer; thorny stems; upright habit to about 6' tall by 3' wide; attracts birds & butterflies; increased disease resistance & somewhat resistant to deer browse; locate in full to mostly sunny areas & moisture retentive well-drained neutral to acidic soil; Zones 4 - 8</i>			1g 5g	N
Rubus idaeus 'Fall Gold' Yellow Raspberry <i>DECIDUOUS FRUITING SHRUB; small white rose-like flowers in spring; large sweet yellowish-orange fruit in June & a heavier crop in late August & September; self-fruitful; upright habit to about 5' tall by 3' wide; thorny; attracts birds & pollinators; locate in full sun & rich organic well-drained moisture retentive acidic to neutral soil; US native; Zones 5 - 8</i>			1g 5g	N
Rubus idaeus 'Glencoe' Thornless European Red Raspberry <i>DECIDUOUS FRUITING SHRUB; small white flowers in spring; abundant sweet purple fruit in mid-summer; self-fruitful; thornless; compact bushy habit to about 5' tall & wide; attracts birds & pollinators; locate in full sun & rich organic well-drained moisture retentive acidic to neutral soil (Scottish Crop R I) Zones 4 - 8</i>			1g	N
Rubus idaeus 'Heritage' Everbearing European Red Raspberry <i>DECIDUOUS FRUITING SHRUB; showy white flowers from July to frost; moderate crop of bright red fruit in early summer & heavy crop in fall; self-fruitful; thorny stems; upright habit to about 5' tall by 2' wide; self supporting; attracts birds & butterflies; somewhat disease resistant; intolerant of wet soil; locate in full to mostly sunny areas & moisture retentive well-drained neutral to acidic soil; Zones 4 - 7 (8)</i>			1g 5g	N N
Rubus idaeus 'Latham' European Red Raspberry <i>DECIDUOUS FRUITING SHRUB; showy white flowers in April & May; large sweet red fruit in mid-summer; self-fruitful; broadly upright habit to about 5' tall by 2' wide; flowers attract pollinators; fruit attracts birds; increased disease resistance; locate in full sun or minimal shade & rich organic well-drained moisture retentive neutral to acidic soil; European native (U of MN) Zones 3 - 8</i>			1g 5g	N N
Rubus idaeus 'Nova' European Red Raspberry <i>DECIDUOUS FRUITING SHRUB; white rose-like spring flower clusters; medium sized firm red fruit in early summer; self-fruitful; nearly thornless; broadly upright habit to about 4' tall & wide; attracts birds & pollinators; locate in full sun & rich organic well-drained moisture retentive soil (Kentville R.Sta.) Zones 3 - 8</i>			1g	
Rubus idaeus Raspberry Shortcake ^Å,[®] [Bushel & Berry ^Å,[®]] ('NR7') Dwarf Raspberry <i>DECIDUOUS FRUITING SHRUB; clusters of white rose-like flowers in spring; self-fruitful large bright red fruit in mid-summer; thornless stems; compact spreading to slightly cascading habit to about 3' tall by 4' wide; attracts birds & butterflies; somewhat resistant to deer browse; locate in full to mostly sunny areas & moisture retentive well-drained neutral to acidic soil; Zones (4) 5 - 9</i>			1g 2g	
Rubus idaeus 'Vintage' Red Raspberry <i>FRUITING SHRUB; showy white flowers in spring yield large sweet red fruit in late summer; self-fruitful; broadly upright habit to about 6' tall by 4' wide; valuable for a wide variety of birds & insects; locate in full sun & rich organic well-drained moisture retentive soil; European native [R. idaeus] Zones 6 - 8</i>			1g	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Rubus idaeus 'Willamette' Red Raspberry <i>DECIDUOUS FRUITING VINE; showy white self-fertile flowers in mid to late spring yield large sweet red fruit in late summer; can be staked to as high as 10' tall; valuable for a wide variety of birds & insects; locate in full sun & rich organic well-drained moisture retentive soil; European native [R. idaeus var. strigosus] Zones (4) 5 - 8</i>			1g	
Rubus 'Lock Ness' Thornless Blackberry <i>FRUITING SHRUB; small white self-fertile flower clusters in late spring yield large glossy black fruit from fall into early winter; multiple varieties yield more & larger fruit; thornless; broadly upright habit to about 6' tall by 8' wide; disease resistant; valuable for a wide variety of birds & insects; locate in full sun & rich organic well-drained moisture retentive soil [R. fruitcosus] Zones 6 - 9</i>			2g	N
Rubus x loganobaccus Loganberry <i>DECIDUOUS FRUITING VINE; small white flowers in late spring; self-fruitful; oblong dark red or purple fruit in late summer; green foliage on spiny stems; low spreading habit that needs to be staked or trellised; it can grow up to 6' long; flowers attract pollinators; fruit attracts everything; resists disease & frost; locate in full sun & rich organic well-drained moisture retentive slightly acidic soil [R. ursinus x R. idaeus] (Logan) Zones 6 - 10</i>			1g	N
Rubus 'Meeker' Red Raspberry <i>DECIDUOUS FRUITING SHRUB; showy white flowers in May; large sweet red fruit in July; self-fruitful; broad loosely branched habit to as much as 10' tall & wide; attracts birds & pollinators; locate in full sun & rich organic well-drained moisture retentive neutral to acidic soil (Washington St U) Zones 5 - 8</i>			1g 5g	N
Rubus 'Navaho' Thornless Blackberry <i>FRUITING SHRUB; small pinkish-white spring flowers yield large sweet blue-black fruit in mid-late July; self-fruitful; thornless; arching upright habit to about 5' tall & wide; valuable for a wide variety of birds & insects; locate in full sun & rich organic well-drained moisture retentive soil; European native [R. fruitcosus] Zones 6 - 8</i>			1g 5g	N N
Rubus pentalobus Creeping Raspberry <i>EVERGREEN GROUND COVER; fragrant white flowers in summer; salmon-red fruit is born inconsistently; thick roundish heavily textured foliage; thornless; broadly prostrate habit usually under 6" tall by as much as 30' wide; locate is full to partial sun & well-drained soil that doesn't totally dry out; native to Taiwan; Zones 7 - 9</i>			1g	
Rudbeckia fulgida 'Goldsturm' Perennial Black-eyed Susan <i>PERENNIAL; 3" diameter gold petals with dark brown eye from June to Sept; seeds are valuable food source for birds in winter (don't cut back!); dark green foliage; upright habit to about 3' tall by 2' wide; can self-seed; good cut flower; attracts butterflies; resists pests, disease & deer browse; tolerates heat, humidity & limited drought; locate in full sun & moisture retentive well-drained soils; US native (Hagemann) (Am Bty) Zones 4 - 9</i>			1g	
Salix caprea 'Pendula' ('Kilmarnock') Weeping Pussy Willow; Weeping Goat Willow <i>DECIDUOUS ORNAMENTAL TREE; showy white catkins in late winter & early spring; fairly tight weeping heads; locate in full sun & moist organic acidic to neutral soils; native to Europe & Asia; Zones 4 - 8</i>		TREE FORM	7g 15g	N

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Salix integra 'Hakuro nishiki' BUSH Variegated Japanese Willow <i>DECIDUOUS ORNAMENTAL SHRUB; broad bushy shrub to 12' tall & wide; new foliage is a colorful mix of green, white & pink which follows yellow catkins; locate in full sun & moist organic acidic to neutral soils; Zones 4 - 7</i>			1g 2g 5g	
Salix integra 'Hakuro nishiki' TREE FORM Variegated Japanese Willow <i>DECIDUOUS ORNAMENTAL SHRUB; broad bushy shrub to 12' tall & wide; new foliage is a colorful mix of green, white & pink which follows yellow catkins; branching starts about 3-4' above a single stem; locate in full sun & moist organic acidic to neutral soils; Zones 4 - 7</i>			7g	
Salix purpurea 'Nana' BUSH Dwarf Artic Willow <i>DECIDUOUS ORNAMENTAL SHRUB; compact bushy shrub growing to about 5' high and wide; long very narrow bluish-green foliage; locate in full sun & moist organic acidic to neutral soils; native to Europe & Asia; Zones 3 - 7</i>			1g 2g 5g	
Salvia apiana White Sage <i>ANNUAL; waves of white flowers with small lavender spots appear in spring; long silvery-white foliage emits a strong sage fragrance when bruised; bushy habit to about 4' tall & wide; attracts pollinators; resists deer browse; locate in full sun & any well-drained soil; Southern CA native; Zones 8 - 11</i>			1g	
Salvia Heatwave Æž Æž Blaze ('EGGBEN005') Red Flowering Sage <i>PERENNIAL; crimson flowers from spring through late fall; rapid grower; compact spreading habit to 30" tall by 3' wide; aromatic green summer foliage; disease resistant; attracts butterflies & hummingbirds; tolerant of deer browse; locate in full sun & well-drained organic soil; somewhat drought tolerant [S. microphylla x S. greggii] (Monrovia) Zones 6 - 10</i>			1g	N
Salvia officinalis 'Robert Grimm' Dwarf Cullinary Sage <i>PERENNIAL; abundant fragrant lavender flowers in early summer; low spreading habit to about 8" tall by up to 4' wide; attracts butterflies & hummingbirds; resists browsing by deer & rabbits; drought tolerant; locate in full sun & well-drained soil; Zones 8 - 10</i>			1g	
Sambucus nigra Black Lace ('Eva') Purple Cutleaf Common Elder; Purple Cutleaf European Elder <i>DECIDUOUS FLOWERING SHRUB; very dark purple, deeply cut, lacy summer foliage; lightly fragrant pink flowers in early summer; grows to 8' high & wide if untrimmed; edible fruit; locate in full sun & moderate shade; tolerant of moist or dry soils of any alkalinity; native to Europe Zones 4 - 7</i>			1g 2g 5g	
Sarcococca hookeriana Sweet & Lo Æž Æž ('Purplerij1') Sweetbox <i>EVERGREEN GROUND COVER; narrow fragrant bright pink & white striped flower petals in early spring; inconspicuous small black fruit develop in fall; glossy dark green foliage; broadly mounding habit to about 2.5' tall by 3' wide; spreads by rhizomes; ericaceous; attracts pollinators; resists deer browse; tolerates shade; locate in varying degrees of shade & highly organic well-drained moisture retentive acidic soil; native to China (PW) Zones 5 - 9</i>			1g 2g	N N

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Sarcococca hookeriana var. humilis Fragrant Mountain ('SarSid2') Himalayan Sarcococca; Sweetbox <i>EVERGREEN GROUND COVER; ericaceous; stoloniferous evergreen; slow grower to about 18" tall; black fruit; likes shade; has larger foliage than humilis; locate in varying degrees of shade & highly organic well-drained acidic soil; native to China; Zones (5) 6 - 8</i>			1g	
Sarcococca hookeriana var. humilis Fragrant Valley ('SarSid1') Himalayan Sarcococca; Sweetbox <i>EVERGREEN GROUND COVER; ericaceous; stoloniferous; more dense & vigorous than the species; spreading habit to about 18" tall by 36" wide; black fruit; more disease resistant; deer browse resistant; locate in varying degrees of shade & highly organic well-drained acidic soil; native to China (Sidhu N) Zones (5) 6 - 8</i>			1g	
Sarcococca ruscifolia Fragrant Sarcococca <i>EVERGREEN GROUND COVER; fragrant white flowers; red fruit; evergreen shrub to 3' high & wide; locate in varying degrees of shade & highly organic well-drained acidic soil; native to China; Zones 7 - 9</i>			1g 2g 5g	
Schizachyrium scoparium 'Standing Ovation' Little Bluestem <i>ORNAMENTAL GRASS; silvery seed heads on 4' stems appear from late summer into fall; broader blue foliage with red tips becomes purplish at the base in fall before turning shades of orange, red & maroon by winter; upright habit to about 3' tall by 18" wide; self-seeds; attracts songbirds & butterflies; resists deer browse; tolerates drought, salt & heavy soil; locate in full sun & any well-drained soil; US native; thought to be a seedling of 'Prairie Blues' (North Creek N) Zones 3 - 8</i>			1g	
Sequoiadendron giganteum 'Glaucum' Blue Giant Sequoia <i>EVERGREEN CONIFER; bluish-green needles; red bark; branches droop at the ends; pyramidal habit to about 20' tall by 10' wide in 10 years; calipers rapidly; dramatic specimen that needs plenty of room; locate in full sun & rich organic well-drained moisture retentive acidic soil; US native to northern California & southern Oregon; Zones (6) 7 - 8</i>			5g	
Sorbaria sorbafolia Cherry on Top (Bococot) Compact Ural Falsespirea; Compact Ash-leaf Spirea <i>DECIDUOUS FLOWERING SHRUB; small white flowers in pyramidal panicles in early summer on new wood; dark red seed pods; compound spring foliage opens light red before turning yellowish then dark green by summer; compact habit to about 5' tall & wide; can spread by root suckers; attracts birds; tolerates erosion; locate full sun or light shade & moist organic well-drained soil of any pH; native to northern Asia (Bloomin' Easy) Zones (2) 3 - 8</i>			2g	
Spiraea betulifolia 'Tor' White Birchleaf Spirea <i>DECIDUOUS FLOWERING SHRUB; white flowers in early June; bright green summer foliage turns shades of yellow-gold to bronze & red in fall; compact mounded shrub to 3'; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. betulifolia] Zones 4 - 6 (7)</i>			1g 2g 5g	
Spiraea Doozie,® [Double Play] ('NCSX2') Red Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; dark purplish-red flowers start mid-spring & continue through summer on old & new wood; seedless; bright red new foliage matures to dark green in summer through fall; compact spreading mound to about 3' tall & wide; attracts butterflies; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage (PW) Zones 4 - 8</i>			1g 2g 5g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Spiraea 'Gold Mound' Golden Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; pink flowers in May & June; bright gold spring foliage fades to yellow-green in mid-summer's heat; fall foliage becomes orangish; low compact mound to 3' tall by 4' wide; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			1g 2g 5g	
Spiraea 'Goldflame' Golden Bumald Spirea <i>DECIDUOUS FLOWERING SHRUB; pink summer flowers; orange-bronze new foliage turns to yellow, then yellow-green & finally green by summer; grows to 3' tall & 4' wide; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. x bumalda] Zones 3 - 8</i>			1g 2g 5g	
Spiraea Little Bonnie ('BL0601') Dwarf Pink Spirea <i>DECIDUOUS FLOWERING SHRUB; lavender-pink spring flowers & sporadic blooms through summer; blue-green summer foliage; spreading mound to about 3' tall & wide; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. x bumalda] Zones 3 - 8</i>			1g 3g	
Spiraea 'Little Princess' Pink Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; pink flowers in early summer; green foliage; compact spreading mound to 3' tall & wider; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			1g 2g 5g	
Spiraea 'Magic Carpet' Pink Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; pinkish-purple flowers in June & July; yellow-green red-tipped foliage; dwarf spreading mound to 2'; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			1g 2g 5g	
Spiraea 'Neon Flash' Red Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; improved 'Anthony Waterer' Æ no variegated shoots; red flowers in late spring; reddish new foliage becomes a nice green in summer; compact mound; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			1g 2g 5g	
Spiraea nipponica 'Snowmound' White Nippon Spirea <i>DECIDUOUS FLOWERING SHRUB; white flowers in early June on old wood cover the small blue-green foliage; upright mound to 5'; deer browse resistant; locate in sun or light shade & just about any soil with reasonable drainage [S. nipponica] Zones (3) 4 - 7 (8)</i>			1g 2g 5g	
Spiraea Poprocks Æ Petite ('Odessa') Compact Pink Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; masses of bright pink button-like flowers in early to mid-summer; green foliage; compact mounding habit to about 3' tall & wide; deer & rabbit browse resistant; locate in full sun or light shade & just about any soil with reasonable drainage; Japanese native [S. japonica] Zones 3 - 8</i>			2g	
Stewartia pseudo-camellia Japanese Stewartia <i>ORNAMENTAL TREE; 3" diameter white flowers with prominent yellow centers in late June or July; pyramidal habit to about 30' tall by 20' wide; exfoliating reddish-brown bark; dark green summer foliage turns reddish-orange to burgundy in fall; locate in mostly sunny or filtered shade & rich organic well-drained moisture retentive acidic soil; Asian native; Zones 5 - 8</i>			5g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Stewartia sinensis Chinese Stewartia <i>DECIDUOUS ORNAMENTAL TREE; small fragrant white summer flowers with prominent yellow centers appear from late May through July; dark green summer foliage turn various shades of red in fall; reddish-brown & tan exfoliating bark; bushy upright habit to about 20' tall by 15' wide; attracts pollinators; disease resistant; not tolerant of drought; locate in partial sun to filtered shade & rich organic well-drained moisture retentive acidic soil; Chinese native; Zones 5 - 7</i>			5g	
Styrax japonicus Japanese Snowbell <i>DECIDUOUS ORNAMENTAL TREE; white bell-like flowers in early June; creamy white berry clusters in August & September; green summer foliage turns insignificant yellowish in fall; upright or spreading heads to about 25' tall & nearly as wide; branching starts above a single stem at about 3' to 5' above the ground; locate in full sun or partial shade (best) & deep organic well-drained moisture retentive acidic soil; eastern Asian native; Zones 5 - 7 (8)</i>			7g	
Styrax Stairway to Heaven™ ('RNI-RNXRED') Columnar Snowbell <i>DECIDUOUS ORNAMENTAL TREE; white star-like flower clusters with golden centers in early June; upright habit to about 25' tall by 12' wide; fine textured glossy dark green summer foliage; attracts pollinators; somewhat tolerant to coastal conditions; not tolerant of drought; locate in full sun or partial shade (best) & deep organic well-drained moisture retentive acidic soil; eastern Asian native (Robinson N) Zones 5 - 7 (8)</i>			7g	N
Symphoricarpos albus Snowberry <i>DECIDUOUS FLOWERING SHRUB; clusters of small pink flowers in early summer; pure white fruit in fall persists into winter; bushy upright habit to 6' tall & wide; dull green foliage; locate in full sun to partial shade & just about any soil; tolerant of drought & poor soils; US native Zones 3 - 7</i>			1g 2g 5g	
Symphoricarpos doorenbosii Pinky Promise™ ('Kolmpica') Pink Snowberry <i>DECIDUOUS FLOWERING SHRUB; clusters of small white to pink flowers in early summer on new wood; gumball pink fall fruit from late summer into early fall; mint-green summer foliage; bushy upright habit to about 3' tall & wide; locate in full sun to partial shade & moisture retentive well-drained soil; US native (Bloomin' Easy) Zones 3 - 7</i>			2g	
Symphoricarpos Proud Berry ('Sofie') Pink Coralberry <i>DECIDUOUS FLOWERING SHRUB; small pink & white summer flowers on new wood; dark pink berries appear in late summer persist into late fall; cooler weather intensifies the fruit color; broadly upright habit to about 4' tall & wide; locate in full sun (for best fruit display) or partial shade; adaptable to most well-drained soils; North American native (Hoekstra-Arisz / PW) Zones 3 - 7</i>			2g	
Syringa x Bloomerang Dark Purple ('SMSJBP7') Purple Reblooming Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; profuse fragrant purple bloom in spring; from mid-summer to frost a lesser quantity of flowers appear; grows up to 6' tall & wide; locate in full to mostly sunny areas with good air circulation & well-drained neutral to alkaline organic soil; withstands coastal conditions (PW) Zones (3) 4 - 7</i>		SHRUB FORM	1g 2g 5g	
Syringa x Bloomerang Dark Purple ('SMSJBP7') Purple Reblooming Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; profuse fragrant purple bloom in spring; from mid-summer to frost a lesser quantity of flowers appear; grows up to 6' tall & wide; locate in full to mostly sunny areas with good air circulation & well-drained neutral to alkaline organic soil; withstands coastal conditions (PW) Zones (3) 4 - 7</i>		TREE FORM	7g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p>Syringa Bloomerang[™],[®] Dwarf Purple ('SMNJRPU')</p> <p style="text-align: right;">TREE FORM</p> <p>Dwarf Purple Reblooming Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; profuse fragrant star-like purple flowers in mid-late spring & sporadically afterward from mid-summer to frost; bushy habit to about 3' tall & wide; grafted on a straight stem at about 4' above the ground; improved disease resistance; attracts butterflies & hummingbirds; questionable resistance to deer browse; tolerates coastal conditions; locate in full to mostly sunny areas with good air circulation & well-drained moisture retentive neutral to alkaline organic soil (PW) Zones (3) 4 - 7</i></p>			7g	N
<p>Syringa x hyacinthiflora Scentaria[™],[®] Double Blue ('SMNSHBBL')</p> <p>Purple Early Flowering Lilac <i>DECIDUOUS FLOWERING SHRUB; very fragrant large double bluish-purple flowers in early April on old wood; green summer foliage; upright grower to about 8' tall & wide; tolerates coastal conditions; attracts butterflies & hummingbirds; resists deer browse; tolerates chalky & clay soils; locate in full to mostly sunny areas with good air circulation & well-drained neutral to alkaline organic soil (PW) Zones 2 - 8</i></p>			2g 5g	N
<p>Syringa x laciniata</p> <p>Cut-leaf Lilac <i>DECIDUOUS FLOWERING SHRUB; fragrant pale lilac flowers in late spring; lacey green foliage; broadly upright habit to about 8' tall & wide; locate in full sun with good air circulation & well-drained neutral to slightly alkaline organic soil; withstands coastal conditions; formerly S. persica 'Laciniata'; Zones 4 - 8</i></p>			5g	N
<p>Syringa x Little Lady[™] 'Jeflady'</p> <p>Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; dark pink buds open to very fragrant single lavender-pink flowers in spring; compact rounded habit to about 5' tall & wide; good disease resistance; attracts butterflies & hummingbirds; locate in full to mostly sunny areas with good air circulation & well-drained neutral to alkaline organic soil (First Editions) Zones 2 - 7</i></p>			2g	
<p>Syringa meyeri Flowerfesta[™],[®] Pink ('Anny200817')</p> <p style="text-align: right;">SHRUB FORM</p> <p>Dwarf Korean Lilac <i>DECIDUOUS FLOWERING SHRUB; larger than average fragrant light pink flower clusters in May; compact bushy mound to about 5' high & wide; attracts hummingbirds & butterflies; may resist deer browse; tolerates some drought; locate in full sun or light shade & well-drained organic soil of any pH; native to northeastern Asia (van Nijnatten) Zones (3) 4 - 7</i></p>			2g 5g	N
<p>Syringa meyeri Flowerfesta[™],[®] Pink ('Anny200817')</p> <p style="text-align: right;">TREE FORM</p> <p>Dwarf Korean Lilac <i>DECIDUOUS FLOWERING SHRUB; larger than average fragrant light pink flower clusters in May; compact bushy mound to about 5' high & wide; attracts hummingbirds & butterflies; may resist deer browse; tolerates some drought; locate in full sun or light shade & well-drained organic soil of any pH; native to northeastern Asia (van Nijnatten) Zones (3) 4 - 7</i></p>			7g	N
<p>Syringa meyeri Flowerfesta[™],[®] Purple ('Anny200809')</p> <p style="text-align: right;">SHRUB FORM</p> <p>Dwarf Korean Lilac <i>DECIDUOUS FLOWERING SHRUB; larger than average fragrant light purple flower clusters in May; compact bushy mound to about 5' high & wide; attracts hummingbirds & butterflies; may resist deer browse; tolerates some drought; locate in full sun or light shade & well-drained organic soil of any pH; native to northeastern Asia (van Nijnatten) Zones (3) 4 - 7</i></p>			2g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Syringa meyeri Flowerfesta[®] Purple ('Anny200809') TREE FORM Dwarf Korean Lilac <i>DECIDUOUS FLOWERING SHRUB; larger than average fragrant light purple flower clusters in May; compact bushy mound to about 5' high & wide; attracts hummingbirds & butterflies; may resist deer browse; tolerates some drought; locate in full sun or light shade & well-drained organic soil of any pH; native to northeastern Asia (van Nijnatten) Zones (3) 4 - 7</i>			7g	N
Syringa meyeri Flowerfesta[®] White ('Anny200810') TREE FORM Dwarf White Korean Lilac <i>DECIDUOUS FLOWERING SHRUB; larger than average fragrant white flower clusters in May; compact bushy mound to about 5' high & wide; grafted on a single trunk at about 4'; attracts hummingbirds & butterflies; may resist deer browse; tolerates some drought; locate in full sun or light shade & well-drained organic soil of any pH; native to northeastern Asia (van Nijnatten) Zones (3) 4 - 7</i>			7g	N
Syringa meyeri 'Palibin' SHRUB FORM Dwarf Korean Lilac <i>DECIDUOUS FLOWERING SHRUB; purplish-pink buds open to profuse light pink flowers in May; compact spreading mound to 4' high by 6' wide; locate in full sun or light shade & well-drained organic soil of any pH; native to northeastern Asia; PHS Gold Metal; Zones 3 - 7</i>			1g 2g 5g	
Syringa meyeri 'Palibin' TREE FORM Dwarf Korean Lilac <i>DECIDUOUS FLOWERING SHRUB; purplish-pink buds open to profuse light pink flowers in May; compact spreading mound to 4' high by 6' wide; branching starts 3-4' above a single stem; locate in full sun or light shade & well-drained organic soil of any pH; native to northeastern Asia; PHS Gold Metal; Zones 3 - 7</i>			7g	
Syringa x prestionae Pinktini[®] ('Jeftini') Compact Pink Preston Lilac <i>DECIDUOUS FLOWERING SHRUB; dark pink buds open to lightly fragrant rose-pink flowers in late May or June; bright green summer foliage; compact bushy upright habit to about 5' tall by 4' wide; tolerates coastal conditions; locate in full sun with good air circulation & well-drained neutral to slightly alkaline organic soil (Ronald / First Editions) Zones 2 - 7</i>			2g	
Syringa pubescens subsp. patula 'Miss Kim' SHRUB FORM Manchurian Lilac <i>DECIDUOUS FLOWERING SHRUB; very fragrant light lavender blooms in mid to late May; compact upright habit to 6' tall by 5' wide; locate in full sun or light shade & well-drained organic soil of any pH; native to northeastern Asia; Zones 4 - 7</i>			1g 2g 5g	
Syringa pubescens subsp. patula 'Miss Kim' TREE FORM Manchurian Lilac <i>DECIDUOUS FLOWERING SHRUB; very fragrant light lavender blooms in mid to late May; compact upright habit to 6' tall by 5' wide; branching starts 3-4' above a single stem; locate in full sun or light shade & well-drained organic soil of any pH; native to northeastern Asia; Zones 4 - 7</i>			7g	
Syringa vulgaris Common Lilac <i>DECIDUOUS FLOWERING SHRUB; fragrant lavender flower in early May; upright vase-shaped habit to 15'; habit; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe Zones 2 - 7</i>			2g 5g 7g	N

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Syringa vulgaris 'Beauty of Moscow' (aka: 'Krasavista Moskvyy') White French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; highly fragrant double white flowers following pink buds; upright habit to 10'; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			2g 5g 7g	
Syringa vulgaris 'Belle de Nancy' Lavender French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; purple buds open to fragrant lavender-pink flowers in late April or May; pointed pale green summer foliage turns tan to brown in fall; upright habit to about 10' tall by 8' wide; tolerates heavy soils, deer browse & coastal conditions; subject to mildew; locate in full to mostly sunny areas with good air circulation & well-drained organic slightly acidic to slightly alkaline soil; native to southern Europe (Kolesnikov) Zones 3 - 7</i>			2g 5g 7g	N N
Syringa vulgaris 'Charles Joly' Red French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; double magenta flower; upright vase-shaped habit to 12'; good in coastal landscapes; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			2g 5g	N
Syringa vulgaris 'Congo' Red French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; fragrant magenta flower; upright vase-shaped habit to 12'; good in coastal landscapes; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			5g	
Syringa vulgaris 'Katherine Havemeyer' Pink French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; very fragrant double lavender-purple flowers in late April or May fade to lilac-pink after 2-3 weeks; pointed light green summer foliage turns tan to brown in fall; loose upright habit to about 10' tall & wide; attracts bees, butterflies & hummingbirds; resists deer browse; tolerates heavy soils & coastal conditions; subject to mildew; locate in full to mostly sunny areas with good air circulation & well-drained organic slightly acidic to slightly alkaline soil; native to southern Europe; Zones 3 - 7</i>			2g	N
Syringa vulgaris 'Ludwig Spaeth' Purple French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; very fragrant single dark purple flowers; upright habit to 12'; one of the best!; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			2g 5g	
Syringa vulgaris 'Madame Lemoine' White French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; double white flower; upright spreading habit to 10'; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			2g 5g 7g	
Syringa vulgaris 'Monge' Red French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; single reddish-purple flower; upright vase-shaped habit to 10'; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			5g	N

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Syringa vulgaris 'President Grevy' Blue French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; very fragrant double lilac-blue flower; upright vase-shaped habit to 10'; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			5g	N
Syringa vulgaris 'Primrose' Yellow French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; soft yellow to creamy white flowers; upright rounded habit to 10'; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			2g	
Syringa vulgaris 'Sensation' Purple Bicolor French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; single purple flowers with white edges in early May; grows to 10' or more; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			2g 5g 7g	
Syringa vulgaris Virtual Violet [First Editions] (Bailbridget') Purple Hybrid Common Lilac <i>DECIDUOUS FLOWERING SHRUB; raspberry-purple buds open to fragrant violet flowers in early May on purple stems; spring foliage opens with violet margins before maturing to dark green by summer; dense upright habit to about 8' tall by 6' wide; resists mildew; locate in full to mostly sunny areas with good air circulation & well-drained neutral to mildly alkaline organic soil; cross from 'Chas. Joly' & 2 Nat'l Arboreum hybrids (Selinger / Bailey) Zones 3 - 7</i>			2g	N
Syringa vulgaris 'Yankee Doodle' Purple French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; profuse fragrant dark purple flowers in early May; compact upright habit; locate in full to mostly sunny areas with good air circulation & well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe Zones 3 - 7</i>			2g 5g	N
Taxodium distichum var. distichum Shawnee Brave (Mickelson') Columnar Common Bald Cypress <i>DECIDUOUS ORNAMENTAL CONIFER; narrow columnar habit to about 75' tall by 20' wide; locate in full sun or minimal shade & moist to well-drained acidic soils; tolerant of urban situations with little water & compacted soils as well as wet tidal areas; US native; Zones 4 - 11</i>			7g	
Taxus x media 'Hicksii' Upright Anglo-Jap Yew <i>EVERGREEN SHRUB; red fruit in late fall through winter; dark green needles; columnar habit to about 5' tall by 3' wide in 10 years & as much as 20' tall by 12' wide at maturity; can be trimmed to about any size; a little narrower than 'Hatfield'; tolerates urban conditions; "deer candy"; prune in late winter; locate in full sun to fairly shady areas & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils [T. baccata x T. cuspidata] Zones 4 - 7</i>			1g 2g 5g	
Taxus x media Stonehenge (SMNTHDC') Columnar Anglo-Jap Yew <i>EVERGREEN SHRUB; dark green needles all year; dense narrowly columnar habit to about 12' tall by 4' wide; can be kept smaller with periodic pruning; tolerates urban conditions; "deer candy"; prune in late winter; locate in full sun to fairly shady areas & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils [T. baccata x T. cuspidata] (PW) Zones 5 - 7</i>			1g 2g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Ternstroemia gymnanthera Romeo (‘Variegata’) Cleyera EVERGREEN SHRUB; variegated tricolor foliage with variable yellow margin & pinkish-orange highlights that mature to darker red by summer; upright habit to about 10' tall by 6' wide; drought, heat & disease tolerant; locate in full sun to light shade & moist well-drained soil; Zones 7 - 9			1g 3g	
Thuja x 'Green Giant' Hybrid Western Arborvitae; Hybrid Giant Arborvitae EVERGREEN ORNAMENTAL CONIFER; vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity; bright green foliage; minimal pest or disease problems; variable deer browse resistance; locate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8			1g 2g 5g 7g 10g	N
Thuja occidentalis Anna's Magic Ball (‘Anna van Vloten’) Dwarf Golden Globe Eastern Arborvitae; Dwarf Golden Globe White EVERGREEN ORNAMENTAL CONIFER; dwarf golden globular habit reaching about 15" tall & wide in 10 years; resists sunburn; tolerant of air pollution & Black Walnut; locate in full sun (for best color) or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada (PW) Zones 3 - 7			1g 2g	
Thuja occidentalis 'Degroot's Spire' Fastigiata American Arborvitae; Fastigiata White Cedar EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting nubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7			5g	N
Thuja occidentalis Fire Chief (‘Congabe’) Dwarf Golden Eastern Arborvitae; Dwarf Golden White Cedar EVERGREEN ORNAMENTAL CONIFER; bright red new spring foliage reappears in winter; mature foliage is golden; semi-dwarf globular habit to 4' tall & wide; tolerant of air pollution & Black Walnut; locate in full sun (for best color) or light shade; adaptable to varying soil acidity & moisture - except extremes of either; sport of 'Rheingold'; native to eastern US & Canada; Zones 3 - 7			1g 2g 5g	
Thuja occidentalis Full Speed A Hedge ,® (‘American Pillar’) Columnar American Arborvitae; Columnar White Cedar EVERGREEN ORNAMENTAL CONIFER; dark green foliage that does not bronze in winter; narrowly pyramidal habit to about 30' tall by 5' wide; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; sport of 'Hetz Wintergreen'; native to eastern US & Canada (Houser) Zones 3 - 7			1g 2g 5g 7g 15g	N N
Thuja occidentalis 'Hetz Midget' Dwarf Globe American Arborvitae; Dwarf Globe White Cedar EVERGREEN ORNAMENTAL CONIFER; dense green globe; 3-4' maximum height; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7			1g 2g 5g	
Thuja occidentalis Mr. Bowling Ball ,® (‘Bobazam’) Compact Globe Eastern Arborvitae; Compact Globe White Cedar EVERGREEN ORNAMENTAL CONIFER; slow growing globular habit to about 3' x 3'; feathery sage-green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7			1g 2g 5g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Thuja occidentalis North Pole[®] ('Art Boe') Narrow Dark American Arborvitae; Narrow White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage that does not bronze in winter; narrowly pyramidal habit to about 15' tall by 4' wide; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada (Boe / PW) Zones 3 - 7</i>			1g 2g 5g 7g	N
Thuja occidentalis Privet Jet[®] ('King of Brabant') Narrow Dark American Arborvitae; Narrow White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage that does not bronze in winter; narrowly pyramidal habit to about 20" tall by 5' wide; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada (Bloomin' Easy) Zones 3 - 7</i>			2g 5g 7g	N N
Thuja occidentalis 'Smaragd' Emerald Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7</i>			1g 5g 7g 15g	
Thuja occidentalis 'Smaragd' Emerald Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage separated vertically along the central leader; top pad may be pointed or round; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7</i>		3-TIER	5g	
Thuja occidentalis 'Smaragd' Emerald Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; broadly twisting band around a central stem; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7</i>		SPIRAL	5g 7g	
Thuja occidentalis Sting[®] ('SMNTOO') Narrow Eastern Arborvitae; Narrow White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; small yellowish-green seed cones mature to brown; bright to dark green fan-like foliage which usually bronzes in winter; reddish-brown furrowed bark peels lengthwise; very narrow columnar habit to about 20' tall by 2' wide; tolerates clay soil, air pollution & Black Walnut; locate in full sun or light shade & well-drained moisture retentive soil that's neutral to slightly alkaline; native to northeastern US & Canada; Zones 3 - 8</i>			2g	N
Thuja occidentalis Tater Tot[®] ('SMNTOBAB') Dwarf Eastern Arborvitae; Dwarf White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; compact spreading mound to about 2' tall & wide; bronze foliage in winter; tolerates of air pollution & Black Walnut; locate in full sun or light shade & most soils with adequate drainage; native to eastern US & Canada (PW) Zones 3 - 8</i>			2g	
Thuja plicata Fluffy[®] ('SMNTPGF') Compact Golden Western Arborvitae; Compact Golden Giant Arborvi <i>EVERGREEN ORNAMENTAL CONFIER; golden foliage all year; compact pyramidal habit to about 10' tall by 5' wide at the base; somewhat deer browse resistant; locate in full sun (for best color) or light shade & moisture retentive well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US & Canada (PW) Zones 5 - 8 (9)</i>			1g 2g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Thuja plicata Forever Goldy ('4EVER') Golden Western Arborvitae; Golden Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; golden foliage all year - even in hot summer sun; turns orange-gold in fall & contrasts with red stems in winter; tight columnar to narrow pyramidal habit to about 20' tall by 4' wide; somewhat deer browse resistant; locate in full sun (for best color) or light shade & organic well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US & Canada (Ball) Zones 5 - 8 (9)</i>			1g 2g 5g		N N
Thuja plicata Golden Spire ('Daniellow') Golden Western Arborvitae; Golden Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; golden foliage all year - even in hot summer sun and cold winters; moderate grower with a tight narrow pyramidal to columnar habit to about 15' tall by 4' wide; somewhat deer browse resistant; locate in full sun (for best color) or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US & Canada (Daniels / Plant Haven) Zones 5 - 8 (9)</i>			1g 2g 5g		N
Thuja plicata Sugar & Spice ('De Rakt') Compact Western Arborvitae; Compact Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; compact upright pyramidal habit to about 10' tall by 3' wide; lacey green to cream foliage; somewhat deer browse resistant; locate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US & Canada; Zones 5 - 7 (8)</i>			1g 2g 5g 7g 15g		
Thuja plicata Sugar & Spice ('De Rakt') Compact Western Arborvitae; Compact Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; lacey green to cream foliage; compact upright pyramidal habit to about 10' tall by 3' wide; somewhat deer browse resistant; tolerant of coastal exposure but not persistent drought; 3 plants in a plastic cloth "box" that's about 3' long by 15" wide; locate in full sun or light shade & moist to well-drained soil of varying acidity; native to northwestern US & Canada; Zones 5 - 7 (8)</i>		3' HEDGE	3' bag		
Tsuga canadensis Canadian Hemlock <i>EVERGREEN CONIFER; short medium green needles; large pyramidal habit to 50' or more; excellent screen for shady locations; adelgid can be controlled by reducing stress with adequate moisture & is almost a non-factor on intermediate to dwarf cultivars; protect from winter winds in colder areas; locate in full sun or full shade & moist well-drained acidic soils; native to US & Canada; Zones (3) 4 - 7</i>			2g		N
Vaccinium angustifolium 'Brunswick' Lowbush Blueberry <i>DECIDUOUS FRUITING SHRUB; white flower in mid-season; highly nutritious light blue berries in mid-summer; blue-green summer foliage turns bright red in fall; low spreading shrub to about 1' tall by 4' wide forming dense ground cover; tolerant of poor & dry soils & coastal conditions; locate in full sun or partial shade & well-drained to dry acidic soil; US native; Zones (2) 3 - 5 (6)</i>			1g		
Vaccinium angustifolium 'Burgundy' Lowbush Blueberry <i>DECIDUOUS FRUITING SHRUB; white flower in mid-season; highly nutritious light blue berries in mid-summer; burgundy new foliage turns gray-green by summer then burgundy again in fall; low spreading shrub to about 1' tall by 4' wide forming dense ground cover; tolerant of poor & dry soils & coastal conditions; locate in full sun or partial shade & well-drained to dry acidic soil; US native (U of Maine) Zones (2) 3 - 5 (6)</i>			1g		

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Vaccinium ashei 'Pink Lemonade' Rabbiteye Blueberry <i>DECIDUOUS FRUITING SHRUB; small white flowers in spring before foliage break; edible blue berries appear in early to mid-summer; bluish-green summer foliage turns outstanding shades of orange to scarlet in fall; broadly upright habit to about 12' tall; more heat & drought tolerant than V. angustifolium or V. corymbosum; plant 2 varieties for most fruit; locate in full sun or partial shade & well-drained moisture retentive to fairly dry acidic soil; SE US native; Zones 7 - 9</i>			1g 2g	
Vaccinium corymbosum - assorted Highbush Blueberry <i>refer to AlphaNursery.com for currently available varieties & sizes; some premium varieties may cost more.</i>			1g 2g 5g	
Vaccinium corymbosum 'Blue Ribbon' Highbush Blueberry			1g 2g	
Vaccinium corymbosum 'Bluegold' Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; late-season crop; 4-6' tall & wide; bright red to purplish fall foliage; locate in full or partial sun & well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones 3 - 7 (8)</i>			1g	
Vaccinium corymbosum 'Bushel & Berry' Highbush Blueberry <i>refer to AlphaNursery.com for currently available varieties & sizes; some premium varieties may cost more.</i>			1g 2g	
Vaccinium corymbosum 'Clockwork' Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; clusters of white bell-like flowers in April; dark blue fruit bred to all mature in mid-season; green spring & summer foliage turns showy shades of red in fall; bushy habit to about 5' tall & wide; attracts pollinators & birds; tolerates limited soil moisture; locate in full to mostly sunny location (for best fruit production) & organic well-drained moisture retentive slightly acidic soil; eastern US native (Fall Creek,® Genetics) Zones 3 - 8</i>			1g 2g	N N
Vaccinium corymbosum 'Mini Blues' Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; profuse white bell-like flowers in early April yield bountiful clusters of small sweet blue fruit in July; needs other variety to cross-pollinate; foliage turns bright red to purplish in fall; bushy habit to about 6' tall by 4' wide; locate in full or partial sun & organic well-drained moisture retentive slightly acidic soil [V. corymbosum] [Bushel & Berry,®] Zones 4 - 8</i>			1g 2g 5g	
Vaccinium corymbosum Sky Dew,® Gold ('ANDVAL1601') Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; clusters of white bell-like flowers in April; minimal volume of dark blue fruit in mid-season with another variety to pollinate; lime green to chartreuse spring & summer foliage turns shades of orange & red in fall; bushy habit to about 4' tall & wide; attracts pollinators & birds; tolerates limited soil moisture; locate in full to mostly sunny location (for best fruit production) & organic well-drained moisture retentive slightly acidic soil; eastern US native; Zones 4 - 8</i>			2g	N
Vaccinium corymbosum Splendid! Blue ('NC4499') Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; clusters of white bell-like flowers in April; dark blue fruit in early to mid-summer; bluish-green spring & summer foliage; bushy habit to about 4' tall & wide; attracts pollinators & birds; tolerates limited soil moisture; locate in full to mostly sunny location (for best fruit production) & organic well-drained moisture retentive slightly acidic soil; eastern US native; Zones 6 - 9</i>			2g	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Vaccinium corymbosum 'Top Shelf' Highbush Blueberry			1g 2g	
Vaccinium 'Nocturne' Hybrid Blueberry <i>DECIDUOUS FRUITING SHRUB; white bell-like flowers in mid to late April; clusters of medium to large coral-red fruit appear in mid July before maturing to dark blue in late July; self-fruitful but heavier fruiting with other Highbush cultivar; foliage turns bright red to purplish in fall; broadly upright habit to about 5' tall by 6' wide; locate in full or partial sun & organic well-drained moisture retentive slightly acidic soil [V. corymbosum x V. ashei x V. constablaei] (USDA) Zones 4 - 8</i>			1g	
Verbena bonariensis 'Lollipop' Compact Tall Verbena; Compact Tall Vervain <i>PERENNIAL; small lavender flowers in 2-3" diameter clusters from June to frost on thin stems to about 2' tall & wide; flowers attract pollinators; seeds attract Gold Finch; locate in full sun & well-drained moisture retentive soil; South American native; Zones 7 - 11</i>			1g	
Viburnum x burkwoodii Fragrant Viburnum <i>DECIDUOUS FLOWERING SHRUB; pink buds open to fragrant white flowers in April; glossy dark green foliage turns reddish in fall & is semi-evergreen in southern range; upright bushy habit to 10' tall & nearly as wide; locate in full to partial sun & neutral to acidic well-drained moisture retentive soil; Zones 5 - 8</i>			1g 2g 5g 7g	
Viburnum carlesii Koreanspice Viburnum <i>DECIDUOUS FLOWERING SHRUB; spicy fragrant 3/4" - 1/2" white flowers in early May; red fruit clusters in fall; compact rounded habit to 8'; dull fuzzy foliage turns reddish to burgundy in the fall; attracts butterflies & hummingbirds; tolerant of Black Locust; locate in full sun or partial shade & moisture retentive well-drained neutral to acidic soil; Korean native; Zones (4) 5 - 7 (8)</i>			1g 2g	
Viburnum carlesii Spice Baby ('SMVCB') Compact Koreanspice Viburnum <i>DECIDUOUS FLOWERING SHRUB; fragrant white flowers in early May; red fruit turns black in fall; slow growing rounded habit to 3'; dull fuzzy foliage turns reddish to burgundy in the fall; attracts butterflies & hummingbirds; tolerant of Black Locust; locate in full sun or partial shade & moisture retentive well-drained neutral to acidic soil; Korean native (PW) Zones (4) 5 - 7 (8)</i>			2g	N
Viburnum carlesii Spice Girl[®] ('Spiro') Koreanspice Viburnum <i>DECIDUOUS FLOWERING SHRUB; bright red buds open to spicy fragrant 3/4" - 1/2" light pink flowers that quickly become white in early May; red fruit clusters in fall; dull fuzzy foliage turns reddish to burgundy in the fall; compact rounded habit to about 7' tall & wide; attracts butterflies & hummingbirds; somewhat resistant to deer browse; tolerant of Black Locust; locate in full sun or partial shade & moisture retentive well-drained neutral to acidic soil; Korean native (PW) Zones (4) 5 - 7 (8)</i>			2g	N
Viburnum davidii David Viburnum <i>EVERGREEN FLOWERING SHRUB; compact spreading habit to 5' tall & slightly wider; white flowers in late April or early May; blue fruit; locate in full sun or partial shade & moisture retentive well-drained neutral to acidic soil; native to western China; Zones (7) 8 - 9</i>			1g 2g 5g	
Viburnum dentatum Autumn Jazz ('Ralph Senior') Arrowwood Viburnum <i>DECIDUOUS FLOWERING SHRUB; bushy upright habit to 10'; white flowers in late May; glossy green summer foliage turns yellow to orange to red in the fall; locate in full sun or moderate shade; prefers well-drained soil but is very adaptable including coastal locations; native to US & Canada (Chicagoland Grows) Zones (2) 3 - 8</i>			1g 2g 5g	

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Viburnum x 'Emerald Triumph' Hybrid Viburnum <i>DECIDUOUS FLOWERING SHRUB; white cymes in late April or May; fruit emerges red in late summer & matures to black; leathery glossy dark green foliage turns shades of red & bronze in fall; broadly upright habit to about 8' tall & wide in 10 years; locate in full to partial sun & loamy well-drained moisture retentive soil [V. 'Allegheny' x V. burejaeticum] (Pellett) Zones 4 - 7</i>			5g	
Viburnum x juddii Fragrant Viburnum <i>DECIDUOUS FLOWERING SHRUB; very fragrant white flowers in late April; rounded habit to 8' tall & wide; improved disease resistance over V. carlesii; locate in full to partial sun & neutral to acidic well-drained moisture retentive soil [V. carlesii x V. butchiuense] (Judd) Zones 4 - 8</i>			2g	N
Viburnum lantana 'Mohican' Wayfaringtree Viburnum <i>DECIDUOUS FLOWERING SHRUB; profuse small off-white cymes in early to mid May; clusters of reddish-orange fruit in July ripen to black by Sept; heavily textured medium to dark green foliage is resistant to bacterial leaf spot; broadly upright habit to about 8' tall & wide; locate in full sun or moderate shade & neutral to alkaline well-drained soil; native to Europe & western Asia (Egolf / USNA) Zones 4 - 7 (8)</i>			2g 5g	N
Viburnum nudum 'Winterthur' Smooth Witherod; Possumhaw Viburnum <i>DECIDUOUS FLOWERING SHRUB; dark glossy foliage turns brilliant reddish-purple in fall; creamy white flowers in late May; fruit emerges white before turning pink, then red, then blue; locate in full sun to partial shade with moist well drained soil; drought tolerant; PHS Gold Metal; eastern US native; Zones 5 - 9</i>			2g 5g	
Viburnum opulus 'Roseum' (Sterile) European Snowball Viburnum; Old Fashioned Snowball Viburnum <i>DECIDUOUS FLOWERING SHRUB; very showy 3" round clusters of sterile white flowers in mid May; does not fruit; bushy upright habit to about 12' tall & wide; somewhat resistant to deer browse & drought; locate in full sun or partial shade & just about any well-drained soil; native to Europe & N. Africa; Zones 3 - 8</i>			2g 5g	
Viburnum opulus subsp. trilobum 'Bailey Compact' Compact American Cranberrybush Viburnum <i>DECIDUOUS FLOWERING SHRUB; white spring lacecap flower in mid to late May are minimal; sparse fruit changes from yellow-red to bright red in mid to late fall; red fall foliage; intermediate grower to about 6' tall and wide; locate in full sun to partial shade & moist to well-drained acidic soil; native to US & Canada (Perkins / Bailey) Zones 4 - 7</i>			1g 2g 5g	
Viburnum plicatum f. tomentosum 'Mariesii' Doublefile Viburnum <i>DECIDUOUS FLOWERING SHRUB; horizontal spreading branches are covered by white flowers in May, followed by red fruit in summer that turns to black; grows to 8' tall by 12' wide; locate in full sun to light shade & well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)</i>	BUSH		2g 5g	
Viburnum plicatum f. tomentosum 'Summer Snowflake' / 'Fujisanensis' Compact Reblooming Double-file Viburnum <i>DECIDUOUS FLOWERING SHRUB; sterile white flowers sporadically all summer; fall foliage is purplish-red; compact habit to 5'; may be the same plant as 'Watanabei'; locate in full sun to light shade & well-drained moisture retentive soil; native to eastern Asia; Zone 5 - 7 (8)</i>			1g 2g 5g 7g	

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Viburnum x pragense Prague Viburnum <i>EVERGREEN FLOWERING SHRUB; small narrow glossy leathery evergreen foliage; pink flower buds open white; bushy upright habit to 10' tall & nearly as wide; locate in full sun to light shade & well-drained moisture retentive acidic soil; Zones 5 - 8</i>			1g 2g 5g	
Viburnum x Shiny Dancer ('NCVS1') Compact Hybrid Viburnum <i>DECIDUOUS FLOWERING SHRUB; creamy white spring flower; compact habit to about 5' tall & wide; bright red fruit; very glossy reddish new foliage; semi-evergreen with red fall & winter foliage; locate in full to partial sun & loamy well-drained moisture retentive soil (PW) Zones 6 - 8</i>			2g	
Viburnum x Sweet Talker[™] ('NCVX4') Fragrant Hybrid Viburnum <i>EVERGREEN FLOWERING SHRUB; fragrant bright pink flowers in loose clusters appear in late winter to early spring; upright habit to about 10' tall by 5' wide; spring foliage opens with red shades before becoming glossy dark green in summer then deep burgundy in fall (semi-evergreen in northern range); attracts butterflies & bees; resists deer & rabbit browse; tolerates heat; locate in full sun or partial shade & moisture retentive organic well-drained neutral to acidic soil [V. x bodnantense x V. suspensum] (Ranney / PW) Zones 7 - 8</i>			2g	N
Viburnum tinus 'Spring Bouquet' Laurustinus <i>DECIDUOUS FLOWERING SHRUB; upright evergreen; early white flowers; locate in full sun or shade & well-drained moisture retentive soil; tolerant of coastal conditions; native to southern Europe; Zones 8 - 9</i>			1g 2g 5g	
Viburnum trilobum 'Bailey Compact' <i>see: Viburnum opulus subsp. trilobum 'Bailey Compact'</i>				
Viburnum Yang[™] ('NCVX3') Compact David Viburnum <i>EVERGREEN FLOWERING SHRUB; white flower; dark green foliage; compact spreading habit to about 2' tall by 4' wide; locate in full sun or partial shade & moisture retentive well-drained neutral to slightly acidic soil [V. davidii x V. macrocephalum] (Ranney / PW) Zones (7) 8 - 9</i>			2g 5g	
Viburnum Yin[™] ('NCVX2') Compact David Viburnum <i>EVERGREEN FLOWERING SHRUB; white flower; dark green foliage; blue fruit clusters in the fall when planted near V. Yang; compact spreading habit to about 2' tall by 4' wide; locate in full sun or partial shade & moisture retentive well-drained neutral to slightly acidic soil [V. davidii x V. macrocephalum] (Ranney / PW) Zones (7) 8 - 9</i>			2g 5g	
Vitis 'Jupiter' Blue Seedless Grape <i>DECIDUOUS VINE; fragrant inconspicuous greenish flowers in late May or June; self pollinating; large clusters of seedless dark bluish-purple fruit follows in Sept; climbs by tendrils to as much as 20' from its' base; medium green summer foliage turns yellow in fall; flowers attract bees; fruit attracts hornets & wasps; resists deer & rabbit browse & somewhat to fungal diseases; locate in full sun (for best flavor) & loamy moisture retentive well-drained neutral to alkaline soil; eastern N. American native [V. labrusca x V. vinifera] (U of AK) Zones (5) 6 - 9</i>			2g	N
Vitis labrusca 'Canadice' Red Seedless Grape <i>DECIDUOUS VINE; fragrant inconspicuous greenish flowers in late May or June; self pollinating; seedless red fruit follows in August through Sept; climbs by tendrils to as much as 20' from its' base; summer foliage is medium green; flowers attract bees; fruit attracts hornets & wasps; resists deer & rabbit browse; locate in full sun (for best flavor) & loamy moisture retentive well-drained neutral to alkaline soil; eastern N. American native; Zones 5 - 8</i>			1g 2g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Vitis labrusca 'Himrod' White Seedless Grape <i>DECIDUOUS VINE; fragrant inconspicuous greenish flowers in late May or June; self pollinating; seedless white fruit that matures to golden yellow follows in August through Sept; climbs by tendrils to as much as 20' from its' base; summer foliage is medium green; flowers attract bees; fruit attracts hornets & wasps; resists deer & rabbit browse; locate in full sun (for best flavor) & loamy moisture retentive well-drained neutral to alkaline soil; eastern N. American native; Zones 5 - 8</i>			2g	
Vitis labrusca 'Vanessa' Red Seedless Grape <i>DECIDUOUS VINE; fragrant inconspicuous greenish flowers in late May or June; self pollinating; seedless pinkish-red fruit follows in October; climbs by tendrils to as much as 15' from its' base; medium green summer foliage turns yellow in fall; flowers attract bees; fruit attracts hornets & wasps; resists deer & rabbit browse; tolerates limited drought; locate in full sun (for best flavor) & loamy moisture retentive well-drained neutral to alkaline soil; eastern N. American native (Ontario Hort R I) Zones (4) 5 - 9</i>			2g	N
Weigela florida Electric Love,® [Date Night] ('ZR1') Compact Red Weigela <i>DECIDUOUS FLOWERING SHRUB; bright red flowers in late spring & sporadic flowers in summer; purple spring foliage becomes bronzy-green by summer; broadly compact habit to about 2' tall by 3' wide; some deer browse resistance; attracts hummingbirds & butterflies; locate in full sun or minimal shade & most well-drained moisture retentive soils; native to Japan (Bloomin' Easy) Zones 4 - 7</i>			2g	
Weigela florida My Monet Purple Effect,® ('Verweig8') Compact Variegated Weigela <i>DECIDUOUS FLOWERING SHRUB; green foliage that's edged in white with a purple tinge in spring which fades to white by summer; purplish-pink flowers appear in late spring; compact mounding habit to about 30" high & wide; deer browse resistant; attracts hummingbirds & butterflies; locate in full to part shade & most well-drained moisture retentive soils; native to Japan (Verhoef / PW) Zones 4 - 6 (7)</i>			2g	
Weigela florida My Monet ('Verweig') Dwarf Variegated Weigela <i>DECIDUOUS FLOWERING SHRUB; green foliage that's edged in white with a pink tinge in spring; the pink fades to white in summer; purplish-pink flowers appear in late spring; very compact mounding habit to 18" high & wide; deer browse resistant; attracts hummingbirds & butterflies; locate in full to part shade & most well-drained moisture retentive soils; native to Japan (PW) (Verhoef) Zones 4 - 8</i>			1g 2g 5g	
Weigela florida Peach Kisses ('Slingpink') Compact Pink Weigela <i>DECIDUOUS FLOWERING SHRUB; peachy-pink reblooming flowers start in late spring; green summer foliage; compact bushy habit to about 4' tall & wide; attracts hummingbirds & butterflies; somewhat deer browse resistant; locate in full sun or minimal shade & most well-drained moisture retentive soils; native to Japan (Bloomin' Easy) Zones (4) 5 - 7 (8)</i>			2g	
Weigela florida Spilled Wine ('Bokraspiwi') Pink Weigela <i>DECIDUOUS FLOWERING SHRUB; magenta-pink funnel shaped flowers in May; spreading mounding habit to 2' tall by 3' wide; deer browse resistant; attracts hummingbirds & butterflies; locate in full to part shade & most well-drained moisture retentive soils; native to Japan; Zones (4) 5 - 8</i>			1g 2g 5g	
Weigela florida Wine & Roses ('Alexandra') Purple-leaf Weigela <i>DECIDUOUS FLOWERING SHRUB; hot rosy-pink June flowers; dark burgundy foliage; broadly upright habit to 5'; deer browse resistant; attracts hummingbirds & butterflies; locate in full to part shade & most well-drained moisture retentive soils; PHS Gold Metal; native to Japan (PW) Zones 5 - 8</i>			1g 2g 5g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Wisteria brachybotrys 'Okayama' <p style="text-align: right;">STAKED</p> Lavender Silky Wisteria <i>DECIDUOUS TWINING FLOWERING VINE; fragrant pale pea-like lavender racemes with prominent white centers in late spring; velvety green seed pods mature in late summer & can persist into winter; pale green summer leaflets turn golden yellow in fall; twines counter-clockwise to as much as 20'; attracts butterflies; resists deer browse; tolerates drought when established; locate in full sun to minimal shade & well-drained moisture retentive neutral to slightly alkaline soil; shade & over fertilization can reduce flowering; Zones 5 - 8</i>			5g		N
Wisteria frutescens 'Amethyst Falls' <p style="text-align: right;">STAKED</p> Lavender American Wisteria <i>DECIDUOUS TWINING FLOWERING VINE; mildly fragrant lilac-blue flowers from June to August; not as vigorous as Asian cultivars; locate in full sun & well-drained moisture retentive neutral to slightly alkaline soil; shade & over fertilization can reduce flowering; US native [W. frutescens] (Head-Lee N) Zones 5 - 9</i>			2g 5g		N
Wisteria macrostachya 'Blue Moon' <p style="text-align: right;">STAKED</p> Blue Kentucky Wisteria <i>DECIDUOUS TWINING FLOWERING VINE; 12" fragrant lilac-blue racemes appear in 3 waves from early summer; vines can grow up to 25'; very cold hardy; not as vigorous as Asian cultivars; locate in full sun & well-drained moisture retentive neutral to slightly alkaline soil; shade & over fertilization can reduce flowering; US native [W. macrostachya] (Buchite) Zones 4 - 9</i>			2g 5g		N
Wisteria macrostachya Summer Cascade [First Editions,®] ('Betty Matthews') <p style="text-align: right;">STAKED</p> Lavender Kentucky Wisteria <i>DECIDUOUS TWINING FLOWERING VINE; flowers open as 12" dark lavender racemes on new wood before fading to a lighter shade by June; it will rebloom during the summer; if planted by a structure it can climb to about 20' tall; foliage turns yellow in fall; not as vigorous as Asian cultivars; locate in full sun & well-drained moisture retentive neutral to slightly alkaline soil; shade & over-fertilization can reduce flowering; US native [W. macrostachya] (McNamara & Hokansan) Zones 4 - 8</i>			7g		
Wisteria x 'Rosa Beni Fuji' <p style="text-align: right;">STAKED</p> Hybrid Pink Wisteria <i>DECIDUOUS TWINING FLOWERING VINE; long pink racemes in early spring between Chinese & Japanese cultivars; vigorous grower to about 25' tall on a structure; drought resistant once established; considered invasive in some areas; attracts humming birds; locate in full sun & well-drained moisture retentive neutral to slightly alkaline soil; shade & over fertilization can reduce flowering; Asian cross [W. sinensis x W. floribunda] Zones 5 - 8</i>			5g		N
Wisteria sinensis 'Cooke's Special' <p style="text-align: right;">STAKED</p> Purple Chinese Wisteria <i>DECIDUOUS TWINING FLOWERING VINE; purple racemes; twines counter-clockwise; locate in full sun & well-drained moisture retentive neutral to slightly alkaline soil; shade & over fertilization can reduce flowering; Chinese native [W. sinensis] Zones 5 - 8</i>			5g 7g		N N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p>Zelkova serrata 'Village Green' Japanese Zelkova <i>SHADE TREE; compact spreading branches; bronze-red fall foliage; locate in full sun or light shade & moist well-drained soil of varying pH; tolerant of urban conditions; Asian native; Zones (4) 5 - 8</i></p>			7g	

13 Decision Way West
 Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Alpha Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY

Delivery Instructions

Company Name: _____

Delivery Address: _____

CITY: _____ STATE: _____ ZIP: _____

Contact(s): _____

Phone Numbers: OFFICE: _____ MOBILE: _____

ALTERNATE: _____ FAX: _____

Email Address: _____

Requested Delivery Weeks(s): _____

Delivery Days / Time: MON TUE WED THU FRI SAT SUN FROM _____ am / pm TO _____ am / pm

Special Instructions: _____
