| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNT | 1 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------------|------------|-----|-----|
| Abies balsamea 'Nana' | | | 3g | | - 1 |
| Dwarf Balsam Fir | | | 5g | | - |
| VERGREEN ORNAMENTAL CONIFER; new needles open pale green before maturing to dark | | | 7g | | - |
| olue-green which surround the stems unlike most Abies; spreading globular habit to about 2' tall by 3' vide in 10 years; deer browse resistant; locate in full sun or minimal shade & very well-drained organic | | | | | |
| noisture retentive soil; native to NE US & Canada; Zones 3 – 5 (6 - 7) | | | | | |
| | | | | | _ |
| Abies concolor 'Blue Cloak' Blue Concolor Fir; Blue White Fir | | 30 - 36" | B&B | | 1 |
| EVERGREEN ORNAMENTAL CONIFER; soft waxy bright blue needles; 3" sapphire-blue cones; | | | | | |
| omewhat pendulous lateral brancing from an upright leader; irregular relaxed pyramidal habit to | | | | | |
| bout 6' tall by 3' wide in 10 years; deer browse resistant; tolerates heat and moderately & drier | | | | | |
| onditions better than most Abies; locate in full to mostly sunny locations & very well-drained organic | | | | | |
| eutral to slightly acidic moisture retentive soil; native to western North American mountains; Zones (3 |) | | | | |
| 1 - 7 (8) | | | | | |
| Abies koreana 'Horstmann's Silberlocke' | | 3 - 4' | B&B | | |
| /ariegated Korean Fir | | 4 - 5' | B&B | | _ |
| EVERGREEN ORNAMENTAL CONIFER; up-twisting bluish-green needles with broad silvery stripes | | 5 - 6' | B&B | | - 1 |
| elow that are very showy; upright purple cones in spring; pyramidal habit to about 5' tall by 3' wide in | | | | | |
| 0 years; side pruning helps form a lot; deer browse resistant; locate in full sun or minimal shade & very | | | | | |
| vell-drained organic moisture retentive soil that's neutral to slightly acidic; Korean native; Zones (4) 5 \cdot | | | | | |
| | | | | | |
| Abies pinsapo 'Aurea' | | 30 - 36" | B&B | | - |
| Solden Spanish Fir | | 36 - 42" | B&B | | - |
| VERGREEN ORNAMENTAL CONIFER; very sharp rigid golden needles radiate totally around the ranches; compact broadly pyramidal habit maturing to about 30' tall & half as wide at the base; deer | | 3 - 4' | B&B | | - |
| provise resistant; locate in morning sun & moisture retentive very well-drained soils; very tolerant of | | 4 - 5' | B&B | | - |
| alkaline soils; Spanish native; Zones (4) 5 - 7 | | | | | |
| Abies pinsapo 'Glauca' | | 30 - 36" | B&B | | - |
| Blue Spanish Fir | | 3 - 4' | B&B | | - |
| EVERGREEN ORNAMENTAL CONIFER; very sharp rigid fairly light blue needles radiate totally | | 4 - 5' | B&B | | |
| around the branches; compact broadly pyramidal habit to about 30' tall & half as wide at the base; deer | | 5 - 6' | B&B | | - 1 |
| prowse resistant; locate in morning sun & moisture retentive very well-drained soils; very tolerant of | | | | | |
| alkaline soils; Spanish native; Zones (4) 5 - 7 | | | | | |
| Acer palmatum | | | 5g | | - 1 |
| lapanese Maple | | | 10g | | _ |
| DECIDUOUS ORNAMENTAL TREE; soft green foliage; vibrant orange to red fall foliage colors; uprigh | t | 3 - 4' | B&B | | - 1 |
| preading habit to 30' or more; locate in full sun to partial shade & well-drained moisture retentive | | 4 - 5' | B&B | | - 1 |
| rganic soil; Japanese native; Zones 5 - 7 | | 5 - 6' | B&B | | - |
| | | 6 - 7' | B&B | | - |
| Acor palmatum 'Bibou' | | 7 - 8' 4 - 5' | B&B 10g | | - |
| Acer palmatum 'Bihou' Beautiful Mountain Range Japanese Maple | | 4 - 5 | iug | | - |
| DECIDUOUS ORNAMENTAL TREE; emerging spring foliage is light yellowish-green with a pink flush; | | | | | |
| ummer foliage is medium green before transitioning to bright yellow or light orange in fall; in winter | | | | | |
| oung branches turns shades of orange or pink &/or gold; bushy upright habit when young to 7' tall by | | | | | |
| wide in 10 years; locate in full sun to partial shade & well-drained moisture retentive organic soil; | | | | | |
| nfternoon shade helps retain best foliage colors; Japanese native (Yano) Zones 5 - 7 | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Washington Crossing, PA 18977-1125 www.phintuthill.com

fax: (267) 397-2076 email: Phin@RPTuthill.com

| | AVAIL. | SIZE | ROOTS | QNTY | + |
|------------------------------------------------------------------------------------------------------------|----------|--------------|------------|----------|-----|
| Acer palmatum 'Bloodgood' | | 4 - 5' | 10g | | - |
| LOW BRANCHED | | 4 - 5' | 15g | | - |
| Red Japanese Maple | | 4 - 5' | B&B | | - |
| DECIDUOUS ORNAMENTAL TREE; dark red spring & summer foliage turns bright crimson in fall; | | 5 - 6' | 10g | | - |
| broadly upright habit to 25' or more in 25 years; branching starts about 3' or more above grade; locate | | 5 - 6' | 15g | | - |
| in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain | | 5 - 6' | B&B | | - |
| best foliage colors; Japanese native; Zones 5 - 7 | | 6 - 7' | B&B | | - |
| Acer palmatum 'Crimson Queen' | | 24 - 30" spr | 10g | | _ |
| Red Laceleaf Japanese Maple | | 30 - 36" spr | 10g | | _ |
| DECIDUOUS ORNAMENTAL TREE; dark red laceleaf foliage into mid-summer; summer foliage is | | | | | |
| reddish-green; fall foliage is scarlet; compact mounding spreading habit to about 10' tall by 15' wide; | | | | | |
| locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps | | | | | |
| retain best foliage colors; Japanese native; Zones 5 - 7 | | | | | |
| Acer palmatum Emperor 1 ('Wolff') | | 4 - 5' | 10g | | - |
| Red Japanese Maple | | 4 - 5' | B&B | | _ |
| DECIDUOUS ORNAMENTAL TREE; dark red foliage from spring through summer; bud-break a little | | 5 - 6' | 10g | | - |
| ater than 'Bloodgood' in spring; more upright and darker red foliage in late summer than 'Red | | 5 - 6' | B&B | | _ |
| Emperor'; afternoon shade helps retain best foliage colors; locate in full sun to partial shade & | | 6 - 7' | 10g | | - 1 |
| vell-drained moisture retentive organic soil; Japanese native (Wolff) Zones 5 - 7 | | 6 - 7' | B&B | | _ |
| Acer palmatum 'Fireglow' | | 3 - 4' | B&B | | |
| Red Japanese Maple | | 4 - 5' | B&B | | |
| DECIDUOUS ORNAMENTAL TREE; bright red spring & summer foliage that is almost translucent | | | | | |
| when viewed looking through them toward the sun; moderate growing upright habit to about 15' tall & | | | | | |
| 12' wide; more heat tolerant than most other red cultivars; afternoon shade helps retain best foliage | | | | | |
| colors; locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese | | | | | |
| native; Zones 5 $\hat{a} \in \mathcal{A}$ 7 | | | | | |
| Acer palmatum 'Garnet' / 'Dissectum Garnet' | | 24 - 30" spr | 10g | | + |
| Red Laceleaf Japanese Maple | | 30 - 36" spr | Ŭ | | - |
| DECIDUOUS ORNAMENTAL TREE; orange-red dissected foliage holds color well all summer; bright | | 00 00 op. | log | | - |
| red fall foliage; compact cascading mound to about 15' tall by 20' or more wide; afternoon shade helps | | | | | |
| retain best foliage colors; locate in full sun to partial shade & well-drained moisture retentive organic | | | | | |
| soil; Japanese native; Zones 5 - 7 | | | | | |
| Acer palmatum 'Inaba shidare' | | 24 - 30" spr | 10g | | _ |
| Red Laceleaf Japanese Maple | | | | | |
| DECIDUOUS ORNAMENTAL TREE; large dark burgundy-red deeply dissected leaves retain their color | | | | | |
| all summer; broadly horizontal spreading habit is less cascading than most dissectums; afternoon shade | <u>,</u> | | | | |
| helps retain best foliage colors; locate in full sun to partial shade & well-drained moisture retentive | | | | | |
| organic soil; Japanese native; Zones 5 - 7 | | | | | |
| Acer palmatum 'Mikawa yatsubusa' | | 30 - 36" | 10g | | _ |
| Dwarf Japanese Maple | | 3 - 4' | 10g | | - 1 |
| DECIDUOUS ORNAMENTAL TREE; compact upright spreading habit to about 10' tall & equally wide a | t | | | | |
| maturity; very tightly layered foliage emerges yellowish before turning dark green by summer; fall | | | | | |
| foliage is yellow to orange or reddish; brilliant red samaras appear in late spring; locate in full sun to | | | | | |
| partial shade & well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7 | | | | | |
| Acer palmatum 'Orangeola' | | 24 - 30" spr | 10g | | _ |
| Laceleaf Japanese Maple | | 30 - 36" spr | - | | _ |
| DECIDUOUS ORNAMENTAL TREE; orange-red spring foliage turns dark green in summer; a second | | | - | | |
| summer flush of orange-red foliage contrasts beautifully with the darker green mature foliage; | | | | | |
| persistent bright orange-red fall foliage; compact weeping mound to about 10' tall by 7-8' wide; locate ir | ר | | | | |
| full sun to partial shade & well-drained moisture retentive organic soil; Japanese native (Kraxberger) | | | | | |
| Zones 5 - 7 | | | | | |
| | | | | | |
| | | | | 5) 204 4 | 15 |
| 13 Decision Way West represented by: | | | phone: (21 | <u></u> | |

| Acer palmatum 'Red Dragon' | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|------------------|------------|--|
| | | 24 - 30" spr | 10g | |
| Red Laceleaf Japanese Maple | | 30 - 36" spr | 10g | |
| DECIDUOUS ORNAMENTAL TREE; foliage opens bright scarlet maturing to deep red with a silvery | | | | |
| cast in summer; fall foliage is again scarlet; slow to moderate compact spreading habit to about 5' high | | | | |
| & wide; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon | | | | |
| shade helps retain best foliage colors; Japanese native (Duncan & Davies) Zones 5 - 7 | | | | |
| Acer palmatum 'Rhode Island Red' | | | 10g | |
| Dwarf Red Japanese Maple DECIDUOUS ORNAMENTAL TREE; new foliage is dark purple-red which becomes greenish-red in | | | | |
| summer; fall exhibits bright crimson to orange foliage; dark red stems add winter interest; very | | | | |
| compact bushy habit to 6' tall by 5' wide in 10 years; locate in full sun to partial shade & well-drained | | | | |
| moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 8 | | | | |
| Acer palmatum 'Ruby Stars' | | | 10g | |
| Dwarf Japanese Maple DECIDUOUS ORNAMENTAL TREE; new foliage is star-shaped & emerges ruby-red before bronzing & | | | 0 | |
| eventually turning green by late summer; fall foliage is shades of gold & crimson; dwarf bushy habit; | | | | |
| locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps | | | | |
| retain best foliage colors; Japanese native; Zones 5 - 8 | | | | |
| Acer palmatum 'Sango kaku' | | 4 - 5' | 10g | |
| Coral-bark Japanese Maple | | 4 - 5' | B&B | |
| DECIDUOUS ORNAMENTAL TREE; bright green spring & summer foliage turns bright shades of | | 5 - 6' | 10g | |
| vellow & gold in fall; winter bark is bright electric red on younger stems; upright vase-shaped habit to | | 5 - 6' | B&B | |
| 20'; fairly slow grower; tends to grow late into the fall which can cause tip die-back from early frosts; | | 6 - 7' | 10g | |
| locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese native; Zones | 5 | 6 - 7' | B&B | |
| 6-7 | | 7 - 8' | B&B | |
| Acer palmatum 'Seiryu' | | 4 - 5' | B&B | |
| Jpright Laceleaf Japanese Maple DECIDUOUS ORNAMENTAL TREE; medium green laceleaf foliage in spring & summer turns shades of | | 5 - 6' 5 - 6' | 10g B&B | |
| yellow & gold with crimson highlights in fall; vigorous upright spreading habit to about 12' tall & wide in | | 6 - 7' | B&B | |
| 10 years; locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese | | 7 - 8' | B&B | |
| native; Zones 5 - 7 | | 8 - 9' | B&B | |
| Acer palmatum 'Shishigashira' | | | 10g | |
| Lion's Head Japanese Maple DECIDUOUS ORNAMENTAL TREE; crinkly green layered foliage all spring & summer turns shades of | | | | |
| gold & crimson in fall; green bark; slow broadly upright to vase-shaped habit that will be as wide or | | | | |
| wider than tall; natural bonsai look; locate in full sun to partial shade & well-drained moisture retentive | ò | | | |
| organic soil; Japanese native; Zones 5 - 7 | | | | |
| Acer palmatum 'Tamuke yama' | | 24 - 30" spr | 10g | |
| Red Laceleaf Japanese Maple | | 30 - 36" spr | 10g | |
| DECIDUOUS ORNAMENTAL TREE; dark red laceleaf foliage holds color well through summer before | | | | |
| turning bright scarlet; vigorous spreading horizontal habit to about 4' tall by 6' wide & larger at | | | | |
| maturity; afternoon shade helps retain best foliage colors; locate in full sun to partial shade & | | | | |
| well-drained moisture retentive organic soil; PHS Gold Metal; Japanese native; Zones 5 - 7 | | | | |
| Acer palmatum 'Twombley's Red Sentinel' | | 3 - 4' | B&B | |
| Columnar Red Japanese Maple | | 4 - 5' | 10g | |
| DECIDUOUS ORNAMENTAL TREE; this sport of 'Bloodgood' is more upright with slightly lighter burgundy foliage; it's a moderate grower which will mature about 20' with a spread of about 15'; foliage | | 4 - 5' 5 - 6' | B&B | |
| turns shades of crimson in fall; locate in full sun to partial shade & well-drained moisture retentive | | 5-6 5-6' | 10g B&B | |
| organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7 | | 5 - 0 6 - 7' | 10g | |
| | | 6 - 7' | B&B | |
| | | | 200 | |
| | | | | |

Washington Crossing, PA 18977-1125 www.phintuthill.com

| IOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNT | Y |
|-------------------------------------------------------------------------------------------------------------|--------|--------------|-------|-----|---|
| Acer palmatum 'Viridis' | | 24 - 30" spr | 10g | | _ |
| aceleaf Japanese Maple | | 30 - 36" spr | 10g | | _ |
| ECIDUOUS ORNAMENTAL TREE; medium green deeply disected foliage; broadly spreading | | | | | |
| nounding habit; grows slower than 'Waterfall' & branches grow more horizontally; bright orange | | | | | |
| ellow & gold fall foliage; locate in full sun to partial shade & well-drained moisture retentive organic | | | | | |
| oil; Japanese native; Zones 5 - 7 | | | | | |
| Acer shirasawanum 'Aureum' | | 30 - 36" | 10g | | _ |
| Golden Full Moon Maple | | | | | |
| DECIDUOUS ORNAMENTAL TREE; the soft golden foliage looks its best in dappled shade or protected | | | | | |
| rom the afternoon sun; slow upright spreading habit to about 15' tall & as wide or wider; locate in full | | | | | |
| o partial sun & well-drained moisture retentive soil; Asian native; Zones 5 - 7 | | | | | |
| Acer shirasawanum 'Autumn Moon' | | 30 - 36" | 10g | | _ |
| Golden Full Moon Maple | | | | | |
| DECIDUOUS ORNAMENTAL TREE; orange-yellow foliage through the summer; fall brings shades of | | | | | |
| ellow, orange & red; more sun tolerant than 'Aureum'; slow grower to about 20'; locate in full to | | | | | |
| artial sun & well-drained moisture retentive soil; Asian native; Zones 5 - 7 | | | | | |
| Araucaria araucana | | 30 - 36" | 10g | | _ |
| Nonkey Puzzle Tree | | 36 - 42" | 10g | | |
| VERGREEN CONIFER; very sharp dark green triangular foliage expands directly from the stems; | | 3 - 4' | 10g | | _ |
| eparate sexes; female catkins about 7" long; male catkins 5" or less; tall open layered pyramidal habit | | 4 - 5' | 15g | | _ |
| o about 80' tall; locate in full sun & most well-drained soils; native to Chile & Argentina; Zones 7 - 8 | | 5 - 6' | 20g | | |
| | | 6 - 7' | 20g | | |
| | | 7 - 8' | B&B | | |
| | | 8 - 9' | B&B | | _ |
| Buxus Chicagoland Green ('Glencoe') | | 18 - 21" spr | B&B | | - |
| Spreading Hybrid Boxwood | | 21 - 24" spr | | | - |
| ROADLEAF EVERGREEN SHRUB; compact spreading evergreen to 3' tall; 2 winter tests in Kansas | | 21 21 001 | Dub | | _ |
| -13° & -10°) indicates this has the best winter color retention; resists deer & rabbit browse; subject to | | | | | |
| everal foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic | | | | | |
| oil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. sempervirens x B. sinica var. | | | | | |
| nsularis] Zones (4) 5 - 8 | | | | | |
| Buxus x 'Green Mountain' | | 24 - 30" | B&B | | _ |
| BUS | н | 30 - 36" | B&B | | |
| Pyramidal Hybrid Boxwood | | 36 - 42" | B&B | | _ |
| BROADLEAF EVERGREEN SHRUB; dark green summer & winter foliage; broadly pyramidal habit to | | 42 - 48" | B&B | | |
| bout 5' tall by 4' wide in 10 years; tops sheared to be about as tall as wide; resists deer & rabbit brows | e; | | | | |
| ubject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained | | | | | |
| rganic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. | | | | | |
| oreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8 | | | | | |
| Buxus x 'Green Mountain' | | 10 - 12" spr | B&B | | _ |
| STANDAR | D | 12 - 15" spr | B&B | | _ |
| yramidal Hybrid Boxwood | | 15 - 18" spr | | | _ |
| ROADLEAF EVERGREEN SHRUB; dark green summer & winter foliage; broadly pyramidal habit to | | 18 - 21" spr | | | _ |
| bout 5' tall by 4' wide in 10 years; sheared so one round ball sits over on top of a single stem; resists | | | | | |
| leer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture | | | | | |
| etentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. | | | | | |
| nicrophylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8 | | | | | |
| | | | | | |
| | | | | | |

Washington Crossing, PA 18977-1125 www.phintuthill.com

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY | 1 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------------------------------------|--------------------------|----------|-----|
| Buxus x 'Green Velvet' | | 18 - 21" spr | B&B | | - |
| Hybrid Boxwood | | 21 - 24" spr | B&B | | - |
| BROADLEAF EVERGREEN SHRUB; dark green summer & winter foliage; compact mounding habit to | | 24 - 30" spr | B&B | | - |
| about 2' high by 3' wide in 10 years; resists deer & rabbit browse; subject to several foliar diseases; | | | | | |
| locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic | | | | | |
| to slightly alkaline; fairly drought tolerant; PHS Gold Metal [B. microphylla var. koreana x B. | | | | | |
| sempervirens] (Sheridan Ns) Zones 5 - 8 | | | | | |
| Buxus microphylla 'Green Beauty' | V Ltd | 18 - 21" | B&B | | - 1 |
| Japanese Littleleaf Boxwood | V Ltd | 21 - 24" | B&B | | |
| BROADLEAF EVERGREEN SHRUB; dark green summer foliage; minimal winter bronzing; compact | | | | | |
| globular mound to about 3' & wide; suitable in all sun exposures; resists deer & rabbit browse; subject to |) | | | | |
| several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic | | | | | |
| soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones (5) 6 - 8 (9) | | | | | |
| Buxus microphylla 'John Baldwin' | | | 7g | | - N |
| Japanese Littleleaf Boxwood | | 21 - 24" | B&B | | . N |
| BROADLEAF EVERGREEN SHRUB; small bluish spring foliage matures to blue-green; compact | | 24 - 30" | B&B | | |
| pyramidal habit to about 4' tall by 3' wide at maturity; tops sheared for a more broadly columnar habit, | | | | | |
| resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & | | | | | |
| moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought | | | | | |
| tolerant; Japan native; Zones 5 - 9 | | | | | |
| Buxus microphylla 'Julia Jane' | | 24 - 30" | B&B | | _ |
| Littleleaf Boxwood | | 30 - 36" | B&B | | |
| BROADLEAF EVERGREEN SHRUB; new lime-green foliage contrasts with the mature dark green | | 36 - 42" | B&B | | |
| leaves which can turn coppery in colder winters or windy exposure; compact bushy upright habit to | | 42 - 48" | B&B | | _ |
| about 5' tall & wide; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to | | | | | |
| moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; | | | | | |
| fairly drought tolerant; Japan native; Zones 5 - 9 | | | | | |
| Buxus microphylla 'Winter Gem' see: Buxus sinica var. insularis 'Winter Gem' | | | | | - |
| Buxus sempervirens | | 24 - 30" | B&B | | - |
| BUSH | I | 30 - 36" | B&B | | - |
| Common Boxwood | | 36 - 42" | B&B | | - |
| BROADLEAF EVERGREEN SHRUB; dark green foliage with minimal bronzing except in exposed | | 42 - 48" | B&B | | - |
| locations in winter, broadly unright babit to about 4' tall 8 wide in 10 years, resists deer 8 rabbit | | | | | |
| locations in winter; broadly upright habit to about 4' tall & wide in 10 years; resists deer & rabbit | | | | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive | | | | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to | | | | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to | | | | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 Buxus sempervirens 'Aureovariegata' | | 21 - 24" | B&B | | - |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 Buxus sempervirens 'Aureovariegata' Variegated Common Boxwood | | 21 - 24" 24 - 30" | B&B B&B | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 Buxus sempervirens 'Aureovariegata' Variegated Common Boxwood BROADLEAF EVERGREEN SHRUB; foliage has creamy edges that surround dark green centers; large | | | | | - N |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 Buxus sempervirens 'Aureovariegata' Variegated Common Boxwood BROADLEAF EVERGREEN SHRUB; foliage has creamy edges that surround dark green centers; large rounded habit reaching up to 10' tall & wide without pruning; resists deer & rabbit browse; subject to | | 24 - 30" | B&B | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 Buxus sempervirens 'Aureovariegata' Variegated Common Boxwood BROADLEAF EVERGREEN SHRUB; foliage has creamy edges that surround dark green centers; large rounded habit reaching up to 10' tall & wide without pruning; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic | | 24 - 30" | B&B | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 Buxus sempervirens 'Aureovariegata' Variegated Common Boxwood BROADLEAF EVERGREEN SHRUB; foliage has creamy edges that surround dark green centers; large rounded habit reaching up to 10' tall & wide without pruning; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; | | 24 - 30" | B&B | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 Buxus sempervirens 'Aureovariegata' Variegated Common Boxwood BROADLEAF EVERGREEN SHRUB; foliage has creamy edges that surround dark green centers; large rounded habit reaching up to 10' tall & wide without pruning; resists deer & rabbit browse; subject to | | 24 - 30" | B&B | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 Buxus sempervirens 'Aureovariegata' Variegated Common Boxwood BROADLEAF EVERGREEN SHRUB; foliage has creamy edges that surround dark green centers; large rounded habit reaching up to 10' tall & wide without pruning; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 7 Buxus sempervirens 'Dee Runk' | V Ltd | 24 - 30" 30 - 36" 30 - 36" | B&B B&B B&B | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 Buxus sempervirens 'Aureovariegata' Variegated Common Boxwood BROADLEAF EVERGREEN SHRUB; foliage has creamy edges that surround dark green centers; large rounded habit reaching up to 10' tall & wide without pruning; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 7 Buxus sempervirens 'Dee Runk' Columnar Common Boxwood | V Ltd V Ltd | 24 - 30" 30 - 36" | B&B B&B | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 Buxus sempervirens 'Aureovariegata' Variegated Common Boxwood BROADLEAF EVERGREEN SHRUB; foliage has creamy edges that surround dark green centers; large rounded habit reaching up to 10' tall & wide without pruning; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 7 Buxus sempervirens 'Dee Runk' Columnar Common Boxwood BROADLEAF EVERGREEN SHRUB; upright conical shrub to 10' tall by 3' wide; dark green foliage; | | 24 - 30" 30 - 36" 30 - 36" | B&B B&B B&B | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 Buxus sempervirens 'Aureovariegata' Variegated Common Boxwood BROADLEAF EVERGREEN SHRUB; foliage has creamy edges that surround dark green centers; large rounded habit reaching up to 10' tall & wide without pruning; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 7 Buxus sempervirens 'Dee Runk' Columnar Common Boxwood BROADLEAF EVERGREEN SHRUB; upright conical shrub to 10' tall by 3' wide; dark green foliage; adapts well to poor soils; tolerates all light conditions; stronger upright branching than 'Graham | | 24 - 30" 30 - 36" 30 - 36" | B&B B&B B&B | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 Buxus sempervirens 'Aureovariegata' Variegated Common Boxwood BROADLEAF EVERGREEN SHRUB; foliage has creamy edges that surround dark green centers; large rounded habit reaching up to 10' tall & wide without pruning; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 7 Buxus sempervirens 'Dee Runk' Columnar Common Boxwood BROADLEAF EVERGREEN SHRUB; upright conical shrub to 10' tall by 3' wide; dark green foliage; adapts well to poor soils; tolerates all light conditions; stronger upright branching than 'Graham Blandy'; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate | | 24 - 30" 30 - 36" 30 - 36" | B&B B&B B&B | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 Buxus sempervirens 'Aureovariegata' Variegated Common Boxwood BROADLEAF EVERGREEN SHRUB; foliage has creamy edges that surround dark green centers; large rounded habit reaching up to 10' tall & wide without pruning; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 7 Buxus sempervirens 'Dee Runk' Columnar Common Boxwood BROADLEAF EVERGREEN SHRUB; upright conical shrub to 10' tall by 3' wide; dark green foliage; adapts well to poor soils; tolerates all light conditions; stronger upright branching than 'Graham Blandy'; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly | | 24 - 30" 30 - 36" 30 - 36" | B&B B&B B&B | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 BUXUS SEMPERVITENS 'AUREOVARIEGATA' Variegated Common Boxwood BROADLEAF EVERGREEN SHRUB; foliage has creamy edges that surround dark green centers; large rounded habit reaching up to 10' tall & wide without pruning; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 7 BUXUS SEMPERVITENS 'DEE RUNK' Columnar Common Boxwood BROADLEAF EVERGREEN SHRUB; upright conical shrub to 10' tall by 3' wide; dark green foliage; adapts well to poor soils; tolerates all light conditions; stronger upright branching than 'Graham Blandy'; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate | | 24 - 30" 30 - 36" 30 - 36" | B&B B&B B&B | | |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 Buxus sempervirens 'Aureovariegata' Variegated Common Boxwood BROADLEAF EVERGREEN SHRUB; foliage has creamy edges that surround dark green centers; large rounded habit reaching up to 10' tall & wide without pruning; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 7 Buxus sempervirens 'Dee Runk' Columnar Common Boxwood BROADLEAF EVERGREEN SHRUB; upright conical shrub to 10' tall by 3' wide; dark green foliage; adapts well to poor soils; tolerates all light conditions; stronger upright branching than 'Graham Blandy'; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal; native to Europe, Asia & Africa; Zones (5) 6 - 8 | | 24 - 30" 30 - 36" 30 - 36" 36 - 42" | B&B B&B B&B B&B | | - |
| browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 8 Buxus sempervirens 'Aureovariegata' Variegated Common Boxwood BROADLEAF EVERGREEN SHRUB; foliage has creamy edges that surround dark green centers; large rounded habit reaching up to 10' tall & wide without pruning; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa; Zones 5 - 7 Buxus sempervirens 'Dee Runk' Columnar Common Boxwood BROADLEAF EVERGREEN SHRUB; upright conical shrub to 10' tall by 3' wide; dark green foliage; adapts well to poor soils; tolerates all light conditions; stronger upright branching than 'Graham Blandy'; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly | | 24 - 30" 30 - 36" 30 - 36" 36 - 42" | B&B B&B B&B | 5) 321-4 | - • |

| Buxus sempervirens 'Graham Blandy' Columnar Common Boxwood | | 30 - 36" | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------------|-------------------------------------|----------------------|-----------------|
| Common Boywood | | 30 - 30 | B&B | | - |
| | | 36 - 42" | B&B | | _ |
| ROADLEAF EVERGREEN SHRUB; dark green foliage; very narrow upright habit to about 10' tall by | / V Ltd | 42 - 48" | B&B | | _ |
| wide; narrower but more susceptible to disease & insects than other columnar forms; resists deer w | V Ltd | 48 - 54" | B&B | | _ |
| abbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture | | | | | |
| etentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; | | | | | |
| ative to Europe, Asia & Africa; Zones 5 - 7 | | | | | |
| | | | | | _ |
| Buxus sempervirens 'Justin Brouwers' | | 18 - 21" | B&B | | - 1 |
| Dwarf Common Boxwood | | 21 - 24" | B&B | | - 1 |
| ROADLEAF EVERGREEN SHRUB; shiny narrow green foliage retains good winter color; slow | | | | | |
| rowing globular habit maturing about 2' tall & wide; responds well to shearing in formal gardens; | | | | | |
| esists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & | | | | | |
| noisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought | | | | | |
| olerant; native to Europe, Asia & Africa; recently reclassified from B. sinica var. insularis; Zones (5) 6 | 5 - | | | | |
| | | | | | |
| Buxus sempervirens 'Newport Blue' | | 18 - 21" | B&B | | - N |
| BUS | н | | | | |
| Blue Common Boxwood | | | | | |
| ROADLEAF EVERGREEN SHRUB; blue-green foliage that doesn't bronze in winter; compact uprigh | | | | | |
| abit to about 4' tall & wide in 10 years; resists deer & rabbit browse; subject to several foliar diseases, | | | | | |
| ocate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic | ; | | | | |
| o slightly alkaline; fairly drought tolerant; native to Europe, Asia & Africa (Boulevard N) Zones 5 - 8 | ? | | | | |
| Buxus sinica var. insularis 'Winter Gem' | | 18 - 21" spr | B&B | | + |
| ittleleaf Boxwood | | 21 - 24" spr | | | |
| ROADLEAF EVERGREEN SHRUB; new lime-green foliage matures to dark glossy green; compact | | 24 - 30" spr | | | - |
| preading habit to about 4' tall & wide in 10 years; resists deer & rabbit browse; subject to several folia | ar | 21 00 001 | Dub | | - |
| liseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's | | | | | |
| lightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones 5 - 9 | | | | | |
| Callitropsis nootkatensis | | | | | + |
| ee: Chamaecyparis nootkatensis 'Glauca Pendula' | | | | | - |
| Carex 'Evergold' | | | 1g | | _ |
| /ariegated Oshima Sedge | | | Ū | | |
| DRNAMENTAL GRASS; creamy-white new foliage with green margins matures to creamy-yellow; | | | | | |
| lensely clumping with arching leaves reaches 12" tall by 18" wide; good groundcover or in containers; | | | | | |
| leer browse resistant; locate is partial to filtered shade & moisture retentive soils that don't stay wet; | | | | | |
| apanese native [C. oshimensis] Zones (5) 6 - 8 (9) | | | | | |
| Carex 'Ice Dance' | | | 10 | | + |
| /ariegated Morrow's Sedge; Variegated Japanese Sedge | | | 1g 3g | | - |
| an legated information of steage; valuegated Japanese Sedge DRNAMENTAL GRASS; shiny narrow dark green foliage with narrow white margins are evergreen in | 2 | | Jy | | - 1 |
| outhern range; clumping arching mounds to about 12" tall by 18" wide; resists deer browse, heavy | | | | | |
| hade, erosion & wet soil; locate in light to full shade & moisture retentive soil; drought tolerant when | | | | | |
| stablished [C. morrowii] Zones (5) 6 - 9 | | | | | |
| | | | | | _ |
| Cedrus atlantica 'Aurea' | | | 7g | | - 1 |
| Golden Atlas Cedar | | 4 - 5' | B&B | | - |
| VERGREEN ORNAMENTAL CONIFER; gold & blue needles which can burn with extended exposure in | | 5 - 6' | B&B | | - |
| ull sun; slow open upright habit to about 35' tall & about half as wide; showy specimen; locate in full t | 0 | | | | |
| nostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; | | | | | |
| rotect from winter winds in northern range; north African native; Zones 6 - 9 | | | | | |
| | | | | | |
| | | | | | |
| 3 Decision Way West represented by: Vashington Crossing, PA 18977-1125 ww.phintuthill.com | | I | ohone: (21 fax: (26 I: Phin@R | 5) 321-4 7) 397-2 | - -54 207 |

| locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles; compact pyramidal habit to about 25' tall which matures more flat-topped & about half as wide; terrific plant for small properties where a blue evergreen accent is desired: locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 Cedrus deodara Ceodara Cedar EVERGREEN CONIFER; densely pyramidal habit; medium green evergreen needles; locate in full to mostly sunny locations with organic well drained soil which holds good moisture; can handle limited drought: protect from winter winds in northern range; native to western Himalaya; Zones 7 - 9 Cedrus deodara 'Aurea' Golden Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to western Himalaya; Zones (6) 7 - 9 Cedrus deodara Blue Velvetå,,¢ ('Sander's Blue') Blue Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat open pyramidal habit to for' more with relaxed lateral branches; very blue needles; somewhat open pyramidal habit to for' more with relaxed lateral branches; very blue needles; somewhat open pyramidal habit to for more with relaxed lateral branches; very blue needles; somewhat open pyramidal habit to for' more with relaxed inters branches; very blue needles; somewhat open pyramidal habit to for' more with relaxed inters branches; very blue needles; somewhat deer browse resistant | NTY |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| EVERGREEN ORNAMENTAL_CONFER: blush-green needles: narrowly pyramidal upright halt it o basin 40 tot by 20 wide: locate in full to mostly surry locations & well-drained grant mostiare ententive sail: samewhat drought tolerant; protect from winter winds in northern range; north African native: Zanse (8) 6 - 9 5 - 6' 15g Cedrus atlantica 'Glauca' 6 - 7' 888 - Blue Atlas Cedar 7 - 8' 888 EVERGREEN ORNAMENTAL_CONIFER: dark blue needles; somewhat open & upright when young; response to the dark of the endels; somewhat open & upright when young; response to the dark of the endels; somewhat open & upright when young; response to the dark of the endels; somewhat open & upright when young; response to the dark of the endels; somewhat drought tolerant; 9 - 10' 888 Cedrus atlantica 'Glauca Pendula' SERPENTINE 4 - 5' 10 - 12' Neeping Blue Atlas Cedar SERPENTINE 4 - 5' 10 - 12' Neeping Blue Atlas Cedar Serpentine 4 - 5' 10 - 10' Desembe an uniture winds in northern range; north African native; Zones (5) 6 - 9' 888 -6' Cedrus atlantica 'Glauca Pendula' Serpentine 5 - 6' 10 - 12' Neeping Blue Atlas Cedar Strong at the dark is than at the anative; Zones (5) 6 - 9' 888 -6' Cedrus atlantica 'Glauca Pendula' Strong at the sole is athe dark is thand tateral the target; burneat the anative; Zone | |
| bout 40 it all by 20' wide: locate in full to mostly' sumry locations & well-drained organic mosture elements and advections (3) 6 - 9 5 - 6' 15g Cedrus atlantica 'Glauca' 5 - 6' 15g - Shue Allas Codar 5 - 6' 15g - VERGIEEN ORMAMENTAL CONFER: dark blue needles: somewhat open & upright when young: 7 - 8' 88B - matures to a large pyramid or tregular flat-topped to about 00 - tail by 40 wide: locate in full to mostly sumry locations & well-drained organic mostlure relentives ouil; somewhat drought tolerant: 9 - 10' 8.8B corder tom winter winds in northern range: north African native: Zones (5) 6 - 9 10 - 12' 88B Cedrus atlantica 'Glauca Pendula' SERPENTINE 4 - 5' 88B Cedrus atlantica 'Glauca Pendula' SERPENTINE 4 - 5' 88B VERGREEN ORMAMENTAL CONFER: blue-green needles: trunks are staked in an undulating shape to resomble a multi-curved's: utimate shape and undulation will vary with staking: locate in full to mostly sumry locations & well-drained organic mosture retentive soil: somewhat drought tolerant: croates the winds in northern range: north African native: Zones (5) 6 - 9 88B Cedrus atlantica 'Glauca Pendula' STRONG ARM 4 - 5' 88B Neeping Blue Atlas Cedar Streef en organic mosture retentive soil: somewhat torought tolerant; protect from winter winds in northern r | |
| referentive solt: somewhat drought tolerant; protect from winter winds in northern range: north African native: zones (3) 6 - 9 Cedrus atlantica 'Glauca' Blue Atlas Cedar EVERGEEN ORNAMENTAL CONFER: dark blue needles: somewhat open & upright when young: Terester from winter winds in northern range: north African native: zones (3) 6 - 9 Cedrus atlantica 'Glauca Pendula' SERPENTINE VERGEEN ORNAMENTAL CONFER: blue-green needles: tranks are staked in an undulating shape to resemble a multicarved's: utilinate shape and undulation will vary with staking: locate in full to somewhat drought tolerant: protect from winter winds in northern range: north African native: zones (3) 6 - 9 Cedrus atlantica 'Glauca Pendula' SERPENTINE VERGEEN ORNAMENTAL CONFER: blue-green needles: tranks are staked in an undulating shape to resemble a multicarved's: utilinate shape and undulation will vary with staking: locate in full to somewhat forought tolerant: protect from winter winds in northern range: north African native: Zones (3) 6 - 9 Cedrus atlantica 'Glauca Pendula' SERPENTINE VERGEEN ORNAMENTAL CONFER: blue-green evergreen needles: tranks are staked straight upward then out to one side will-drained organic mosture retentive soil: somewhat drought tolerant: protect from winter winds in northern range: north African native: Zones (3) 6 - 9 Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar VERGEEN ORNAMENTAL CONFER: blue-green evergreen needles: tranks are staked straight upward the out to one side which can be used as a screen for as long as the leader is trained laterally; becaris full to mostly sumplications se well-drained organic mostliver retentive zones (5) 6 - 9 Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar VERGEEN ORNAMENTAL CONFER: blue green evergreen needles: forate in full to maty winds in northern range; north African native: Zones (5) 6 - 9 Cedrus deodara EverGREEN ORNAMENTAL CONFER: solute which in northern range; north African native: zones (5) 6 - 9 Cedrus atlantica 'Horstmann' Compact | |
| native: Zones (3) 6 - 9 1159 Cedrus atlantica 'Glauca' 6 - 7 Blue Atlas Cedar 7 - 8 EVERGREEN ORNAMENTAL CONIFER: dark blue needles: somewhat open & upright when young; 7 - 8 matures to a large pyramid or irregular flat-topped to about 60': tail by 40 wide: locate in full to mostly sunny locations & well-crained organic mostly area with wordput tolerant; 9 - 10' mostly sunny locations & well-crained organic mostly area with wordput tolerant; 9 - 10' Weeping Blue Atlas Cedar SERPENTINE VERGREEN ORNAMENTAL CONIFER: blue-green needles: trunks are staked in an undulating shape to rosenbla a multi-curved 5: utilinate shape and undulation will vary with staking: locate in full to mostly sunny locations & well-drained organic mosture retentive soil; somewhat drought tolerant; orotext from winter winds in northern range; north African native: Zones (5) 6 - 9 Cedrus atlantica 'Glauca Pendula' STRONG ARM Weeping Blue Atlas Cedar STRONG ARM EVERGREEN ORNAMENTAL CONIFER: blue-green evergreen needles: trunks are staked strainght upward then out to one side which can be used as a screen for as long as the leader is trained laterally; locate in full to mostly sunny locations & well-drained organic mosture retentive zones (5) 6 - 9 Cedrus atlantica 'Horstmant' Sreen on the truncan' faund organic mosture retentive zones (5) 6 - 9 Cedrus deodara S - 6' B&B Cedrus deodara S | |
| Cedrus atlantica 'Glauca' 5 - 6' 15g Blue Allas Cedar 5 - 6' 15g VERGREEN ORNAMENTAL CONIFER: dark blue needles: somewhat open & upright when young; 7 - 8' 888 matures to a large pyramid or irregular flat-topped to about 60'+ tall by 40' wide: tocate in full to 8 - 9' B&B mastry sunny tocations & well-drained organic moisture retentive soil: somewhat drought tolerant; 9 - 10' B&B Coderus atlantica 'Glauca Pendula' SERPENTINE 4 - 5' 100 Weeping Blue Atlas Cedar SERPENTINE 4 - 5' 10g EVERGREEN ORNAMENTAL CONIFER: blue-green needles: trunks are staked in an undulating shape to resemble a multicurved 3'. Utilinate shape and undulation will vary with staking: locate in full to 5 - 6' B&B mostly sunny tocations & well-drained organic moisture retentive soil: somewhat drought tolerant; arotect from winter winds in northern range: north African native: Zones (5) 6 - 9 4 - 5' B&B Cedrus atlantica 'Horstmann' Strong arM 4 - 5' B&B Compact Blue Atlas Cedar Strong arM 3 - 4' 7g Cedrus atlantica 'Horstmann' Compact Blue Atlas cedar Strong arM 4 - 5' VERGREEN ORNAMENTAL CONIFER: blue-green evergreen needles: compact pyramidal habit to about 25' tal 4 - 5' < | |
| Blue Atlas Cedar 6 - 7 B&B EVERGREEN ORNAMENTAL CONFER: dark blue needles: somewhat open & upright when young: mostly sunny locations & well-drained organic moisture retentive soil: somewhat drought tolerant: g - 9 B&B mostly sunny locations & well-drained organic moisture retentive soil: somewhat drought tolerant: g - 10' 9 10 - 12' B&B Cedrus atlantica 'Glauca Pendula' SERPENTINE 3 - 4' 10g 4 - 5' 10g Weeping Blue Atlas Cedar Everore the undulation will vary with staking: locate in full to mostly sunny locations & well-drained organic moisture retentive soil: somewhat drought tolerant: orotest from winter winds in northern range: north African native: Zones (3) 6 - 9 3 - 4' 10g Cedrus atlantica 'Glauca Pendula' STRONG ARM 4 - 5' B&B weeping Blue Atlas Cedar STRONG ARM 4 - 5' B&B Cedrus atlantica 'Glauca Pendula' STRONG ARM 4 - 5' B&B Weeping Blue Atlas Cedar STRONG ARM 4 - 5' B&B EVERGREEN ORNAMENTAL CONIFER: blue-green evergreen needles: trained laterally: locate in full to mostly sunny locations & well-drained organic moisture retentive soil: somewhat drought lolerant: portext from winter winds in northern range: north African native: Zones (5) 6 - 9 4 - 5' B&B Cedrus atlantica 'Hoorstmann' Compa | |
| EVERGEEN ORNAMENTAL CONFER: dark blue needles: somewhat open & upright when young: 7.8' 848 matures to a large pyramid or irregular flat-topped to about 60'r tall by 40' wide; locate in full to 9 - 10' B&B cordext from winter winds in northern range: north African native: Zones (5) 6 - 9 10 - 12' B&B Cedrus atlantica 'Glauca Pendula' 3 - 4' 10g 4 - 5' B&B Weeping Blue Atlas Cedar EVERGEE.ON ORNAMENTAL CONFER: blue-green needles: tranks are staked in an undulating shape 5 - 6' B&B VERGENE ON ORNAMENTAL CONFER: blue-green needles: tranks are staked in an undulating shape 5 - 6' B&B to resemble a multi-curved S: ultimate shape and undulation will vary with staking: locate in full to mostly sunny locations & well-drained organic moisture retentive soil: somewhat drought tolerant: cordext fram winter winds in northern range: north African native: Zones (5) 6 - 9 4 - 5' B&B Weeping Blue Atlas Cedar STRONG ARM 4 - 5' B&B 5 6' B&B Weeping Blue Atlas Cedar Stree Pendula' STRONG ARM 4 - 5' B&B 5 6' B&B Weeping Blue Atlas Cedar Stree Pendula' Stree Pendula' 4 - 5' B&B 5 6' 6 - 7' B&B 5 6' <td< td=""><td>— N</td></td<> | — N |
| matures to a large pyramid or irregular flat-topped to about 60° - tall by 40° wide: locate in full to mostly sumy locations & well-drained organic moisture retentive soil; somewhat drought tolerant; rotext from winter winds in northern range: north African native: Zones (5) 6 - 9 Cedrus atlantica 'Glauca Pendula' SERPENTINE Weeping Blue Atlas Cedar EVERGREEN ORNAMENTAL CONFER; blue-green needles; trunks are staked in an undulating shape to resemble a multi-curved 5: ultimate shape and undulation will vary with staking: locate in full to mostly sumy locations & well-drained organic moisture retentive soil; somewhat drought tolerant: cordext from winter winds in northern range: north African native: Zones (5) 6 - 9 Cedrus atlantica 'Glauca Pendula' to resemble a multi-curved 5: ultimate shape and undulation will vary with staking: locate in full to mostly sumy locations & well-drained organic moisture retentive soil; somewhat drought tolerant: cordext from winter winds in northern range: north African native: Zones (5) 6 - 9 Cedrus atlantica 'Glauca Pendula' Weeping Blue Atlas Cedar EVERGREEN ORNAMENTAL CONFER: blue-green evergreen needles: trunks are staked straight upward then out to one side which can be used as a screen for as long as the leader is trained laterally; locate in full to mostly sumy locations & well-drained organic moisture retentive soil: somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar EVERGREEN ORNAMENTAL CONFER: sitvery-blue needles: compact pyramidal habit to about 25' tall which matures more flat-topped & about haif as wide; terrific plant for small properties whree a blue evergreen accent is desired. tocate in full to mostly sumy locations & well-drained organic moisture retentive soil: somewhat drought tolerant; protect from winter winds in northern range; narth African native; Zones (6) 6 - 9 Cedrus deodara EVERGREEN ORNAMENTAL CONFER: gladen evergreen needl | |
| mostly sumy locations & well-drained organic moisture retentive soil: somewhat drought tolerant; 9 - 10' B&B credect from winter winds in northern range: north African native: Zones (5) 6 - 9 3 - 4' 10 g Cedrus atlantica 'Glauca Pendula' SERPENTINE 4 - 5' B&B Weeping Blue Atlas Cedar SERPENTINE 4 - 5' B&B Urredset from winter winds in northern range: north African native: Zones (5) 6 - 9 5 - 6' B&B Cedrus atlantica 'Glauca Pendula' SERPENTINE 4 - 5' B&B weeping Blue Atlas Cedar Strong ARM 5 - 6' B&B Coderus atlantica 'Glauca Pendula' Strong ARM 4 - 5' B&B Weeping Blue Atlas Cedar Strong ARM 4 - 5' B&B EVERGREEN ORNAMENTAL CONIFER; blue-green evergreen needles; trunks are staked straight guavation out to one side which can be used as a screen for as long as the leader is trained laterality: cones (5) 6 - 9 4 - 5' B&B Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar 5 - 6' B&B - 4' EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles; compact pyramidal habit to about 25' tail which matures more flat-topped & about half as wide; terrific plant for small properties where a blue wergreen teste which can be used as a screare for as long as the leader is trained organic moistu | |
| arotect from winter winds in northern range: north African native: Zones (5) 6 - 9 10 - 12' B&B Cedrus atlantica 'Glauca Pendula' SERPENTINE 3 - 4' 10g Weeping Blue Atlas Cedar SERPENTINE 4 - 5' B&B EVERGREEN ORNAMENTAL CONIFER: blue-green needles: trunks are staked in an undulating shape on the set of the | |
| Cedrus atlantica 'Glauca Pendula' 3 - 4' 10g Weeping Blue Atlas Cedar 5 - 6' B&B EVERGREEN ORNAMENTAL CONIFER: blue-green needles: trunks are staked in an undulating shape 5 - 6' B&B for resemble a multi-curved S: utilimate shape and undulation will vary with staking: locate in full to mostly sump locations & well-drained organic moisture retentive soil: somewhat drought tolerant: orotect from winter winds in northern range: north African native: Zones (5) 6 - 9 5 - 6' B&B Cedrus atlantica 'Glauca Pendula' STRONG ARM 4 - 5' B&B Weeping Blue Atlas Cedar STRONG ARM 4 - 5' B&B Wurd then out to one side which can be used as a screen for as long as the leader is trained laterality; locate in full to mostly sump locations & well-drained organic moisture retentive soil: somewhat drought tolerant: protect from winter winds in northern range: north African native: Zones (5) 6 - 9 3 - 4' 7g Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar 3 - 4' 7g EvergREEN ORNAMENTAL CONIFER: silvery-blue needles: compact pyramidal habit to about 25' tail which matures more flat-topped & about half as wide: terrific plan for small properties where a blue 3 - 4' 7g Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar 5 - 6' B&B EVERGREEN CONIFER: densely pyramidal habit: medium green evergreen needles: locate in f | |
| SERPENTINE 4 - 5' 10g Weeping Blue Atlas Cedar 8.8 B EVERGREEN ORNAMENTAL CONFER: blue-green needles: trunks are staked in an undulating shape 5 - 6' B&B to resemble a multi-curved 5: ultimate shape and undulation will vary with staking: locate in full to 5 - 6' B&B mostly sumy locations & well-drained organic moisture retentive soil: somewhal drought tolerant: protect from winter winds in northern range: north African native: Zones (5) 6 - 9 8 8 Cedurus atlantica 'Glauca Pendula' STRONG ARM 4 - 5' B&B 8 Weeping Blue Atlas Cedar STRONG ARM 4 - 5' B&B 9 Curve atlantica 'Glauca Pendula' STRONG ARM 4 - 5' B&B 9 Weeping Blue Atlas Cedar Strong as the leader is trained laterally: locate in full to mostly sumy locations & well-drained organic moisture retentive soil: somewhat drought tolerant: protect from winter winds in northern range: north African native: Zones (5) 6 - 9 3 - 4' 7g Cedurus atlantica 'Horstmann' Seefer Constance and the sould's sum locations & well-drained organic moisture retentive soil: somewhat drought tolerant: protect from winter winds in northern range: north African native: zones (6) 6 - 9 88 8 Cedurus deodara Cedar Seefer Constance and to the sould's good moisture: can handle limited V Ltd | N |
| Weeping Blue Atlas Cedar 4 - 5' B&B EVERGREEM ORNAMENTAL CONIFER: blue-green needles: trunks are staked in an undulating shape for seemble a multi-curved S: utilinate shape and undulation will vary with staking: locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; or otext from winter winds in northern range: north African native: Zones (5) 6 - 9 5 - 6' B&B Cedrus atlantica 'Glauca Pendula' STRONG ARM 4 - 5' B&B Weeping Blue Atlas Cedar STRONG ARM 4 - 5' B&B Wurd then out to one side which can be used as a screen for as long as the leader is trained laterally: tocate in full to mostly sumy locations & well-drained organic moisture retentive soil; somewhat drought tolerant: protect from winter winds in northern range: north African native: Zones (5) 6 - 9 3 - 4' 7g Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar Yerkergeree wergreen needles: compact pyramidal habit to about 25' tail which matures more filat-topped & about half as wide: terrific plant for small properties where ablue evergreen accent is desired; locate in full to mostly sumy locations & well-drained organic moisture ertentive soil: somewhat drought tolerant; protect from winter winds in northern range: north African native: Zones (5) 6 - 9 5 - 6' B&B Cedrus deodara Cedar Cedar 5 - 6' B&B 6 - 7' B&B Golden Deodara 'Aurea' Golden Deodara Cedar 7 - 8' B&B 8 - 9' B& | |
| EVERGREEN ORNAMENTAL CONFER: blue-green needles: trunks are staked in an undulating shape to resemble a multi-curved S: utimate shape and undulation will vary with staking: locate in full to protect from winter winds in northern range: north African native: Zones (5) 6 - 9 5 - 6' B&B Cedrus atlantica 'Glauca Pendula' STRONG ARM Weeping Blue Atlas Cedar STRONG ARM EVERGREEN ORNAMENTAL CONFER: blue-green evergreen needles: trunks are staked straight upward then out to one side which can be used as a screen for as long as the leader is trained laterally: locate in full to mostly sumny locations & well-drained organic molsture retentive soil: somewhat drought tolerant: protect from winter winds in northern range: north African native: Zones (5) 6 - 9 3 - 4' 7g Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar Site of the strained organic molsture retentive soil: somewhat drought tolerant: protect from winter winds in northern range; north African native: Zones (5) 6 - 9 3 - 4' 7g Cedrus deodara Cedara Cedar EverRoREEN CONIFER: densely pyramidal habit; terrific plant for small properties where a blue evergreen accent is desired: locate in full to mostly sunny locations & well-drained organic molsture retentive soil: somewhat drought tolerant: protect from winter winds in northern range; north African native; Zones (5) 6 - 9 5 - 6' B&B Cedrus deodara Ceodara Cedar 6 - 7' 8 & B 8 - 9' B&B Codara Cedar EVERGREEN CONIFER: densely pyramidal habit; medium green evergreen needles: locate in full to mostly sunny locations with organic | N |
| to resemble a multi-curved S; ultimate shape and undulation will vary with staking; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhait drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 Cedrus atlantica 'Glauca Pendula' STRONG ARM Weeping Blue Atlas Cedar EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles; trunks are staked straight upward then out to one side which can be used as a screen for as long as the leader is trained laterally; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles; compact pyramidal habit to about 25' tall which matures more flat-topped & about half as wide: terrific plant for small properties where a blue evergreen accedar is desired; Locate in full to mostly sunny locations & well-drained soil which holds good moisture; can handle limited drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 Cedrus deodara Cedar EVERGREEN CONIFER; densely pyramidal habit; medium green evergreen needles; locate in full to vue the soil; somewhat drought tolerant; protect from winter winds in northern range; and handle limited drought; protect from winter winds; locate in full to mostly sunny locations & well-drained soil which holds good moisture; can handle limited drought; protect from winter winds; locate in full to mostly sunny locations well are appendent. EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in time; protect from winter winds; locate in full to mostly sunny locations well are appendent buby; protect from winter winds in northern range; native to western Himalaya; Zones 7 - 9 Cedrus deodara Cedar EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal | |
| mostly sunny locations & well-drained organic molsture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 Cedrus atlantica 'Glauca Pendula' STRONG ARM Weeping Blue Atlas Cedar EVERGREEN ORNAMENTAL CONIFER; blue-green evergreen needles; trunks are staked straight upward then out to one side which can be used as a screen for as long as the leader is trained laterally: locate in full to mostly sunny locations & well-drained organic moisture retentive soil: somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles; compact pyramidal habit to about 25' tall which matures more flat-looped & about half as wide; terrific plant for small properties where a blue evergreen accent is desired; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; zones (5) 6 - 9 Cedrus deodara Cedoara Cedar Cedrus deodara Cedar EVERGREEN CONIFER: densely pyramidal habit; medium green evergreen needles; locate in full to mostly sunny locations with organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds; locate in full to mostly sunny area with well-drained osil; native to western Himalaya; Zones 7 - 9 Cedrus deodara 'Aurea' Golden Deodara Cedar Cedrus deodara Cedar Cedrus deodara Cedar Cedrus deodara Cedar Cedrus deodara Cedar <l< td=""><td></td></l<> | |
| protect from winter winds in northern range; north African native; Zones (5) 6 - 9 4 - 5' Cedrus atlantica 'Glauca Pendula' STRONG ARM Weeping Blue Atlas Cedar STRONG ARM EVERGREEN ORNAMENTAL CONIFER; blue-green evergreen needles; trunks are staked straight a - 5' upward then out to one side which can be used as a screen for as long as the leader is trained laterally; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant: protect from winter winds in northern range: north African native; Zones (5) 6 - 9 3 - 4' Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles; compact pyramidal habit to about 25' tall 3 - 4' which matures more flat-topped & about half as wide; terrific plant for small properties where a blue servergreen accent is desired; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant: protect from winter winds in northern range; north African 5 - 6' B&B Cedrus deodara Cedar 6 - 7' B&B EVERGREEN CONIFER: densely pyramidal habit; medium green evergreen needles; locate in full to mostly sunny locations with organic well drained soil which holds good moisture; can handle limited v Ltd 7 - 8' B&B Cedrus deodara Cedar 6 - 7' B&B | |
| Cedrus atlantica 'Glauca Pendula' STRONG ARM Weeping Blue Atlas Cedar EVERGREEN ORNAMENTAL CONIFER; blue-green evergreen needles; trunks are staked straight upward then out to one side which can be used as a screen for as long as the leader is trained laterally; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range: north African native; Zones (5) 6 - 9 3 - 4' 7g Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar 3 - 4' 7g Compact Blue Atlas Cedar in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 3 - 4' 7g Compact Blue Atlas Cedar 5 - 6' B&B B&B evergreen accent is desired: locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 5 - 6' B&B Cedrus deodara 6 - 7' B&B 8 9' B&B Goodara Cedar 6 - 7' B&B 8 9' B&B Cedrus deodara 'Aurea' 6 - 7' B&B 9' B&B 8 9' B&B Goodan Cedar Cedar Gear 6 - 7' | |
| STRONG ARMWeeping Blue Atlas CedarWeeping Blue Atlas CedarStrong ArmStrong ArmWeeping Blue Atlas CedarCONIFER: blue-green evergreen needles; trunks are staked straight upward then out to one side which can be used as a screen for as long as the leader is trained laterally: locate in full to mostly sunny locations & well-drained organic moisture retentive soil: somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9S - 4'7gCedrus atlantica 'Horstmann' Compact Blue Atlas Cedar EVERGREEN ORNAMENTAL CONIFER: silvery-blue needles; compact pyramidal habit to about 25' tall which matures more flat-topped & about half as wide; terrific plant for small properties where a blue evergreen accent is desired; locate in full to mostly sunny locations & well-drained organic moisture retentive soil: somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9S - 6'B&BCedrus deodara Ceodara Cedar EVERGREEN CONIFER; densely pyramidal habit; medium green evergreen needles; locate in full to mostly sunny locations with organic well drained soil which holds good moisture; can bandle limited drought; protect from winter winds in northern range; native to western Himalaya; Zones 7 - 9S - 6'B&BCedrus deodara 'Aurea' Golden Deodara Cedar EVERGREEN CONNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in mes: protect from winter winds; locate in full to mostly sunny area with well-drained soil: native to western Himalaya; Zones 7 - 9S - 6'B&BCedrus deodara 'Aurea' Golden Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; somewhat deen pyramidal habit; to 50' or more with relaxed lateral branches; very | |
| Weeping Blue Atlas Cedar EVERGREEN ORNAMENTAL CONIFER; blue-green evergreen needles; trunks are staked straight upward then out to one side which can be used as a screen for as long as the leader is trained laterally; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 3 - 4' 7g Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar 7g - EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles; compact pyramidal habit to about 25' tall, which matures more flat-topped & about half as wide; terrific plant for small properties where a blue evergreen accent is desired; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 5 - 6' B&B B&B - Cedrus deodara Cedar EVERGREEN CONIFER; densely pyramidal habit; medium green evergreen needles; locate in full to tall with holds good moisture; can handle limited drought; protect from winter winds in northern range; north African native: Zones (5) 6 - 9 8&B - - B&B - - B&B - - - - - - - - - - - - - - - - - - - - - - - - | |
| EVERGREEN ORNAMENTAL CONIFER; blue-green evergreen needles; trunks are staked straight a b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b b | |
| upward then out to one side which can be used as a screen for as long as the leader is trained laterally; locate in full to mostly sunny locations & well-drained organic moisture retentive soil: somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 93 - 4'7gCedrus atlantica 'Horstmann' COmpact Blue Atlas Cedar EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles; compact pyramidal habit to about 25' tall which matures more flat-topped & about half as wide; terrific plant for small properties where a blue evergreen accent is desired. locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 93 - 6'B&B Cedrus deodaraCedrus deodara EVERGREEN CONIFER; densely pyramidal habit; medium green evergreen needles; locate in full to mostly sunny locations with organic well drained soil which holds good moisture: can handle limited drought; protect from winter winds in northern range; native to western Himalaya; Zones 7 - 95 - 6'B&B B Cedrus deodara 'Aurea' Golden Deodara Cedar F *'B&B B B B Cedrus deodara 'Aurea' Golden Deodara Cedar6 - 7'B&B B B B B Cedrus deodara Blue Velvetå,¢ ('Sander's Blue')8 - 9'B&B B B B B B B B6 - 7'B&B B B B B B B B B B B B B B Deodara Cedar6 - 7'B&B B B B B B B B B B B B B B B Deodara Cedar6 - 7'B&B B B B B | |
| locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles; compact pyramidal habit to about 25' tall which matures more flat-topped & about half as wide; terrific plant for small properties where a blue evergreen accent is desired: locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 Cedrus deodara Ceodara Cedar EVERGREEN CONIFER; densely pyramidal habit; medium green evergreen needles; locate in full to mostly sunny locations with organic well drained soil which holds good moisture; can handle limited drought: protect from winter winds in northern range; native to western Himalaya; Zones 7 - 9 Cedrus deodara 'Aurea' Golden Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to western Himalaya; Zones (6) 7 - 9 Cedrus deodara Blue Velvetå,,¢ ('Sander's Blue') Blue Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat open pyramidal habit to for' more with relaxed lateral branches; very blue needles; somewhat open pyramidal habit to for' more with relaxed lateral branches; very blue needles; somewhat open pyramidal habit to for more with relaxed lateral branches; very blue needles; somewhat open pyramidal habit to for' more with relaxed inters branches; very blue needles; somewhat open pyramidal habit to for' more with relaxed inters branches; very blue needles; somewhat deer browse resistant | |
| drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 3 - 4' 7g Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles; compact pyramidal habit to about 25' tall which matures more flat-topped & about half as wide; terrific plant for small properties where a blue evergreen accent is desired; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 5 - 6' B&B Cedrus deodara Ceodara Cedar 5 - 6' B&B - EVERGREEN CONIFER; densely pyramidal habit; medium green evergreen needles; locate in full to mostly sunny locations with organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; native to western Himalaya; Zones 7 - 9 V Ltd 8 - 9' B&B Cedrus deodara 'Aurea' Golden Deodara 'Cedar 6 - 7' B&B - EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to western Himalaya; Zones (6) 7 - 9 B&B - Cedrus deodara Blue Velvetâ,¢ ('Sander's Blue') Blue Deodara Cedar 6 - 7' B&B - Bue Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat open pyramidal habit to 50' or more w | |
| Cedrus atlantica 'Horstmann' Compact Blue Atlas Cedar EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles; compact pyramidal habit to about 25' tall which matures more flat-topped & about half as wide; terrific plant for small properties where a blue evergreen accent is desired; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 93 - 4'7gCedrus deodara Ceodra Cedar EVERGREEN CONIFER; densely pyramidal habit; medium green evergreen needles; locate in full to mostly sunny locations with organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; native to western Himalaya; Zones 7 - 95 - 6'B&B 6 - 7'B&B B&BCedrus deodara 'Aurea' Golden Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to western Himalaya; Zones (6) 7 - 96 - 7'B&B 8 - 9'B&B 8 -Cedrus deodara Blue Velvetâ "¢ ('Sander's Blue') Blue Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in8 B 8 - | |
| Compact Blue Atlas Cedar EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles; compact pyramidal habit to about 25' tall which matures more flat-topped & about half as wide; terrific plant for small properties where a blue evergreen accent is desired; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 95 - 6' B&B Cedrus deodara Ceodara Cedar EVERGREEN CONIFER; densely pyramidal habit; medium green evergreen needles; locate in full to wostly sunny locations with organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; native to western Himalaya; Zones 7 - 95 - 6' 6 - 7' B&B B&BCedrus deodara 'Aurea' Golden Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to western Himalaya; Zones (6) 7 - 96 - 7' B&B B&BCedrus deodara Blue Velvetâ, ('Sander's Blue')6 - 7' B&B | |
| EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles; compact pyramidal habit to about 25' tall which matures more flat-topped & about half as wide; terrific plant for small properties where a blue evergreen accent is desired; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 5 - 6' B&B Cedrus deodara Ceodra Cedar EVERGREEN CONIFER; densely pyramidal habit; medium green evergreen needles; locate in full to mostly sunny locations with organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; native to western Himalaya; Zones 7 - 9 5 - 6' B&B Cedrus deodara 'Aurea' Golden Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to western Himalaya; Zones (6) 7 - 9 6 - 7' B&B Cedrus deodara Blue Velvetâ, C ('Sander's Blue') Blue Deodara Cedar 6 - 7' B&B - Blue Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in 6 - 7' B&B | |
| which matures more flat-topped & about half as wide; terrific plant for small properties where a blue evergreen accent is desired; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9S - 6' B&B Cedrus deodara 6 - 7'B&B B&B B Cedrus deodara 6 - 7'B&B B B B B W LtdS - 6' 6 - 7'B&B B B B B B W LtdS - 6' 6 - 7'B&B B B B B B B W LtdS - 6' 6 - 7'B&B B B B B B B B B B B Cedrus deodara 'Aurea' Golden Deodara 'Cedar EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to western Himalaya; Zones (6) 7 - 9B&B B B B B B B B B B Cedrus deodara Blue Velvetâ, ¢ ('Sander's Blue') Blue Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds inB&B B Cedrus deodara Cedar F - 8' | |
| evergreen accent is desired; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9\$ - 6'\$ & & & & & & & & & & & & & & & & & & & | |
| retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9 Cedrus deodara 5 - 6' B&B Ceodara Cedar 6 - 7' B&B EVERGREEN CONIFER; densely pyramidal habit; medium green evergreen needles; locate in full to mostly sunny locations with organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; native to western Himalaya; Zones 7 - 9 V Ltd 7 - 8' B&B Cedrus deodara 'Aurea' 6 - 7' B&B B Golden Deodara Cedar 7 - 8' B&B B EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to western Himalaya; Zones (6) 7 - 9 B&B 6 - 7' Cedrus deodara Blue Velvetâ, ('Sander's Blue') 8 - 9' B&B 8 - 9' Blue Deodara Cedar 7 - 8' B&B 8 - 9' B&B EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in 8 - 7' | |
| native; Zones (5) 6 - 9SolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolutionSolution< | |
| Cedrus deodara5 - 6'B&BCeodara Cedar6 - 7'B&BEVERGREEN CONIFER; densely pyramidal habit; medium green evergreen needles; locate in full to mostly sunny locations with organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; native to western Himalaya; Zones 7 - 9V Ltd7 - 8'B&BCedrus deodara 'Aurea'6 - 7'B&BBGolden Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to western Himalaya; Zones (6) 7 - 9B&BCedrus deodara Blue Velvetâ, ('Sander's Blue')6 - 7'B&BBlue Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in8 - 9' | |
| Ceodara Cedar EVERGREEN CONIFER; densely pyramidal habit; medium green evergreen needles; locate in full to mostly sunny locations with organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; native to western Himalaya; Zones 7 - 9V Ltd7 - 8'B&BCedrus deodara 'Aurea' Golden Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to western Himalaya; Zones (6) 7 - 96 - 7'B&BCedrus deodara Blue Velvetâ,, ¢ ('Sander's Blue') Blue Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in6 - 7'B&BBab Blue Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in6 - 7'B&B | |
| EVERGREEN CONIFER; densely pyramidal habit; medium green evergreen needles; locate in full to mostly sunny locations with organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; native to western Himalaya; Zones 7 - 9 V Ltd 7 - 8' B&B Cedrus deodara 'Aurea' Golden Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to western Himalaya; Zones (6) 7 - 9 6 - 7' B&B Cedrus deodara Blue Velvetâ,, ¢ ('Sander's Blue') Blue Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in 6 - 7' B&B | |
| mostly sunny locations with organic well drained soil which holds good moisture; can handle limited drought; protect from winter winds in northern range; native to western Himalaya; Zones 7 - 9V Ltd8 - 9'B&BCedrus deodara 'Aurea' Golden Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to western Himalaya; Zones (6) 7 - 96 - 7'B&BCedrus deodara Blue Velvetâ,¢ ('Sander's Blue') Blue Deodara Cedar EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in6 - 7'B&B | |
| drought; protect from winter winds in northern range; native to western Himalaya; Zones 7 - 9 6 - 7' B&B Cedrus deodara 'Aurea' 6 - 7' B&B Golden Deodara Cedar 7 - 8' B&B EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in 8 - 9' B&B time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to 9 - 10' B&B western Himalaya; Zones (6) 7 - 9 6 - 7' B&B Cedrus deodara Blue Velvetâ,,¢ ('Sander's Blue') 6 - 7' B&B Blue Deodara Cedar 7 - 8' B&B - <i>EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in 8 - 9' </i> | |
| Cedrus deodara 'Aurea' 6 - 7' B&B Golden Deodara Cedar 7 - 8' B&B EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in 8 - 9' B&B time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to 9 - 10' B&B western Himalaya; Zones (6) 7 - 9 6 - 7' B&B Cedrus deodara Blue Velvetâ, ('Sander's Blue') 6 - 7' B&B Blue Deodara Cedar 7 - 8' B&B EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed 7 - 8' B&B ateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to 8 - 8' 8 - 8' mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in 9 - 10' 8 - 8' | |
| Golden Deodara Cedar 7 - 8' B&B EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in 8 - 9' B&B time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to 9 - 10' B&B western Himalaya; Zones (6) 7 - 9 6 - 7' B&B Cedrus deodara Blue Velvetâ,,¢ ('Sander's Blue') 6 - 7' B&B Blue Deodara Cedar 7 - 8' B&B 7 EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed 7 - 8' B&B lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in 8 - 9' B&B | |
| Golden Deodara Cedar 7 - 8' B&B EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in 8 - 9' B&B time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to 9 - 10' B&B western Himalaya; Zones (6) 7 - 9 6 - 7' B&B Cedrus deodara Blue Velvetâ,,¢ ('Sander's Blue') 6 - 7' B&B Blue Deodara Cedar 7 - 8' B&B 7 EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed 7 - 8' B&B lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in 8 - 9' B&B | |
| EVERGREEN ORNAMENTAL CONIFER; golden evergreen needles; pyramidal habit; can get large in 8 - 9' B&B time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to 9 - 10' B&B western Himalaya; Zones (6) 7 - 9 6 - 7' B&B Cedrus deodara Blue Velvetâ,,¢ ('Sander's Blue') 6 - 7' B&B Blue Deodara Cedar 7 - 8' B&B EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed 7 - 8' B&B lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in 8 - 9' B | |
| time; protect from winter winds; locate in full to mostly sunny area with well-drained soil; native to 9 - 10' B&B western Himalaya; Zones (6) 7 - 9 6 - 7' B&B Cedrus deodara Blue Velvetâ,,¢ ('Sander's Blue') 6 - 7' B&B Blue Deodara Cedar 7 - 8' B&B EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed 7 - 8' B&B lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to 8 8 | |
| Cedrus deodara Blue Velvetâ,, ('Sander's Blue') 6 - 7' B&B Blue Deodara Cedar 7 - 8' B&B EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed 7 - 8' B&B Iateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to 7 - 8' B&B mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in 8 8 | |
| Blue Deodara Cedar 7 - 8' B&B EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed 1 lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to 1 mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in 1 | |
| Blue Deodara Cedar 7 - 8' B&B EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed 1 lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to 1 mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in 1 | N |
| EVERGREEN ORNAMENTAL CONIFER; somewhat open pyramidal habit to 50' or more with relaxed lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in | N |
| lateral branches; very blue needles; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in | IN |
| mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in | |
| northern range; native to western Himalaya; Zones (6) 7 - 9 | |
| | |
| | |
| | |
| | |

Washington Crossing, PA 18977-1125 www.phintuthill.com

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------------------|------------------------|----------|
| Cedrus deodara 'Eisregen' | | 5 - 6' | B&B | |
| lardy Deodara Cedar | | 6 - 7' | B&B | |
| VERGREEN ORNAMENTAL CONIFER; full growing pyramidal habit with slightly pendulous | | 7 - 8' | B&B | |
| ranches; needles are blue-green; plant in full sun with well drained soil; this cultivar is especially | | 8 - 9' | B&B | |
| ardy; locate in full to mostly sunny locations with good organic well drained soil which holds good | | 9 - 10' | B&B | |
| noisture; can handle limited drought; protect from winter winds in northern range; selection from | | | | |
| Afghanistan; Zones (4) 5 - 9 | | | | |
| Cedrus deodara 'Feelin' Blue' | | | 7g | |
| Compact Blue Deodara Cedar | | | 5 | |
| EVERGREEN ORNAMENTAL CONIFER; blue-green needles on a compact pyramidal evergreen conifer; | | | | |
| ateral branches droop slightly; best in well drained soils, but will tolerate more than average moisture; | | | | |
| ocate in full to mostly sunny locations with good organic well drained soil which holds good moisture; | | | | |
| an handle limited drought; protect from winter winds in northern range; native to western Himalaya; | | | | |
| innen (6) 7 - 9 | | | | |
| Cedrus deodara 'Feelin' Blue' | | 21 - 24" spr | 10g | |
| STANDARD | | 21 24 301 | iog | |
| Compact Blue Deodara Cedar | | | | |
| VERGREEN ORNAMENTAL CONIFER; blue-green needles on a compact pyramidal evergreen conifer; | | | | |
| ateral branches droop slightly; graftef on a clear trunk at about 24"; best in well drained soils, but will | | | | |
| olerate more than average moisture; locate in full to mostly sunny locations with good organic well | | | | |
| rained soil which holds good moisture; can handle limited drought; protect from winter winds in | | | | |
| northern range; native to western Himalaya; Zones (6) 7 - 9 | | | | |
| cedrus deodara 'Gold Cone' | | 6 - 7' | B&B | |
| Golden Deodara Cedar | | 7 - 8' | B&B | |
| VERGREEN ORNAMENTAL CONIFER; pyramidal habit; darker gold needles than 'Aurea'; locate in | | 7 - 0 8 - 9' | B&B | |
| ull to mostly sunny locations with good organic well drained soil which holds good moisture; can | | 8 - 9 9 - 10' | B&B | |
| nandle limited drought; protect from winter winds in northern range; native to western Himalaya; | | 9-10 | DQD | |
| Zones (6) 7 - 9 | | | | |
| Cedrus deodara 'Karl Fuchs' | | 5 - 6' | B&B | |
| Hardy Blue Deodara Cedar | | 6 - 7' | B&B | |
| VERGREEN ORNAMENTAL CONIFER; steel blue foliage; large grower en excess of 60'; slightly | | | | |
| | | 7 - 8' | B&B | |
| pendulous branching; narrower profile than the species; very hardy selection from the mountains of | | 8 - 9' | B&B | |
| Afghanistan; locate in full to mostly sunny locations with good organic well drained soil which holds | | 9 - 10' | B&B | |
| pood moisture; can handle limited drought; protect from winter winds in northern range; selection from Afghanistan (Fuchs) Zones (5) 6 - 9 | | | | |
| | | | | |
| Cedrus deodara 'Prostrate Beauty' UPRIGHT FORM | | 24 - 30" | 7g B&B | |
| | | | | |
| Blue Prostrate Deodara Cedar VERGREEN ORNAMENTAL CONIFER; low spreader with bright blue-green evergreen needles; older | | 30 - 36" 36 - 42" | B&B | |
| vergreen ornanien factorifer, low spreader with bright blue-green evergreen needes, older plants can throw a leader, which can be cut off to keep them low; slow grower; new growth is more | | | B&B | |
| | | 3 - 4' | B&B | |
| reenish-blue; locate in full to mostly sunny locations with good organic well drained soil which holds | | | | |
| nood moisture; can handle limited drought; protect from winter winds in northern range; native to | | | | |
| vestern Himalaya (Iseli N) Zones (6) 7 - 9 | | | | |
| Cedrus deodara 'Sander's Blue' | | | | |
| ee: Cedrus deodara Blue Velvetâ,¢ ('Sander's Blue') | | | | |
| edrus libani 'Pendula' | | 6 - 7' | B&B | |
| Veeping Cedar-of-Lebanon | | 7 - 8' | B&B | |
| VERGREEN ORNAMENTAL CONIFER; dark green needles; prominent cones; strictly weeping habit | | 8 - 9' | B&B | |
| whose shape is mostly dependent on how it's staked; good for narrow spaces; locate in full to mostly | | 9 - 10' | B&B | |
| unny locations with organic well drained soil which holds good moisture; can handle limited drought; | | 10 - 12' | B&B | |
| rotect from winter winds in northern range; native to western Himalaya; Zones 6 - 9 | | | | |
| | | | | |
| | | | | |
| 3 Decision Way West represented by: Vashington Crossing, PA 18977-1125 | | | phone: (21 fax: (26 | 5) 321-4 |

| Cephalotaxus harringtonia 'Duke Gardens' Spreading Japanese Plum Yew EVERGREEN CONFER: medium to dark green taxus-like needles: dwarf spreading mound to 4' high by 6' wide in 10 years: 1' fleshy fruit on female plants in late summer: resists deer browse: locate in partial sun to full shade & well-drained moisture retentive soil: somewhat drought tolerant when established: PHS Gold Metal winner: Asian native (Filmore) Zones (5) 6 - 8 (9) Cephalotaxus harringtonia 'Fastigiata' Columnar Japanese Plum Yew EVERGREEN CONFER: new yellowish spring taxus-like foliage turns dark green by summer; compact narrow upright when young 0 4' high by 6' wide in 10 years; gets tall & almost as wide with age; 1" fleshy fruit on female plants in late summer; resists deer browse; locate in partial sun to full shade & well-drained moisture retentive soil; somewhat drought tolerant when established: Asian native; Zones (s) 6 - 9 Cercis canadensis Burgundy Hearts® ('Greswan') Purple-leaf Eastern Redbud DECIDUOUS ORNAMENTAL TREE: lavender-pink flowers in April before the foliage: purple leaf from spring through mid-summer; grows to about 25' tall by 35' wide: branching starts about 3' to 6' above the ground from a single stem: locate in full sun or partial shade with any well-drained soil: US native (Greenleaf N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower® ('INC2016-2') Variegated Eastern Redbud DECIDUOUS ORNAMENTAL TREE: pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall: wide-spreading habit to about 25' tall by 35' wide: resistant to Black Wainut: locate in full son or partial shade & any well-drained moisture retentive soil: not tolerant of very wet or dry soils: US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls® ('INC2015-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE: singht lavender-pink flowers in April: spring foliage emerges orange with yello | 5 - 6' 6 - 7' 4 - 5' 5 - 6' 6 - 7' | 3g 7g 7g 10g 10g 10g 10g 10g | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|---------------------------------------------------|--|
| EVERGREEN CONFER; medium to dark green taxus-like needles; dwarf spreading mound to 4 high by 6' wide in 10 years; 1° fleshy fruit on female plants in late summer; resists deer browse; locate in partial sun to full shade & well-drained molsture retentive soil; somewhat drought tolerant when established; PHS Gold Metal winner; Asian native (Filmore) Zones (5) 6 - 8 (9) Cephalotaxus harringtonia 'Fastigiata' Columnar Japanese Plum Yew EVERGREEN CONFIER; new yellowish spring taxus-like foliage turns dark green by summer; compact narrow upight when young to 4' high by 6' wide in 10 years; gets tall & almost as wide with age; 1" fleshy fruit on female plants in late summer; resists deer browse; locate in partial sun to full shade & well-drained molsture retentive soil; somewhat drought tolerant when established; Asian native; Zones (5) 6 - 9 Cercis canadensis Burgundy Hearts@ ('Greswan') Purple-leaf Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in April before the foliage; purple leaf from spring through mid-summer; grows to about 25' lall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; locate in full sun or partial shade with any well-drained soil; US native (Greenelaf N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower@ ('NC2O16-2') Variegated Eastern Redbud DECIDUUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Flame Thrower@ ('NC2O16-12') Variegated Eastern Redbud DECIDUUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; n | 6 - 7' 4 - 5' 5 - 6' 6 - 7' | 10g 10g 10g 10g 10g 10g | |
| Si vide in 10 years; 1° fleshy fruit on female plants in late summer; resists deer browse; locate in partial un to full shade & well-drained moisture retentive soil; somewhat drought tolerant when established; PHS Gold Metal winner; Asian native (Filmore) Zones (5) 6 - 8 (9) Cephalotaxus harringtonia 'Fastiglata' Columnar Japanese Plum Yew VERGREEN CONFIER; new yellowish spring taxus-like foliage turns dark green by summer; compact arrow upright when young to 4' high by 6' wide in 10 years; gets tall & almost as wide with age; 1° they fruit to fremale plants in late summer; resists deer browse; locate in partial sun to full shade & well-drained moisture retentive soil; somewhat drought tolerant when established; Asian native; Zones 5) 6 - 9 Cercic canadensis Burgundy Hearts © ('Greswan') Purple-leaf Eastern Redbud DeclDUDUS ORNAMENTAL TREE; lavender-pink flowers in April before the foliage; purple leaf from pring through mid-summer; crows to about 25' tall by 35' wide; branching starts about 3' to 6' above he ground from a single stem; locate in full sun or partial shade with any well-drained soil; US native Greenleaf N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower® ('NC2016-2') Arlegated Eastern Redbud DECUDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges ourgundy-red then adds yellow & green before turning dark green by summer then variable shades of reliow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full un or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US altive (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls@ ('NC2015-12') Solden Weeping Eastern Redbud DeclDUOUS ORNAMENTAL TREE; intely tavender-pink flowers in April; spring foliage emerges rarage with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Wa | 6 - 7' 4 - 5' 5 - 6' 6 - 7' | 10g 10g 10g 10g 10g 10g | |
| un to full shade & well-drained moisture retentive soil: somewhat drought tolerant when established: HS Gold Metal winner: Asian native (Filmore) Zones (5) 6 - 8 (9) Cephalotaxus harringtonia 'Fastigiata' Columnar Japanese Plum Yew VCERGREER CONFIER: new yellowish spring taxus-like foliage turns dark green by summer: compact harrow upright when young to 4' high by 6' wide in 10 years; gets tall & almost as wide with age; 1" leshy fruit on female plants in late summer; resists deer browse; locate in partial sun to full shade & well-drained moisture retentive soil; somewhat drought tolerant when established; Asian native; Zones 5) 6 - 9 Cercis canadensis Burgundy Hearts@ ('Greswan') Purple-leaf Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in April before the foliage; purple leaf from pring through mid-summer; grows to about 25' tall by 35' wide; branching starts about 3' to 6' above he ground from a single stem; locate in full sun or partial shade with any well-drained soil; US native Greenleat N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower® ('NC2016-2') Arriegated Eastern Redbud DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges turgundy-red then adds yellow & green before turning dark green by summer then variable shades of reliow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full un or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US tative (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls® ('NC2015-12') Solden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges range with yellow dominating & retained through summer; stricty weeping habit; height deyth determined by staking: resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture tentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 C | 6 - 7' 4 - 5' 5 - 6' 6 - 7' | 10g 10g 10g 10g 10g 10g | |
| PHS Gold Metal winner; Asian native (Filmore) Zones (5) 6 - 8 (9) Cephalotaxus harringtonia 'Fastigiata' Columnar Japanese Plum Yew EVERGREEN CONFIER; new yellowish spring taxus-like foliage turns dark green by summer; compact narrow upright when young to 4' high by 6' wide in 10 years; gets tall & almost as wide with age: 1" 'leshy fruit on female plants in late summer; resists deer browse; locate in partial sun to full shade & well-drained moisture retentive soil; somewhat drought tolerant when established; Asian native; Zones (5) 6 - 9 Cercis canadensis Burgundy Hearts@ ('Greswan') Durple-leaf Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in April before the foliage; purple leaf from spring through mid-summer; grows to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; locate in full sun or partial shade with any well-drained soil; US native (Greenlear N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower@ ('NC2O16-2') Variegated Eastern Redbud DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges surgundy-red then adds yellow & green before turning dark green by summer then variable shades of vellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls@ ('NC2O15-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit: height determined py staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture etentive soil; not | 6 - 7' 4 - 5' 5 - 6' 6 - 7' | 10g 10g 10g 10g 10g 10g | |
| Columnar Japanese Plum Yew EVERGEEN CONFIER: new yellowish spring taxus-like foliage turns dark green by summer; compact narrow upright when young to 4' high by 6' wide in 10 years; gets tall & almost as wide with age; 1" fleshy fruit on female plants in late summer; resists deer browse; locate in partial sun to full shade & well-drained moisture retentive soil; somewhat drought tolerant when established; Asian native; Zones (3) 6 - 9 Cercis canadensis Burgundy Hearts® ('Greswan') Purple-leaf Eastern Redbud DECIDUOUS ORNAMENTAL TREE: lavender-pink flowers in April before the foliage: purple leaf from spring through mid-summer; grows to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem: locate in full sun or partial shade with any well-drained soil; US native (Greenleaf N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower® ('NC2O16-2') Variegated Eastern Redbud DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage: spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil: not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls® ('NC2O15-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE: bright lavender-pink flowers in April: spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit: height determined by staking; resistant to Black Walnut: locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE: lavender-pink blooms on young plants in April; compact habit to 25' tall: foliage emerges reddish-orange in the spring b | 6 - 7' 4 - 5' 5 - 6' 6 - 7' | 10g 10g 10g 10g 10g 10g | |
| Columnar Japanese Plum Yew EVERGREEN CONFIER: new yellowish spring taxus-like foliage turns dark green by summer; compact harrow upright when young to 4' high by 6' wide in 10 years; gets tall & almost as wide with age; 1" fleshy fruit on female plants in late summer; resists deer browse; locate in partial sun to full shade & well-drained moisture retentive soil; somewhat drought tolerant when established; Asian native; Zones (5) 6 - 9 Cercis canadensis Burgundy Hearts® ('Greswan') Purple-leaf Eastern Redbud DECIDUOUS ORNAMENTAL TREE: lavender-pink flowers in April before the foliage: purple leaf from spring through mid-summer; grows to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; locate in full sun or partial shade with any well-drained soil; US native (Greenleaf N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower® ('NC2O16-2') Variegated Eastern Redbud DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage: spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil: not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls® ('NC2O15-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE: bright lavender-pink flowers in April: spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit: height determined by staking: resistant to Black Walnut: locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE: lavender-pink blooms on young plants in April; compact habit to 25' tall: foliage emerges reddish-orange in the spring | 6 - 7' 4 - 5' 5 - 6' 6 - 7' | 10g 10g 10g 10g 10g | |
| narrow upright when young to 4' high by 6' wide in 10 years; gets tall & almost as wide with age; 1" fleshy fruit on female plants in late summer; resists deer browse; locate in partial sun to full shade & well-drained moisture retentive soil; somewhat drought tolerant when established: Aslan native; Zones (5) 6 - 9 Cercis canadensis Burgundy Hearts® ('Greswan') Purple-leaf Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in April before the foliage; purple leaf from spring through mid-summer; grows to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; locate in full sun or partial shade with any well-drained soil; US native (Greenleaf N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower® ('NC2O16-2') Variegated Eastern Redbud DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall: wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls® ('NC2O15-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking: resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-dr | 6 - 7' 4 - 5' 5 - 6' 6 - 7' | 10g 10g 10g 10g 10g | |
| fleshy fruit on female plants in late summer; resists deer browse; locate in partial sun to full shade & well-drained moisture retentive soil; somewhat drought tolerant when established; Asian native; Zones (5) 6 - 9 Cercis canadensis Burgundy Hearts © ('Greswan') Purple-leaf Eastern Redbud DDCCIDUOUS ORNAMENTAL TREE; lavender-pink flowers in April before the foliage; purple leaf from spring through mid-summer; grows to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; locate in full sun or partial shade with any well-drained soil; US native (Greenleaf N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower © ('NC2O16-2') Variegated Eastern Redbud DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls© ('NC2O15-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking: resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roething) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNA | 6 - 7' 4 - 5' 5 - 6' 6 - 7' | 10g 10g 10g 10g 10g | |
| well-drained moisture retentive soil; somewhat drought tolerant when established; Asian native; Zones (5) 6 - 9 Cercis canadensis Burgundy Hearts ('Greswan') Purple-leaf Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in April before the foliage; purple leaf from spring through mid-summer; grows to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; locate in full sun or partial shade with any well-drained soil; US native (Greenleaf N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower ('INC2016-2') Variegated Eastern Redbud DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls ('INC2015-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; uot tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; treatentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink bloom | 6 - 7' 4 - 5' 5 - 6' 6 - 7' | 10g 10g 10g 10g 10g | |
| (5) 6 - 9 Cercis canadensis Burgundy Hearts® ('Greswan') Purple-leaf Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in April before the foliage; purple leaf from spring through mid-summer; grows to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; locate in full sun or partial shade with any well-drained soil; US native (Greenleaf N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower® ('NC2O16-2') Variegated Eastern Redbud DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls® ('NC2O15-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils: US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun | 6 - 7' 4 - 5' 5 - 6' 6 - 7' | 10g 10g 10g 10g 10g | |
| Purple-leaf Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in April before the foliage; purple leaf from spring through mid-summer; grows to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; locate in full sun or partial shade with any well-drained soil; US native (Greenleaf N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower® ('NC2016-2') Variegated Eastern Redbud DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls® ('NC2015-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges redish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | 6 - 7' 4 - 5' 5 - 6' 6 - 7' | 10g 10g 10g 10g 10g | |
| Purple-leaf Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in April before the foliage; purple leaf from spring through mid-summer; grows to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; locate in full sun or partial shade with any well-drained soil; US native (Greenleaf N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower® ('NC2016-2') Variegated Eastern Redbud DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls® ('NC2015-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges redish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | 4 - 5' 5 - 6' 6 - 7' | 10g 10g 10g 10g 10g | |
| spring through mid-summer; grows to about 25' tall by 35' wide; branching starts about 2' to 6' above the ground from a single stem; locate in full sun or partial shade with any well-drained soil; US native (Greenleaf N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower® ('NC2016-2') Variegated Eastern Redbud DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls® ('NC2015-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 | 5 - 6' 6 - 7' | 10g 10g | |
| the ground from a single stem; locate in full sun or partial shade with any well-drained soil; US native (Greenleaf N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower® ('NC2016-2') Variegated Eastern Redbud DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls® ('NC2015-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking: resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | 5 - 6' 6 - 7' | 10g 10g | |
| (Greenleaf N) Zones (4) 5 - 9 Cercis canadensis Flame Thrower® ('NC2O16-2') Variegated Eastern Redbud DCIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls® ('NC2O15-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | 5 - 6' 6 - 7' | 10g 10g | |
| Cercis canadensis Flame Thrower ('NC2016-2') Variegated Eastern Redbud DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls ('NC2015-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | 5 - 6' 6 - 7' | 10g 10g | |
| Variegated Eastern Redbud DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls® ('NC2015-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | 5 - 6' 6 - 7' | 10g 10g | |
| DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls® ('NC2015-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | 6 - 7' | 10g | |
| burgundy-red then adds yellow & green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls ® ('NC2015-12') Golden Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges</i> orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to</i> 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse</i> <i>lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or</i> | 5 - 6' | | |
| sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls® ('NC2O15-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking: resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | 5 - 6' | 10g | |
| native (Werner / Star) Zones 4 - 9 Cercis canadensis Golden Falls® ('NC2O15-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | 5 - 6' | 10g | |
| Cercis canadensis Golden Falls® ('NC2O15-12') Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | 5 - 6' | 10g | |
| Golden Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | 5 - 6' | 10g | |
| DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | | | |
| orange with yellow dominating & retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to</i> 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse</i> <i>lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or</i> | | | |
| by staking; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9 Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | | | |
| Cercis canadensis 'Hearts of Gold' Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | | | |
| Golden Eastern Redbud DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | | | |
| DECIDUOUS ORNAMENTAL TREE; lavender-pink blooms on young plants in April; compact habit to 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | 5 - 6' | 10g | |
| 25' tall; foliage emerges reddish-orange in the spring before turning a soft yellow in the summer; resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | 6 - 7' | 10g | |
| resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; US native (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | | | |
| (Roethling) Zones 4 - 9 Cercis canadensis Lavender Twist ('Covey') Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | | | |
| Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | | | |
| Weeping Eastern Redbud DECIDUOUS ORNAMENTAL TREE; strictly weeping habit; height is determined by staking; profuse lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | 4 - 5' | 10g | |
| lavender-pink flowers in April; yellowish fall foliage; resistant to Black Walnut; locate in full sun or | 5 - 6' | 10g | |
| | 6 - 7' | 10g | |
| | | | |
| partial shade with any well-drained soil; US native (Brotzman) Zones 4 - 9 | | | |
| Cercis canadensis 'Merlot' Durple leaf Fastern Redbud | 5 - 6' | 10g | |
| Purple-leaf Eastern Redbud DECIDUOUS ORNAMENTAL TREE; bright pink self-cleaning flowers in April; small glossy rounded | | | |
| purplish-red heat resistant foliage; compact vase-shaped spreading head to about 15' high & wide; low | | | |
| seed set; locate in full sun to partial shade & most well-drained soils; parentage makes it more heat & | | | |
| drought tolerant; US native ['Texas White' x 'Forest Pansy'] (Werner / Plant Haven) Zones 6 - 9 | | | |
| | | | |
| 13 Decision Way West represented by: Washington Crossing, PA 18977-1125 | | | |

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY | ′ |
|----------------------------------------------------------------------------------------------------------|--------|--------|-------|----------------------|-----|
| Cercis canadensis Midnight Express â,,¢ ('RNI-RCC3') | | 5 - 6' | 10g | | - |
| Purple-leaf Eastern Redbud | | 6 - 7' | 10g | | - |
| DECIDUOUS ORNAMENTAL TREE; bright pink pea-shaped flowers in April; velvety purple foliage; | | | | | |
| upright oval heads to about 30' tall by 20' wide; attracts hummingbirds; resists Black Walnut; locate in | | | | | |
| full sun or partial shade & any well-drained moisture retentive soil; not tolerant waterlogged soil; US | | | | | |
| native (Robinson / PW) Zones 4 - 9 | | | | | |
| Cercis canadensis 'Ruby Falls' | | 3 - 4' | 10g | | - 1 |
| Purpleleaf Weeping Eastern Redbud | | 4 - 5' | 10g | | . ' |
| DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in mid to late April; narrow weeping habit | | 5 - 6' | 10g | | |
| similar to Lavender Twist, but with purple foliage; locate in full sun or partial shade with any | | | | | - |
| well-drained soil; US native ['Covey' x 'Forest Pansy'] (Werner / Plant Haven) Zones 5 - 9 | | | | | |
| Cercis canadensis subsp. texensis 'Oklahoma' | | 5 - 6' | 10g | | + |
| Oklahoma Redbud | | | | | |
| DECIDUOUS ORNAMENTAL TREE; thick glossy drought resistant foliage; rosy-pink flower April; | | | | | |
| locate in sun or part shade & any well-drained soil; US native; Zones 6 - 9 | | | | | |
| | | | | | _ |
| Cercis canadensis subsp. texensis 'Pink Pom Poms' | | 4 - 5' | 10g | | - |
| Pink Oklahoma Redbud | | 5 - 6' | 10g | | - 1 |
| DECIDUOUS ORNAMENTAL TREE; masses of double pink flowers in April before the foliage; seedless; | | 6 - 7' | 10g | | - 1 |
| thick glossy dark green drought resistant foliage; compact rounded habit to about 12' tall & wide in 8 | | | | | |
| years; locate in sun or part shade & most well-drained moisture retentive soil; US native (Werner / | | | | | |
| Star) Zones 6 - 9 | | | | | |
| Chamaecyparis nootkatensis 'Glauca Pendula' | | 5 - 6' | B&B | | _ |
| Blue Weeping Alaskan Cedar | | 6 - 7' | B&B | | - |
| EVERGREEN ORNAMENTAL CONIFER; pronounced single leader with branchlets hanging downward | V Ltd | 7 - 8' | B&B | | |
| from horizontal lateral branches; blue-green foliage; locate in full sun with deep organic well-drained | | | 2012 | | - |
| moisture retentive soil; will tolerate light shade; native to northwestern US; Zones 4 - 7 (8) | | | | | |
| Chamaecyparis nootkatensis 'Green Arrow' | | 5 - 6' | B&B | | + |
| Narrow Weeping Alaskan Cedar | | 6 - 7' | B&B | | - |
| EVERGREEN ORNAMENTAL CONIFER; very narrow profile for tight spaces; erect leader with strictly | | 7 - 8' | B&B | | - |
| weeping secondary branches; locate in full sun with deep organic well-drained moisture retentive soil; | | 7 - 0 | DQD | | - |
| native to northwestern US; Zones 4 - 7 (8) | | | | | |
| | | | | | _ |
| Chamaecyparis nootkatensis 'Pendula' | | 5 - 6' | B&B | | - |
| Weeping Alaskan Cedar | | 6 - 7' | B&B | | - |
| EVERGREEN ORNAMENTAL CONIFER; upright pyramidal habit with pendulous secondary branches; | | | | | |
| graceful pyramidal shape; locate in full sun with deep organic well-drained moisture retentive soil; | | | | | |
| native to northwestern US; Zones 4 - 7 (8) | | | | | |
| Chamaecyparis nootkatensis 'Van den Akker' | | 6 - 7' | B&B | | - |
| Narrow Weeping Alaskan Cedar | | | | | |
| EVERGREEN ORNAMENTAL CONIFER; narrow upright habit with strictly weeping secondary | | | | | |
| branches; occasionally one of the secondary branches will grow sideways for a couple feet before | | | | | |
| weeping downward, giving this plant a very distinctive profile; locate in full sun with deep organic | | | | | |
| well-drained moisture retentive soil; native to northwestern US; Zones 4 - 7 (8) | | | | | |
| Chamaecyparis obtusa 'Aurea' | | 3 - 4' | B&B | | + |
| Golden Hinoki Cypress | | 4 - 5' | B&B | | |
| EVERGREEN ORNAMENTAL CONIFER; bright gold foliage on a fairly rapid upright grower; tends to | | - | 202 | | |
| have a single leader; foliage can sunburn if not given some afternoon shade; locate in full to mostly | | | | | |
| sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8 | | | | | |
| | | | | | |
| | | | | | |
| 13 Decision Way West represented by: | | | | 5) 321-4 7) 397-2 | |

Washington Crossing, PA 18977-1125 www.phintuthill.com

| | AVAIL. | SIZE | ROOTS | QNTY |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------------------|-------|------|
| Chamaecyparis obtusa 'Aurea' | | 3 - 4' | B&B | |
| POM PON | 1 | 4 - 5' | B&B | |
| olden Hinoki Cypress VERGREEN ORNAMENTAL CONIFER; bright gold foliage on a fairly rapid upright grower; tends to | | | | |
| | | | | |
| ave a single leader; foliage can sunburn if not given some afternoon shade; sheared balls at the ends of electively retained branches radiating out from the central trunk; locate in full to mostly sunny locatior | | | | |
| vith organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8 | 1 | | | |
| viti of ganic moisture retentive son that drains wen, hative to Japan, zones 5 - 6 | | | | |
| hamaecyparis obtusa 'Compacta' | | 30 - 36" | B&B | |
| ompact Hinoki Cypress | | 3 - 4' | B&B | |
| VERGREEN ORNAMENTAL CONIFER; very compact upright habit, but not dwarf; dark green | | 4 - 5' | B&B | |
| oliage; locate in full to mostly sunny location with organic moisture retentive soil that drains well; | | | | |
| native to Japan; Zones 5 - 8 | | | | |
| hamaecyparis obtusa 'Gracilis' | | | 10g | |
| lender Hinoki Cypress | | 3 - 4' | B&B | |
| VERGREEN ORNAMENTAL CONIFER; moderate bushy upright grower; dark green foliage; locate in | | 4 - 5' | B&B | |
| ull to mostly sunny location with organic moisture retentive soil that drains well; native to Japan; | | | | |
| iones 5 - 8 | | | | |
| hamaecyparis obtusa 'Gracilis' | | 30 - 36" | B&B | |
| POM PON | 1 | 3 - 4' | B&B | |
| ilender Hinoki Cypress | - | 4 - 5' | 15g | |
| VERGREEN ORNAMENTAL CONIFER; moderate bushy upright grower; dark green foliage; sheared | | 4 - 5' | B&B | |
| alls at the ends of selectively retained branches radiating out from the central trunk; locate in full to | | | | |
| nostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8 | | | | |
| Chamaecyparis obtusa 'Koster Fast Form' | | 30 - 36" | B&B | |
| Compact Hinoki Cypress | | 3 - 4' | B&B | |
| EVERGREEN ORNAMENTAL CONIFER; this is similar to C. o. 'Kosteri' in all respects except it's a faster | - | | Dab | |
| nore upright grower; locate in full to mostly sunny location with organic moisture retentive soil that | | | | |
| Irains well; native to Japan; Zones 5 - 8 | | | | |
| Chamaecyparis obtusa 'Nana' | | 15 - 18" | B&B | |
| rue Dwarf Hinoki Cypress | | 10 10 | Dab | |
| EVERGREEN ORNAMENTAL CONIFER; dark green foliage is mostly vertical; slow broadly maounding | 7 | | | |
| o upright habit to about 2' tall & wide in 10 years; often broader than tall at maturity; locate in full to | | | | |
| nostly sunny location & organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8 | | | | |
| Chamaecyparis obtusa 'Nana Gracilis' | | | 5g | |
| Dwarf Hinoki Cypress | | | 09 | |
| VERGREEN ORNAMENTAL CONIFER; slow irregular broadly upright habit; dark green foliage; | | | | |
| sually grows about 3" per year; locate in full to mostly sunny location with organic moisture retentive | | | | |
| oil that drains well; native to Japan; Zones 5 - 8 | | | | |
| Chamaecyparis pisifera 'Cyano Viridis' | | 30 - 36" | 15g | |
| POM PON | 1 | 30 - 36" 30 - 36" | B&B | |
| Boulevard Blue Moss Cypress; Blue Sawara Cypress | • | 3 - 4' | B&B | |
| EVERGREEN ORNAMENTAL CONIFER; bright blue juvenile foliage; bushy upright grower; sheared | | ч т | Dub | |
| alls at the ends of selectively retained branches radiating out from the central trunk; locate in full to | | | | |
| nostly sunny location with neutral to acidic organic moisture retentive soil that drains well; Japanese | | | | |
| native; Zones 4 - 8 | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Washington Crossing, PA 18977-1125 www.phintuthill.com

| TANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY | 1 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------------------------------------|---------------------------------|------|-----|
| Dernus alba 'Prairie Fire' / 'Golden Prairie Fire' Diden Tartarian Dogwood; Golden Red-twig Dogwood CIDUOUS FLOWERING SHRUB; lightly fragrant crreamy-white flower clusters from late May into the; clusters of white fruit in summer that birds love; golden spring foliage turns softer yellow by mmer then orange-red in fall; young winter stems are orange-red; bushy habit to about 7' tall & wide ate in full sun to partial shade & moisture retentive well-drained soil; northeastern Asian native; mes 3 - 6 (7) | | | 5g | | - |
| | | 4 5 | 10- | | _ |
| brnus kousa 'Summer Fun' riegated Kousa Dogwood; Variegated Japanese Dogwood CIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright kish-red edible round fruit from late summer into fall; creamy-white variegation surrounding the een centered foliage all summer; fall foliage exhibits shades of red & orange with pink margins; ttled gray & tan exfoliating bark; upright habit to about 20' tall by 15' wide in 20 years; locate in ful n to partial shade & acidic organic well-drained moisture retentive soil; Asian native (Buchholz) nes 5 - 8 | 11 | 4 - 5' | 10g | | - |
| mpact Red-twig Dogwood; Compact Redosier Dogwood CIDUOUS FLOWERING SHRUB; white flowers from late May into early June; white fruit in late mmer; reddish-purple fall foliage; bright red young stems in winter; not stoloniferous; compact bush bit to 5' tall & wide; locate in full sun to partial shade & any organic boggy to moderately draining I; formerly C. stolonifera; genera recently changed to Swida; US native (Farrow / PW) Zones 3 - 7 | - | | 3g | | - 1 |
| prnus sericea Arctic Sun® ('Cato') mpact Redosier Dogwood CIDUOUS FLOWERING SHRUB; white flowers from late May into early June; white fruit in late nmer; reddish-purple fall foliage; bright red young stems in winter; not stoloniferous; compact bush bit to 5' tall & wide; locate in full sun to partial shade & any organic boggy to moderately draining I; formerly C. stolonifera; genera recently changed to Swida; US native (Farrow / PW) Zones 3 - 7 | | | 3g | | - 1 |
| ptinus coggygria 'Royal Purple' rple Smoketree CIDUOUS FLOWERING SHRUB; purple spring & summer foliage lightens to reddish-purple in fall; ffy gray flowers in early summer; broadly upright to 12' by 12'; locate in full to mostly sunny location rirtually any soil with good to moderate drainage; drought resistant; native to southern Europe & fa; Zones (4) 5 - 8 | | | 5g | | - |
| Typtomeria japonica 'Sekkan sugi' Ilden Japanese Cedar ERGREEN ORNAMENTAL CONIFER; bright golden spring foliage that's retained through summer, mnar to narrowly pyramidal habit to about 15' tall by 4' wide in 10 years; protect from winter wind northern range; deer browse resistant; locate in full sun to partial shade & moisture retentive II-drained acidic soil; native to China & Japan (Hillside N) Zones (5) 6 - 8 | | 5 - 6' 6 - 7' 7 - 8' | B&B B&B B&B | | - |
| Typtomeria japonica 'Yoshino' ramidal Japanese Cedar <i>ERGREEN ORNAMENTAL CONIFER; bright green spring & summer foliage can bronze a little in</i> <i>nter; rapid pyramid habit to about 15' tall by 5' wide in 10 years; lighter green foliage than</i> <i>odicans'; good for screening or specimen use; protect from winter winds in northern range; deer</i> <i>pwse resistant; locate in full sun to partial shade & moisture retentive well-drained acidic soil; PHS</i> <i>Id Metal; native to China & Japan; Zones (5) 6 - 8</i> | | 5 - 6' 6 - 7' 7 - 8' 8 - 9' 9 - 10' | B&B B&B B&B B&B B&B | | - |

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY |
|----------------------------------------------------------------------------------------------------------------------------|--------|--------------------|------------------------------------------|-----------|
| Cupressocyparis leylandii see: Cupressus leylandii | | | | |
| Cupressus arizonica var. glabra 'Blue Ice' / 'Blue Pyramid' | | 4 - 5' | 10g | |
| Blue Arizona Cypress | | 5 - 6' | 10g | |
| EVERGREEN ORNAMENTAL CONIFER; powder-blue foliage; loose lateral branching; pyramidal to | | | | |
| columnar habit to about 10' tall by 4' wide in 10 years; very drought tolerant; locate in full sun & any | | | | |
| well-drained soil; native to Arizona; Zones (6) 7 - 9 | | | | |
| Cupressus arizonica var. glabra 'Raywood's Weeping' | | 5 - 6' | 10g | |
| Weeping Blue Arizona Cypress | | | | |
| EVERGREEN ORNAMENTAL CONIFER; grayish-blue foliage; irregular weeping habit whoxe height & | | | | |
| width are determined by staking; very drought tolerant; locate in full sun & any well-drained soil; | | | | |
| native to Arizona (Wollaston) Zones (6) 7 - 9 | | | | |
| Cupressus leylandii 'Gold Rider' | | 3 - 4' | B&B | |
| Golden Leyland Cypress | | 4 - 5' | B&B | |
| EVERGREEN ORNAMENTAL CONIFER; bright golden foliage all year that doesn't sumburn; | | 5 - 6' | B&B | |
| pyramidal habit to about 35' tall by 15' wide in 15 years; exposed locations in winter subject to | | 6 - 7' | B&B | |
| wind-burn in northern range; tolerant of saline soils & urban conditions; locate in full sun or minimal | | | | |
| shade & any well-drained soil; native US cross; Genus recently changed to Cupressus [Cupressus | | | | |
| macrocarpa x Cupressus nootkatensis] (Vergeer) Zones 6 - 10 | | | | |
| Deutzia Yuki Cherry Blossom â,¢ ('NCDX2') | | | 3g | |
| Pink Hybrid Deutzia | | | | |
| DECIDUOUS FLOWERING SHRUB; soft pink flowers with white edges in late May to early June; dark | | | | |
| green summer foliage turns purplish-bronze in fall; mounding habit to about 18" tall by 3' or more wide | ; | | | |
| spreading branches will root to continue the spread unless cut back; locate in full sun to light shade & | | | | |
| any moist well-drained soil [D. gracilis 'Nikko' x D. x rosea 'Carminea'] (Ranney / PW) Zones (5) 6 - 7 | | | | |
| Diervella splendens Nightglow â,,¢ ('El Madrigal') | | | 3g | |
| Red Bush Honeysuckle | | | 5g | |
| DECIDUOUS FLOWERING SHRUB; small fragrant sulphur-yellow flowers on new wood in June & July | / | | | |
| contrast with the dark purple foliage; bushy habit to about 3' tall & wide; fall foliage color is a more | | | | |
| intense red; deer browse resistant; attracts bees, hummingbirds & butterflies; locate in full sun to full | | | | |
| shade & well-drained soils with moderate moisture; US native (Blomin' Easy) Zones 4 - 7 (8) | | | | |
| Fagus sylvatica 'Dawyck Purple' | | 6 - 7' | B&B | |
| Columnar Purple European Beech | | 7 - 8' | B&B | |
| DECIDUOUS ORNAMENTAL TREE; very narrow profile; retains the purple foliage all summer; | | 8 - 9' | B&B | |
| selected seedling from Trompenburg Arboretum; locate in sun (to enhance foliage color) or shade with | | | | |
| well-drained organic soils; not tolerant of urban conditions or compacted soils; European native; Zones 4 - 7 | | | | |
| | | E CI | | |
| Fagus sylvatica 'Purple Fountain' Magning Burple European Booch | | 5 - 6' 6 - 7' | B&B B&B | |
| Weeping Purple European Beech DECIDUOUS ORNAMENTAL TREE; dark purple spring foliage looses intensity in summer; upright | | 6 - 7 7 - 8' | B&B B&B | |
| pyramidal habit that usually has a dominant single leader; some develop into fairly narrow irregular | | 7 - 8 8 - 9' | B&B | |
| pyramids while others are quite broad at the base; locate in sun (to enhance foliage color) or shade with | | 8 - 9 9 - 10' | B&B | |
| well-drained organic soils; not tolerant of urban conditions or compacted soils; European native; Zones | | 9 - 10 10 - 12' | B&B | |
| 4 - 7 | | 10 12 | Dub | |
| Fagus sylvatica 'Red Obelisk' | | 6 - 7' | B&B | |
| Columnar Purple European Beech | | 0 - 7 7 - 8' | B&B | |
| DECIDUOUS ORNAMENTAL TREE; narrow columnar habit with slightly dissected dark purple foliage, | | 7 - 0 8 - 9' | B&B | |
| can reach 50' or more; locate in sun (to enhance foliage color) or shade with well-drained organic soils; | | | 200 | |
| not tolerant of urban conditions or compacted soils; European native; Zones 4 - 7 | | | | |
| | | | | |
| 13 Decision Way West represented by: Washington Crossing, PA 18977-1125 | | | phone: (21) fax: (26) ail: Phin@RI | 5) 321-45 |

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|-------------|-----------|
| Fagus sylvatica 'Riversii' | | 5 - 6' | B&B | |
| Purple European Beech | | 6 - 7' | B&B | |
| DECIDUOUS ORNAMENTAL TREE; new foliage is very dark purple which becomes greenish purple by | | 7 - 8' | B&B | |
| nid summer; upright somewhat open habit when young; becomes a large (50'+) wide-spreading tree | | 8 - 9' | B&B | |
| when mature; locate in sun (to enhance foliage color) or shade with well-drained organic soils; not | | 9 - 10' | B&B | |
| olerant of urban conditions or compacted soils; European native; Zones 4 - 7 | | 10 - 12' | B&B | |
| Fagus sylvatica 'Roseo-marginata' | | 4 - 5' | B&B | |
| Fricolor European Beech | | 5 - 6' | B&B | |
| DECIDUOUS ORNAMENTAL TREE; dazzling pink, purple & white new foliage matures to purple with white margins; slow upright grower that gets large over time; often listed as 'Tricolor' which is probably | | 6 - 7' | B&B | |
| a lost species that has whiter foliage; locate in sun (to enhance foliage color) or shade with well-drained | | | | |
| brganic soils; not tolerant of urban conditions or compacted soils; European native; Zones 4 - 7 | | | | |
| signing solis, not toler and or al barr conditions of compacted solis, European native, Zones 4 - 7 | | | | |
| Ginkgo biloba 'Goldspire â"¢ ('Fastigiata Blagon') | | | 10g | |
| Columnar Ginkgo; Columnar Maidenhair Tree | | | | |
| DECIDUOUS CONIFER; ornamentally insignificant flower in April followed by very obnoxious smelling | | | | |
| Truit on female trees in fall; distinctive 2-lobed medium green summer foliage turns clear bright golden | | | | |
| rellow in fall; upright columnar habit to about 15' tall by 5' wide in 10 years; female trees produce fruit | | | | |
| with a very bad odor when crushed; highly resistant to pests & diseases; tolerant of urban & coastal | | | | |
| conditions; locate in full sun & any soil with good drainage; thought to be extinct when found in China; p_i predictoric times was pative to the US: Zapes (2) 4 - 8 (0) | | | | |
| n prehistoric times was native to the US; Zones (3) 4 - 8 (9) | | | | |
| Ginkgo biloba 'Jade Butterflies' | | | 7g | |
| Dwarf Ginkgo; Dwarf Maidenhair Tree | | | | |
| DECIDUOUS ORNAMENTAL CONIFER; dwarf broadly upright habit to about 5' in 10 years; male | | | | |
| cultivar; bunched or tufted foliage is dark jade green in summer and turns golden yellow in fall; highly | | | | |
| resistant to pests & diseases; locate in full sun & any soil that drains; very tolerant of urban & coastal | | | | |
| conditions; Chinese native (Duncan & Davies) Zones 4 - 8 (9) | | | | |
| Ginkgo biloba 'Mariken' | | | 10g | |
| STANDARD | | | | |
| Dwarf Ginkgo; Dwarf Maidenhair Tree DECIDUOUS ORNAMENTAL CONIFER; witches broom; dwarf, spreading mounded habit; short stout | | | | |
| branched; male cultivar; golden yellow fall foliage; grows to 2' by 2' at 10 years and 3' to 8' at full | | | | |
| maturity; usually grafted between 18" & 3' on top of a clear trunk; highly resistant to pests & diseases; | | | | |
| ocate in full sun & any soil that drains; very tolerant of urban & coastal conditions; Chinese native | | | | |
| (Vergeldt) Zones 4 - 8 (9) | | | | |
| | | | 2.5 | |
| Hydrangea macrophylla Magical® Crimson [Everlasting®] ('Hortmagicri') | | | 3g | |
| Bicolor Mophead Bigleaf Hydrangea | | | | |
| DECIDUOUS FLOWERING SHRUB; large ball-like sterile flowers in summer on new & old wood open | | | | |
| ime green with red margins that mature to crimson then becomes green with red highlights by fall; | | | | |
| lark green summer foliage; compact rounded habit to about 3' tall & wide; tolerates salt, drought & | | | | |
| Black Walnut; locate in full sun to partial or afternoon shade (especially in southern range) & | | | | |
| vell-drained moisture retentive soil; Asian native (PI Nouveau) Zones 5 - 8 | | | | |
| Judrangaa macranhulla Magical® Duhu Dad [Eucrlasting®] | | | 20 | |
| Hydrangea macrophylla Magical® Ruby Red [Everlasting®] ('Kormaru') | | | 3g | |
| Red Mophead Bigleaf Hydrangea | | | | |
| DECIDUOUS FLOWERING SHRUB; large ball-like sterile flowers on sturdy stems open dark red before | | | | |
| becoming more dusty-red by mid-summer on new & old wood; black-green spring foliage matures to | | | | |
| dark green; compact spreading habit to about 3' tall by 4' wide; tolerates salt, drought & Black Walnut; | | | | |
| ocate in full sun to partial or afternoon shade (especially in southern range) & well-drained moisture | | | | |
| retentive soil; Asian native (PI Nouveau) Zones 5 - 8 | | | | |
| | | | | |
| | | | | |
| | | | | |
| 3 Decision Way West represented by: Vashington Crossing, PA 18977-1125 | 1 | 1 | phone: (21) | 5) 321-45 |

Washington Crossing, PA 18977-1125 www.phintuthill.com

fax: (267) 397-2076 email: Phin@RPTuthill.com

| | AVAIL. | SIZE | ROOTS | QNTY | ╞ |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------|--------------------------|----------|-----|
| Hydrangea paniculata Fire Light ® ('SMHPFL') BUSH | | | Зg | | · |
| ∟ate Panicle Hydrangea | | | | | |
| DECIDUOUS FLOWERING SHRUB; large white sterile flowers from mid-summer into fall on new wood | / | | | | |
| hat turn reddish pink by late summer on sturdy stems; dark green summer foliage; broadly upright | | | | | |
| habit to about 6' tall & wide; locate in full sun to partial or afternoon shade (especially in southern | | | | | |
| range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones (3) 4 - 9 | | | | | |
| Hydrangea paniculata Flare ™ [Lavalamp™] ('Kolmavesu') | | | 3g | | - |
| Compact Late Panicle Hydrangea | | | 5g | | 1 |
| DECIDUOUS FLOWERING SHRUB; white pyramidal flowers mature to a bbright reddish-pink through | | | | | |
| the summer; flowers good for cutting or drying; dark green foliage; compact rounded habit to about 3' | | | | | |
| tall & wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be be well-drained, but with good moisture retention; Asian native (Bloomin' Easy) Zones 4 - 9 | | | | | |
| Hydrangea paniculata 'Limelight' | | | 10g | | + |
| STANDARD | | | log | | |
| Late Panicle Hydrangea | | | | | |
| DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark | | | | | |
| green summer foliage; spreading habit to about 8' tall & wide at maturity; branching starts at about | | | | | |
| 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asiar | , | | | | |
| native (PW) Zones 4 - 9 | 1 | | | | |
| Hydrangea paniculata Limelight Prime ® ('SMNHPPH') | | | 3g | | + |
| Late Panicle Hydrangea | | | | | |
| DECIDUOUS FLOWERING SHRUB; large profuse bright greenish-white flowers in mid-summer on new | / | | | | |
| wood then turn reddish-pink by late summer into fall on sturdy stems; dark green summer foliage; | | | | | |
| compact upright habit to about 6' tall by 4' wide at maturity; locate in full sun to partial or afternoon | | | | | |
| shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; | | | | | |
| Asian native (PW) Zones (3) 4 - 9 | | | | | |
| Hydrangea paniculata 'Phantom' | | | 3g | | - 1 |
| Late Panicle Hydrangea DECIDUOUS FLOWERING SHRUB; huge white ball-like panicle clusters on stiff branches in late | | | 5g | | - 1 |
| summer on new wood; dark green foliage; spreading habit to about 10' tall & wide at maturity; locate ir | , | | | | |
| full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but | | | | | |
| with good moisture retention; Asian native; Zones 4 - 9 | | | | | |
| Hydrangea paniculata 'Phantom' | | | 10g | | - N |
| Late Depicle Hydropgee |) | | | | |
| Late Panicle Hydrangea DECIDUOUS FLOWERING SHRUB; huge white ball-like panicle clusters on stiff branches in late | | | | | |
| summer on new wood; dark green summer foliage; spreading habit to about 10' tall & wide at maturity; | | | | | |
| branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or | | | | | |
| afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture | | | | | |
| retention; Asian native; Zones 4 - 9 | | | | | |
| Hydrangea paniculata Quick Fire 🔋 ('Bulk') | | | 10g | | |
| Lata Daniala Lludrangaa | | | | | |
| Late Panicle Hydrangea DECIDUOUS FLOWERING SHRUB; white flowers appear a month earlier than older H. paniculata | | | | | |
| types on new wood, then turn rosy-pink; dark green summer foliage; spreading habit to about 8' tall & | | | | | |
| wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun | | | | | |
| to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good | | | | | |
| moisture retention; Asian native; Zones 4 - 9 | | | | | |
| | | | | | |
| | | | phone: (21 | 5) 321-4 | .54 |
| 13 Decision Way West represented by: Washington Crossing, PA 18977-1125 www.phintuthill.com | | | fax: (26 nail: Phin@R | | |

| | AVAIL. | SIZE | ROOTS | QNTY | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------------|-------------------------------------------|------------------------------------|-------------|
| Hydrangea paniculata Quick Fire Fab ® ('SMNHPM') .ate Panicle Hydrangea | | | 3g | | |
| ECIDUOUS FLOWERING SHRUB; creamy-white flowers appear a month earlier than older H. | | | | | |
| aniculata types on new wood & quickly turn watermelon-pink; dark green summer foliage; spreading | | | | | |
| abit to about 8' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in outhern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) | | | | | |
| Tones 4 - 9 | | | | | |
| Hydrangea paniculata Sweet Summer ('Bokrathirteen') | | | 3g | | - N |
| Compact Late Panicle Hydrangea | | | | | |
| DECIDUOUS FLOWERING SHRUB; large greenish-white blooms on sturdy stems from early summer nto fall; mature flowers turn pink revealing green & pink flowers at the same time on new wood; dark | | | | | |
| green summer foliage; spreading habit to about 5' tall by 6' wide at maturity; locate in full sun to partia | , | | | | |
| or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture | | | | | |
| retention; Asian native (Ball) Zones 4 - 9 | | | | | |
| Hydrangea paniculata Vanilla Strawberry â, ¢ [First Editions®] | | | 10g | | - |
| ('RENhy') STANDARD |) | | | | |
| _ate Panicle Hydrangea | | | | | |
| DECIDUOUS FLOWERING SHRUB; large pyramidal flower clusters open greenish, quickly turn | | | | | |
| rreamy white, then light pink before maturing to dark rosy-pink as they age; new flowers continually appear providing a two-tone effect in late summer on new wood; dark green foliage; broadly upright to | | | | | |
| about 7' tall by 5' wide at maturity; locate in full sun to partial or afternoon shade (especially in souther) | | | | | |
| range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9 | | | | | |
| lex aquipernyi Dragon Lady® ('Meschick') | | 6 - 7' | B&B | | - |
| Pyramidal Hybrid Holly | | 7 - 8' | B&B | | - |
| EVERGREEN TREE; narrow green pyramid with spiny dark green foliage that resists deer browse; comewhat self-fruitful; locate in full sun to partial shade & neutral to acidic well-drained organic soil; | | 8 - 9' | B&B | | |
| Zones 6 - 9 | | | | | |
| lex x 'Centennial Girl' | | 3 - 4' | B&B | | N |
| Pyramidal Meserve Holly | | | | | |
| EVERGREEN TREE; persistent red fruit from fall through winter when near male pollinator (I. aquifolium or I. meserveae work); narrow upright pyramid to about 15' tall by 8' wide; mite resistant; | | | | | |
| lark glossy green foliage with spiny edges; locate in full sun to partial shade & neutral to acidic | | | | | |
| well-drained organic soil [I. centrochinensis x I. aquifolium] (C-P) Zones (5) 6 - 9 | | | | | |
| llex crenata Globe [LEXUS®] ('Annys5') | | | 5g | | |
| Japanese Holly BROADLEAF EVERGREEN SHRUB; small inconspicuous male flowers in late spring; no fruit; flat dark | | | | | |
| green foliage; compact upright mound to about 2' tall by 20" wide; locate in full sun to partial shade & | | | | | |
| neutral to acidic well-drained organic soil; Asian native (van Nijnatten / Concept P) Zones (5) 6 - 7 (8) | | | | | |
| lex crenata 'Sky Pencil' | | | 3g | | |
| Columnar Japanese Holly BROADLEAF EVERGREEN SHRUB; small inconspicuous male or female flowers in late spring; black | | | | | |
| Fruit on female plants; very narrow columnar habit to about 10'tall by 2' wide; locate in full sun to | | | | | |
| partial shade & neutral to acidic well-drained organic soil; Asian native (USNA) Zones (5) 6 - 7 (8) | | | | | |
| lex x 'Nellie R. Stevens' | | 3 - 4' | B&B | | - |
| Pyramidal Hybrid Holly | | 4 - 5' | B&B | | |
| EVERGREEN TREE; broadly pyramidal with glossy dark green foliage; red fruit; somewhat self-fruitful; locate in full sun to partial shade & neutral to acidic well-drained organic soil [I. cornuta x | | 5 - 6' 6 - 7' | B&B B&B | | |
| I. aquifolium] Zones 6 - 9 | | 0-7 | DQD | | |
| | | | | | |
| | | | | | |
| I3 Decision Way West represented by: Vashington Crossing, PA 18977-1125 vww.phintuthill.com | | em | phone: (21) fax: (26) nail: Phin@RI | 5) 321-4 7) 397-2 ⊃Tuthill (| 545 .076 |

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY | |
|----------------------------------------------------------------------------------------------------------------|--------|-----------------|-------|------|---|
| Juniperus chinensis 'Blue Point' | | 4 - 5' | 10g | | N |
| Blue Pyramidal Chinese Juniper | | | | | |
| EVERGREEN ORNAMENTAL CONIFER; compact pyramid to 10'; blue scale-like needles; locate in full | | | | | |
| sun & most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9 | | | | | |
| Juniperus chinensis 'Robusta Green' | | 3 - 4' | B&B | | |
| rregular Upright Chinese Juniper | | 4 - 5' | B&B | | |
| EVERGREEN ORNAMENTAL CONIFER; irregular upright habit to 15' or more tall with blue-green | | 5 - 6' | B&B | | |
| oliage; with varies with shearing; salt tolerant; locate in full sun & most well-drained soils; drought | | 6 - 7' | B&B | | |
| olerant when established; Asian native; Zones 5 - 9 | | | | | |
| Juniperus chinensis 'Spartan' | | 3 - 4' | B&B | | _ |
| Jpright Chinese Juniper | | 4 - 5' | 10g | | N |
| EVERGREEN ORNAMENTAL CONIFER; bright green evergreen needles; narrowly pyramidal to | | 4 - 5' | B&B | | |
| columnar habit; grows to about 15' tall by 5' wide; susceptible to Phomopsis; locate in full sun & most | | 5 - 6' | B&B | | |
| vell-drained soils; drought tolerant when established; Asian native; Zones 5 - 9 | | | | | |
| Juniperus chinensis 'Torulosa' / Kaizuka' | | 3 - 4' | B&B | | + |
| Hollywood Juniper | | 3 - 4 4 - 5' | B&B | | |
| EVERGREEN ORNAMENTAL CONIFER; usually separate male & female flowers; female cones usually | | 4 - 3 5 - 6' | B&B | | |
| ight blue & male cones tannish; bright evergreen foliage; irregular upright habit to 30'; heat & salt | | | DGD | | |
| olerant; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; | | | | | |
| Zones (5) 6 - 9 | | | | | |
| Juniperus x pfitzeriana 'Daub's Frosted' | | 21 - 24" spr | 10g | | - |
| STANDARI | 0 | 21 24 301 | iog | | |
| Prostrate Golden Pfitzer Juniper | - | | | | |
| EVERGREEN ORNAMENTAL CONIFER; bright gold spreader to 2' tall by 4' wide that doesn't burn; | | | | | |
| grafted on a bare single stem at about 18-24" above the ground; disease resistant; locate in full sun & | | | | | |
| most well-drained soils; drought tolerant when established; Asian native; formerly listed as J. chinensis | 5 | | | | |
| or J. x media [J. chinensis x J. sabina] Zones 4 - 9 | | | | | |
| Juniperus scopulorum 'Moonglow' | | 3 - 4' | B&B | | |
| Blue Rocky Mountain Juniper | | 4 - 5' | 10g | | N |
| EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; fairly narrow upright pyramidal | | 4 - 5' | B&B | | |
| habit to 15'; subject to tip blight on the East Coast; needs full sun & dry well-drained soils; does not | | 5 - 6' | B&B | | |
| perform well in areas with high humidity & high evening temperatures; native western to US & Canada | ; | 6 - 7' | B&B | | |
| Zones 3 - 6 (7) | | | | | |
| Juniperus scopulorum 'Skyrocket' | | 3 - 4' | B&B | | _ |
| Narrow Blue Rocky Mountain Juniper | | 4 - 5' | 10g | | N |
| EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; very narrow upright columnar habi | t | 4 - 5' | B&B | | |
| to 15' tall by 3' wide; subject to tip blight on the East Coast; needs full sun & dry well-drained soils; does | | 5 - 6' | 20g | | N |
| not perform well in areas with high humidity & high evening temperatures; native western to US & | | 5 - 6' | B&B | | |
| Canada; Zones 3 - 6 (7) | | 6 - 7' | B&B | | |
| Juniperus scopulorum 'Skyrocket' | | 3 - 4' | B&B | | |
| SPIRA | _ | 4 - 5' | B&B | | |
| Narrow Blue Rocky Mountain Juniper | | 5 - 6' | B&B | | |
| EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; very narrow upright columnar habi | t | | | | |
| to 15' tall by 3' wide; band of foliage swirls around the central stem; subject to tip blight on the East | | | | | |
| Coast; needs full sun & dry well-drained soils; does not perform well in areas with high humidity & high | 1 | | | | |
| evening temperatures; native western to US & Canada; Zones 3 - 6 (7) | | | | | |
| | | | | | |
| | | | | | |

Washington Crossing, PA 18977-1125 www.phintuthill.com

| | | SIZE | ROOTS | QNTY | <u> </u> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|------------------|-------|------|----------|
| Juniperus scopulorum 'Wichita Blue' | | 3 - 4' | B&B | | - |
| Blue Rocky Mountain Juniper | | 4 - 5' | B&B | | - |
| VERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; upright pyramid to 15' tall by 5' | | 5 - 6' | B&B | | - |
| vide; subject to tip blight on the East Coast; needs full sun & dry well-drained soils; does not perform | | | | | |
| vell in areas with high humidity & high evening temperatures; native western to US & Canada; Zones 3 | | | | | |
| 6 (7) | | | | | |
| luniperus virginiana 'Taylor' | | 4 - 5' | B&B | | - N |
| Columnar Eastern Red Cedar | | 5 - 6' | B&B | | - 1 |
| EVERGREEN ORNAMENTAL CONIFER; no fruit; medium green summer foliage can be gray or bronze | | 6 - 7' | B&B | | - 1 |
| luring winter in northern range; narrow pyramid habit reaching about 25' tall by 4' wide; tolerant of | | | | | |
| Irought, air pollution, sterile soil, some salt & Black Walnut; locate in full sun & well-drained soil of any | | | | | |
| oH; native to eastern & central North America (Bieberich) Zones (3) 4 - 9 | | | | | |
| _arix decidua 'Pendula' | | | 7g | | - 1 |
| STAKED |) | 3 - 4' | 10g | | - |
| Neeping European Larch | | 3 - 4' | B&B | | - 1 |
| DECIDUOUS ORNAMENTAL CONFIER; bright green needles turn golden in fall; shape varies | | | | | |
| according to staking; locate in full sun & well drained moisture retentive soils that are acidic to neutral; not drought tolerant; European native; Zones 3 - 6 (7) | | | | | |
| | | | | | _ |
| Ligustrum ovalifolium | | 4 5 | 1g | | - 1 |
| California Privet DECIDUOUS FLOWERING SHRUB; very fragrant white flowers in June & early July; glossy | | 4 - 5' 5 - 6' | B&B | | - N |
| emi-evergreen foliage; may be evergreen in southern range; rapid growing bushy shrub to 20' tall & | | 5 - 6' | B&B | | - 1 |
| wide, however, can be pruned to almost any size & shape; locate in sun or shade & any soil that doesn't | | | | | |
| remain wet; fairly tolerant of coastal conditions & salt spray; Japanese native; Zones (4) 5 - 8 | | | | | |
| | | | | | _ |
| Metasequoia glypostrpboides Amber Glowâ, ¢ ('WAH-08AG') | | 5 - 6' | 10g | | - |
| Golden Dawn Redwood DECIDUOUS ORNAMENTAL CONIFER; new spring foliage opens with a hint of burgundy before | | | | | |
| quickly turning bright gold by summer; foliage doesn't burn in full sun; fall foliage turns | | | | | |
| coppery-orange before dropping; rapid growing upright pyramidal habit to about 35' tall by 25' wide in | | | | | |
| about 25 years; no pest or disease problems; tolerates somewhat wet & all but highly alkaline soils; | | | | | |
| locate in full sun & moisture retentive neutral to acidic organic soil, Chinese native; Zones 5 - 8 | | | | | |
| Metasequoia glyptostroboides 'Miss Grace' | | | 10g | | - N |
| Weeping Dawn Redwood | | | 109 | | - 1 |
| DECIDUOUS ORNAMENTAL CONIFER; bright green summer foliage turns burnt orange in fall before | | | | | |
| dropping; gracefully weeping form whose height is determined by staking; no pest or disease problems; | | | | | |
| tolerates somewhat wet soils; locate in full sun & moisture retentive neutral to acidic organic soil, | | | | | |
| tolerant of a wider range soil types except highly alkaline; Chinese native (Buchholz) Zones 5 - 8 | | | | | |
| Microbiota decussata Celtic Prideâ,¢ ('Prides') | | | 3g | | _ |
| Siberian Cypress; Russian Arborvitae | | | 7g | | _ |
| EVERGREEN GROUNDCOVER; compact spreading mound to 15" tall by 5' or more wide; bright green | | | | | |
| summer foliage turns plum in late fall through winter; improved disease resistance; resists deer browse; | | | | | |
| locate in full sun or filtered shade & loamy well-drained soils that don't totally dry out; will not tolerate | | | | | |
| wet soils; Russian native; Zones 3 - 8 | | | | | |
| Nyssa sylvatica Northern Splendorâ "¢ | | 5 - 6' | 10g | | _ |
| Black Gum; Black Tupelo | | 6 - 7' | 10g | | _ |
| DECIDUOUS SHADE TREE; black fruit in fall favored by birds; glossy dark green summer foliage turns | | | | | |
| prilliant shades of red & orange in fall; pyramidal heads in youth usually become wide-spreading to | | | | | |
| about 40' tall by 25' wide at maturity; taproot; fall transplant hazard; locate in full sun to partial shade | | | | | |
| & moisture retentive acidic soils that don't stay wet; can tolerate temporary standing water; US native; | | | | | |
| Zones 4 - 9 | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Washington Crossing, PA 18977-1125 www.phintuthill.com

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY | 1 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|--------------------------|------|---|
| Osmanthus heterophyllus 'Gulftide' | | | Зg | | - |
| lardy False-holly | | | | | |
| ROADLEAF EVERGREEN SHRUB; small very fragrant white flowers in fall followed by black drupes n female plants; spiny dark glossy green holly-like foliage; compact upright habit to 15'; resists deer | | | | | |
| rowse; locate in full sun to partial shade & moist organic well-drained neutral to acidic soil; Japanese | | | | | |
| native (Gulfstream N) Zones 6 - 9 | | | | | |
| Osmanthus heterophyllus Party Lightsâ"¢ ('sPg-3-021') | | | 2g | | - |
| /ariegated False-holly BROADLEAF EVERGREEN SHRUB; small very fragrant white flowers in fall followed by black drupes | | | 5g | | - |
| n female plants; new foliage emerges pink, cream, yellow & green; best foliage color in dappled or | | | | | |
| fternoon shade, but plant grows in full sun; compact broadly upright habit to about 5' tall by 4' wide; | | | | | |
| piny mature foliage resists deer browse; locate in full sun to partial shade & moist organic well-drained | 1 | | | | |
| neutral to acidic soil; Japanese native; Zones 6 - 9 | | | | | |
| Phormium tenax 'Yellow Wave' | | | 5g | | - |
| New Zealand Flax PERENNIAL; insignificant tubular yellow ornamental flower; V-shaped 2" wide sword-like foliage | | | | | |
| ppens with bright yellow centers & thin green margins that fade to yellowish-green in summer; | | | | | |
| vergreen in southern range; arching habit to about 4' tall & wide; good container plant; attracts | | | | | |
| oollinators; resists deer & rabbit browse; somewhat resistant to coastal conditions & drought; locate in | | | | | |
| full sun or minimal shade & rich well-drained organic soil of any pH; native to New Zealand; Zone (7 - | | | | | |
| 3) 9 - 11 | | | | | |
| Physocarpus opulifolius Panther ® ('N5') | | | 5g | | - |
| Dwarf Purple Ninebark | | | | | |
| DECIDUOUS FLOWERING SHRUB; sparce light pink summer flower; samII dark purple foliage; xfoliating bark exhibits dark & light tan longitudinal striations; compact narrowly upright habit to | | | | | |
| bout 5' tall by 3' wide; exfoliating bark shows dark & light tan longitudinal striations; spreads by | | | | | |
| suckers; tolerates wet, dry & alkaline soils, drought & Black Walnut; locate in full sun or partial shade & | | | | | |
| nost well-drained soils; US native; Zones (2) 3 - 7 (8) (Bloomin' Easy) Zones 3 - 6 (7) | | | | | |
| Picea abies 'Cupressina' | | 5 - 6' | B&B | | _ |
| Columnar Norway Spruce | | 6 - 7' | B&B | | _ |
| EVERGREEN ORNAMENTAL CONIFER; narrow pyramidal to columnar habit to about 6' tall by 2' | | 7 - 8' | B&B | | - |
| vide in 10 years; dark green summer needles become bluish-green in winter; heavy snow or ice in | | 8 - 9' | B&B | | - |
| winter can spread branches; resists deer browse; locate in full sun to partial shade & well-drained | | 9 - 10' | B&B | | - |
| neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7 | | 10 - 12' | B&B | | - |
| Picea abies 'Formanek' | | | 7g | | - |
| Compact Weeping Norway Spruce EVERGREEN ORNAMENTAL CONIFER; compact weeping habit which forms a broad spreading | | | | | |
| nound up to 2' tall by 5' wide if not staked; height & width can be increased & decreased with staking & | | | | | |
| pruning; bottom branches spread out along the ground & surround the plant; resists deer browse; locate | è | | | | |
| n full sun to partial shade & well-drained neutral to acidic moisture retentive soils; native to northern | | | | | |
| Europe (Formanek) Zones 2 - 7 | | | | | |
| Picea abies 'Frohburg' | | 3 - 4' | B&B | | - |
| Neeping Norway Spruce | | 4 - 5' | B&B | | - |
| EVERGREEN ORNAMENTAL CONIFER; very compact pendulous habit that will be a spreading mound vithout staking; height varies with staking but can approach 10' in 10 years; leader is staked then | | 5 - 6' | B&B | | - |
| illowed to weep downward; bottom branches can spread out along the ground & surround the leader; | | | | | |
| esists deer browse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive | ç | | | | |
| oils; native to northern Europe (Haller) Zones 2 - 7 | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 3 Decision Way West represented by: /ashington Crossing, PA 18977-1125 | | | phone: (21) fax: (26) | | _ |

Washington Crossing, PA 18977-1125 www.phintuthill.com

fax: (267) 397-2076 email: Phin@RPTuthill.com

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------------|------------|----------|
| Picea abies 'Little Gem' | | | 5g | |
| Dwarf Norway Spruce | | | | |
| EVERGREEN ORNAMENTAL CONIFER; very tight bun with very short green needles; mounding preader; grows about 1" per year; red spiders & sun burn can be problems; resists deer browse; locate | | | | |
| n full sun to partial shade & well-drained neutral to acidic moisture retentive soils; native to northern | | | | |
| Europe [witches broom: P. a. 'Nidiformis'] (Grootendorst N) Zones 2 - 7 | | | | |
| Picea abies 'Little Gem' | | | 5g | |
| Dwarf Norway Spruce STANDARE | | | | |
| EVERGREEN ORNAMENTAL CONIFER; very tight bun with very short green needles; mounding | | | | |
| preader; grows about 1" per year; usually grafted about 18-24" above the ground on a straight stem; | | | | |
| red spiders & sun burn can be problems; resists deer browse; locate in full sun to partial shade & | | | | |
| <i>vell-drained neutral to acidic moisture retentive soils; native to northern Europe [witches broom: P. a.</i> | | | | |
| Nidiformis'] (Grootendorst N) Zones 2 - 7 | | | | |
| Picea abies 'Paul's Select' | | 30 - 36" | B&B | |
| Blue Norway Spruce | | 3 - 4' | B&B | |
| EVERGREEN ORNAMENTAL CONIFER; bright gray-blue needles - almost "shiner" blue; moderate growing pyramidal habit to about 30' tall by 15' wide in time; resists deer browse; locate in full sun to | | 4 - 5' 5 - 6' | B&B B&B | |
| partial shade & well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones | | 5 - C | D&D | |
| 2 - 7 | | | | |
| Picea abies 'Pendula' | | 3 - 4' | B&B | |
| STAKED WEEPING | 1 | 3 - 4 4 - 5' | B&B | |
| Weeping Norway Spruce | | 5 - 6' | B&B | |
| EVERGREEN ORNAMENTAL CONIFER; dark green needles; leader staked upright then allowed to | | 6 - 7' | B&B | |
| weep downward; can develop a broad skirt in time; height & shape varies with staking & source; resists | | | | |
| deer browse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils; | | | | |
| native to northern Europe; Zones 2 - 7 | | | | |
| Picea abies 'Pusch' | | | Зg | |
| Dwarf Norway Spruce | | | 5g | |
| EVERGREEN ORNAMENTAL CONIFER; red seed cones at the ends of the branches in spring turn tan by summer; small dark green needles; compact globose habit to about 18" tall & wide in 10 years; resist: | | | | |
| deer browse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils; | | | | |
| witches broom from 'Acrocona'; native to northern Europe (Pusch) Zones 2 - 7 | | | | |
| Picea abies 'Waldbrund' | | | 5g | |
| Dwarf Norway Spruce | | | | |
| EVERGREEN ORNAMENTAL CONIFER; compact mound to about 12" tall by 18" wide in 10 years; | | | | |
| blue-green needles; resists deer browse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7 | | | | |
| Picea glauca 'Blue Teardrop' | | | 5g | |
| Dwarf White Spruce | | 18 - 24" | B&B | |
| EVERGREEN ORNAMENTAL CONIFER; blue-green foliage on a compact pyramid; grows to about 4' | | 24 - 30" | B&B | |
| tall by 3' wide in 10 years; formerly thought to be a sport from P. mariana; highly deer browse | | 30 - 36" | B&B | |
| resistant; locate in full sun or light shade & moist organic soils, although tolerant of many soil conditions; US native(Fincham)Zones 3 - 5 (6 - 7) | | | | |
| Picea glauca 'Pendula' | | 4 - 5' | B&B | |
| Neeping White Spruce | | | B&B | |
| EVERGREEN ORNAMENTAL CONIFER; the very narrow profile is great for tight spaces; the leader | | 6 - 7' | B&B | |
| goes straight up and the lateral branches hang almost straight down; gray-green evergreen needles; | | 7 - 8' | B&B | |
| considered deer browse resistant in most areas; highly deer browse resistant; locate in full sun or light | | | | |
| shade & moist organic soils, although tolerant of many soil conditions; US native; Zones 2 - 6 (7) | | | | |
| | | | | |
| 13 Decision Way West represented by: | | | phone: (21 | 5) 221 / |

Washington Crossing, PA 18977-1125 www.phintuthill.com

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNT | Y |
|------------------------------------------------------------------------------------------------------------|--------|---------------|-------|-----|------|
| Picea omorika 'Bruns' | | 4 - 5' | B&B | | _ |
| Columnar Serbian Spruce | | 5 - 6' | B&B | | _ |
| EVERGREEN ORNAMENTAL CONIFER; narrow pyramidal form that will be about 4' wide at 14' tall ir | ו | 6 - 7' | B&B | | _ |
| 10 years; typical green & blue needles give year-round interest; locate in full sun or partial shade & | | 7 - 8' | B&B | | - 1 |
| moisture retentive well-drained soil that's either acidic or alkaline; protect from winter wind in norther | n | | | | |
| range; adapts to poor air quality; native to southern Europe; Zones 4 - 7 | | | | | |
| Picea omorika 'Pendula' | | 3 - 4' | B&B | | _ |
| Weeping Serbian Spruce | | 4 - 5' | B&B | | |
| EVERGREEN ORNAMENTAL CONIFER; erect leader with gracefully drooping lateral branches that | | 5 - 6' | B&B | | |
| arch upward toward the tips; typical blue & green needles; very narrow profile makes an excellent | | 6 - 7' | B&B | | |
| choice for tight spaces; locate in full sun or partial shade & moisture retentive well-drained soil that's | | 7 - 8' | B&B | | _ |
| either acidic or alkaline; protect from winter wind in northern range; adapts to poor air quality; native | | | 2012 | | - ' |
| to southern Europe; Zones 4 - 7 | | | | | |
| Picea omorika 'Pendula Bruns' | | 3 - 4' | B&B | | - |
| Weeping Serbian Spruce | | 4 - 5' | B&B | | |
| EVERGREEN ORNAMENTAL CONIFER; typical blue & green needles; differs from 'Pendula' because of | - | - 5 5 - 6' | B&B | | _ |
| the irregular upright leader & strictly weeping lateral branches; this cultivar will usually remain fairly | | | 200 | | _ |
| narrow, making it useful in tight spaces needing a vertical accent; locate in full sun or partial shade & | | | | | |
| moisture retentive well-drained soil that's either acidic or alkaline; protect from winter wind in norther | n | | | | |
| range; adapts to poor air quality; native to southern Europe; Zones 4 - 7 | | | | | |
| | | 0.4 | | | _ |
| Picea omorika 'Sky Trails' | | 3 - 4' | B&B | | - N |
| Weeping Serbian Spruce | | 4 - 5' | B&B | | - 1 |
| EVERGREEN ORNAMENTAL CONIFER; blue & green bicolor needles; erect leader with relaxed lateral | | | | | |
| branches; fairly narrow profile to about 10' tall by 5' wide in 10 years; good choice for narrow spaces; | | | | | |
| protect from winter wind in northern range; adapts to poor air quality; locate in full sun or partial | | | | | |
| shade & moisture retentive well-drained soil of any pH; native to southern Europe; Zones 4 - 7 | | | | | |
| Picea orientalis 'Aureospicata' | | 3 - 4' | B&B | | _ |
| Spring Gold Oriental Spruce | | 4 - 5' | B&B | | _ |
| EVERGREEN ORNAMENTAL CONIFER; butter yellow new growth turns dark green upon maturity; | | 5 - 6' | B&B | | _ |
| compact narrow pyramidal profile; male cones are red & female cones are purple before turning brown | ; | 6 - 7' | B&B | | _ |
| typical short glossy mature dark green needles lay against the branches; locate in full sun or very light | | | | | |
| shade & moisture retentive well-drained soil that's either acidic or alkaline; protect from winter wind in | | | | | |
| northern range; native to Asia Minor; Zones (4) 5 - 7 | | | | | |
| Picea orientalis 'Bergman's Gem' | | | 5g | | _ |
| Dwarf Serbian Spruce | | 18 - 21" spr | B&B | | _ |
| EVERGREEN ORNAMENTAL CONIFER; very compact spreading bun; male cones are red & female | | 21 - 24" spr | B&B | | _ |
| cones are purple before turning brown; shorter glossy dark green needles lay against the branches; | | 24 - 30" spr | B&B | | _ |
| locate in full sun or very light shade & moisture retentive well-drained soil that's either acidic or | | | | | |
| alkaline; protect from winter wind in northern range; native to Asia Minor; Zones (4) 5 - 7 | | | | | |
| Picea orientalis 'Gowdy' | | 3 - 4' | B&B | | _ |
| Compact Oriental Spruce | | 4 - 5' | B&B | | |
| EVERGREEN ORNAMENTAL CONIFER; compact pyramidal habit that resembles the species, but | | 5 - 6' | B&B | | |
| grows about half as fast; male cones are red & female cones are purple before turning brown; typical | | 6 - 7' | B&B | | _ |
| short glossy dark green needles lay against the branches; locate in full sun or very light shade & | | 7 - 8' | B&B | | |
| moisture retentive well-drained soil that's either acidic or alkaline; protect from winter wind in norther | n | | 200 | | - r |
| range; native to Asia Minor; Zones (4) 5 - 7 | | | | | |
| | | | | | |
| | | | | | |

Washington Crossing, PA 18977-1125 www.phintuthill.com

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY | 1 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|-------------------------------------|----------|------|
| Picea orientalis 'Nigra Compacta' | | 21 - 24" | B&B | | _ |
| Compact Pyramidal Oriental Spruce | | 24 - 30" | B&B | | _ |
| EVERGREEN ORNAMENTAL CONIFER; very broad compact pyramidal habit; male cones are red & | | 30 - 36" | B&B | | _ |
| female cones are purple before turning brown; short glossy dark green needles lay against the branches | ; | 3 - 4' | B&B | | _ |
| locate in full sun or very light shade & moisture retentive well-drained soil that's either acidic or | | 4 - 5' | B&B | | - N |
| alkaline; protect from winter wind in northern range; native to Asia Minor; Zones (4) 5 - 7 | | | | | |
| Picea pungens 'Baby Blue Eyes' | | 3 - 4' | B&B | | - |
| Select Blue Colorado Spruce | | 4 - 5' | B&B | | - |
| EVERGREEN ORNAMENTAL CONIFER; bright blue needles; somewhat compact pyramidal habit; | | 5 - 6' | B&B | | - |
| highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US (Holden) Zones 3 - 7 (8) | | 6 - 7' | B&B | | - |
| Picea pungens 'Bacheri' | | 3 - 4' | B&B | | - |
| Select Blue Colorado Spruce | | 4 - 5' | B&B | | _ |
| EVERGREEN ORNAMENTAL CONIFER; pyramidal habit growing to 50' or more in time; gray-blue | | 5 - 6' | B&B | | _ |
| needles; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of | V Ltd | 6 - 7' | B&B | | - N |
| drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8) | | | | | |
| Picea pungens 'Fastigiata' / 'Glauca Fastigiata' / 'Iseli Fastigiata' | | 3 - 4' | B&B | | - |
| Columnar Blue Colorado Spruce | | 4 - 5' | B&B | | - |
| EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit when young; widens with age (like w | è | 5 - 6' | B&B | | _ |
| do); gray-blue needles; highly deer browse resistant; locate in full sun & just about any well-drained | | 6 - 7' | B&B | | - N |
| soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US (Iseli) Zones 3 - 7 (8) | | | | | |
| Picea pungens 'Fat Albert' | | 3 - 4' | B&B | | _ |
| Select Blue Colorado Spruce | | 4 - 5' | B&B | | |
| EVERGREEN ORNAMENTAL CONIFER; uniform broadly compact pyramidal habit; good blue color; | | 5 - 6' | B&B | | - |
| highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & | | 6 - 7' | B&B | | N |
| coastal conditions; native to Rocky Mtn. region of US (Iseli) Zones 3 - 7 (8) | | 7 - 8' | B&B | | - N |
| | | 7 - 0 | | | - 11 |
| Picea pungens 'Glauca Globosa' | | 10 01 | 5g | | - |
| Dwarf Blue Colorado Spruce EVERGREEN ORNAMENTAL CONIFER; dwarf mounding globe; silvery-blue needles; highly deer | | 18 - 21" spr | | | - |
| browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal | | 21 - 24" spr | | | - |
| conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8) | | 24 - 30" spr | B&B | | - |
| Picea pungens 'Glauca Globosa' | | | 5g | | - |
| STANDARD |) | 18 - 21" spr | B&B | | - |
| Dwarf Blue Colorado Spruce | | 21 - 24" spr | B&B | | _ |
| EVERGREEN ORNAMENTAL CONIFER; dwarf mounding globe; silvery-blue needles; usually grafted | | 24 - 30" spr | B&B | | _ |
| between 18" & 3' on top of a clear trunk; highly deer browse resistant; locate in full sun & just about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - | | | | | |
| 7 (8) | | | | | _ |
| Picea pungens 'Hoopsii' | | 3 - 4' | B&B | | - |
| Silver Blue Colorado Spruce | | 4 - 5' | B&B | | - |
| EVERGREEN ORNAMENTAL CONIFER; silvery blue needles; narrow pyramidal habit; open & | | 5 - 6' | B&B | | - |
| irregular if not sheared when young; highly deer browse resistant; locate in full sun & just about any | | 6 - 7' | B&B | | - N |
| well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8) | | | | | |
| Picea pungens 'Maigold' | | 30 - 36" | B&B | | _ |
| Gold-tipped Blue Colorado Spruce EVERGREEN ORNAMENTAL CONIFER; new spring needles are golden-yellow before hardening off to | | | | | |
| a greenish-blue; pyramidal habit to about 8' tall by 4' wide in 10 years & should become a 25'+ pyramid | | | | | |
| in time; tolerates deer browse, drought & coastal conditions; subject to needle cast in warmer zones; | | | | | |
| locate in full sun & just about any neutral to acidic well-drained soil; NOTE: the season after digging the | | | | | |
| color of the new growth is very muted; the color returns the 2nd or 3rd season; native to Rocky Mtns. of | | | | | |
| US; Zones 3 - 7 (8) | | | | | |
| 13 Decision Way West represented by: Washington Crossing, PA 18977-1125 www.phintuthill.com | | | ohone: (21 fax: (26 I: Phin@R | 7) 397-2 | 2076 |

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNT | r |
|------------------------------------------------------------------------------------------------------------------|----------|----------|------------|----------------------|---|
| Picea pungens 'Mrs Cesarini' | | | 5g | | - |
| warf Colorado Spruce | | | | | |
| VERGREEN ORNAMENTAL CONIFER; sharp grayish-green needles; light spring bud break gives nice | <u>p</u> | | | | |
| color contrast; low compact spreading mound to about 12" tall by 2' wide in 10 years; tolerant of deer | | | | | |
| browse, drought & coastal conditions; subject to needle cast in warmer zones; locate in full sun & just | | | | | |
| about any neutral to acidic well-drained soil; native to Rocky Mtns. of US (Cesarini) Zones 3 - 7 (8) | | | | | |
| Picea pungens 'Mrs Cesarini' STANDARD | | | 5g | | - |
| Dwarf Colorado Spruce | | | | | |
| EVERGREEN ORNAMENTAL CONIFER; sharp grayish-green needles; light spring bud break gives nice | ġ. | | | | |
| color contrast; low compact spreading mound to about 12" tall by 2' wide in 10 years; usually grafted | | | | | |
| between 18" & 3' on top of a clear trunk; tolerant of deer browse, drought & coastal conditions; subject to | 0 | | | | |
| needle cast in warmer zones; locate in full sun & just about any neutral to acidic well-drained soil; | | | | | |
| native to Rocky Mtns. of US (Cesarini) Zones 3 - 7 (8) | | | | | |
| Picea pungens 'The Blues' | | 4 - 5' | 7g | | _ |
| STAKED |) | 5 - 6' | B&B | | _ |
| Weeping Blue Colorado Spruce | | 6 - 7' | B&B | | - |
| EVERGREEN ORNAMENTAL CONIFER; bright silvery-blue needles; weeping habit; shape will vary | | | | | |
| with staking; habit similar to P. abies 'Pendula'; highly deer browse resistant; locate in full sun & just | | | | | |
| about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US | | | | | |
| (Stanley) Zones 3 - 7 (8) | | | | | |
| Picea pungens 'Waldbrunn' | | 18 - 24" | B&B | | _ |
| LOW GRAFT | • | 24 - 30" | B&B | | _ |
| Dwarf Blue Colorado Spruce | | 30 - 36" | B&B | | _ |
| EVERGREEN ORNAMENTAL CONIFER; low spreading mound with gray-blue needles; branches lay | | 36 - 42" | B&B | | _ |
| more horizontally than most other dwarf Colorados & is one of the slowest growers; grafted plants tend | | 3 - 4' | B&B | | _ |
| to throw a leader and become broadly conical; highly deer browse resistant; locate in full sun & just | | 4 - 5' | B&B | | _ |
| about any well-drained soil; tolerant of drought & coastal conditions; native to Rocky Mtn. region of US | ; | 5 - 6' | B&B | | _ |
| Zones 3 - 7 (8) | | | | | |
| Pinus cembra | | 3 - 4' | B&B | | _ |
| Swiss Stone Pine; Arolla Pine | | 4 - 5' | B&B | | _ |
| EVERGREEN ORNAMENTAL CONIFER; new greenish-purple cones mature to purplish-brown; dark | | | | | |
| greenish-blue needles in groups of 5; narrowly pyramidal habit to about 5' tall by 2' wide in 10 years | | | | | |
| becoming proportionally wider with age; ; fairly tolerant of drought & urban conditions; locate in full | | | | | |
| sun & slightly acidic well-drained organic soil; European native; Zones (2) 3 - 7 | | | | | |
| Pinus contorta var. contorta | | 3 - 4' | B&B | | _ |
| Shore Pine | | 4 - 5' | B&B | | - |
| EVERGREEN ORNAMENTAL CONIFER; dark green needles in groups of 2; short bushy habit to about | | 5 - 6' | B&B | | _ |
| 4' tall in 10 years; tolerates coastal situations; locate in full sun & moist to wet soils - especially in tidal | | 6 - 7' | B&B | | - |
| areas near the ocean; native to Pacific northwestern US; Zones 4 - 7 | | 7 - 8' | B&B | | _ |
| Pinus contorta var. contorta | | 3 - 4' | B&B | | _ |
| POM POM | I | 4 - 5' | B&B | | _ |
| Shore Pine | | 5 - 6' | B&B | | _ |
| EVERGREEN ORNAMENTAL CONIFER; dark green needles in groups of 2; short bushy habit to about | | 6 - 7' | B&B | | _ |
| 4' tall in 10 years; sheared balls at the ends of selectively retained branches radiating out from the | | 7 - 8' | B&B | | _ |
| central trunk; tolerates coastal situations; locate in full sun & moist to wet soils - especially in tidal areas | 5 | | | | |
| near the ocean; native to Pacific northwestern US; Zones 4 - 7 | | | | | |
| | | | | | |
| | | | | | |
| 13 Decision Way West represented by: | | | phone: (21 | 5) 321-4 7) 397-2 | |

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------------|------------------------------------------|----------|-----|
| Pinus contorta var. latifolia 'Taylor's Sunburst' Winter Gold Lodgepole Pine EVERGREEN ORNAMENTAL CONIFER; cherry-red cones appear at the beginning of bud break; golden-yellow new candles appear in spring & are ornamental for 2-3 months before maturing to | | 30 - 36" | B&B | | N |
| normal dark green; upright somewhat open habit to about 6' tall by 2' wide in 10 years; locate in full sur & moist well-drained soil; native to higher elevations of western US; doesn't adapt well to areas with hot humid summers without cool nights (Taylor) Zones (3) 4 - 7 | | | | | |
| Pinus densiflora 'Golden Ghost' | | | 10g | | N |
| Dragon's Eye Japanese Red Pine | | 3 - 4' | B&B | | N |
| EVERGREEN ORNAMENTAL CONIFER; medium green needles in groups of 2 develop alternating | | 4 - 5' | B&B | | N |
| bands of bright yellow & green in late summer which are retained through winter; interesting reddish-orange peeling bark; compact broadly upright or pyramidal habit to about 6' tall by 4' wide in 10 years; locate in full to mostly sunny locations & moisture retentive well-drained neutral to acidic soils; native to Japan, China & Korea; Zones (3) 4 - 7 | | 5 - 6' | B&B | | N |
| Pinus flexilis 'Vanderwolf Pyramid' | | 4 - 5' | B&B | | _ |
| Blue Pyramidal Limber Pine | | 5 - 6' | B&B | | |
| EVERGREEN ORNAMENTAL CONIFER; steel-blue needles in groups of 5; moderate to rapid growing | | 6 - 7' | B&B | | |
| pyramidal habit reaching about 10' in 10 years; locate in full sun & well-drained organic moisture retentive soil; native to western North America; Zones 4 - 7 | | 7 - 8' | B&B | | N |
| Pinus mugo 'Aurea' Golden Mugo Pine; Golden Swiss Mountain Pine EVERGREEN ORNAMENTAL CONIFER; light green needles in groups of 2 during spring & summer | | | 5g | | |
| before turning gold from fall through winter; compact mound to about 3' tall by 4' wide in 10 or more years; locate if full sun or light shade & most soils that drain; more sun will create brighter gold needles - as usual; tolerant of a wide pH range; native to Europe; Zones 3 - 7 | | | | | |
| Pinus mugo 'Aurea' STANDARD | | | 5g | | |
| Golden Mugo Pine; Golden Swiss Mountain Pine EVERGREEN ORNAMENTAL CONIFER; light green needles in groups of 2 during spring & summer before turning gold from fall through winter; compact mound to about 3' tall by 4' wide in 10 or more years; usually grafted between 18" & 3' on top of a clear trunk; locate if full sun or light shade & most soils that drain; more sun will create brighter gold needles - as usual; tolerant of a wide pH range; native to Europe; Zones 3 - 7 | | | | | |
| Pinus mugo 'Sherwood Compact' Dwarf Mugo Pine; Dwarf Swiss Mountain Pine EVERGREEN ORNAMENTAL CONIFER; short dark green needles all year with a slight twish in groups of 2; compact mound to about 30" tall & wide in 10 years; size and shape can be maintained by pruning; | | | 5g | | |
| locate in full sun or light shade & soils of any pH that drain; native to southeastern European mtns (Sherwood) Zones 3 - 7 | | | | | |
| Pinus mugo 'Slowmound' Dwarf Mugo Pine; Dwarf Swiss Mountain Pine EVERGREEN ORNAMENTAL CONIFER; very compact spreading mounding habit to 12" tall by 18" | | | 5g | | |
| wide in about 10 years; short dark green needles in groups of 2; size and shape can be maintained by pruning; locate in full sun or light shade & soils of any pH that drain; native to southeastern European mtns (Iseli) Zones (2) 3 - 7 | | | | | |
| Pinus nigra | | 4 - 5' | B&B | | |
| Austrian Pine EVERGREEN CONIFER; dark green needles in groups of 2; prominent whitish patches on mature trunks; upright or pyramidal habit to about 50' tall by 25' wide; high salt tolerance for roadsides and coastal areas; watering during drought conditions in warmer regions is needed to prevent Diplodia blight; locate in full sun & just about any well-drained moisture retentive soils; European native; Zones 4 - 6 (7) | | 5 - 6' 6 - 7' | B&B B&B | | |
| 13 Decision Way West represented by: Washington Crossing, PA 18977-1125 www.phintuthill.com | | ema | phone: (21) fax: (26) ail: Phin@RF | 7) 397-2 | 076 |

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY | L |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------------------------|----------------------------------------|------|----------------------|
| Pinus nigra POM POM Aurstrian Pine EVERGREEN ORNAMENTAL CONIFER; broad pyramidal habit; most branches removed; those that | I | 3 - 4' 4 - 5' 5 - 6' | B&B B&B B&B | | |
| remain have sheared pads at the ends; dark green needles in groups of 2; high salt tolerance makes it good for roadsides and coastal areas; watering during drought conditions in the mid-Atlantic region is needed to prevent Diplodia blight; locate in full sun & most well-drained moisture retentive soils; | | | | | |
| European native; Zones 4 - 7 | | | | | |
| Pinus nigra 'Frank' Compact Columnar Austrian Pine EVERGREEN ORNAMENTAL CONIFER; dark green needles in groups of 2; dense columnar habit to 5' by about 12" wide in 10 years; high salt tolerance makes it good for roadsides and coastal areas; watering during drought conditions in the mid-Atlantic region is needed to prevent Diplodia blight; locate in full sun & most well-drained moisture retentive soils; European native; Zones 4 - 7 | | | 5g | | |
| Pinus nigra 'Green Tower' | | | 5g | | N |
| Compact Columnar Austrian Pine EVERGREEN ORNAMENTAL CONIFER; dark green needles in groups of 2; dense columnar habit to 8' tall by 18" wide in 10 years; sturdier side branches than 'Arnold Sentinel'; high salt tolerance makes it good for roadsides and coastal areas; watering during drought conditions in the mid-Atlantic region is needed to prevent Diplodia blight; locate in full sun & most well-drained moisture retentive soils; European native; selected seedling (Zimmer) Zones 4 - 7 | | 3 - 4' 4 - 5' | B&B B&B | | |
| Pinus nigra 'Oregon Green' Compact Austrian Pine EVERGREEN ORNAMENTAL CONIFER; compact pyramidal habit that is somewhat open or loose; not unlike a pyramidal P. thunbergii 'Thunderhead'; with prominent off-white buds in winter; dark green needles in groups of 2; high salt tolerance makes it good for roadsides and coastal areas; watering during drought conditions in the mid-Atlantic region is needed to prevent Diplodia blight; locate in full sun & most well-drained moisture retentive soils; European native; Zones 4 - 7 | | 3 - 4' 4 - 5' | B&B B&B | | |
| Pinus parviflora 'Glauca' Blue Japanese White Pine EVERGREEN ORNAMENTAL CONIFER; dark blue needles in groups of 5; narrow open habit when young; matures to a wide spreading upright evergreen; locate in full sun & very well-drained soils of varying pH; salt tolerant; Japanese native; Zones 4 - 7 | | 3 - 4' 4 - 5' | B&B B&B | | |
| Pinus strobus 'Blue Shag' Dwarf Blue Eastern White Pine EVERGREEN ORNAMENTAL CONIFER; fairly dark bluish-green needles in groups of 5; compact mounding habit to about 3' tall & slightly wider in 10 years; not tolerant of windy winter locations in northern range; locate in full sun or very light shade & acidic well-drained moisture retentive soil; native to eastern US & Canada (Waxman) Zones 3 - 7 (8) | | | 5g | | |
| Pinus strobus 'Fastigiata' | | 4 - 5' | B&B | | |
| Columnar Eastern White Pine EVERGREEN ORNAMENTAL CONIFER; fairly narrow upright habit becomes broadly columnar when mature; soft green needles in groups of 5; locate in full sun & well drained acidic soil; protect from wind in colder locations; PHS Gold Metal; native to eastern US & Canada; Zones 3 - 7 (8) | | 5 - 6' 6 - 7' | B&B B&B | | |
| Pinus strobus 'Horsford Dwarf' Dwarf Eastern White Pine EVERGREEN ORNAMENTAL CONIFER; dwarf evergreen mound; short medium green needles in groups of 5; locate in full sun & well drained acidic soil; protect from wind in colder locations; native to eastern US & Canada; Zones 3 - 7 (8) | | | 5g | | |
| | | | phone: (21 fax: (26 mail: Phin@R | | 5) 321-4 7) 397-2 |

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY | L |
|---------------------------------------------------------------------------------------------------------------|--------|-----------------|------------|----------|----|
| Pinus strobus 'Pendula' | | 3 - 4' | B&B | | |
| STAKED | | 4 - 5' | B&B | | |
| Veeping Eastern White Pine | | 5 - 6' | B&B | | |
| EVERGREEN ORNAMENTAL CONIFER; soft medium green needles in groups of 5; irregular growth | | 6 - 7' | B&B | | |
| nabit whose form is somewhat dependent on staking; these plants are staked to the specified height with | | | | | |
| he leader cascading horizontally &/or downward; not tolerant of windy winter locations in northern | | | | | |
| range; good structure for winter interest; locate in full sun or very light shade & acidic well-drained | | | | | |
| moisture retentive soil; native to eastern US & Canada; Zones 3 - 7 (8) | | | | | |
| Pinus sylvestris | | 3 - 4' | B&B | | + |
| Scotch Pine; Scots Pine | | 4 - 5' | B&B | | |
| EVERGREEN CONIFER; grey-blue needles in bundles of 2; flaking orange to reddish-brown bark; | V Ltd | 5 - 6' | B&B | | |
| pyramidal or columnar habit to about 50' tall by 35' wide at maturity; tolerant of poor soils & urban | V Ltd | 6 - 7' | B&B | | |
| conditions with good drainage; not tolerant of areas with hot humid summers; locate in full sun & | | 7 - 8' | B&B | | |
| well-drained acidic soil; native to northern Europe & Asia; Zones (2) 3 - 6 (7) | | | 2012 | | |
| Pinus sylvestris | | 3 - 4' | B&B | | ┢ |
| POM POM | | 4 - 5' | B&B | | |
| Scotch Pine | 1 | | B&B | | |
| EVERGREEN ORNAMENTAL CONIFER; moderate growing pyramidal habit; grey-blue needles in | | 6 - 7' | B&B | | |
| bundles of 2; sheared balls at the ends of selectively retained branches radiating out from the central | | 0 - 7 7 - 8' | B&B | | |
| trunk; locate in full sun & well-drained acidic soil; survives in areas with poor soils if drained; native to | | 7 0 | DQD | | ľ |
| northern Europe & Asia; Zones 3 - 6 (7) | | | | | |
| Pinus sylvestris 'Green Penguin' | | | 5g | | ┝ |
| Dwarf Scotch Pine | | | 7g | | |
| EVERGREEN ORNAMENTAL CONIFER; compact upright to pyramidal habit to about 4' tall by 18" | | | .9 | | |
| wide in 10 years; dark green needles in bundles of 2 keep its' color even in the coldest hardiness zones; | | | | | |
| tolerant of poor soils & urban conditions with good drainage; not tolerant of areas with hot humid | | | | | |
| summers; locate in full sun & well-drained acidic soil; native to northern Europe & Asia (Lewis) Zones | | | | | |
| (2) 3 - 6 (7) | | | | | |
| | | | Ea | | - |
| Pinus sylvestris 'Pixie' STANDARD |) | | 5g 10g | | |
| Dwarf Scotch Pine | | | - 0 | | |
| EVERGREEN ORNAMENTAL CONIFER; soft green needles in bundles of 2 on very dwarf mound; | | | | | |
| usually grafted between 18" & 3' on top of a clear trunk; locate in full sun & well-drained acidic soil; | | | | | |
| survives in areas with poor soils if drained; witches broom; native to northern Europe & Asia; Zones 3 - | | | | | |
| 6 (7) | | | | | |
| Pinus thunbergii 'Thunderhead' | | 3 - 4' | B&B | | + |
| Compact Japanese Black Pine | | 4 - 5' | B&B | | |
| EVERGREEN ORNAMENTAL CONIFER; dark green needles in bundles of 2 with prominent white buds | | | | | |
| in winter; broadly upright irregular habit; usually with multiple leaders; locate in full sun & | | | | | |
| well-drained neutral to acidic soil; perhaps the best ornamental evergreen for coastal areas; native to | | | | | |
| Japan & Korea; Zones (5) 6 - 8 | | | | | |
| Prunus laurocerasus | | | 10g | | 1 |
| Common Cherrylaurel; English Laurel | | 3 - 4' | B&B | | |
| BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to | | 4 - 5' | B&B | | |
| black fruit in summer; large broadly upright habit to about 20' tall & wide at maturity; dark green | | 5 - 6' | B&B | | |
| foliage to 6" long & half as wide; somewhat tolerant of deer browse & salt spray; locate in full sun or | | 6 - 7' | B&B | | |
| moderate shade & moisture retentive well-drained pH adaptable soil; native to Europe & Asia Minor; | | 7 - 8' | B&B | | |
| Zones 7 - 9 | | 8 - 9' | B&B | | |
| | | | | | |
| | | | | | |
| 13 Decision Way West represented by: | | | phone: (21 | 5) 321-4 | 54 |

Washington Crossing, PA 18977-1125 www.phintuthill.com

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY | ′ |
|------------------------------------------------------------------------------------------------------------|--------|----------------------------|--------------------------|------------------------|------|
| Prunus laurocerasus 'Chestnut Hill' | | 18 - 24" | B&B | | - |
| Compact English Laurel; Compact Cherrylaurel | | 24 - 30" | B&B | | - |
| BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to | | 30 - 36" | B&B | | - |
| black fruit in summer; large glossy dark green foliage; compact habit to 4' by 4'; somewhat tolerant of | | | | | |
| deer browse & salt spray; locate in full sun or moderate shade & moisture retentive well-drained pH | | | | | |
| adaptable soil; native to Europe & Asia Minor (Morris Arb / C-P) Zones 6 - 8 | | | | | |
| Prunus laurocerasus Green Goblet ('JONG3') | | | 7g | | - N |
| Compact English Laurel; Compact Cherrylaurel | | | 0 | | |
| BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to | | | | | |
| black fruit in summer; reddish new foliage turns a glossy dark green by summer; compact habit to | | | | | |
| about 4' by 4'; somewhat tolerant of deer browse & salt spray; locate in full sun or moderate shade & | | | | | |
| moisture retentive well-drained pH adaptable soil; native to Europe & Asia Minor; Zones 6 - 8 | | | | | |
| Prunus laurocerasus 'Nana' | | 3 - 4' | B&B | | |
| Compact English Laurel; Upright Cherrylaurel | | 4 - 5' | B&B | | |
| BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to | | 5 - 6' | B&B | | - |
| black fruit in summer that are poisonous; broad mounding habit; oval evergreen foliage; deer browse | | 6 - 7' | B&B | | N |
| resistant; slightly faster grower than 'Anbri' with foliage that's not quite as dark in mid-summer; locate | | 0 1 | DQD | | - IN |
| in full sun or moderate shade & moist well-drained soil that's pH adaptable; native to Europe & Asia | | | | | |
| Minor; Zones (6) 7 - 8 | | | | | |
| Prunus laurocerasus 'Otto Luyken' | | 18 - 24" spr | B&B | | + |
| Spreading Cherrylaurel; Spreading English Laurel | | 24 - 30" spr | | | - |
| BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to | | 30 - 36" spr | | | - |
| black fruit in summer that are poisonous; low spreading evergreen; long dark evergreen foliage; deer | | 36 - 42" spr | | | - |
| browse resistant; locate in full sun or moderate shade & moist well-drained soil that's pH adaptable; | | 30 - 42 Spi | DQD | | - |
| native to Europe & Asia Minor; Zones (6) 7 - 8 | | | | | |
| Prunus laurocerasus 'Schipkaensis' | | 3 - 4' | B&B | | |
| Upright Schip Laurel; Upright Schip Cherrylaurel | | 3 - 4 4 - 5' | 10g | | N |
| BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to | | 4 - 5' 4 - 5' | B&B | | - 11 |
| black fruit in summer that are poisonous; broadly columnar habit; long dark evergreen foliage; deer | | 4 - 5 5 - 6' | B&B | | - |
| browse resistant; locate in full sun or moderate shade & moist well-drained soil that's pH adaptable; | | 5 - 0 6 - 7' | B&B | | - |
| native to Europe & Asia Minor; Zones (6) 7 - 8 | | 0 - 7 | DQD | | - |
| Prunus laurocerasus Volcano ('Jong1') | | | 7g | | |
| Compact English Laurel; Compact Upright Cherrylaurel | | | .9 | | - |
| BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to | | | | | |
| black fruit in summer; new growth is glossy reddish-bronze which turns bright glossy dark green by | | | | | |
| mid-summer; compact broadly upright habit to about 5' tall by 4' wide; somewhat tolerant of deer | | | | | |
| browse & salt spray; locate in full sun or moderate shade & moisture retentive well-drained pH | | | | | |
| adaptable soil; native to Europe & Asia Minor (Jong / Concept P) Zones (5) 6 - 8 | | | | | |
| Prunus Iusitanica | | 3 - 4' | B&B | | - |
| Portugese Laurel | | 4 - 5' | B&B | | - |
| BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to | | 5 - 6' | B&B | | - |
| black to black fruit in summer that are poisonous; bushy broadleaf evergreen to about 25' tall; locate in | | 6 - 7' | B&B | | - |
| full sun or moderate shade & moist well-drained soil that's pH adaptable; native to southern Europe; | | 0 - 7 | DQD | | - |
| Zones (6) 7 - 8 | | | | | |
| Stewartia pseudocamellia | | 4 - 5' | 10g | | |
| Japanese Stewartia | | | 10g | | - |
| ORNAMENTAL TREE; 3" diameter white flowers with prominent yellow centers in late June or July; | | 6 - 7' | 10g | | N |
| pyramidal habit to about 30' tall by 20' wide; exfoliating reddish-brown bark; dark green summer | | · · | .09 | | - 11 |
| foliage turns reddish-orange to burgundy in fall; locate in mostly sunny or filtered shade & rich organic | | | | | |
| well-drained moisture retentive acidic soil; Asian native; Zones 5 - 8 | | | | | |
| | | | | | |
| 13 Decision Way West represented by: | | | ohone: (21) fax: (26) | 5) 321-4 | 545 |
| Washington Crossing, PA 18977-1125 www.phintuthill.com | | omai | fax: (26 I: Phin@RI | /) 397-2 2Tuthill / | 2076 |

www.phintuthill.com N denotes new plants and/or sizes for Fall 2023 / Spring 2024

| AVAIL. | SIZE | ROOTS | QNT | - |
|----------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---------------------|
| | 4 - 5' | 10g | | - |
| ng he | 5 - 6' | 10g | | _ |
| 2 | | | | |
| 20 | | 10g | | - |
| lly | | | | |
| 20 | | 10g | | - |
| 11 | | | | |
| חי | | 10g | | - |
| | | | | |
| | | 10g | | _ |
| | | | | |
| | 3 - 4' | B&B | | _ |
| 1 | 4 - 5' 5 - 6' | B&B B&B | | _ |
| рН | | | | |
| en | | 2g | | _ |
| | s ng he c l l l l l l l l l l l l l l l l l l | S - 6' Sng RD RD RD RD RD RD RD RD Solution Soluti | | sing $5 - 6'$ $10g$ |

13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com

fax: (267) 397-2076 email: Phin@RPTuthill.com

| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY | ' |
|-----------------------------------------------------------------------------------------------------------------|--------|------------------|------------------------------------------|----------|------|
| Taxus x media 'H.M. Eddie' | | 3 - 4' | B&B | | - N |
| Columnar Anglo-Jap Yew | | 4 - 5' | B&B | | - |
| EVERGREEN SHRUB; dark green foliage; moderate upright grower to as much as 10' tall by 4' wide; | V Ltd | 5 - 6' | B&B | | - |
| locate in full sun to full shade & moist well-drained slightly alkaline to acidic soil; not tolerant of | | | | | |
| waterlogged soils; Zones 4 - 7 | | | | | |
| Taxus x media 'Hicksii' | | 3 - 4' | B&B | | - N |
| Upright Anglo-Jap Yew | | 4 - 5' | B&B | | - |
| EVERGREEN SHRUB; dark green foliage; a little narrower than 'Hatfield'; locate in full sun to full | V Ltd | 5 - 6' | B&B | | _ |
| shade & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils; Zones 4 - 7 | | | | | |
| Thuja x 'Green Giant' | | 4 - 5' | B&B | | - N |
| Hybrid Western Arborvitae; Hybrid Giant Arborvitae | | 5 - 6' | B&B | | - |
| EVERGREEN ORNAMENTAL CONIFER; bright green foliage; vigorous narrow conical habit to about | | 6 - 7' | B&B | | - |
| 60' tall by 20' wide at maturity; very fast grower - up to 5' per year; minimal pest or disease problems; | | 7 - 8' | B&B | | - |
| variable deer browse resistance; tolerant of coastal exposure but not persistent drought; locate in full | | | | | |
| sun or light shade & moist to well-drained soil of varying acidity; PHS Gold Metal [T. standishii x T. | | | | | |
| plicata] Asian / US cross (Poulsen) Zones 5 - 8 | | | | | |
| Thuja occidentalis 'Brandon' | | 4 - 5' | B&B | | |
| Columnar American Arborvitae; Columnar White Cedar | | 5 - 6' | B&B | | _ |
| EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; narrow pyramidal habit; | | 6 - 7' | B&B | | |
| intermediate grower to about 15' tall by 8' wide; tolerant of air pollution & Black Walnut; locate in full | | 7 - 8' | B&B | | _ |
| sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to | | | | | |
| eastern US & Canada; Zones 3 - 7 | | | | | |
| Thuja occidentalis 'Degroot's Spire' | | 3 - 4' | B&B | | |
| Fastigiate American Arborvitae; Fastigiate White Cedar | | 4 - 5' | B&B | | _ |
| EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting | | 5 - 6' | B&B | | _ |
| nubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; | | 6 - 7' | B&B | | _ |
| adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; | | | | | |
| Zones 3 - 7 | | | | | |
| Thuja occidentalis 'Emerald' / 'Smaragd' | | 3 - 4' | 10g | | - N |
| Emerald Arborvitae | | 3 - 4' | B&B | | - |
| EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow | | 4 - 5' | 10g | | _ |
| pyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to | | 4 - 5' | B&B | | - |
| varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - | | 5 - 6' | 10g | | - N |
| 7 | | 5 - 6' | 15g | | - N |
| | | 5 - 6' | B&B | | - |
| | | 6 - 7' | 20g | | - N |
| | | 6 - 7' | B&B | | - |
| | V Ltd | 7 - 8' | B&B | | - |
| Thuja occidentalis 'Emerald' / 'Smaragd' | | 4 - 5' | B&B | | - |
| 3-TIEF | 8 | 5 - 6' | B&B | | - |
| Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal | | | | | |
| habit; 3 balls of foliage on top of each other around the central stem; top pad may be pointed or round; | | | | | |
| tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil | | | | | |
| acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 | | | | | |
| Thuja occidentalis 'Emerald' / 'Smaragd' | | 4 - 5' | 15g | | - N |
| 4-TIEF | ર | 4 - 5' 4 - 5' | B&B | | - IN |
| Emerald Arborvitae | | 5 - 6' | B&B | | _ |
| EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal | | | | | |
| habit; 4 balls of foliage on top of each other around the central stem; top pad may be pointed or round; | | | | | |
| tolerant of air pollution & Plack Malput, leasts in full our or light chade, adoptable to verying soil | | | | | |
| tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil | | | | | |
| | | | | | |
| acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 | | | | | |
| | | | phone: (21) fax: (26 nail: Phin@RI | 7) 397-2 | 2076 |

| 3OTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY | 1 |
|------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------|------------|----------|-----|
| Thuja occidentalis 'Emerald' / 'Smaragd' | | 4 - 5' | B&B | | - 1 |
| 5-TIER | l | | | | |
| Emerald Arborvitae | | | | | |
| EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal | | | | | |
| nabit; 5 balls of foliage on top of each other around the central stem; top pad may be pointed or round; | | | | | |
| olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil | | | | | |
| acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 | | | | | |
| Fhuja occidentalis 'Emerald' / 'Smaragd' | | 4 - 5' | B&B | | + |
| DOUBLE SPIRAL | - | 5 - 6' | B&B | | |
| Emerald Arborvitae | | | | | |
| EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal | | | | | |
| nabit; double band of foliage swirls around the central stem; tolerant of air pollution & Black Walnut; | | | | | |
| ocate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; | | | | | |
| native to eastern US & Canada; Zones (4) 5 - 7 | | | | | |
| Fluis assidentalis (Fmarald) / (Fmarad) | | 4 - 5' | B&B | | + |
| Thuja occidentalis 'Emerald' / 'Smaragd' | | 4 - 5 5 - 6' | B&B | | - |
| Emerald Arborvitae SPIRAL | • | 5-0 | DQD | | - |
| EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal | | | | | |
| nabit; broadly twisting band around a central stem; tolerant of air pollution & Black Walnut; locate in | | | | | |
| full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to | | | | | |
| ear seir er night shade, dadpitasie te varying sen delang a menstare – except exit ernes er enner, mattre te eastern US & Canada; Zones (4) 5 - 7 | | | | | |
| | | | | | _ |
| Thuja occidentalis 'Emerald' / 'Smaragd' | | 4 - 5' | B&B | | - |
| SPIRAL WITH POM | | 5 - 6' | B&B | | - 1 |
| Emerald Arborvitae EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal | | | | | |
| nabit; wide band of foliage swirls around the central stem with a large flat-topped ball at the base; | | | | | |
| olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil | | | | | |
| acidity & moisture - except extremes of either; native to eastern US & Canada; Zones (4) 5 - 7 | | | | | |
| | | | | | _ |
| Thuja occidentalis Mr. Bowling Ball® ('Bobazam') | | | 2g | | - |
| Compact Globe Eastern Arborvitae; Compact Globe White Cedar | | | | | |
| EVERGREEN ORNAMENTAL CONIFER; slow growing globular habit to about 3' x 3'; feathery | | | | | |
| age-green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable | | | | | |
| o varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 | 7 | | | | |
| Fhuja occidentalis 'Nigra' | | 4 - 5' | B&B | | _ |
| Dark American Arborvitae; White Cedar | | 5 - 6' | B&B | | _ |
| EVERGREEN ORNAMENTAL CONIFER; dark green foliage all year; pyramidal habit to 25' by 6' wide; | | 6 - 7' | B&B | | _ |
| olerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil | | | | | |
| acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7 | | | | | |
| Fhuja plicata 'Excelsa' | | 5 - 6' | B&B | | + |
| Western Arborvitae; Giant Arborvitae | | 5 - 0 6 - 7' | B&B | | - |
| EVERGREEN ORNAMENTAL CONIFER; rapid growing pyramid with loosely borne branching if | | 7 - 8' | B&B | | - |
| Insheared; bright green foliage bronzes in winter; selection from Berlin, Germany; somewhat deer | | , 0 | DQD | | - |
| prowse resistant; locate in full sun or light shade & moist to well-drained soil of varying acidity; toleran | t | | | | |
| of coastal exposure but not persistent drought; native to northwestern US & Canada; Zones 4 - 8 | - | | | | |
| | | | | | - |
| Thuja plicata Forever Goldyâ,¢ ('4EVER') | | | 2g | | - |
| Golden Western Arborvitae; Golden Giant Arborvitae | | | | | |
| EVERGREEN ORNAMENTAL CONFIER; golden foliage all summer that doesn't burn - even in hot arid | | | | | |
| climates; turns orangey-gold in fall & contrasts with red stems in winter; tight columnar to narrow | | | | | |
| byramidal habit to about 8' tall by 4' wide in 10 years; somewhat deer browse resistant; locate in full | | | | | |
| sun (for best color) or light shade & organic well-drained soil of varying acidity; tolerant of coastal | | | | | |
| exposure but not persistent drought; native to northwestern US & Canada (Ball) Zones 5 - 8 (9) | | | | | |
| | | | | | |
| | | | phone: (21 | 5) 321-4 | 154 |
| 3 Decision Way West represented by: Vashington Crossing, PA 18977-1125 | | | fax: (26 | | 10- |

| KG Farms, Inc. Plant List: Fall 2023 / Spring 2024 | | | | | |
|---------------------------------------------------------------------------------------------------------------|--------|--------|-------|------|-----|
| BOTANICAL NAME | AVAIL. | SIZE | ROOTS | QNTY | Τ |
| Thuja plicata 'Virescens' | | 4 - 5' | B&B | | |
| Hybrid Western Arborvitae; Hybrid Giant Arborvitae | | 5 - 6' | B&B | | |
| EVERGREEN ORNAMENTAL CONIFER; pyramidal habit; good green winter color; somewhat deer | | 6 - 7' | B&B | | |
| browse resistant; locate in full sun or light shade & moist to well-drained soil of varying acidity; tolerand | t. | 7 - 8' | B&B | | |
| of coastal exposure but not persistent drought; native to northwestern US & Canada; Zones (4) 5 - 8 | | 8 - 9' | B&B | | |
| Thuja x 'Virginian â"¢ ('Virginian') | | 3 - 4' | B&B | | |
| Hybrid Western Arborvitae; Hybrid Giant Arborvitae | | 4 - 5' | B&B | | |
| EVERGREEN ORNAMENTAL CONIFER; branch sport of Thuja x 'Green Giant' which is faster growing | | 5 - 6' | B&B | | |
| with a narrower pyramidal habit; 10 year size would be about 15' tall by 7' wide; dark green foliage; | | 6 - 7' | B&B | | - N |
| somewhat deer browse resistant; locate in full sun or light shade & moist to well-drained soil of varying | | 7 - 8' | B&B | | • • |
| acidity; tolerant of coastal exposure but not persistent drought; US & Canadian native cross [T. plicata | | | | | |
| x T. standishii] (UpShoot) Zones 5 - 8 | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| OTANICAL NAME | AVAI | L. SIZE | ROOTS | QNT |
|---------------|------|---------|-------|-----|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Delivery Instructions

| Company Name: Delivery Address: | | | | | | |
|-----------------------------------------------------------------------------------|------------|---------|-----------|------|----------|--------------------------------------------------------------------------|
| | CITY: | STATE | E: ZIP: | | | |
| Contact(s): | | | | | | |
| Phone Numbers: | OFFICE: | | MOBILE: | | | |
| | ALTERNATE: | | FAX: | | | |
| Email Address: | | | | | | |
| Requested Delivery Weeks(s): | | | | | | |
| Delivery Days / Time: | | | | FROM | am/pm TO | am / pm |
| Special Instructions: | | | | | | |
| | | | | | | |
| 13 Decision Way West Washington Crossing, PA 18977-1125 www.phintuthill.com | | represe | ented by: | | en | phone: (215) 321-4545 fax: (267) 397-2076 nail: Phin@RPTuthill.com |
| | | | | | | |