

# Sunset Farmstead Plant List: Fall 2021 / Spring 2022

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Agastache 'Black Adder'</b> Giant Hyssop <i>PERENNIAL; fragrant 6" reddish-purple bottle-brush flower spikes from summer to frost; blue-green anise scented foliage; broadly upright habit to about 3' tall by 2' wide; attracts butterflies, hummingbirds &amp; other pollinators; resists limited drought, deer &amp; rabbit browse; locate in full to mostly sunny areas &amp; well-drained soil of about any pH; US native [A. rugosum x A. foeniculum] Zones 6 - 9</i>			1g	
<b>Agastache foeniculum</b> Anise Hyssop <i>PERENNIAL; lavender to purple 5" flower spikes from August into September; seeds often used in baking; anise scented green toothed foliage is edible; upright habit to about 3' tall by 2' wide; will self-seed or spread by rhizomes; excellent pollinator for bees, butterflies &amp; hummingbirds; resists limited drought, deer &amp; rabbit browse; locate in full to mostly sunny areas &amp; well-drained soil; US native (Am Bty) Zones 5 - 9</i>			1g	
<b>Allium cernuum</b> Nodding Onion <i>PERENNIAL BULB; nodding ball-like clusters of fragrant white, soft pink or light lavender flowers on leafless scapes to 18"; small black fruit in late summer; fragrant grass-like arching foliage to about 12" tall &amp; wide; attracts bees; resists deer browse; locate is full to mostly sunny areas &amp; just about any soil with good to moderate drainage that not acidic; US native (Am Bty) Zones 4 - 8</i>			1g	
<b>Allium 'Millenium'</b> Flowering Onion <i>PERENNIAL; 2" diameter rosy purple globular flowers from late July into August stand above the green grass-like foliage; attracts bees &amp; butterflies; resists deer browse &amp; other pests; locate in full sun &amp; most well-drained soils (McDonough) Zones 5 - 8</i>			1g	
<b>Allium x 'Summer Beauty'</b> Ornamental Allium <i>PERENNIAL BULB; fragrant soft lavender-pink ball-like flower clusters in mid to late summer on erect 18" stems above the strap-like green foliage; attracts butterflies; resists deer browse &amp; drought; locate in full sun to partial shade &amp; well-drained organic soil; PHS Gold Metal; Zones 4 - 10</i>			1g	
<b>Amsonia x 'Blue Ice'</b> Blue Star <i>PERENNIAL; medium lavender-blue flowers in early spring for about 5 weeks; spreading mounding groundcover to 15" high by 2' wide; dark green summer foliage turns bright yellow in the fall; somewhat tolerant of drought, excessive moisture &amp; deer browse; not drought tolerant; locate in full sun to partial shade &amp; moisture retentive well-drained soil (White Flower Farm) Zones 5 - 9</i>			1g	
<b>Amsonia hubrichtii</b> Thread-leaf Blue Star; Arkansas Blue Star <i>PERENNIAL; 1/2" powder-blue star-shaped flowers in late spring on 3' stems; narrow lacey light green summer foliage turns brilliant golden yellow in fall; upright mound to about 3' tall &amp; wide; tolerant of drought &amp; wet soils; attracts butterflies; locate in full sun to partial shade &amp; well-drained soil; PPA 2011; US native; Zones 4 - 9</i>			1g	
<b>Andropogon virginicus</b> Broom Sedge <i>ORNAMENTAL GRASS; green summer foliage turns reddish-purple then orange in fall; upright habit to about 4' tall by 2' wide; attracts various pollinators, birds &amp; insects; resists deer browse; tolerates salt, sterile soil &amp; drought; locate in full to mostly sunny areas &amp; just about any soil with reasonable drainage; N.American native; Zones 3 - 9</i>			1g	

# Sunset Farmstead Plant List: Fall 2021 / Spring 2022

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Aquilegia canadensis 'Little Lanterns'</b>            Canadian Columbine; Dwarf Wild Columbine  <i>PERENNIAL; masses of drooping red flowers with yellow centers from April into May; plants reach about 15" tall by 12" wide; attract bumblebees &amp; hummingbirds; resists deer browse; locate in partial sun to filtered shade &amp; moisture retentive soil; eastern US native (Jelitto) (Am Bty) Zones 3 - 8</i></p>			1g	
<p><b>Asclepias incarnata</b>            Swamp Milkweed; Marsh Milkweed  <i>PERENNIAL; small fragrant pink flower clusters from July into Sept. are followed by silky seeds that disperse in wind; medium green foliage is slow to appear in spring; upright habit to about 5' tall by 3' wide; attracts pollinators - especially Monarch butterfly; resists deer browse &amp; wet soil; locate in full to partial sun &amp; moist to wet neutral to acidic soil; eastern US native (Am Bty) Zones 3 - 8</i></p>			1g	
<p><b>Asclepias tuberosa</b>            Butterfly Weed  <i>PERENNIAL; orange to yellow-orange flowers on 30" stems from June through August; tolerant of drought &amp; deer browse; attracts butterflies &amp; Monarch Butterfly caterpillars (as the only food these caterpillars can eat, this plant is critical for their survival); seed pods used in flower arrangements; tolerant of drought &amp; deer browse; locate in full sun &amp; any well-drained soil; eastern US native (PPA 2017) (Am Bty) Zones 3 - 9</i></p>			1g	
<p><b>Aster laevis 'Bluebird'</b>            Smooth Aster  <i>PERENNIAL; 1" diameter lavender-blue flowers with yellow to orangish centers in Sept &amp; Oct; pest free bluish-green foliage; upright arching habit to about 4' tall by 2' wide; attracts many pollinators; resists limited drought; locate in full sun to partial shade &amp; most well-drained soils; US native (Lightly) (Am Bty) Zones 4 - 8</i></p>			1g	
<p><b>Aster lateriflorum 'Lady in Black'</b>            Calico Aster  <i>PERENNIAL; white petals surround bright pink centers in mass on deep purple stems from late summer into fall; small dark purple foliage in full sun; clumping upright habit to about 4' tall by 3' wide; best to divide every 3-5 years; attracts butterflies; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil of any acidity; US native; Zones 4 - 8</i></p>			1g	
<p><b>Aster novae-angliae 'Purple Dome'</b>            New England Aster  <i>PERENNIAL; masses of deep purple flower with dark yellow eye in Aug &amp; Sept; bushy habit to about 18" tall by 3' wide; attracts birds &amp; butterflies; good cut flower; locate in full sun &amp; moisture retentive well-drained organic soil; US native (Am Bty) Zones (4) 5 - 8</i></p>			1g	
<p><b>Aster oblongifolius 'Raydon's Favorite'</b>            Aromatic Aster  <i>PERENNIAL; lavender-blue flowers with yellow center appear in mass during Sept &amp; Oct; cut back after flowering to prevent future seedling variation; narrow blue-green aromatic foliage; compact bushy habit to about 3' tall by 2' wide; attracts birds &amp; butterflies; tolerates drought, deer &amp; rabbit browse; locate in full sun &amp; well-drained soil of any pH; US native (Bush) Zones 3 - 8</i></p>			1g	
<p><b>Aster x 'Wood's Pink'</b>            Pink Aster  <i>PERENNIAL; clear pink semi-double flowers with yellow centers from late summer into fall; bushy habit to about 18" tall &amp; wide; attracts birds &amp; butterflies; resists mildew, rust, drought, wet, salt &amp; deer &amp; rabbit browse; locate in full sun &amp; moisture retentive soil of any pH; US native (Wood) Zones 5 - 8</i></p>			1g	

# Sunset Farmstead Plant List: Fall 2021 / Spring 2022

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Baptisia australis</b> Blue False Indigo <i>PERENNIAL; foot long spires of indigo blue flowers in mid to late spring; seed pods turn charcoal black when mature in late summer &amp; remain into winter; blue-green foliage; bushy habit to about 3-4' tall &amp; wide; good cut flower; attracts butterflies; resists deer &amp; rabbit browse, drought &amp; poor soils; locate in full sun or light shade &amp; well-drained soils; eastern &amp; central US native (Am Bty) Zones 3 - 8 (9)</i></p>			1g	
<p><b>Boltonia asteroides var. latisquama 'Snowbank'</b> False Aster <i>PERENNIAL; profuse daisy-like white petals with yellow centers in late summer; gray-green strap-like foliage; broadly upright habit to as much as 4' tall &amp; wide; spreads by rhizomes; won't come true from seed; good cut flower; attracts butterflies; tolerates wet soils; locate in full sun &amp; most moisture retentive well-drained soils; US native (Am Bty) Zones 4 - 9</i></p>			1g	
<p><b>Bouteloua gracilis 'Blonde Ambition'</b> Blue Grama Grass <i>ORNAMENTAL GRASS; unique horizontal chartreuse flowers that mature to light tan from June to August; narrow blueish-gray summer foliage turns golden in fall - sometimes with shades orange &amp; red; upright arching habit to about 30" tall by 18" wide; attracts birds - especially in winter for seeds; resists deer browse; tolerates Black Walnut, air pollution, erosion &amp; drought; locate in full sun &amp; most soils that drain well; US native (Am Bty) Zones 3 - 10</i></p>			1g	
<p><b>Calamagrostis x acutiflora 'Karl Forester'</b> Feather Reed Grass <i>ORNAMENTAL GRASS; pinkish to golden inflorescence from June to September; narrow upright habit to about 5' tall by 2' wide; spreads by rhizomes; attracts songbirds; resists deer &amp; rabbit browse; tolerates salt as well as limited drought &amp; flooding; locate in full sun &amp; moisture retentive well-drained soils; Asian / European cross; Zones (3) 4 - 9</i></p>			1g	
<p><b>Calamintha nepeta 'White Cloud'</b> White Lesser Calamint <i>PERENNIAL; large showy small bright white flowers from June thru frost; sub for Baby-Breath; gray-green leaves are fragrant when crushed; compact bushy habit to about 2' tall &amp; wide; can spread by rhizomes or self-seeding; attracts bees; resists disease, pests, deer &amp; rabbit browse; locate in full sun &amp; average to dry well-drained soil; European native; Zones 5 - 7 (8)</i></p>			1g	
<p><b>Carex oshimensis Everest [Evercolor®] ('CarFit01')</b> Variegated Oshima Sedge; Variegated Japanese Sedge <i>EVERGREEN ORNAMENTAL GRASS; narrow dark green arching foliage with thin white edges; compact clumping habit to about 12" high &amp; wide; good groundcover or in containers; attracts butterflies; resists deer browse; locate in full to partial shade &amp; moisture retentive well-drained soil of any pH; Japanese native (Tesselaar) Zones (5) 6 - 9</i></p>			1g	
<p><b>Ceratostigma plumbaginoides</b> Plumbago, Leadwort <i>PERENNIAL; bright blue flowers with red calyces from mid-summer to fall; foliage emerges in late spring &amp; is bright green all summer foliage before turning red in fall; makes a dense mat to about 12" tall by 18" wide; spreads by rhizomes; attracts butterflies; resists drought; locate in full sun or light shade &amp; well-drained soil; native to Africa &amp; western Asia; Zones (5) 6 - 9</i></p>			1g	
<p><b>Chrysogonum virginianum 'Allen Bush'</b> Goldenstar; Green &amp; Gold <i>PERENNIAL; abundant dark yellow daisy-like flower in late spring &amp; somewhat in fall &amp; sporadically in summer; semi-evergreen; low spreader to about 6" tall by 12" wide; spreads by rhizomes; attracts pollinators from early spring; resists deer &amp; rabbit browse; tolerates heavy shade &amp; moist soils; locate in full to partial shade &amp; organic moisture retentive well-drained acidic soil; Eastern US native (Am Bty) Zones 5 - 9</i></p>			1g	

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Sunset Farmstead Plant List: Fall 2021 / Spring 2022

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Coreopsis pubescens 'Sunshine Superman'</b> Star Tickseed <i>PERENNIAL; bright yellow 1" daisy-like flowers with light orange centers from June into October; will self-seed; lance-like medium green foliage; compact bushy habit to about 15" tall &amp; wide; attracts butterflies; resists drought, poor soil &amp; deer browse; performs well in hot bright sunny environments; locate in full sun or minimal shade &amp; well-drained soil; eastern US native; Zones (5) 6 - 9</i></p>			1g	_____
<p><b>Coreopsis tripteris 'Gold Standard'</b> Tall Tickseed <i>PERENNIAL; bright gold daisy-like flowers with brown centers from late summer into fall; bushy upright habit to about 6' tall by 5' wide; spreads by rhizomes; attracts butterflies; resists deer browse &amp; drought; locate in full sun &amp; well-drained soil (Mt. Cuba) Zones 4 - 9</i></p>			1g	_____
<p><b>Coreopsis verticillata 'Zagreb'</b> Yellow Threadleaf Tickseed <i>PERENNIAL; golden yellow flowers from June to frost; lacy dark green foliage; bushy habit to about 12" tall &amp; wide; spreads by rhizomes &amp; self-seeding; attracts bees &amp; butterflies; resists mildew, drought, deer &amp; rabbit browse; locate in full sun or minimal shade &amp; dry to moist well-drained soil; eastern US native (Am Bty) Zones (4) 5 - 8</i></p>			1g	_____
<p><b>Dicentra eximiana</b> Wild Bleeding Heart <i>PERENNIAL; pink heart-shaped flowers in late spring &amp; late summer in cooler regions; lacy gray-green foliage; bushy habit to about 15" tall &amp; wide; spreads by rhizomes &amp; self-seeding; resists deer browse; locate in partial or filtered shade &amp; rich moisture retentive well-drained slightly acidic soil; eastern US native (Am Bty) Zones 4 - 8</i></p>			1g	_____
<p><b>Diervilla lonicera Ru-Bee Wren â„¢ ('SMDCS')</b> Northern Bush Honeysuckle; Dwarf Honeysuckle <i>DECIDUOUS FLOWERING SHRUB; profuse trumpet-shaped pale yellow flowers from late June into early August; woody fruit; new crimson foliage turns bright green by summer &amp; becomes shades of yellow &amp; orange in fall; densely branched spreading habit to about 3' tall by 4' wide; attracts bumblebees, butterflies, hummingbirds &amp; a wide array of animals; resists fire because of underground stems; tolerates drought; locate in sun or medium shade &amp; acidic to neutral well-drained soils; eastern N.American native (Am Bty) Zones (3) 4 - 7 (8)</i></p>			1g	_____
<p><b>Echinacea purpurea</b> Eastern Purple Coneflower <i>PERENNIAL; light purple to lavender petals hang from a golden brown seed head from mid-summer into early fall; upright habit to as much as 5' tall by 2' wide; seed heads are prized by goldfinches in winter; good cut flower; attracts bees &amp; butterflies; resists drought &amp; deer browse; locate in full sun to light shade &amp; well-drained soil; eastern US native (Am Bty) Zones 3 - 8</i></p>			1g	_____
<p><b>Echinacea purpurea 'PowWow White'</b> White Eastern Coneflower <i>PERENNIAL; masses of pure white flowers surround golden seed heads from June through August above the foliage; densely branched upright habit to about 2' tall &amp; wide; seed heads are prized by goldfinches in winter; good cut or dried flower; no major pest problems; attracts butterflies &amp; hummingbirds; resists heat, humidity, poor soil &amp; deer browse; locate in full sun to light shade &amp; well-drained soil; US native hybrid; Zones 3 - 8 (9)</i></p>			1g	_____
<p><b>Echinacea purpurea 'PowWow Wild Berry'</b> Purple Eastern Coneflower <i>PERENNIAL; masses of bright rosy-purple flowers surround orange seed heads from June through August above the foliage; densely branched upright habit to about 2' tall by 15" wide; seed heads are prized by goldfinches in winter; good cut or dried flower; no major pest problems; attracts butterflies &amp; hummingbirds; resists heat, humidity, poor soil &amp; deer browse; locate in full sun to light shade &amp; well-drained soil; US native hybrid; Zones 3 - 8 (9)</i></p>			1g	_____

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Sunset Farmstead Plant List: Fall 2021 / Spring 2022

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Eragrostis spectabilis</b> Purple Love Grass <i>ORNAMENTAL GRASS; reddish-bronze inflorescence from late summer into fall 2' stems; small pink &amp; purple seeds appear in fall &amp; are spread by wind; light green summer foliage turns bronze in fall; clumping habit to about 1' tall &amp; wide; spreads slowly by rhizomes; attracts songbirds; resists deer browse; tolerates heat, drought, salt, foot traffic, pollution &amp; Black Walnut; locate in full sun &amp; well-drained soil; US native (Am Bty) Zones 5 - 8</i>			1g	_____
<b>Eryngium yuccifolium</b> Button Snake-root; Rattlesnake Master <i>PERENNIAL; greenish-white 1" diameter globular flowers on 4' stems from June to September; medium green arching toothed sword-like foliage; loose upright habit to about 4' tall by 3' wide; attracts pollinators; locate in full sun &amp; well-drained soil; US native (Am Bty) Zones 3 - 8</i>			1g	_____
<b>Eupatorium dubium 'Little Joe'</b> Compact Joe-Pye Weed <i>PERENNIAL; large showy masses of lavender-pink flower heads in mid to late summer; compact upright habit to about 4' tall by 2' wide; attracts butterflies; tolerates moist soils; when stems cut back they become homes to nesting bees; locate in full sun to light shade &amp; most soils that don't stay wet; US native [genus change: Eutrochium] (Lighty) (Am Bty) Zones 3 - 8</i>			1g	_____
<b>Geranium maculatum</b> Wild Geranium; Spotted Cranesbill <i>PERENNIAL; pale pink to lilac flowers from April into May for about 6 weeks; dark green summer foliage; clumping mound to about 2' tall by 18" wide; self-seeds; attracts many pollinators; resists drought, deer &amp; rabbit browse; locate in full sun to partial shade &amp; average well-drained moisture retentive soil; US native; Zones 3 - 8</i>			1g	_____
<b>Geranium sanguineum 'Max Frei'</b> Bloody Cranesbill; Pink Hardy Geranium <i>PERENNIAL; large reddish-purple blooms in May &amp; June; deeply lobed dark green summer foliage turns reddish in fall; spreading mounding habit to about 8" tall by 24" wide; spreads by rhizomes; attracts butterflies; resists heavy soil, deer &amp; rabbit browse; locate in full sun to partial shade &amp; average well-drained moisture retentive soil; European native; Zones 3 - 8</i>			1g	_____
<b>Helenium 'Mardi Gras'</b> Sneezeweed; Helen's Flower <i>PERENNIAL; showy golden yellow flower petals with orange &amp; red highlights surround brown seed heads for 6 to 8 weeks from mid-summer into fall; upright clumping habit to about 3' or more tall by 24" wide; attracts butterflies; resists moist soils, disease, insects, deer &amp; rabbit browse; good cut flower with long vase life; locate in in full sun &amp; moist fertile soil; North American native hybrid (Blooms of B) Zones 4 - 8</i>			1g	_____
<b>Heuchera 'Green Spice'</b> Silver Coral Bells <i>PERENNIAL; creamy bell-shaped flowers from late spring into mid-summer on slender 30" stems above the foliage; large silvery semi-evergreen foliage with prominent green venation turns shades of orange &amp; red in fall; mounding habit to about 10" tall by 18" wide; tolerates drought, heat, humidity &amp; sometime deer browse; locate in dappled to partial shade &amp; rich organic well-drained neutral to slightly acidic soil; North American native (Am Bty) Zones 4 - 9</i>			1g	_____
<b>Heuchera micrantha var. diversifolia 'Palace Purple'</b> Purple Coral Bells <i>PERENNIAL; small creamy bell-like flowers on 20" slender dark red stems from late spring into mid-summer; spring foliage is deep purple above &amp; bright red below &amp; can become greenish-purple in summer sun &amp; heat; mounding habit to about 12" tall by 24" wide; attracts butterflies; variable deer browse resistance; tolerates dry shade; locate in dappled to partial shade &amp; rich organic well-drained neutral to slightly acidic soil; North American native (Am Bty) Zones (4) 5 - 8 (9)</i>			1g	_____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Sunset Farmstead Plant List: Fall 2021 / Spring 2022

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Heuchera villosa 'Autumn Bride'</b>            Coral Bells; Alum Root  <i>PERENNIAL; unusually large (for Heuchera) bell-like white flowers on thin stalks above the foliage from late summer to frost; large fuzzy semi-evergreen lime to chartreuse-green foliage; spreading mound to about 15" tall by 24" wide; self-seeds which creates variability; locate in partial shade &amp; organic well-drained moisture retentive soil; US native (Bluemount) Zones 4 - 8</i></p>			1g	
<p><b>Hibiscus moscheutos</b>            Swamp Mallow; Rose Mallow  <i>PERENNIAL; varying flower colors of white, pink or rose with a prominent white or light yellow staminal column &amp; often a reddish eye appearing from July to September; large green heart-shaped leaves appear in late spring; variable bushy upright habit to about 5' tall by 3' wide; attracts hummingbirds, butterflies &amp; other pollinators; tolerates flooding areas; locate in full sun &amp; moist to wet soil; US Native (Am Bty) Zones 5 - 9</i></p>			1g	
<p><b>Hydrangea arborescens Pinky Pollen Ring â„¢ ('SMHALP')</b>            Smooth Hydrangea  <i>DECIDUOUS FLOWERING SHRUB; lacecap fertile pink flowers are loosely surrounded by white infertile ones on stiff upright stems; dark green summer foliage foliage turns yellowish brown in fall; bushy habit to about 5' high &amp; wide; locate in morning sun or partial shade &amp; organic well-drained moisture retentive soil of any pH; supplemental moisture during hot dry spells in summer is recommended; eastern US native (Am Bty) Zones 3 - 8</i></p>			1g	
<p><b>Iris cristata 'Powder Blue Giant'</b>            Dwarf Crested Iris  <i>PERENNIAL; 3" dia. light lavender-blue with yellow crests in April &amp; May; medium green sword-like summer foliage; bushy upright habit to about 8" tall by 12" wide; spreads by rhizomes; resists deer browse &amp; drought; locate in full sun to partial shade &amp; well-drained organic moisture retentive neutral to slightly alkaline soil (Norris) (Am Bty) Zones (3) 4 - 8 (9)</i></p>			1g	
<p><b>Iris versicolor</b>            Northern Blue Flag  <i>PERENNIAL; violet-blue (or sometimes white) flower petals with gold centers from May into June; sword-shaped blue-green foliage to 24" long; upright habit to 30" tall; spreads by rhizomes or seeds to form colonies; attracts hummingbirds; resists deer browse &amp; standing water up to 6" deep; locate is full sun to partial shade &amp; moist to wet soil; native to eastern US (Am Bty) Zones 3 - 9</i></p>			1g	
<p><b>Iris versicolor 'Purple Flame'</b>            Northern Blue Flag  <i>PERENNIAL; violet-blue (or sometimes white) flower petals with gold centers from May into June; sword-shaped purple foliage to 24" long emerges in March before turning the typical blue-green by summer; upright habit to 30" tall; spreads by rhizomes or seeds to form colonies; attracts hummingbirds; resists deer browse &amp; standing water up to 6" deep; locate is full sun to partial shade &amp; moist to wet soil; native to eastern US (Mt. Cuba) (Am Bty) Zones 3 - 9</i></p>			1g	
<p><b>Itea virginica Fountains of Rouge â„¢ ('SMIHGRS')</b>            Virginia Sweetspire  <i>DECIDUOUS FLOWERING SHRUB; mildly fragrant about 4" long white racemes in late May or early June; woody seeds; medium bright green summer foliage turns reddish-purple in fall &amp; can persist into winter; reddish-purple winter stems; bushy arching habit to about 4' tall by 5' wide; spreads by root suckers; attracts butterflies &amp; birds; somewhat resistant to deer browse; tolerates ; not drought tolerant; locate in full sun or shade &amp; well-drained moisture retentive acidic soils; US native (Am Bty) Zones 5 - 9</i></p>			1g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Sunset Farmstead Plant List: Fall 2021 / Spring 2022

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Kalimeris integrifolia 'Daisy Mae'</b> Asian Aster; Japanese Aster <i>PERENNIAL; 1" white daisy-like flowers with yellow centers in late summer; compact mound to about 2' tall &amp; wide; good cut flower &amp; in containers; attracts butterflies &amp; other pollinators; resists heat, humidity &amp; drought; locate in full to partial sun &amp; well-drained soil; Zones 5 - 9</i></p>			1g	
<p><b>Liartia spicata 'Kobold'</b> Gay Feather; Blazing Star <i>PERENNIAL; bright pinkish-purple flower spikes to 24" in June &amp; July open from top to bottom; narrow grass-like green foliage turns bronze in fall; upright habit to about 30" tall by 15" wide; good cut or dried flower; seed heads provide food for birds in winter; attracts bees, hummingbirds &amp; butterflies; resists deer browse; locate in full sun &amp; most moisture retentive well-drained soils; US native; Zones (3) 4 - 9 (10)</i></p>			1g	
<p><b>Liatris microcephala</b> Dwarf Blazing Star; Gayfeather <i>PERENNIAL; rosy-purple flower spikes from August into September that open from top to bottom; narrow grass-like foliage; clumping habit to about 2' tall by 18" wide; good cut flower; attracts birds, butterflies &amp; hummingbirds; resists drought &amp; deer browse; good for green roofs; locate in full sun &amp; well-drained soil; US native (Am Bty) Zones: 6 - 9</i></p>			1g	
<p><b>Lindera benzoin</b> Spicebush <i>DECIDUOUS FLOWERING SHRUB; small fragrant greenish-yellow flower clusters appear in mass before the foliage emerges in early spring; fruit appears on female plants in fall as a bright red 1/2" drupe that's favored by birds; bright green aromatic leaves are lighter on the bottom &amp; turn golden yellow in fall; small tree or large shrub to 12' tall &amp; wide; leaves &amp; twigs are aromatic; attracts butterflies &amp; pollinators; resists deer browse; tolerates Black Walnut, wet &amp; boggy soils; locate in full sun or medium shade &amp; organic well-drained moisture retentive neutral to acidic soils; eastern US native; Zones 4 - 9</i></p>			1g	
<p><b>Lobelia cardinalis</b> Cardinal Flower <i>PERENNIAL; scarlet-red flowers (occasionally rose or white) from late July to early September; new foliage emerges maroon before maturing to bright green; upright habit to 3' tall by 30" wide; attracts hummingbirds &amp; butterflies; resists wet soil, deer &amp; rabbit browse; poisonous if eaten; long lived; locate in full to partial sun &amp; any moisture retentive soil with reasonable drainage; eastern US native (Am Bty) Zones (3) 4 - 8 (9)</i></p>			1g	
<p><b>Lobelia siphilitica</b> Blue Cardinal Flower; Great Blue Lobelia <i>PERENNIAL; blue flower spikes from late July to September; light green finely toothed lance-like foliage; upright habit to about 3' tall by 18" wide; can self-seed; attracts bees, butterflies &amp; hummingbirds; resists wet soil, deep shade, deer &amp; rabbit browse; locate in full sun or shade &amp; moisture retentive soil; US native (Am Bty) Zones 4 - 9</i></p>			1g	
<p><b>Matteuccia struthiopteris</b> Ostrich Fern <i>DECIDUOUS FERN; erect finely dissected upright green fronds; stipes (stems) are dark brown at the base and green at the top; upright habit to about 5' tall &amp; wide depending on soil moisture and other conditions; spreads by rhizomes; attracts ; resists disease, deer &amp; rabbit browse; tolerates heavy &amp; wet soils; intolerant of heat, humidity &amp; drought; locate in partial to full shade &amp; moisture retentive acidic to neutral soil; native N.America &amp; elsewhere; Zones (3) 4 - 7</i></p>			1g	

# Sunset Farmstead Plant List: Fall 2021 / Spring 2022

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Mertensia virginica</b> Virginia Bluebells <i>PERENNIAL; pink buds open to light blue flowers on pendulous stems in early spring; foliage opens with a little red on the edge before turning medium green by summer; upright habit to about 2' tall by 18" wide; spreads by rhizomes or seed; goes dormant by mid-summer; resists Black Walnut, deer &amp; rabbit browse; locate in partial to full shade &amp; organic moisture retentive soil with adequate drainage; eastern US &amp; Canada native (Am Bty) Zones 3 - 8</i>			1g	
<b>Monarda didyma 'Jacob Cline'</b> Red Bee Balm <i>PERENNIAL; vibrant red flowers from late June into August; aromatic medium green foliage; upright habit to about 4' tall by 2' wide; needs good air circulation for best performance; resists powdery mildew; spreads by rhizomes; attracts butterflies, hummingbirds &amp; other pollinators; resists deer &amp; rabbit browse; locate in full to partial sun &amp; well-drained moisture retentive soil of any pH; US native (Am Bty) Zones (3) 4 - 8 (9)</i>			1g	
<b>Monarda didyma 'Petite Delight'</b> Pink Bee Balm <i>PERENNIAL; rosy-pink flowers in mid to late summer; aromatic medium green foliage; compact bushy habit to about 18" tall &amp; wide; good cut flower; needs good air circulation for best performance; spreads by rhizomes; attracts butterflies, hummingbirds &amp; other pollinators; resists deer &amp; rabbit browse; locate in full to partial sun &amp; well-drained moisture retentive soil of any pH; US native; Zones 4 - 8 (9)</i>			1g	
<b>Monarda didyma 'Purple Rooster'</b> Purple Bee Balm <i>PERENNIAL; mildly fragrant dark purple flowers in late June for about 3 weeks; aromatic medium green foliage; upright habit to about 3' tall by 2' wide; needs good air circulation for best performance; spreads by rhizomes; attracts butterflies, hummingbirds &amp; other pollinators; resists deer &amp; rabbit browse; locate in full to partial sun &amp; well-drained moisture retentive soil of any pH; US native (Nedveck) Zones 4 - 8 (9)</i>			1g	
<b>Monarda fistulosa 'Claire Grace'</b> Lavender Bee Balm; Lavender Wild Bargamot <i>PERENNIAL; mildly fragrant lavender-pink flowers from June to July; glossy mildew resistant aromatic foliage; upright habit to about 3' tall by 2' wide; needs good air circulation for best performance; improved glossy foliage with increased mildew resistance; spreads by rhizomes; attracts butterflies &amp; hummingbirds; resists deer &amp; rabbit browse &amp; limited drought; locate in full to partial sun &amp; well-drained moisture retentive soil (Bridges) (Am Bty) Zones 3 - 8</i>			1g	
<b>Nepeta x faassenii 'Walker's Low'</b> Blue Catnip; Blue Catmint <i>PERENNIAL; lavender-blue flower from April to October; fragrant hairy, gray-green foliage; compact bushy habit to about 2' tall by 3' wide; aggressive grower; attracts hummigbirds &amp; butterflies; tolerates drought, salt, humidity, urban &amp; air pollution, deer &amp; rabbit browse; locate in full sun or light shade &amp; well-drained soil; native to southwestern Asia; Zones 4 - 9</i>			1g	
<b>Osmunda cinnamomea</b> <i>see: Osmundastrum cinnamomea</i>				
<b>Osmundastrum cinnamomea</b> Cinnamon Fern <i>DECIDUOUS FERN; fiddleheads emerge into sterile arecing pinnately-compound yellowish-green fronds which turn yellowish in fall; new spore bearing fronds then appear that are cinnamon-brown; clumping habit to about 4' or more tall by 3' wide; resists rabbit &amp; deer browse; tolerates salt, heavy shade &amp; Black Walnut; locate in full to part shade &amp; organic moisture retentive acidic soil; native to N.America &amp; beyond (genus formerly: Osmunda) (Am Bty) Zones 3 - 9</i>			1g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Sunset Farmstead Plant List: Fall 2021 / Spring 2022

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Pachysandra procumbens</b> Allegheny Spurge <i>PERENNIAL; fragrant white flower spikes in spring; new semi-evergreen blue-green foliage matures with silvery mottling; slowly spreading ground cover to about 12" tall by 24" wide; spreads by rhizomes; resists drought, disease &amp; deer browse; locate in partial to full shade &amp; moisture retentive well-drained acidic soil; US native (Am Bty) Zones 4 - 9</i>			1g	
<b>Pakera aurea</b> Golden Groundsel; Golden Ragwort <i>PERENNIAL; profuse clusters of 1" yellow daisy-like flowers with golden centers in May followed by fluffy seed heads that self-sow; dark green heart-shaped foliage has a purplish tinge below; bushy upright habit to about 30" tall by 18" wide; tolerates both wet shade &amp; fairly dry sunny locations; pollen attracts small bees &amp; flies; resists deer browse; locate in full sun to full shade &amp; moisture retentive soil that drains; eastern US native; Zones 3 - 8</i>			1g	
<b>Panicum virgatum</b> Switch Grass <i>ORNAMENTAL GRASS; lacy wheat-colored inflorescence with pink tones to about 6' tall appear in late summer; upright blue-green summer foliage turns yellow in the fall; columnar clumping habit to about 4' tall &amp; wide; seeds eaten by birds in winter; resists deer browse; tolerates salt spray, drought, Black Walnut, wet &amp; sterile soils; locate in full sun or partial shade &amp; just about any soil if not too fertile; North American native; Zones 5 - 9</i>			1g	
<b>Panicum virgatum 'Cape Breeze'</b> Compact Switch Grass <i>ORNAMENTAL GRASS; lacy wheat-colored inflorescence with pink tones appear before the species in late summer; green foliage through October before turning yellow; compact upright habit to about 30" tall; seeds eaten by birds in winter; resists deer browse; tolerates salt spray, drought, Black Walnut, wet &amp; sterile soils; locate in full sun or partial shade &amp; just about any soil if not too fertile; North American native (North Creek N) (Am Bty) Zones 4 - 9</i>			1g	
<b>Panicum virgatum 'Heavy Metal'</b> Blue Switch Grass <i>ORNAMENTAL GRASS; lacy wheat-colored inflorescence with pink tones to about 5' tall appear in late summer; upright metallic-blue summer foliage turns yellow in the fall &amp; beige in winter; columnar clumping habit to about 3' tall by 2' wide; seeds eaten by birds in winter; resists deer browse; tolerates salt spray, drought, Black Walnut, wet &amp; sterile soils; locate in full sun or partial shade &amp; just about any soil if not too fertile; North American native; Zones (4) 5 - 9</i>			1g	
<b>Panicum virgatum 'Shenandoah'</b> Red Switch Grass <i>ORNAMENTAL GRASS; lacy reddish-pink inflorescence to about 4' tall appear in late summer; spring foliage emerges blue-green before turning burgundy by summer then yellow in the fall &amp; beige in winter; columnar clumping habit to about 3' tall by 2' wide; seeds eaten by birds in winter; resists deer browse; tolerates salt spray, drought, Black Walnut, wet &amp; sterile soils; locate in full sun or partial shade &amp; just about any soil if not too fertile; North American native (Simon) Zones (4) 5 - 9</i>			1g	
<b>Panicum virgatum 'Thundercloud'</b> Tall Switch Grass <i>ORNAMENTAL GRASS; lacy wheat-colored inflorescence to about 8' tall appear in late summer; upright blue-green summer foliage turns yellow in the fall &amp; beige in winter; columnar clumping habit to about 7' tall &amp; wide; seeds eaten by birds in winter; resists deer browse; tolerates salt spray, drought, Black Walnut, wet &amp; sterile soils; locate in full sun or partial shade &amp; just about any soil if not too fertile; North American native ['North Wind' x 'Cloud Nine'] (Trucks) Zones 5 - 9</i>			1g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Sunset Farmstead Plant List: Fall 2021 / Spring 2022

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Penstemon digitalis 'Dark Towers'</b> Tall Beardtongue <i>PERENNIAL; masses of tubular pink flowers from late spring into summer on rigid stems; dark wine-red foliage is usually retained through summer; bushy upright habit to as much as 3' tall by 2' wide; good cut flower; attracts hummingbirds &amp; butterflies; tolerates heat, humidity deer &amp; rabbit browse; locate in full sun &amp; well-drained soil (Lindgren) Zones 3 - 8 (9)</i>			1g	
<b>Penstemon digitalis 'Husker Red'</b> Tall Beardtongue <i>PERENNIAL; masses of tubular white flowers from April into June on rigid stems; maroon spring foliage matures to dark green by summer; bushy upright habit to as much as 3' tall by 2' wide; good cut flower; attracts hummingbirds &amp; butterflies; tolerates heat, humidity, above normal soil moisture, deer &amp; rabbit browse; locate in full sun &amp; well-drained soil (Lindgren) (Am Bty) Zones 3 - 8 (9)</i>			1g	
<b>Perovskia atriplicifolia 'Little Spire'</b> Compact Russian Sage <i>PERENNIAL; lavender-blue flowers from late summer into fall on new wood; aromatic lacy gray-green foliage; compact upright bushy habit to about 2' tall &amp; wide; should be cut back hard before new spring growth; attracts butterflies &amp; hummingbirds; resists drought, air pollution, salt, deer &amp; rabbit browse; locate in full sun &amp; most moisture retentive well-drained soils; Asian native; Zones 5 - 9</i>			1g	
<b>Phlox paniculata 'Blue Paradise'</b> Blue Garden Phlox <i>PERENNIAL; very fragrant violet-blue flowers from July into Sept; bushy upright habit to about 3' tall by 2' wide; good cut flower; mildew resistant with adequate moisture &amp; good air circulation; attracts hummingbirds &amp; butterflies; tolerates heavy soils, deer browse &amp; Black Walnut; locate in full sun &amp; highly organic moisture retentive well-drained soil; US native (Oudolf) (Am Bty) Zones 4 - 8</i>			1g	
<b>Phlox paniculata 'Jeana'</b> Pink Garden Phlox <i>PERENNIAL; fragrant shades of small lavender-pink flowers from July into Sept; upright habit to about 5' tall by 2' wide; good cut flower; highly mildew resistant; very attractive to hummingbirds, butterflies &amp; other pollinators; tolerates heavy soils, deer browse &amp; Black Walnut; locate in full sun to light shade &amp; highly organic moisture retentive well-drained soil; US native (Prewitt) (Am Bty) Zones 4 - 8</i>			1g	
<b>Phlox subulata 'Drummond's Pink'</b> Pink Creeping Phlox <i>EVERGREEN PERENNIAL; prolific bright white petals with a purple eye in late spring; small evergreen foliage; spreading habit to about 6" high by 24" wide; attracts bees &amp; butterflies; tolerates salt, some flooding, deer &amp; rabbit browse; locate in full sun or minimal shade &amp; well-drained neutral soil; US native (Am Bty) Zones 3 - 9</i>			1g	
<b>Phycnanthemum flexuosum</b> Appalachian Mountain Mint <i>PERENNIAL; fuzzy white globular flowers on upright stems from July into fall; fragrant gray-green summer foliage turns shades of red in fall; mounding habit to about 3' tall by 4' wide; spreads slowly by rhizomes; host for Gray Hairstreak Butterfly; attracts many other pollinators also; tolerates wet soils, deer &amp; rabbit browse; good soil stabilizer; locate in full sun or partial shade &amp; moisture retentive soil; US native (Am Bty) Zones (4) 5 - 8 (9)</i>			1g	
<b>Phycnanthemum muticum</b> Blunt Mountain Mint; Short-toothed Mountain Mint <i>PERENNIAL; white to pink to purple flower clusters atop silvery bracts from July to Sept; aromatic dark green foliage; clumping habit to about 3' tall &amp; wide; spreads by rhizomes; attracts bees &amp; butterflies; resists deer browse; tolerates drought &amp; wet soils; locate in full sun to full shade &amp; moisture retentive to well-drained soil; US native; Zones 4 - 9</i>			1g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Sunset Farmstead Plant List: Fall 2021 / Spring 2022

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Physostegia virginiana 'Pink Manners'</b>                      Obedient Plant; False Dragonhead  <i>PERENNIAL; tubular light rose-pink flowers on sturdy upright stems from July into Oct; medium green foliage; upright habit to about 3' tall by 2' wide; spreads by short rhizomes; attracts hummingbirds &amp; other pollinators; tolerates periodic flooding; locate in full sun &amp; moisture retentive soil; US native (Probst) (Am Bty) Zones 3 - 8</i></p>			1g	
<p><b>Polystichum acrostichoides</b>                      Christmas Fern  <i>EVERGREEN FERN; showy silvery fiddle-heads in spring; dark green pinnately-compound foliage; spreading mound to about 2' tall &amp; wide; attracts songbirds; resists rabbit &amp; deer browse; tolerates drought; locate in full to partial shade &amp; moisture retentive well-drained organic soil; N.American native; Zones 3 - 8 (9)</i></p>			1g	
<p><b>Rudbeckia fulgida 'Goldsturm'</b>                      Perennial Black-eyed Susan  <i>PERENNIAL; 3" diameter gold petals with dark brown eye from June to Sept; seeds are valuable food source for birds in winter (don't cut back!); dark green foliage; upright habit to about 3' tall by 2' wide; can self-seed; good cut flower; attracts butterflies; resists pests, disease &amp; deer browse; tolerates heat, humidity &amp; limited drought; locate in full sun &amp; moisture retentive well-drained soils; US native (Hagemann) (Am Bty) Zones 4 - 9</i></p>			1g	
<p><b>Rudbeckia fulgida var. fulgida</b>                      Black-eyed Susan  <i>PERENNIAL; golden yellow petals with dark brown centers from July to Oct; blooms later with smaller flowers &amp; longer bloom period than 'Goldsturm'; brown centers provide seeds for birds in winter; shiny green foliage; upright bushy habit to about 30" tall by 24" wide; self-seeds &amp; spreads by rhizomes; good cut flower; attracts birds &amp; butterflies; resists deer browse; tolerates heat, humidity &amp; some drought; locate in full to mostly sunny areas &amp; most well-drained soils; US native; Zones 5 - 7</i></p>			1g	
<p><b>Rudbeckia laciniata 'Summer Sun'</b>                      Cutleaf Coneflower; Green-headed Coneflower  <i>PERENNIAL; drooping yellow daisy-like petals around yellowish-green seed heads from July to Sept; large deeply-lobed dark green foliage; upright habit to as much as 9' tall by 3' wide; spreads by rhizomes &amp; self-seeding; attracts butterflies; resists deer browse; tolerates occasional flooding; locate in full sun to partial shade &amp; well-drained moisture retentive soil; US native; Zones 4 - 9</i></p>			1g	
<p><b>Rudbeckia subtomentosa</b>                      Sweet Coneflower  <i>PERENNIAL; mildly fragrant 3" golden daisy-like petals around brown seed heads from July to October; gray-green toothed foliage; upright habit to about 5' tall by 2' wide; self-seeds; attracts bees &amp; other pollinators; butterfly caterpillars feed on the foliage; resists deer browse; tolerates heat, humidity, wet soil &amp; limited drought; locate in full sun &amp; well-drained moisture retentive soil; US native; Zones (3) 4 - 8</i></p>			1g	
<p><b>Salvia nemerosa 'May Night'</b>                      Blue Flowering Sage  <i>PERENNIAL; dark violet-blue flower spikes on square stems in May &amp; June; aromatic green summer foliage; bushy upright habit to about 24" tall &amp; 18" wide; good cut &amp; dried flower; attracts hummingbirds &amp; butterflies; resists deer browse; tolerates drought, heat &amp; humidity; locate in full sun &amp; most well-drained moisture retentive soils; native to Europe &amp; Asia; Zones 4 - 8</i></p>			1g	
<p><b>Schizachyrium scoparium 'Standing Ovation'</b>                      Little Bluestem  <i>ORNAMENTAL GRASS; silvery seed heads on 4' stems appear from late summer into fall; broader blue foliage with red tips becomes purplish at the base in fall before turning shades of orange, red &amp; maroon by winter; upright habit to about 3' tall by 18" wide; self-seeds; attracts songbirds &amp; butterflies; resists deer browse; tolerates drought, salt &amp; heavy soil; locate in full sun &amp; any well-drained soil; US native; thought to be a seedling of 'Prairie Blues' (North Creek N) Zones 3 - 8</i></p>			1g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Sunset Farmstead Plant List: Fall 2021 / Spring 2022

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Scutellaria 'Appalachian Blues'</b> Skullcap <i>PERENNIAL; purple &amp; white bicolor flowers in summer; serrated foliage is semi-evergreen in southern range; compact bushy habit to about 24" tall; attracts bumblebees; tolerates sun &amp; shade; locate in filtered shade &amp; well-drained moisture retentive soil; US native cross [S. ovata x S. serrata] (Heus) (Am Bty) Zones 4 - 8</i>			1g	_____
<b>Sedum x 'Autumn Joy'</b> Stonecrop <i>PERENNIAL; pink flowers from Sept into Nov; upright habit to about 24" tall &amp; wide; attracts bees, butterflies &amp; sometimes hummingbirds; locate in full sun or light shade &amp; well-drained soil; Asian native [possible Genus rename: Hylotelephium] [S. spectabile x S. telephium] Zones 4 - 9</i>			1g	_____
<b>Sedum kamtschaticum</b> Russian Stonecrop <i>PERENNIAL; small yellow star-shaped flowers from late spring into summer mature to bronze-yellow; deciduous dark green summer foliage gets red tones in fall; prostrate habit to about 6" tall by 24" wide when mature; good for roof gardens; attracts butterflies; resists deer &amp; rabbit browse; tolerates salt, drought &amp; light foot traffic; locate in full sun to partial shade &amp; just about any well-drained soil; Zones (2) 3 - 9 (10)</i>			1g	_____
<b>Sesleria autumnalis</b> Autumn Moor Grass <i>ORNAMENTAL GRASS; small white spring flowers on 18" stems; tan seeds appear in late summer; arching light green foliage is evergreen; clumping habit to about 12" tall &amp; wide; attracts pollinators; resists deer browse; tolerates drought, air pollution, alkaline soil &amp; Black Walnut; locate in full sun or partial shade &amp; just about any well-drained soil; southeastern European native; Zones 5 - 8 (9)</i>			1g	_____
<b>Sisyrinchium angustifolium 'Lucerne'</b> Blue-Eyed Grass <i>PERENNIAL; bright lavender-blue star-shaped flowers with gold centers from May to June; narrow semi-evergreen iris-like foliage; broadly upright habit to about 12" tall &amp; wide; self-seeds; tolerates limited drought &amp; flooding; resists deer browse; locate in full to partial sun &amp; well-drained moisture retentive soils; US native (Herman) (Am Bty) Zones (4) 5 - 9</i>			1g	_____
<b>Solidago 'Little Lemon'</b> Goldenrod <i>PERENNIAL; masses of small round bright lemon-yellow petals with darker centers from late August into Oct; small medium green leaves; compact clumps to about 18" tall &amp; wide; attracts butterflies; resists deer browse; tolerates drought &amp; dry soil; locate in full sun &amp; moisture retentive well-drained soil; US native (Planthaven) Zones (4) 5 - 8 (9)</i>			1g	_____
<b>Solidago rugosa 'Fireworks'</b> Goldenrod <i>PERENNIAL; sprays of bright yellow flowers on arching branches from late August into Oct; small semi-evergreen heart-shaped foliage emerges burgundy in spring before turning dark blue-green by summer; upright arching clumps to about 4' tall by 3' wide; spreads by rhizomes &amp; self-seeds; attracts many pollinators including songbirds; resists deer browse; tolerates drought &amp; wet soils; locate in full to mostly sunny areas &amp; moisture retentive well-drained neutral to slightly acidic soil; US native (Moore / Niche Gdns) (Am Bty) Zones 4 - 9</i>			1g	_____
<b>Solidago sphacelata 'Golden Fleece'</b> Goldenrod <i>PERENNIAL; profuse sprays of golden-yellow flower spikes in late summer; small semi-evergreen heart-shaped blue-green summer foliage; bushy upright groundcover to about 2' tall by 3' wide; attracts many pollinators including songbirds; resists deer browse; tolerates drought; locate in full to mostly sunny areas &amp; moisture retentive well-drained soil; US native (Mt. Cuba) Zones 4 - 9</i>			1g	_____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Sunset Farmstead Plant List: Fall 2021 / Spring 2022

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Sorghastrum nutans Golden Sunset</b> ⚠️ ('MNYG318153')</p> <p>Indian Grass; Yellow Prairie Grass  <i>ORNAMENTAL GRASS; 9" yellow to golden-bronze flowers from mid-August through winter; fairly wide olive-green foliage; strictly upright habit to about 6' tall by 3' wide; attracts a wide range of insects, butterflies &amp; birds; resists deer browse; tolerates salt &amp; drought; locate in full sun to partial shade &amp; well-drained organic soil; N. American native (Am Bty) Zones 3 - 9</i></p>			1g	
<p><b>Spigelia marilandica 'Little Redhead'</b></p> <p>Woodland Pinkroot; Indian Pink  <i>PERENNIAL; masses of dark red tubular flowers with chartreuse centers appear on upright stems in June &amp; sporadically thereafter in summer; dark green sword-like foliage; upright habit to about 24" tall &amp; wide; good cut flower; attracts hummingbirds &amp; other pollinators; locate in full sun &amp; well-drained moisture retentive neutral soil; N. American native (Am Bty) Zones (5) 6 - 9</i></p>			1g	
<p><b>Sporobolus heterolepis</b></p> <p>Prairie Dropseed  <i>ORNAMENTAL GRASS; mildly fragrant airy flowers above the foliage in Sept &amp; Oct; very narrow dark green summer foliage turns bright orange in fall; arching habit to about 3' tall &amp; wide; attracts pollinators, insects &amp; many birds; resists deer browse; tolerates salt, Black Walnut, drought &amp; moist soils; locate in full sun &amp; well-drained moisture retentive soil; N. American native; Zones 3 - 8 (9)</i></p>			1g	
<p><b>Stachys monieri 'Hummelo'</b></p> <p>Lamb's Ear; Betony  <i>PERENNIAL; tiny rosy-lavender flowers on square 24" stems in summer above the foliage; long narrow dark green leaves can be evergreen in southern range; clumping habit to about 18" tall &amp; wide; good cut flower; stoloniferous; resists deer &amp; rabbit browse; tolerates Black Walnut; locate in full sun or light shade &amp; average to well-drained soil of any pH; native of Asia Minor [formerly: S. monieri] (Pagels) Zones 4 - 8</i></p>			1g	
<p><b>Symphotrichum laeve 'Bluebird'</b>  <i>see: Aster laevis 'Bluebird'</i></p>				
<p><b>Symphotrichum lateriflorum 'Lady in Black'</b>  <i>see: Aster lateriflorum 'Lady in Black'</i></p>				
<p><b>Symphotrichum novae-angliae 'Purple Dome'</b>  <i>see: Aster novae-angliae 'Purple Dome'</i></p>				
<p><b>Symphotrichum oblongifolium 'Raydon's Favorite'</b>  <i>see: Aster oblongifolium 'Raydon's Favorite'</i></p>				
<p><b>Symphotrichum x 'Wood's Pink'</b>  <i>see: Aster x 'Wood's Pink'</i></p>				
<p><b>Tiarella cordifolia 'Running Tapestry'</b></p> <p>Foam Flower  <i>PERENNIAL; small fragrant white bottle-brush flowers in mid-spring; small round green foliage with prominent red venation; spreading mound to about 12" tall by 18" wide; attracts bees, butterflies &amp; other pollinators (important nectar source for several bee species); resists light foot traffic; somewhat resistant to deer &amp; rabbit browse; locate in full to semi-shade &amp; well-drained organic moisture retentive acidic soil; eastern US &amp; Canadian native (Plyler) (Am Bty) Zones (3) 4 - 9</i></p>			1g	
<p><b>Vernonia lettermanii 'Iron Butterfly'</b></p> <p>Purple Narrowleaf Ironweed  <i>PERENNIAL; clusters of small purple star-shaped flowers in late summer; compact well-branched habit to about 3' high &amp; wide; attracts butterflies &amp; songbirds; resists deer browse, insects &amp; disease; tolerates minimal drought &amp; flooding; locate in full sun &amp; well-drained moisture retentive soil; US native (North Creek / Armitage) Zones 4 - 9</i></p>			1g	

# Sunset Farmstead Plant List: Fall 2021 / Spring 2022

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Vernonia noveboracensis</b>                      New York Ironweed  <i>PERENNIAL; small clusters of medium to dark purple flowers on erect stems from late summer into fall; medium green foliage with downy undersides; open upright clumping habit to about 7' tall by 4' wide; attracts bees, butterflies, songbirds &amp; other pollinators; resists deer &amp; rabbit browse; tolerant of flooding; locate in full sun or partial shade &amp; moisture retentive neutral to acidic soil; eastern US native (Am Bty) Zones 5 - 9</i></p>			1g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Sunset Farmstead Plant List: Fall 2021 / Spring 2022

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY

---

## Delivery Instructions

---

Company Name: \_\_\_\_\_

Delivery Address: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

Contact(s): \_\_\_\_\_

Phone Numbers: OFFICE: \_\_\_\_\_ MOBILE: \_\_\_\_\_

ALTERNATE: \_\_\_\_\_ FAX: \_\_\_\_\_

Email Address: \_\_\_\_\_

Requested Delivery Weeks(s): \_\_\_\_\_

Delivery Days / Time: MON  TUE  WED  THU  FRI  SAT  SUN  FROM \_\_\_\_\_ am / pm TO \_\_\_\_\_ am / pm

Special Instructions: \_\_\_\_\_

\_\_\_\_\_