

# Youngblood Farms Plant List: Fall 2022 / Spring 2023

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Acer buergerianum</b> Trident Maple <i>DECIDUOUS SHADE TREE; small shade tree to about 30' or more with equal width; new 3-lobed foliage opens bronzish; summer foliage is dark glossy green turning variable shades of yellows to reds in late fall; exfoliating gray to orange to brown bark on medium sized branches; tolerates drought &amp; urban conditions; locate in full sun &amp; well drained acidic soil; PHS Gold Metal; Asian native; Zones 5 - 8 (9)</i>		1.5" c 1.75" c 2" c 2.5" c	B&B B&B B&B B&B	    <b>N</b>
<b>Acer x freemanii 'Armstrong'</b> Columnar Freeman Maple <i>DECIDUOUS SHADE TREE; small reddish-green flowers before the foliage; variable reddish to reddish-orange fall foliage; silvery-gray bark; columnar habit to about 60' tall by 20' wide; locate in full sun &amp; most any soil regardless of acidity or moisture but not wet; native US cross [A. rubrum x A. saccharinum] Zones 3 - 9</i>	<b>BRANCHED AT 4.5'</b>	2" c 2.5" c 3" c	B&B B&B B&B	   <b>N</b>
<b>Acer x freemanii Autumn Blaze ® ('Jeffersred')</b> Freeman Maple <i>DECIDUOUS SHADE TREE; minimal small inconspicuous red to yellowish-green flowers; orange-red to scarlet red fall foliage; broadly upright habit to about 55' tall by 40' wide at maturity; adaptable to a wide range of conditions; tolerates extended wet soils; locate in full sun or light shade &amp; most any soil regardless of acidity or moisture but not continually wet; native US cross [A. rubrum x A. saccharinum] (Jeffers) Zones 3 - 7</i>		2" c 2.5" c 3" c	B&B B&B B&B	   <b>N</b> <b>N</b>
<b>Acer x freemanii Sienna Glen ® ('Sienna')</b> Freeman Maple <i>DECIDUOUS SHADE TREE; dark green summer foliage turns reddish-orange to burgundy in fall; rapid growing pyramidal habit with strong central leader when young matures to about 50' tall &amp; wide; more tolerant of alkaline soils; locate in full sun &amp; most any soil regardless of acidity or moisture but not wet; native US cross [A. rubrum x A. saccharinum] (Heins) Zones 3 - 6 (7)</i>		2" c 2.5" c	B&B B&B	 <b>N</b> <b>N</b>
<b>Acer rubrum 'Brandywine'</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; profuse small dark red male flowers in early spring; seedless; medium green summer foliage turns red before becoming purple-red &amp; is resistant to leafhoppers; oval to pyramidal habit to about 35' tall by 20' wide; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native (Townsend / USNA) Zones 4 - 9</i>		2" c 2.5" c 3" c	B&B B&B B&B	   <b>N</b> <b>N</b> <b>N</b>
<b>Acer rubrum 'October Glory'</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; broad oval head to about 50' tall &amp; about as wide; brilliant orange-red to red fall foliage; the last A. rubrum to color in fall; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; not as cold hardy as Red Sunset; US native (Flemer) Zone 5 - 9</i>		2" c 2.5" c	B&B B&B	  <b>N</b>
<b>Acer rubrum 'Sun Valley'</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; upright oval crown to about 20' tall &amp; 10' wide at 10 years; smaller than normal medium green summer leafhopper resistant foliage turns brilliant bright red in fall; seedless; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native (Townsend / USNA) Zones 4 - 7</i>		2" c 2.5" c 3" c	B&B B&B B&B	   <b>N</b>
<b>Acer saccharum</b> Sugar Maple <i>DECIDUOUS SHADE TREE; small greenish-yellow flowers just before leaf break; medium green summer foliage turns variable shades of orange or red in fall; upright oval habit to about 70' tall; locate in full sun or partial shade &amp; well-drained organic soil; not tolerant of compacted soils deicing salt reflected heat or restricted root zones; US native; Zones 4 - 8</i>		2" c 2.5" c 3" c	B&B B&B B&B	   <b>N</b> <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Youngblood Farms Plant List: Fall 2022 / Spring 2023

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Acer saccharum 'Legacy'</b> Sugar Maple <i>DECIDUOUS SHADE TREE; thick waxy dark green foliage resists scorch &amp; leaf tatter &amp; turns orange-red in fall; tight oval head to about 50' tall by 40' wide; heat resistant; locate in full sun or partial shade &amp; well-drained organic soil; not tolerant of compacted soils deicing salt reflected heat or restricted root zones; US native (Wandell) Zones 4 - 8</i>	Ltd	2" c	B&B	_____	<b>N</b>
<b>Amelanchier x grandiflora 'Autumn Brilliance'</b>	BUSH Ltd	4'	B&B	_____	<b>N</b>
Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot &amp; turns showy shades of orange &amp; red in fall; bushy broadly upright upright habit to about 25' tall &amp; wide; stoloniferous; locate in full sun to partial shade &amp; moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>		5'	B&B	_____	<b>N</b>
<b>Amelanchier x grandiflora 'Autumn Brilliance'</b>	TREE FORM Ltd	1.5" c	B&B	_____	<b>N</b>
Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot &amp; turns showy shades of orange &amp; red in fall; bushy broadly upright upright habit to about 25' tall &amp; wide; trained to a single trunk; stoloniferous; locate in full sun to partial shade &amp; moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>		1.75" c	B&B	_____	
		2" c	B&B	_____	
<b>Asimina triloba</b> Common Pawpaw <i>DECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large yellowish-green edible custard-like fruit in late summer tastes almost like a banana or mango; medium green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' high &amp; wide; highly resistant to deer browse; locate in full sun or shade &amp; moist to wet soils, although is being seen in dryer sites; eastern US native; Zones 5 - 8</i>	Ltd	1.75" c	B&B	_____	<b>N</b>
	Ltd	2" c	B&B	_____	<b>N</b>
	Ltd	2.5" c	B&B	_____	
<b>Betula nigra Heritage® ('Cully')</b>	CLUMP	8'	B&B	_____	<b>N</b>
River Birch <i>DECIDUOUS ORNAMENTAL TREE; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of yellow in fall; leaf spot resistance; broadly upright habit to about 45' tall by 30' wide; 3 or more main trunks; fall dig hazard; locate in full sun or minimal shade &amp; moist acidic soil; somewhat drought tolerant; supposedly improved selection of original Heritage; US native (Cully) Zones 3 - 9</i>		10'	B&B	_____	
		12'	B&B	_____	
<b>Buxus x 'Green Velvet'</b> Compact Spreading Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer &amp; winter foliage; compact mounding habit to about 2' high by 3' wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>	V. Ltd	18" spr	B&B	_____	<b>N</b>
	V. Ltd	24" spr	B&B	_____	<b>N</b>
<b>Buxus sempervirens 'Dee Runk'</b> Columnar Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; upright conical shrub to 10' tall by 3' wide; dark green foliage; adapts well to poor soils; tolerates all light conditions; stronger upright branching than 'Graham Blandy'; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal; native to Europe, Asia &amp; Africa; Zones (5) 6 - 8</i>	V. Ltd	24"	B&B	_____	<b>N</b>
	V. Ltd	30"	B&B	_____	<b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Youngblood Farms Plant List: Fall 2022 / Spring 2023

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Carpinus betulus 'Fastigiata'</b> <b>LOW BRANCHED</b>	Ltd	1.75" c	B&B	_____	<b>N</b>
	Ltd	2" c	B&B	_____	
Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; dark green summer foliage turns yellowish then tan by winter; columnar habit when young matures to about 40' tall &amp; about 30' wide; good for hedging as it takes shearing well &amp; the foliage is often retained through winter - especially in protected locations; branching starts at or near the ground; locate in full sun or part shade &amp; any soil with moderate drainage; native to Europe &amp; Asia Minor; Zones 5 - 8</i>					
<b>Cedrus deodara</b> Deodara Cedar; Himalayan Cedar		8'	B&B	_____	<b>N</b>
		9'	B&B	_____	
		10'	B&B	_____	
<i>EVERGREEN CONIFER; medium green pointed needles; densely pyramidal habit when young maturing to about 60' or more tall by 40' wide at the base; somewhat deer browse resistant &amp; drought tolerant; locate in full to mostly sunny locations &amp; organic well-drained moisture retentive soil; protect from winter winds in northern range; native to western Himalaya; Zones (6) 7 - 9</i>					
<b>Cedrus deodara Patti Faye â„¢</b> Blue Deodara Cedar	Ltd	5'	B&B	_____	<b>N</b>
	Ltd	6'	B&B	_____	
	Ltd	7'	B&B	_____	
<i>EVERGREEN ORNAMENTAL CONIFER; silvery to steel-blue pointed needles; compact pyramidal about to about 50' tall by 30' wide at maturity; horizontal to slightly pendulous lateral branching; resists deer browse; tolerates drought &amp; heat; locate in full to mostly sunny locations &amp; organic well-drained moisture retentive soil; protect from winter winds in northern range; native to western Himalaya; Zones 7 - 9</i>					
<b>Cercis canadensis</b> <b>BUSH</b>		6'	B&B	_____	<b>N</b>
		7'	B&B	_____	
		8'	B&B	_____	
		10'	B&B	_____	
<i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching starts at the ground; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones (3) 4 - 9</i>					
<b>Cercis canadensis</b> <b>TREE FORM</b>		1.75" c	B&B	_____	
		2" c	B&B	_____	
		2.5" c	B&B	_____	
<i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching usually starts about 3' to 5' above the ground from a single stem; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones (3) 4 - 9</i>					
<b>Cercis canadensis 'Forest Pansy'</b> Purple-leaf Eastern Redbud		1.75" c	B&B	_____	<b>N</b>
		2" c	B&B	_____	
	V. Ltd	2.5" c	B&B	_____	
<i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges purple before becoming dark purplish-green by mid-summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Forest N) Zones (4) 5 - 9</i>					
<b>Cryptomeria japonica 'Radicans'</b> Pyramidal Japanese Cedar	Ltd	6'	B&B	_____	<b>N</b>
	Ltd	7'	B&B	_____	
	Ltd	8'	B&B	_____	
	V. Ltd	9'	B&B	_____	
	V. Ltd	10'	B&B	_____	
<i>EVERGREEN ORNAMENTAL CONIFER; darker green to more gray-green foliage than 'Yoshino'; pyramidal habit to about 15' tall by 5' wide in 10 years; good for screening or specimen use; protect from winter winds in northern range; tolerates deer browse &amp; drought; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soil; native to China &amp; Japan; Zones (5) 6 - 8</i>					

# Youngblood Farms Plant List: Fall 2022 / Spring 2023

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Cryptomeria japonica 'Yoshino'</b> Pyramidal Japanese Cedar <i>EVERGREEN ORNAMENTAL CONIFER; bright green spring &amp; summer foliage can bronze a little in winter; rapid pyramid habit to about 15' tall by 5' wide in 10 years; lighter green foliage than 'Radicans'; good for screening or specimen use; protect from winter winds in northern range; tolerates deer browse &amp; drought; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soil; PHS Gold Metal; native to China &amp; Japan; Zones (5) 6 - 8</i>	Ltd	6'	B&B	_____	
	Ltd	7'	B&B	_____	
	Ltd	8'	B&B	_____	
	Ltd	9'	B&B	_____	
	Ltd	10'	B&B	_____	
<b>Gleditsia triacanthos var. inermis Skyline® ('Skycole')</b> Thornless Honeylocust <i>DECIDUOUS SHADE TREE; small dark green compound summer foliage turns bright golden in fall; provides light dappled shade; virtually seedless; upright pyramidal habit to about 20' tall by 15' wide in 10 years; very tolerant of urban conditions including soil compaction &amp; salt; locate in full sun &amp; moisture retentive neutral to alkaline soils; US native (Cole Ns) Zones 4 - 8 (9)</i>		2" 2.5" c	B&B B&B	_____ _____	<b>N</b>
<b>Ilex x aquipernyi Dragon Lady® ('Meschick')</b> Pyramidal Hybrid Holly <i>BROADLEAF EVERGREEN TREE; small inconspicuous flowers in spring; bright red fruit persists from fall into or through winter; somewhat self-fruitful; spiny dark glossy green foliage; fairly narrow pyramidal habit to about 12' tall by 4' wide; resists deer browse; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Asian / European cross [I. pernyi x I. aquifolium] Zones 6 - 9</i>		3' 4'	B&B B&B	_____ _____	<b>N</b> <b>N</b>
<b>Ilex x 'Nellie R. Stevens'</b> Pyramidal Hybrid Holly <i>BROADLEAF EVERGREEN TREE; small inconspicuous flowers in spring; bright red fruit persists from fall into or through winter; somewhat self-fruitful; glossy dark green foliage; dense broadly pyramidal habit to about 20' tall by 15' wide; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil [I. cornuta x I. aquifolium] Zones 6 - 9</i>	Ltd	6' 7' 8'	B&B B&B B&B	_____ _____ _____	<b>N</b>
<b>Ilex opaca 'Greenleaf'</b> American Holly <i>BROADLEAF EVERGREEN TREE; lightly fragrant white flowers in May; bright red fruit clusters appear in October &amp; persist into or through winter; rapid bushy pyramidal grower; glossy, spiny, medium green foliage; one of the least hardy cultivars; tolerates deer browse as well as urban &amp; coastal conditions; protect from windy sites in northern range; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; Zones 7 - 9</i>		5' 6'	B&B B&B	_____ _____	<b>N</b> <b>N</b>
<b>Ilex x Robin â„¢ ('Conin')</b> Red Holly <i>BROADLEAF EVERGREEN TREE; small inconspicuous flowers in spring; self-pollinating bright red fruit persists from fall into or through winter; new foliage emerges red before turning a glossy green by summer; upright pyramidal habit to about 15' tall by 10' wide; locate in full sun to partial shade &amp; well-drained acidic organic soil; seedling of 'Mary Nell' (Flowerwood &amp; Evergreen Ns) Zones (6) 7 - 9</i>	Ltd Ltd	5' 6'	B&B B&B	_____ _____	<b>N</b> <b>N</b>
<b>Juniperus chinensis 'Hetzi Columnaris' / 'Fairview'</b> Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; usually separate male &amp; female flowers; prominent light blue female cones in fall; juvenile foliage is blue &amp; mature if green; narrow pyramidal habit to about 25' tall by 10' wide; somewhat loosely branched; needs shearing for fullness; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native (Hetzi) Zones 5 - 9</i>		6' 7'	B&B B&B	_____ _____	
<b>Juniperus virginiana</b> <b>UNSHEARED</b> Eastern Red Cedar <i>EVERGREEN CONIFER; showy greenish-blue to bright blue female cones in fall; medium green summer foliage bronzes in winter; variably columnar to pyramid habit to about 40' tall by 15-25' wide; tolerant of drought, air pollution, sterile soil &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern North &amp; Central America; Zones (3) 4 - 9</i>		6' 7' 8'	B&B B&B B&B	_____ _____ _____	

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Youngblood Farms Plant List: Fall 2022 / Spring 2023

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Juniperus virginiana 'Burkii'</b> Eastern Red Cedar <i>EVERGREEN CONIFER; male cultivar; bluish-green needle-like &amp; scale-like summer foliage gets purplish in winter; columnar habit to about 20' tall by 10' wide; tolerant of drought, air pollution, sterile soil, some salt &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern &amp; central North America; Zones (3) 4 - 9</i>	<b>UNSHEARED</b>	6' 7' 8'	B&B B&B B&B	_____ _____ _____	<b>N</b>
<b>Juniperus virginiana 'Taylor'</b> Columnar Eastern Red Cedar <i>EVERGREEN ORNAMENTAL CONIFER; no fruit; medium green summer foliage can be gray or bronze during winter in northern range; narrow pyramid habit reaching about 25' tall by 4' wide; tolerant of drought, air pollution, sterile soil, some salt &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern &amp; central North America (Bieberich) Zones (3) 4 - 9</i>		6' 7' 8' 9'	B&B B&B B&B B&B	_____ _____ _____ _____	<b>N</b>
<b>Koelreuteria paniculata</b> Golden Raintree <i>DECIDUOUS ORNAMENTAL TREE; golden yellow flowers from late June into mid-July yield light brown seed capsules that look similar to Chinese lanterns; compound dark green summer foliage turns variably yellow to orangish in fall; sparse irregular branching yields irregular rounded heads; mature trees can get to as much as 40' tall &amp; wide; tolerates most urban conditions; locate in full sun &amp; any well-drained moisture retentive soil; Asian native; Zones 4 - 8</i>		1.75" c 2" c	B&B B&B	_____ _____	<b>N</b> <b>N</b>
<b>Lagerstroemia 'Natchez'</b> Hardy White Crape-myrtle <i>DECIDUOUS FLOWERING TREE; 10" white flowers all summer; very showy cinnamon-brown exfoliating bark; variable bronze-orange fall foliage; upright arching habit to about 20' tall &amp; wide; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers [L. indica x L. faurei] (USNA) Zones 6 - 9</i>	Ltd Ltd	6' 7'	B&B B&B	_____ _____	<b>N</b> <b>N</b>
<b>Liquidambar styraciflua</b> American Sweetgum <i>DECIDUOUS SHADE TREE; pointy round fruit is not ornamental and is messy; dark glossy green summer foliage turns variable &amp; beautiful shades of burgundy, red, yellow &amp; deep purple in fall; distinct pyramidal habit in youth evolves to a more rounded form when mature at about 70' tall by 50' wide; locate in full sun &amp; moist to partially wet organic soils; native to eastern US &amp; Mexico; Zones 5 - 9</i>		2" c 2.5" c 3" c	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b> <b>N</b>
<b>Liquidambar styraciflua Happidaze ('Hapdell')</b> Seedless American Sweetgum <i>DECIDUOUS SHADE TREE; seedless; dark green summer foliage turns maroon in the fall; vigorous pyramidal habit when young; becomes more rounded at maturity at about 45' tall by 25' wide; tolerant of compacted urban soils; locate in full sun &amp; moist to partially wet organic soils; native to eastern US &amp; Mexico; Zones (5) 6 - 9</i>		2" c 2.5" c 3" c	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b> <b>N</b>
<b>Liquidambar styraciflua 'Slender Silhouette'</b> Columnar American Sweetgum <i>DECIDUOUS ORNAMENTAL TREE; minimal to moderate fruit production; shiny dark green summer foliage turns mostly yellow with a red tinge in fall; very narrow upright habit to about 60' tall by 7' wide; locate in full sun &amp; moist to partially wet organic soils; native to eastern of US &amp; Mexico (Shadow) Zones (5) 6 - 8 (9)</i>	Ltd V. Ltd	2" c 2.5" c	B&B B&B	_____ _____	<b>N</b> <b>N</b>
<b>Liriodendron tulipifera</b> Tuliptree; Tulip Poplar <i>DECIDUOUS SHADE TREE; light orange-green flowers in early June; medium green summer foliage turns variable shades of yellow in fall; vigorous upright habit to about 80' tall by 40' wide; somewhat weak wooded; locate in full sun or light shade &amp; deep organic well-drained moisture retentive slightly acidic soil; not drought tolerant; US native; Zones 4 - 9</i>		2" c 2.5" c 3" c	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b> <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Youngblood Farms Plant List: Fall 2022 / Spring 2023

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Liriodendron tulipifera 'Arnold'</b> Columnar Tuliptree; Columnar Tulip Poplar <i>DECIDUOUS SHADE TREE; light orange-green flowers in early June; green summer foliage turns yellow in fall; narrowly upright habit to about 50' tall by 25' wide; often widens with age; locate in full sun or light shade &amp; deep organic well-drained moisture retentive slightly acidic soil; not drought tolerant; US native (Monrovia) Zones 4 - 9</i>	<b>BRANCHED @ 3.5'</b>	2" c 2.5" c	B&B B&B	_____ _____ _____	<b>N</b>
<b>Magnolia grandiflora Alta® ('TIIMG')</b> Compact Columnar Southern Magnolia <i>EVERGREEN FLOWERING TREE; fragrant white flowers from late spring into summer; small, dark, glossy evergreen foliage with rusty indumentum on the underside; bright red seeds in autumn; narrow columnar habit to 25' tall by 10' wide; heat tolerant; not as cold tolerant as some other cultivars; locate in full sun to partial shade &amp; acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native; Zones 7 - 9</i>		6'	B&B	_____ _____	<b>N</b>
<b>Magnolia grandiflora 'Bracken's Brown Beauty'</b> Southern Magnolia <i>EVERGREEN FLOWERING TREE; fragrant white flowers in June; dark green leathery foliage is quite smaller than the species with dark brown indumentum; showy red seeds in late summer; broadly upright habit to about 30' by 20' wide; locate in full sun to partial shade &amp; acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Bracken) Zones (5) 6 - 9 (10)</i>		6' 7' 8' 9' 10'	B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____	<b>N</b> <b>N</b>
<b>Magnolia grandiflora 'Claudia Wannamaker'</b> Southern Magnolia <i>EVERGREEN FLOWERING TREE; fragrant white flowers in June; slightly smaller dark green leathery foliage with medium brown indumentum; showy red seeds in late summer; compact upright habit to about 50' tall by 25' wide; locate in full sun to partial shade &amp; acidic moisture retentive well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Brailsford) Zones 6 - 9 (10)</i>	<b>BRANCHED @ 3'</b>	2" c 2.5" c	B&B B&B	_____ _____	<b>N</b> <b>N</b>
<b>Magnolia grandiflora 'Claudia Wannamaker'</b> Southern Magnolia <i>EVERGREEN FLOWERING TREE; fragrant white flowers in June; slightly smaller dark green leathery foliage with medium brown indumentum; showy red seeds in late summer; compact upright habit to about 50' tall by 25' wide; locate in full sun to partial shade &amp; acidic moisture retentive well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Brailsford) Zones 6 - 9 (10)</i>	<b>LOW BRANCHED</b>	6' 7' 8' 9' 10'	B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____	<b>N</b> <b>N</b>
<b>Magnolia grandiflora 'D.D. Blanchard'</b> Southern Magnolia <i>EVERGREEN FLOWERING TREE; fragrant white flower in from late May into summer; showy red seeds in late summer; large leathery dark green foliage with prominent orange-brown indumentum; upright habit to about 50' tall by 35' wide; locate in full sun to partial shade &amp; acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Robbins N) Zones 7 - 9</i>		6' 7' 8' 9' 10' 11' 12'	B&B B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____ _____	<b>N</b> <b>N</b>
<b>Magnolia grandiflora 'Kay Parris'</b> Compact Southern Magnolia <i>EVERGREEN FLOWERING TREE; slightly smaller fragrant white flowers from late spring through summer; showy red seeds appear in late summer; glossy medium green foliage with orange-brown indumentum; narrow upright habit to about 20' tall by 10' wide; locate in full to mostly sunny location &amp; acidic well-drained organic soil; protect from winter winds in northern hardiness range [M. g. Bracken's Brown Beauty x M. g. Little Gem] southeastern US native (Gilberts N) Zones 6 - 9</i>		7' 8' 9' 10'	B&B B&B B&B B&B	_____ _____ _____ _____	<b>N</b> <b>N</b> <b>N</b> <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Youngblood Farms Plant List: Fall 2022 / Spring 2023

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Magnolia virginiana</b> Sweetbay Magnolia; Swamp Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant lemon-scented creamy-white flowers in late spring among the foliage; bright red seeds emerge from large tan seed-pods in late summer; medium green summer foliage is silvery below &amp; turns yellowish in fall; loose upright habit to about 25' tall &amp; as wide in time; tolerant of air pollution; locate in full sun or shade &amp; moist to wet acidic soils; some salt tolerance; eastern US native; Zones 5 - 9</i>	<b>BUSH</b>	6' 7' 8' 9'	B&B B&B B&B B&B	_____ _____ _____ _____	
<b>Magnolia virginiana Moonglow ® ('Jim Wilson')</b> Evergreen Sweetbay Magnolia; Evergreen Swamp Magnolia <i>EVERGREEN ORNAMENTAL TREE; slightly larger creamy-white lemon-scented flowers than the species from May into June; bright red seeds emerge from large tan seed-pods in late summer; dark green summer foliage is silvery below; semi-evergreen in northern range; uniform upright habit to 35' tall by 20' wide; deer browse resistant; tolerant of air pollution; locate in full sun or shade &amp; moist to wet acidic soils; some salt tolerance; eastern US native; PHS Gold Metal (Cully) Zones 5 - 9</i>	<b>BUSH</b>	6' 7' 8'	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b> <b>N</b>
<b>Magnolia virginiana Moonglow ® ('Jim Wilson')</b> Evergreen Sweetbay Magnolia; Evergreen Swamp Magnolia <i>EVERGREEN ORNAMENTAL TREE; slightly larger creamy-white lemon-scented flowers than the species from May into June; bright red seeds emerge from large tan seed-pods in late summer; dark green summer foliage is silvery below; semi-evergreen in northern range; uniform upright habit to 35' tall by 20' wide; branching starts about 3' above the ground; deer browse resistant; tolerant of air pollution; locate in full sun or shade &amp; moist to wet acidic soils; some salt tolerance; eastern US native; PHS Gold Metal (Cully) Zones 5 - 9</i>	<b>TREE FORM</b>	1.75" 2" 2.5"	B&B B&B B&B	_____ _____ _____	<b>N</b>
<b>Metasequoia glyptostroboides</b> Dawn Redwood <i>DECIDUOUS CONIFER; bright green summer needles turn reddish-bronze in fall; large pyramidal habit to 100' or more tall by 25' or more wide; branching usually starts about 4-5' above the ground unless specified otherwise; tolerates somewhat wet soils; locate in full sun &amp; moisture retentive neutral to acidic organic soil, tolerant of a wider range soil types except highly alkaline; PHS Gold Metal; Chinese native; Zones 5 - 8</i>	<b>BRANCHED @ 3.5'</b>	2" 2.5" 3" 3.5" 4"	B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____	<b>N</b> <b>N</b>
<b>Nyssa sylvatica</b> Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; black fruit in fall favored by birds; glossy dark green summer foliage turns brilliant shades of red, orange &amp;/or yellow in fall; pyramidal heads in youth usually become wide-spreading to about 40' tall by 25' wide; taproot; fall transplanting hazard; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native; Zones 4 - 9</i>		2" 2.5"	B&B B&B	_____ _____	
<b>Nyssa sylvatica 'Wildfire'</b> Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; bright red new leaves, veins &amp; petioles contrasts with mature dark green foliage; fall foliage is bright red; pyramidal habit to about 50' tall by 30' wide; less susceptible to leaf spot; taproot; fall transplanting hazard; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native (Hottovy) Zones 4 - 9</i>		2" 2.5"	B&B B&B	_____ _____	<b>N</b> <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Youngblood Farms Plant List: Fall 2022 / Spring 2023

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Pistacia chinensis</b> Chinese Pistachio <i>DECIDUOUS SHADE TREE</i> ; red to light blue fruit on female trees; fall foliage ranges from none to yellow, orange &/or red; upright to rounded heads reaching about 40' tall at maturity; very drought tolerant when established; can be invasive in southern range; locate in full sun & well-drained soil; Asian native; Zones 6 - 9		2" 2.5" 3"	B&B B&B B&B	_____ _____ _____	<b>N</b>
<b>Platanus x acerifolia Exclamation â„¢ ('Morton Thornhill')</b> London Planetree <i>DECIDUOUS SHADE TREE</i> ; reduced quantities of rounded tan ball in pairs appear in late fall through winter; showy exfoliating bark with patches of off-white, tan & light green; pyramidal to oval heads to about 80' tall by 65' wide; high resistance to mildew & anthracnose; tolerates moist soils & urban conditions; subject to anthracnose & other diseases; locate in full sun & a wide range of moisture retentive soils [P. orientalis x P. occidentalis] (Ware / Morton Arb.) Zones (5) 6 - 8 (9)		2" 2.5"	B&B B&B	_____ _____	
<b>Prunus laurocerasus 'Schipkaensis'</b> Upright Schip Laurel; Upright Schip Cherrylaurel <i>BROADLEAF EVERGREEN SHRUB</i> ; mildly fragrant white flower spikes in May followed by red to black fruit in summer; broadly columnar habit to about 12' tall by 8' wide in time; long dark green foliage; somewhat tolerant of deer browse & salt spray; locate in full sun or moderate shade & moisture retentive well-drained pH adaptable soil; this is the upright form, there is also a lower wider growing form; native to Europe & Asia Minor; Zones (6) 7 - 8	V. Ltd V. Ltd V. Ltd V. Ltd	24" 30" 36" 42"	B&B B&B B&B B&B	_____ _____ _____ _____	<b>N</b> <b>N</b> <b>N</b> <b>N</b>
<b>Prunus serrulata 'Kanzan'</b> see: Prunus serrulata 'Kwanzan'				_____	
<b>Prunus serrulata 'Kwanzan'</b> Japanese Flowering Cherry; Oriental Cherry <i>DECIDUOUS ORNAMENTAL TREE</i> ; profuse dark double pink flowers in late April or early May are sterile; vase shaped heads to about 30' tall & wide; brilliant reddish-orange fall foliage; shiny dark brown bark; tolerant of salt & urban locations; locate in full sun & any well-drained soil; Asian native; Zones 4 - 7		2" 2.5" 3"	B&B B&B B&B	_____ _____ _____	
<b>Prunus serrulata 'Sekiyama'</b> see: Prunus serrulata 'Kwanzan'				_____	
<b>Prunus x yedoensis</b> Yoshino Cherry <i>DECIDUOUS ORNAMENTAL TREE</i> ; lightly fragrant white flower in early to mid-spring at or just before foliage break; small black fruit in late summer favored by birds; dark green summer foliage turns shades of yellow if fall; upright arching habit to about 30' high & wide; locate in full or light shade & any moisture retentive well-drained soil; Japanese native; Zones 5 - 8		2" 2.5"	B&B B&B	_____ _____	
<b>Quercus bicolor</b> Swamp White Oak <i>DECIDUOUS SHADE TREE</i> ; dark green rounded-lobed summer foliage is usually a good yellow in fall but can also be reddish-purple; deeply furrowed & flaking bark; broad rounded heads to about 50' or more tall with similar width; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun to part shade & moist to well-drained acidic soil; cannot take constantly wet soils; drought tolerant; native to US & Canada; Zones 4 - 8		2" 2.5" 3"	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b> <b>N</b>
<b>Quercus coccinea</b> Scarlet Oak <i>DECIDUOUS SHADE TREE</i> ; deeply cut dark glossy green summer foliage turns dark red in late fall; pyramidal habit to about 70' tall by 40' wide; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & acidic well-drained soil; native to US & Canada; Zones 4 - 9		2" 2.5" 3"	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b> <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com



# Youngblood Farms Plant List: Fall 2022 / Spring 2023

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Quercus lyrata</b> Overcup Oak <i>DECIDUOUS SHADE TREE; acorns appear in fall on 30+ year old trees &amp; are mostly covered by the cap; large deep green foliage with rounded lobes and fuzzy white undersides turn shades of yellowish-brown to orange in fall; upright to wide spreading habit with upswept branches reaching 60' tall &amp; wide; very uniform habit; relatively easy to transplant; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; moist acidic soil; tolerant of a wide range of soils including flood plains; southeastern US native; Zones 5 - 9</i>		2" 2.5" 3"	B&B B&B B&B	_____ _____ _____	  <b>N</b>  <b>N</b>
<b>Quercus macrocarpa</b> Burr Oak; Mossycup Oak <i>DECIDUOUS SHADE TREE; irregular open broadly spreading heads to about 70' tall &amp; often wider; bright green summer foliage turns variable shades of yellow-brown in fall; twigs often have corky longitudinal wings; fall transplant hazard; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; moist to well-drained alkaline to acidic soil; tolerant of some urban conditions; native to US &amp; Canada; Zones 3 - 8</i>		2" 2.5" 3" 3.5" 4"	B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____	     <b>N</b>
<b>Quercus muehlenbergii</b> Chinkapin Oak; Yellow Chestnut Oak <i>DECIDUOUS SHADE TREE; glossy light green summer fairly narrow lobed foliage turns shades from yellow to orange to brown in fall; wide spreading habit to about 50' tall with greater spread; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; alkaline soil with adequate moisture; eastern &amp; central US native; Zones (4) 5 - 7</i>		2"	B&B	_____	<b>N</b>
<b>Quercus nuttallii</b> Nuttall Oak <i>DECIDUOUS SHADE TREE; vigorous medium sized tree to 60' tall is tolerant of a wide range of soils; reddish new foliage becomes dark green in summer then yellowish to reddish-orange in fall; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; tolerates drought &amp; urban conditions; locate in full sun &amp; moisture retentive soils; often found in floodplains; native to south-central US [possible rename: Q. texana] Zones (5) 6 - 9</i>		2" 2.5" 3" 3.5" 4" 4.5" 5"	B&B B&B B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____ _____ _____	      <b>N</b> <b>N</b>
<b>Quercus palustris</b> Pin Oak <i>DECIDUOUS SHADE TREE; pyramidal habit to about 50' or more tall by 35' wide with lower branches hanging downward at a 45° angle; dark green summer foliage turns brown to russet in fall; important wildlife food source; not as much of a fall transplant hazard as other oaks however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; moist acidic soil; not tolerant of alkaline soils; US native; Zones 4 - 8</i>		2.5" 3" 3.5" 4"	B&B B&B B&B B&B	_____ _____ _____ _____	    <b>N</b> <b>N</b>
<b>Quercus phellos</b> Willow Oak <i>DECIDUOUS SHADE TREE; narrow willow-like foliage turns orange to russet in fall; pyramidal heads; grows to about 50' or more; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; moist acidic soil; somewhat drought tolerant; US native; Zones (6) 7 - 9</i>		2" 2.5" 3" 3.5" 4" 4.5" 5"	B&B B&B B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____ _____ _____	      <b>N</b> <b>N</b>
<b>Quercus rubra</b> Northern Red Oak <i>DECIDUOUS SHADE TREE; large grower to about 70' tall &amp; wide; dark green summer foliage turns russet to bright red in fall; fall transplant hazard; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; well-drained neutral to acidic soil; some success to coastal areas; native to US &amp; Canada; Zones (3) 4 - 7</i>		2" 2.5" 3" 3.5" 4"	B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____	     <b>N</b> <b>N</b> <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Youngblood Farms Plant List: Fall 2022 / Spring 2023

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Quercus shumardii</b> Southern Red Oak; Shumard Oak <i>DECIDUOUS SHADE TREE; pyramidal heads in youth become about as broad as tall when mature when 50' tall; variable reddish fall foliage; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; well-drained soil; quite drought tolerant; southeastern US native; Zones 5 - 9</i>		2" c	B&B	_____	
		2.5" c	B&B	_____	
		3" c	B&B	_____	
		3.5" c	B&B	_____	N
		4" c	B&B	_____	N
		4.5" c	B&B	_____	N
<b>Taxodium distichum var. distichum</b> <b>BRANCHED @ 4'</b> Common Bald Cypress <i>DECIDUOUS CONIFER; pyramidal deciduous conifer to about 50' tall; locate in full sun or minimal shade &amp; moist to well-drained acidic soils; tolerant of urban situations with little water &amp; compacted soils as well as wet tidal areas; US native; Zones 4 - 11</i>		3" c	B&B	_____	
		3.5" c	B&B	_____	
		4" c	B&B	_____	
<b>Taxodium distichum var. distichum Shawnee Brave â„¢ ('Mickelson')</b> <b>BRANCHED @ 4'</b> Columnar Common Bald Cypress <i>DECIDUOUS ORNAMENTAL CONIFER; narrow columnar habit to about 75' tall by 20' wide; locate in full sun or minimal shade &amp; moist to well-drained acidic soils; tolerant of urban situations with little water &amp; compacted soils as well as wet tidal areas; US native; Zones 4 - 11</i>		2.5" c	B&B	_____	
		3" c	B&B	_____	
		3.5" c	B&B	_____	N
		4" c	B&B	_____	N
<b>Thuja x 'Green Giant'</b> Hybrid Western Arborvitae; Hybrid Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage; vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity; minimal pest or disease problems; variable deer browse resistance; locate in full sun or light shade &amp; moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA) Zones 5 - 8</i>	V. Ltd	6'	B&B	_____	
	V. Ltd	7'	B&B	_____	
	V. Ltd	8'	B&B	_____	N
	V. Ltd	9'	B&B	_____	N
<b>Thuja occidentalis 'Smaragd'</b> <b>SINGLE LEADER</b> Emerald Green Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada (Poulsen N) Zones (4) 5 - 7</i>	Ltd	6'	B&B	_____	
	Ltd	7'	B&B	_____	
	Ltd	8'	B&B	_____	N
<b>Ulmus americana 'Princeton'</b> American Elm <i>DECIDUOUS SHADE TREE; upright habit with arching branches to 60' tall &amp; wide; yellow fall foliage; excellent lawn or shade tree; highly resistant to Dutch Elm disease, but not most other problems; tolerates drought, air pollution &amp; black walnuts; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant; native to US &amp; Canada (Princeton N) Zones 3 - 9</i>		2" c	B&B	_____	
		2.5" c	B&B	_____	
		3" c	B&B	_____	
		3.5" c	B&B	_____	
		4" c	B&B	_____	N
		4.5" c	B&B	_____	N
<b>Ulmus americana 'Valley Forge'</b> American Elm <i>DECIDUOUS SHADE TREE; green summer foliage turns yellow in fall; upright habit with arching branches to about 25' tall by 30' wide at 12 years; excellent lawn or shade tree; highly resistant to Dutch Elm disease, but not most other Elm problems; tolerates drought, air pollution &amp; black walnuts; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant; native to US &amp; Canada (Townsend &amp; Schreiber / USNA) Zones (4) 5 - 9</i>		3" c	B&B	_____	N
		3.5" c	B&B	_____	N
		4" c	B&B	_____	N

# Youngblood Farms Plant List: Fall 2022 / Spring 2023

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Ulmus x 'Frontier'</b> Hybrid Upright Elm <i>DECIDUOUS SHADE TREE; rarely flowers or fruits; small green summer foliage turns reddish-purple in fall; pyramidal to columnar habit to about 25' tall by 15' wide in 20 years; high resistance to Dutch elm disease &amp; moderate resistance to elm leaf beetle &amp; highly tolerant of elm yellows; good choice for urban locations; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant [U. carpinifolia x U. parvifolia] (Townsend / USNA) Zones 4 - 10</i>		2" 2.5" 3"	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b> <b>N</b>
<b>Ulmus parvifolia Allee® ('Emer II'; 'Emerald Vase')</b> Lacebark Elm <i>DECIDUOUS SHADE TREE; upright spreading head similar to the American Elm; grows to 50' or more with a similar spread; exfoliating bark; resistant to drought, Dutch Elm disease &amp; elm leaf beetle; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant; Asian native; Zones (5) 6 - 9</i>		2" 2.5"	B&B B&B	_____ _____	
<b>Ulmus parvifolia Everclear® ('BSNUPF')</b> <b>BRANCHED AT 3.5'</b> Columnar Lacebark Elm; Columnar Chinese Elm <i>DECIDUOUS SHADE TREE; glossy dark green summer foliage turns yellowish &amp; reddish-purple in fall; gray, green, orange &amp; brown exfoliating bark; columnar habit to about 35' tall by 8' wide; resistant to Dutch Elm disease &amp; Japanese Beetle; tolerates urban conditions; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant; Asian native (Bold Spring N) Zones (4) 5 - 9</i>		2" 2.5"	B&B B&B	_____ _____	
<b>Viburnum x pragense</b> Prague Viburnum <i>EVERGREEN FLOWERING SHRUB; small narrow glossy leathery evergreen foliage; pink flower buds open white; bushy upright habit to 10' tall &amp; nearly as wide; locate in full sun to light shade &amp; well-drained moisture retentive acidic soil; Zones 5 - 8</i>	Ltd Ltd V. Ltd	24" 30" 36"	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b> <b>N</b>
<b>Zelkova serrata 'Green Vase'</b> Japanese Zelkova <i>DECIDUOUS SHADE TREE; dark green summer foliage turns orange to bronze in fall; vigorous upright arching heads to about 60' tall by 40' wide; tolerant of urban conditions; locate in full sun or light shade &amp; moist well-drained soil of varying pH; PHS Gold Metal; Asian native; Zones (4) 5 - 8</i>		2" 2.5" 3" 3.5" 4"	B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____	<b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b>
<b>Zelkova serrata 'Village Green'</b> Japanese Zelkova <i>DECIDUOUS SHADE TREE; green summer foliage turns wine-red in fall; compact broadly spreading heads to about 40' tall &amp; wide; tolerant of urban conditions; locate in full sun or light shade &amp; moist well-drained soil of varying pH; tolerant of urban conditions; Asian native; Zones (4) 5 - 8</i>		3" 3.5" 4"	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b> <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com



