

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Abelia x 'Edward Goucher'</b> Pink Abelia <i>EVERGREEN FLOWERING SHRUB; lavender-pink to purple-pink flowers all summer; bushy habit to about 5' high &amp; wide; semi-evergreen foliage in northern range; attracts butterflies; resists deer browse; locate in full sun &amp; well-drained slightly acidic moisture retentive soil [A. grandiflora x A. parvifolia] (Goucher/Glenn Dale) Zones (5) 6 - 9</i>			1g 5g	
<b>Abelia x grandiflora 'Sherwoodii'</b> Compact Glossy Abelia <i>EVERGREEN FLOWERING SHRUB; white flowers with pink flush in summer on new wood; small glossy semi-evergreen leaves (in northern range) turn purplish in winter; dense compact mound to about 4' tall &amp; wide; attracts butterflies; resists deer browse; locate in full to partial sun &amp; well-drained slightly acidic moisture retentive soil [A. chinensis x A.uniflora] Zones (5) 6 - 9</i>			1g 5g	
<b>Abelia x 'Kaleidoscope'</b> Compact Variegated Abelia <i>EVERGREEN FLOWERING SHRUB; light pink buds open to white flowers persisting into fall on new wood; green red yellow &amp; orange semi-evergreen foliage (in northern range); compact spreading habit to about 2' tall by 3' wide; locate in full sun or partial shade &amp; moist, acidic well-drained soil (Plant Haven) Zones 6 - 9</i>			1g 2g 5g	
<b>Abelia mosanensis Sweet Emotion ('SMNAMDS')</b> Fragrant Abelia <i>DECIDUOUS FLOWERING SHRUB; reddish-pink buds open to fragrant pink &amp; white flowers on old wood in late May &amp;/or early June; glossy summer foliage turns orange-red in fall; broadly upright habit to 6' tall &amp; wide; attracts butterflies; resists deer browse; tolerant of heat and high &amp; low humidity; locate in full sun or light shade &amp; well-drained slightly acidic soil; Korean native (PW) Zones (3) 4 - 6 (7)</i>			2g	
<b>Acer circinatum</b> Oregon Vine Maple <i>DECIDUOUS ORNAMENTAL TREE; bushy upright habit to about 20' tall &amp; wide; red samaras in late spring; fall foliage is a mix of yellow, orange &amp; red; native to moist wooded sites in the woods of the Pacific Northwest, but will handle sun &amp; dryer soils; Zones 5 - 6 (7)</i>	<b>BUSH</b>		1g 5g 7g 15g	
<b>Acer x freemanii Autumn Blaze ('Jeffersred')</b> Freeman Maple <i>DECIDUOUS SHADE TREE; rapid grower; adaptable to a wide range of conditions; red fall foliage; locate in full sun &amp; most any soil regardless of acidity or moisture but not wet; native US cross [A. rubrum x A. saccharinum] Zones 3 - 7</i>			7g 15g	
<b>Acer japonicum 'Aconitifolium'</b> Full Moon Maple; Dancing Peacock Maple <i>DECIDUOUS ORNAMENTAL TREE; large deeply dissected green leaves in spring &amp; summer; brilliant variable red to orange fall color for an extended period; prominent maroon samaras in fall; broadly upright habit to 30'+ tall &amp; usually wider; locate in partial shade or full sun &amp; moist organic well-drained slightly acidic soil; Japanese native; Zones 5 - 7</i>			5g 7g 15g	<b>N</b> <b>N</b>
<b>Acer miyabei State Street ('Morton')</b> Miyabei Maple <i>DECIDUOUS SHADE TREE; upright oval habit to about 40' tall by 25' wide with more uniform branching; dark green summer foliage turns yellow in fall; deeply furrowed corky bark; pest resistant; locate in full sun or partial shade &amp; well-drained moisture retentive organic soil that's slightly acidic; Japanese native (Chicagoland Grows) Zones 4 - 6 (7)</i>			7g 15g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Acer palmatum</b> <p style="text-align: right;"><b>CLUMP</b></p> Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; soft green foliage; vibrant orange to red fall foliage colors; upright spreading habit to 30' or more; 3 seedlings are combined to make the clumps; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>			7g	N
<b>Acer palmatum</b> <p style="text-align: right;"><b>TREE FORM</b></p> Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; soft green foliage; vibrant orange to red fall foliage colors; upright spreading habit to 30' or more; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>			5g 7g	N
<b>Acer palmatum 'Bihou'</b> Beautiful Mountain Range Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; emerging spring foliage is light yellowish-green with a pink flush; summer foliage is medium green before transitioning to bright yellow or light orange in fall; in winter young branches turns shades of orange or pink &amp;/or gold; bushy upright habit when young to 7' tall by 3' wide in 10 years; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native (Yano) Zones 5 - 7</i>			5g	
<b>Acer palmatum 'Bloodgood'</b> Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red spring &amp; summer foliage turns bright crimson in fall; broadly upright habit to 25' or more in 25 years; branching starts about 3' or more above grade; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>			5g 7g 15g	
<b>Acer palmatum 'Crimson Queen'</b> Red Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red laceleaf foliage into mid-summer; summer foliage is reddish-green; fall foliage is scarlet; compact mounding spreading habit to about 10' tall by 15' wide; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>			5g 7g 15g	N
<b>Acer palmatum Emperor 1 ('Wolff')</b> Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red foliage from spring through summer; bud-break a little later than 'Bloodgood' in spring; more upright and darker red foliage in late summer than 'Red Emperor'; afternoon shade helps retain best foliage colors; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native (Wolff) Zones 5 - 7</i>			5g 7g 15g	N
<b>Acer palmatum 'Fireglow'</b> Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; bright red spring &amp; summer foliage that is almost translucent when viewed looking through them toward the sun; moderate growing upright habit to about 15' tall &amp; 12' wide; more heat tolerant than most other red cultivars; afternoon shade helps retain best foliage colors; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>			5g 7g 15g	
<b>Acer palmatum 'Garnet' / 'Dissectum Garnet'</b> Red Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; orange-red dissected foliage holds color well all summer; bright red fall foliage; compact cascading mound to about 15' tall by 20' or more wide; afternoon shade helps retain best foliage colors; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>			5g	

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Acer palmatum 'Inaba shidare'</b> Red Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; large dark burgundy-red deeply dissected leaves retain their color all summer; broadly horizontal spreading habit is less cascading than most dissectums; afternoon shade helps retain best foliage colors; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>			5g 7g 15g	_____ _____ _____	<b>N</b>
<b>Acer palmatum 'Orangeola'</b> Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; orange-red spring foliage turns dark green in summer; a second summer flush of orange-red foliage contrasts beautifully with the darker green mature foliage; persistent bright orange-red fall foliage; compact weeping mound to about 10' tall by 7-8' wide; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native (Kraxberger) Zones 5 - 7</i>			5g 7g	_____ _____	
<b>Acer palmatum 'Orido nishiki'</b> Variegated Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; pink, white &amp; green spring foliage turns mostly green by mid-summer; vigorous upright habit to 20' or more tall; afternoon shade helps retain best foliage colors; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>	1		5g 15g	_____ _____	<b>N</b>
<b>Acer palmatum 'Purple Ghost'</b> Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; bright red, deeply lobed, spring foliage turns darker red to purplish-green in summer; darker venation in spring is not evident in summer; fall color will range from orange to scarlet; broadly upright than 'Bloodgood'; will reach 20' or more tall; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native (Buchholz) Zones 5 - 7</i>			5g	_____	
<b>Acer palmatum 'Red Dragon'</b> Red Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; foliage opens bright scarlet maturing to deep red with a silvery cast in summer; fall foliage is again scarlet; slow to moderate compact spreading habit to about 5' high &amp; wide; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native (Duncan &amp; Davies) Zones 5 - 7</i>			5g 7g	_____ _____	<b>N</b>
<b>Acer palmatum 'Red Pygmy'</b> Red Strapleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark reddish-purple strapleaf foliage in spring &amp; early summer; foliage will become greenish-red by end of most summers; bushy upright habit to about 6' tall by 4' wide in 10 years; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>			5g	_____	
<b>Acer palmatum 'Sango kaku'</b> Coral Bark Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; bright green spring &amp; summer foliage turns bright shades of yellow &amp; gold in fall; winter bark is bright electric red on younger stems; upright vase-shaped habit to 20'; fairly slow grower; tends to grow late into the fall which can cause tip die-back from early frosts; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 6 - 7</i>	1		5g 7g 15g	_____ _____ _____	<b>N</b>
<b>Acer palmatum 'Seiryu'</b> Upright Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; medium green laceleaf foliage in spring &amp; summer turns shades of yellow &amp; gold with crimson highlights in fall; vigorous upright spreading habit to about 12' tall &amp; wide in 10 years; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>			5g 7g 15g	_____ _____ _____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Acer palmatum 'Shaina'</b> Dwarf Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; bright red deeply divided spring foliage matures to darker red by summer then crimson in fall; very compact broadly upright habit to about 10' tall &amp; wide at maturity; afternoon shade helps retain best foliage colors; sport of 'Bloodgood'; breaks bud early in spring &amp; can get hurt by late freezes; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native (Wolf) Zones 6 - 7</i>	V Ltd		5g 7g	_____	<b>N</b>
<b>Acer palmatum 'Shaina'</b> Dwarf Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; bright red deeply divided spring foliage matures to darker red by summer then crimson in fall; very compact broadly upright habit to about 10' tall &amp; wide at maturity; grafted at 2-3'; afternoon shade helps retain best foliage colors; sport of 'Bloodgood'; breaks bud early in spring &amp; can get hurt by late freezes; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native (Wolf) Zones 6 - 7</i>		<b>STANDARD</b>	5g	_____	
<b>Acer palmatum Shirazz ('Gwen's Rose Delight')</b> Variegated Red Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; deeply divided spring foliage opens mostly deep pink with lighter margins &amp; some darker red in the lobe centers; fall foliage is scarlet; upright habit to about 15' tall &amp; wide; locate in full sun or partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 6 - 7</i>			5g	_____	
<b>Acer palmatum 'Shishigashira'</b> Lion's Head Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; crinkly green layered foliage all spring &amp; summer turns shades of gold &amp; crimson in fall; green bark; slow broadly upright to vase-shaped habit that will be as wide or wider than tall; natural bonsai look; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>			5g	_____	
<b>Acer palmatum 'Skeeter's Broom'</b> Dwarf Columnar Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; bright red spring foliage turns darker red by early summer then mostly dark reddish-green before turning bright scarlet in fall; slow to moderate upright grower to about 6' high by 3' wide at maturity; witches broom from 'Bloodgood'; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native (Rodd) Zones 5 - 7</i>			5g	_____	
<b>Acer palmatum 'Tamuke yama'</b> Red Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red laceleaf foliage holds color well through summer before turning bright scarlet; vigorous spreading horizontal habit to about 4' tall by 6' wide &amp; larger at maturity; afternoon shade helps retain best foliage colors; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; PHS Gold Metal; Japanese native; Zones 5 - 7</i>			5g 7g 15g	_____ _____ _____	
<b>Acer palmatum 'Twombly's Red Sentinel'</b> Columnar Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; this sport of 'Bloodgood' is more upright with slightly lighter burgundy foliage; it's a moderate grower which will mature about 20' with a spread of about 15'; foliage turns shades of crimson in fall; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>	V Ltd		5g	_____	<b>N</b>

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Acer palmatum 'Viridis'</b> Laceleaf Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; medium green deeply dissected foliage; broadly spreading mounding habit; grows slower than 'Waterfall' &amp; branches grow more horizontally; bright orange yellow &amp; gold fall foliage; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil; Japanese native; Zones 5 - 7</i>			5g 7g	_____ _____ _____	
<b>Acer platanoides</b> Norway Maple <i>DECIDUOUS SHADE TREE; yellow flowers before the foliage yield to 2" light green samaras in early summer; dark green summer foliage turns yellowish in fall; compact rounded head reaching up to 50' tall &amp; wide; shallow root system; dense shade makes under-planting difficult for many plants; tolerates drought &amp; air pollution; can be invasive; locate in full sun to partial shade &amp; any soil with adequate drainage; European native; Zones (3) 4 - 7</i>			5g 15g	_____ _____ _____	<b>N</b> <b>N</b>
<b>Acer platanoides 'Crimson King'</b> Redleaf Norway Maple <i>DECIDUOUS SHADE TREE; dark burgundy-red foliage all spring and summer; maroon-yellow flowers before the foliage yield to purple samaras in early summer; can be invasive; compact rounded head reaching about 40' tall &amp; wide; shallow root system and dense shade makes under-planting difficult for many plants; locate in full sun to partial shade &amp; any soil with adequate drainage; European native; Zones (3) 4 - 7</i>			5g 7g 15g	_____ _____ _____	<b>N</b> <b>N</b> <b>N</b>
<b>Acer platanoides 'Crimson Sentry'</b>  Columnar Redleaf Norway Maple <i>DECIDUOUS SHADE TREE; medium burgundy-red foliage all spring and summer; maroon-yellow flowers before the foliage yield to purple samaras in early summer; can be invasive; compact upright habit reaching about 25' tall by 15' wide; shallow root system and dense shade makes under-planting difficult for many plants; locate in full sun to partial shade &amp; any soil with adequate drainage; branch sport of 'Crimson King'; European native (McGill) Zones (3) 4 - 7 (8)</i>		<b>LOW BRANCHED</b>	7g 15g	_____ _____ _____	
<b>Acer rubrum 'Brandywine'</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; oval to pyramidal crown; medium green summer foliage turns red before becoming purple-red &amp; is resistant to leafhoppers; male flowers produce no seeds; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native (Townsend / USNA) Zones 4 - 9</i>			7g 15g	_____ _____ _____	
<b>Acer rubrum 'October Glory'</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; broad oval head to about 50' tall &amp; about as wide; brilliant orange-red to red fall foliage; the last A. rubrum to color in fall; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; not as cold hardy as Red Sunset; US native (Flemer) Zone 5 - 9</i>			5g 7g 15g	_____ _____ _____	<b>N</b>
<b>Acer rubrum Red Sunset ('Franksred')</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; pyramidal to rounded head; grows to 50' tall; showy orange to red fall foliage; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native; not as drought tolerant as most other cultivars (Schmidt) Zones 4 - 9</i>			7g 15g	_____ _____ _____	<b>N</b>
<b>Acer rubrum Redpoint® ('Frank Jr')</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; rapid growing broadly pyramidal habit to about 45' tall by 30' wide with dominant central leader; dark green summer foliage turns bright red in early fall; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native (Schmidt) Zones 4 - 9</i>			7g	_____ _____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Acer rubrum 'Sun Valley'</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; upright oval crown to about 20' tall &amp; 10' wide at 10 years; smaller than normal medium green summer leafhopper resistant foliage turns brilliant bright red in fall; seedless; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native (Townsend / USNA) Zones 4 - 7</i>			7g 15g	
<b>Acer saccharum Fall Fiesta ® ('Bailsta')</b> Sugar Maple <i>DECIDUOUS SHADE TREE; thick glossy green summer foliage resists leaf tatter &amp; leafhopper damage; fall foliage is more red &amp; orange than most other cultivars; rapid upright grower to about 60' tall by 50' wide; locate in full sun or partial shade &amp; well-drained organic soil; not tolerant of compacted soils deicing salt reflected heat or restricted root zones; US native (Bailey) Zones 4 - 7</i>			7g	
<b>Acer shirasawanum 'Autumn Moon'</b> Golden Full Moon Maple <i>DECIDUOUS ORNAMENTAL TREE; orange-yellow foliage through the summer; fall brings shades of yellow, orange &amp; red; more sun tolerant than 'Aureum'; slow grower to about 20'; locate in full to partial sun &amp; well-drained moisture retentive soil; Asian native; Zones 5 - 7</i>			5g	
<b>Acer tataricum Hot Wings ('GarAnn')</b> Tatarian Maple <i>DECIDUOUS SHADE TREE; clusters of small white flowers just after leaf break are followed promptly by very showy fire engine red samara clusters; dark green summer foliage turns shades of yellow &amp; red in fall; bushy heads reaching 15' or more tall &amp; wide; locate in full sun &amp; moist well-drained soil but tolerant of a wide variability including high alkalinity; native to SE Asia &amp; western Europe (Colorado St U / PlantSelect) Zones 4 - 8</i>			7g	
<b>Acer tataricum subsp. ginnala 'Ruby Slippers'</b> Amur Maple <i>DECIDUOUS SHADE TREE; persistent bright red samaras in profusion in June; glossy green summer foliage turns shades of yellow &amp; green in fall; compact rounded heads to 25' high &amp; wide; good under utility lines; locate in full sun to light shade &amp; moist well-drained soil of any acidity; Asian native (Princeton Ns) Zones 3 - 8</i>			7g 15g	
<b>Acer truncatum Main Street ('WF-AT1')</b> Shangtung Maple <i>DECIDUOUS SHADE TREE; compact oval heads reaching up to 30' tall by 25' wide; spring foliage emerges purplish before turning medium green by summer then consistent orange-red in fall; good heat &amp; drought tolerance for urban areas; locate in full sun or light to partial shade &amp; acidic well-drained moisture retentive soil; native to China (Worthington) Zones 4 - 8 (9)</i>			7g 15g	
<b>Achillea ptarmica 'Diadem'</b> Sneezewort <i>PERENNIAL; small double white pom-pom like flowers with yellow centers bloom from early spring into mid-summer; lacey dark green foliage is fragrant when crushed; compact habit to about 12" tall &amp; wide; spreads by rhizomes; attracts bees &amp; butterflies; resists drought &amp; deer browse; not tolerant of hot humid summers &amp; wet soil; locate in full sun or partial shade &amp; moist well-drained neutral to acidic soils; native to Europe &amp; Asia; native to Eurpoe &amp; W. Asia (Verschoor / Concept PI) [A. ptarmica] Zones (3) 4 - 9</i>			1g	<b>N</b>
<b>Actinidia arguta 'Issai'</b> Hardy Kiwi Vine <i>EDIBLE DECIDUOUS TWINING VINE; fragrant greenish-white flowers in June; large sweet fruit in June is green &amp; smooth-skinned that can be eaten without peeling; more compact than the species; seldom reaching beyond 20'; locate in full sun or partial shade &amp; about any soil that doesn't dry out; Asian native; Zones 3 - 8</i>		<b>STAKED</b>	1g 2g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Actinidia deliciosa 'Jenny'</b> Kiwi Vine <i>EDIBLE DECIDUOUS TWINING VINE; fragrant white self-fertile flowers in early summer; many large sweet tan fuzzy fruit appear in late summer; large heart-shaped leaves have red tips; vigorous climber can reach about 20' tall by 12' wide on a trellis or supporting structure; locate in full sun &amp; good organic well-drained moisture retentive soil that doesn't dry out; Asian native; Zones 6 - 10</i>			1g 2g	
<b>Agapanthus Indigo Frost â„¢ ('AMBIC001')</b> Bicolor Lily of the Nile; Bicolor African Lily <i>DECIDUOUS PERENNIAL; bicolor blue &amp; white flowers in spring &amp; again in summer on 2' stalks; broad arching green foliage to about 18" tall &amp; wide; deer browse resistant; good cut flower; locate in light shade &amp; well-drained soil that retains moisture during the growing season, but will dry out during the winter; tolerant of drought &amp; coastal conditions; African native; Zone 7 - 10</i>			1g	
<b>Albizia julibrissin 'E.H. Wilson' / 'Ernest Wilson'</b> Mimosa <i>DECIDUOUS ORNAMENTAL TREE; small tree with lacey pink summer flowers; very fine leaflets give an airy appearance; very late to break bud in the spring; upright arching habit to about 40' tall by 25' wide; locate in full sun &amp; well-drained soil; very adaptable to drought, high humidity &amp; saline soils; native to southern Asia; Zones (6) 7 - 11</i>			5g 7g 15g	
<b>Albizia julibrissin 'Evey's Pride'</b> Mimosa <i>DECIDUOUS ORNAMENTAL TREE; fragrant lacey dark pink pincushion summer flowers; bean-like seed pods from fall into winter; lacey compound foliage emerges deep purple in late spring then transitions to gray-green by summer then brick red in fall; broadly upright habit to about 15' tall by 12' wide in 10 years; resists disease &amp; insects; tolerates heat, humidity, salt &amp; drought; locate in full sun &amp; any very well-drained soil; native to southern Asia; Zones (6) 7 - 11</i>			7g	<b>N</b>
<b>Amelanchier x grandiflora 'Autumn Brilliance'</b> Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot &amp; turns showy shades of orange &amp; red in fall; bushy broadly upright upright habit to about 25' tall &amp; wide; stoloniferous; locate in full sun to partial shade &amp; moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>		<b>BUSH</b>	7g 15g	
<b>Amelanchier x grandiflora 'Autumn Brilliance'</b> Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot &amp; turns showy shades of orange &amp; red in fall; bushy broadly upright upright habit to about 25' tall &amp; wide; trained to 3 or more separate trunks; stoloniferous; locate in full sun to partial shade &amp; moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>		<b>CLUMP</b>	15g	
<b>Amelanchier x grandiflora 'Autumn Brilliance'</b> Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot &amp; turns showy shades of orange &amp; red in fall; bushy broadly upright upright habit to about 25' tall &amp; wide; trained to a single trunk; stoloniferous; locate in full sun to partial shade &amp; moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>		<b>TREE FORM</b>	7g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Andropogon gerardii 'Blackhawks'</b>                      Big Bluestem; Turkeyfoot Grass  <i>ORNAMENTAL GRASS; purple turkey foot-like seed heads in August; gray to bluish-green upright spring foliage becomes more green with some red in summer then starts to turn purplish-red when August nights get cooler &amp; almost black by late Sept.; clumping upright habit to about 5' tall by 2' wide; resists deer browse, drought &amp; Black Walnut; locate in full sun &amp; well-drained soil; native to North American prairies; seedling of 'Red October'; US native (Horvath / Intrinsic Perennial Gardens) Zones 4 - 9</i></p>			1g	
<p><b>Arbutus x 'Marina'</b>                      Strawberry Tree  <i>EVERGREEN ORNAMENTAL TREE; rosy-pink flowers from late fall into winter; red &amp; yellow strawberry-like fruit appears at the same time; peeling orange bark; large dark green foliage; bushy habit to about 25' tall &amp; wide; locate in full sun &amp; well-drained soil; European native; Zones 7 - 9</i></p>			5g 7g	<b>N</b> <b>N</b>
<p><b>Arbutus unedo 'Compacta'</b>                      Compact Strawberry Bush  <i>EVERGREEN ORNAMENTAL SHRUB; white flowers in fall followed by bright red edible strawberry-like fruit; glossy dark green foliage; cinnamon colored bark; moderate grower to 8' tall &amp; 6' wide in 10 years; locate in full sun or light shade &amp; well-drained soil; native to southern Europe; Zones 7 - 9</i></p>		<b>BUSH</b>	1g 5g	
<p><b>Arbutus unedo 'Compacta'</b>                      Compact Strawberry Bush  <i>EVERGREEN ORNAMENTAL SHRUB; white flowers in fall followed by bright red edible strawberry-like fruit; glossy dark green foliage; cinnamon colored bark; moderate grower to 8' tall &amp; 6' wide in 10 years; locate in full sun or light shade &amp; well-drained soil; native to southern Europe; Zones 7 - 9</i></p>		<b>TREE FORM</b>	5g	
<p><b>Arctostaphylos uva-ursi 'Massachusetts'</b>                      Kinnickinnick; Bearberry  <i>EVERGREEN GROUND COVER; pinkish-white flowers in April; red fruit appears in late summer; resistant to leaf spot &amp; gall; needs well drained neutral to acidic infertile soil; full sun to partial shade; slow spreading habit to 12" tall; will tolerate light foot traffic &amp; coastal sites; eastern US native (Tichnor) Zones 2 - 7 (8)</i></p>			1g	
<p><b>Arenaria 'Winter White'</b>                      Sandwort  <i>PERENNIAL; white flowers with light yellowish-green centers from early to late spring; glossy gray-green foliage; upright stems on a spreading mound to about 6" tall by 12" wide; attracts pollinators; locate in full to partial sun &amp; well-drained moisture retentive soil; SW European native (Syngenta) Zones (6) 7 - 9</i></p>			1g	
<p><b>Aronia melanocarpa 'Autumn Magic'</b>                      Black Chokeberry  <i>DECIDUOUS FLOWERING SHRUB; masses of small white flowers in May; large persistent black fruit into winter; glossy dark green summer foliage turns brilliant purplish-red in the fall; broadly upright habit to about 6' tall by 7' wide; spreads by root suckers; locate in full sun to part shade &amp; well-drained to boggy soils that don't stay wet; eastern US native (U of British Columbia) Zones 3 - 8 (9)</i></p>			1g 2g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Aronia melanocarpa Low Scape Mound ('UCONNAM165')</b> Black Chokeberry <i>DECIDUOUS FLOWERING SHRUB; profuse white flowers in May; profusion of blue-black fruit in fall; bright red fall foliage; low spreading habit to about 2' tall &amp; wide that will weep over walls; spreads by root suckers; locate in full sun to part shade &amp; well-drained to boggy soils that don't stay wet; eastern US native (PW) Zones 3 - 8 (9)</i>			2g	_____
<b>Azalea Autumn Autumn Amethystâ„¢ [Encore®] ('Conlee')</b> Purple Encore Azalea <i>EVERGREEN FLOWERING SHRUB; 2" single dark purplish-pink flower; good bloom in spring, sporadic bloom in summer and heavy bloom in the fall; compact habit to 4' x 4'; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; Zones 7 - 10</i>			1g 3g	_____ _____
<b>Azalea Autumn Autumn Bonfireâ„¢ [Encore®] ('Robleza')</b> Red Encore Azalea <i>EVERGREEN FLOWERING SHRUB; single &amp; semi-double bright red flowers; good bloom in spring, sporadic bloom in summer and heavy bloom in the fall; dark green foliage; compact mounding habit up to about 3' tall by 3.5' wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; Zones (6) 7 - 10</i>			1g 3g	_____ _____
<b>Azalea Autumn Jewelâ„¢ [Encore®] ('Robleu')</b> Pink Encore Azalea <i>EVERGREEN FLOWERING SHRUB; 2" single pink flower; good bloom in spring, sporadic bloom in summer and heavy bloom in the fall; bushy habit to about 4' tall &amp; wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; Zones (6) 7 - 10</i>			1g 3g	_____ _____
<b>Azalea Autumn Lilyâ„¢ [Encore®] ('Roblex')</b> White Encore Azalea <i>EVERGREEN FLOWERING SHRUB; 3" single white flower with occasional thin purple stripes; good bloom in spring, sporadic bloom in summer and heavy bloom in the fall; dark green foliage; upright habit to 4.5' tall by 4' wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; Zones (6) 7 - 10</i>			1g 3g	_____ _____
<b>Azalea 'Hino Crimson'</b> Red Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; 1" single scarlet-red flowers in early mid-season; compact &amp; sun tolerant; glossy green foliage turns dark red in fall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; Kurume Hybrid (Vermeulen) Zones 5 - 8</i>			1g	_____
<b>Azalea 'Pastel'</b> Pink Exbury Azalea <i>DECIDUOUS FLOWERING SHRUB; pastel pink flower with cream &amp; orange flare; upright habit to about 6' tall by 5' wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or partial shade &amp; deep organic well-drained moisture retentive acidic soils; Zones 5 - 8</i>			3g	_____
<b>Azalea Perfecto Mundo® Double Pink</b> Pink Reblooming Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; double pink flower in mid-spring &amp; sporadically thereafter until mid-fall; dark green disease &amp; lacewing resistant foliage; bushy mounding habit to about 3' tall &amp; wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to medium shade &amp; deep organic well-drained moisture retentive acidic soils (Ranney / PW) Zones (6) 7 - 9</i>			2g	_____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Azalea Perfecto Mundo® Double Purple</b> Purple Reblooming Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; ruffled light double lavender-pink flower in mid-spring &amp; sporadically thereafter until mid-fall; dark green disease &amp; lacewing resistant foliage; bushy mounding habit to about 3' tall &amp; wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to medium shade &amp; deep organic well-drained moisture retentive acidic soils (Ranney / PW) Zones (6) 7 - 9</i>			2g	
<b>Azalea Perfecto Mundo® Double White</b> White Reblooming Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; double pure white flower in mid-spring &amp; sporadically thereafter until mid-fall on new &amp; old wood; dark green foliage; bushy mounding habit to about 3' tall by 4' wide; resists foliar diseases &amp; lacewing; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to medium shade &amp; deep organic well-drained moisture retentive acidic soils (Ranney / PW) Zones (6) 7 - 9</i>			2g	
<b>Azalea Perfecto Mundo® Orange ('NCRX6')</b> Orange Reblooming Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; single bright reddish-orange flower in mid-spring &amp; sporadically thereafter until mid-fall on new &amp; old wood; dark green foliage; bushy mounding habit to about 30" tall by 4' wide; resists foliar diseases &amp; lacewing; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to medium shade &amp; deep organic well-drained moisture retentive acidic soils (Ranney / PW) Zones (6) 7 - 9</i>			2g	<b>N</b>
<b>Azalea Perfecto Mundo® Red ('NCRX8')</b> Red Reblooming Evergreen Azalea <i>EVERGREEN FLOWERING SHRUB; bright red flower in mid-spring &amp; sporadically thereafter until mid-fall on new &amp; old wood; dark green foliage; bushy mounding habit to about 30" tall by 4' wide; resists foliar diseases &amp; lacewing; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to medium shade &amp; deep organic well-drained moisture retentive acidic soils (Ranney / PW) Zones (6) 7 - 9</i>			2g	
<b>Azalea Pure White Julia</b> White Encore Azalea <i>EVERGREEN FLOWERING SHRUB; white flower in spring &amp; again in fall; bushy habit to about 5' tall by 4' wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; Zones 7 - 10</i>			2g	<b>N</b>
<b>Azalea 'Red / Orange'</b> Red / Orange Exbury Azalea <i>DECIDUOUS FLOWERING SHRUB; dark red &amp; orange petals &amp; stamens in June; upright habit to about 6' tall by 5' wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or partial shade &amp; deep organic well-drained moisture retentive acidic soils; Zones 5 - 8</i>			3g	
<b>Azalea Solar Flare®, [Sunbow®] ('QbackB')</b> Yellow Deciduous Azalea <i>DECIDUOUS FLOWERING SHRUB; orange buds open to honeysuckle-like fragrant golden-yellow flowers in early spring; upright habit matures about 8' tall by 5' wide; attracts hummingbirds &amp; many pollinators; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soil; US native hybrid (Lee) Zones 5 - 9</i>			3g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Azalea Solar Glow<sup>®</sup>,<sup>¢</sup> [Sunbow<sup>®</sup>] ('QbackA')</b> Orange Deciduous Azalea <i>DECIDUOUS FLOWERING SHRUB; dark orange buds open to honeysuckle-like fragrant reddish-orange flowers in early spring; upright habit matures about 8' tall by 5' wide; attracts hummingbirds &amp; many pollinators; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soil; US native hybrid (Lee) Zones 5 - 9</i>			3g	<b>N</b>
<b>Azalea 'Yellow'</b> Yellow Exbury Azalea <i>DECIDUOUS FLOWERING SHRUB; bright yellow flowers with darker centers in June; upright habit to about 6' tall by 5' wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or partial shade &amp; deep organic well-drained moisture retentive acidic soils; Zones 5 - 8</i>			3g	
<b>Berberis thunbergii 'Admiration'</b> Variegated Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; solid bright new coral-red foliage matures to reveal thin golden margin; compact rounded habit to 3' in 10 years; no flowers or fruit have been observed; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native (Plant Haven) Zones 5 - 8</i>			1g 2g	
<b>Berberis thunbergii 'Atropurpurea'</b> <i>see: Berberis thunbergii var. atropurpurea</i>				
<b>Berberis thunbergii Bonanza Gold ('Bogozam')</b> Golden Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; compact spreading mound to 2' tall by 3' wide; bright gold foliage can burn in full sun; yellow fall foliage; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native (Lake County N) Zones 5 - 8</i>			1g 2g 5g	
<b>Berberis thunbergii 'Concorde'</b> Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; probably the most dwarf of the low spreading mounding cultivars; a mature plant is 18" tall and wide; dark red foliage intensifies in the fall; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native; Zones 5 - 8</i>			1g 2g 5g	
<b>Berberis thunbergii 'Crimson Pygmy'</b> Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; dwarf spreading mound; dark red foliage; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native; Zones 5 - 8</i>			1g 2g 5g	
<b>Berberis thunbergii 'Golden Rocket'</b> Columnar Golden Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; compact columnar habit to 5' tall by 2' wide at maturity; bright yellow deciduous summer foliage; coral stems; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native (Plant Haven) Zones 5 - 8</i>			1g 2g	
<b>Berberis thunbergii Mini Maroon<sup>®</sup> [Sunjoy<sup>®</sup>] ('NCBT1')</b> Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; small yellow sterile flowers in late spring; seedless; small bright reddish-purple foliage in spring &amp; fall fall; compact mound to about 3' tall &amp; wide in 10 years; resists deer &amp; rabbit browse; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native (Ranney / PW) Zones 5 - 8</i>			2g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Berberis thunbergii Neo® [Sunjoy] ('NCBT2')</b> Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; small yellow sterile flowers in late spring; small bright reddish-orange foliage in spring &amp; fall fall; compact mound to about 30" tall &amp; wide in 10 years; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native (PW) Zones 5 - 8</i>			2g	_____
<b>Berberis thunbergii 'Orange Rocket'</b> Columnar Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; compact columnar habit to 4' tall by 2' wide at maturity; scarlet deciduous spring foliage matures to orange-red in summer foliage &amp; becomes scarlet in the fall; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native (Plant Haven) Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____
<b>Berberis thunbergii 'Rose Glow'</b> Variegated Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; compact upright habit; creamy variegation on red foliage; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native; Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____
<b>Berberis thunbergii Royal Burgundy ('Gentry')</b> Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; very compact spreading mound to 2' tall by 3' wide in 10 years; small dark burgundy-purple deciduous foliage summer foliage turns darker in the fall; small yellow flowers in spring aren't especially notable; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native (Gentry) Zones 5 - 8</i>			1g 2g	_____ _____
<b>Berberis thunbergii Todo [Sunjoy] ('NCBX1')</b> Dwarf Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; very compact spreading mound to about 2' tall &amp; wide in 10 years; small dark burgundy-purple deciduous foliage summer foliage turns darker in the fall; small yellow sterile flowers in late spring; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native (PW) Zones 5 - 8</i>			2g	_____
<b>Berberis thunbergii var. atropurpurea</b> Red Japanese Barberry <i>DECIDUOUS ORNAMENTAL SHRUB; small red deciduous foliage; bushy upright habit; the infamous "æred sticker bush" ; pale yellow flowers in spring aren't especially ornamental; small red fruit; considered invasive; locate in full sun or light shade &amp; most moisture retentive well-drained soils; Japanese native; Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____
<b>Berberis verruculosa</b> Warty Barberry <i>EVERGREEN SHRUB; small yellow flowers in early spring; glossy medium green foliage with silvery indumentum gets reddish tones in winter; dense upright mounding habit can reach 6' tall by 4' wide at maturity ; very prominent thorns resists deer browse; locate in full sun or light shade &amp; well drained soil; Zones 5 - 7</i>			1g 2g 5g	_____ _____ _____
<b>Betula Jacquemonti</b> <i>see: Betula utilis var. Jacquemonti</i>				_____
<b>Betula nigra</b> River Birch <i>DECIDUOUS ORNAMENTAL TREE; tiny male &amp; female catkins in early spring aren't ornamental; small cone-like fruit follow in late summer; green summer foliage turns golden in fall; broadly pyramidal heads to about 40' or more tall; shaggy tan to pinkish-tan exfoliating bark; resists bronze birch borer; tolerates a wide soil range &amp; limited drought; fall dig hazard; locate in full sun or minimal shade &amp; moisture retentive neutral to acidic soil; US native; Zones 4 - 9</i>		<b>CLUMP</b>	7g	_____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Betula nigra Fox Valleyâ„¢ / Little King</b> <p style="text-align: right;"><b>BUSH</b></p> Dwarf River Birch <i>DECIDUOUS ORNAMENTAL TREE; insignificant flowers are brown (male) or green (female) catkins in spring; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of yellow in fall; very compact bushy habit to about 10' tall &amp; wide in 10 years; resists leaf spot &amp; borers; tolerates wet soils; somewhat drought tolerant; fall dig hazard; locate in full sun or minimal shade &amp; moist acidic soil; US native (Jacobson / King N) Zones (3) 4 - 9</i>			7g	
<b>Betula nigra Fox Valleyâ„¢ / Little King</b> <p style="text-align: right;"><b>CLUMP</b></p> Dwarf River Birch <i>DECIDUOUS ORNAMENTAL TREE; insignificant flowers are brown (male) or green (female) catkins in spring; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of yellow in fall; very compact bushy habit to about 10' tall &amp; wide in 10 years; resists leaf spot &amp; borers; tolerates wet soils; somewhat drought tolerant; fall dig hazard; locate in full sun or minimal shade &amp; moist acidic soil; US native (Jacobson / King N) Zones (3) 4 - 9</i>			7g	<b>N</b>
<b>Betula nigra Heritage ('Cully')</b> <p style="text-align: right;"><b>CLUMP</b></p> River Birch <i>DECIDUOUS ORNAMENTAL TREE; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of yellow in fall; leaf spot resistance; broadly upright habit to about 45' tall by 30' wide; 3 or more main trunks; fall dig hazard; locate in full sun or minimal shade &amp; moist acidic soil; somewhat drought tolerant; supposedly improved selection of original Heritage; US native (Cully) Zones 3 - 9</i>			7g	
<b>Betula nigra 'Shiloh Splash'</b> <p style="text-align: right;"><b>TREE FORM</b></p> Variegated River Birch <i>DECIDUOUS ORNAMENTAL TREE; tiny male &amp; female catkins in early spring aren't ornamental; small cone-like fruit follow in late summer; green foliage is liberally edged with creamy white &amp; turns golden in fall; upright pyramidal habit to about 15' tall by 10' wide; shaggy tan to pinkish-tan exfoliating bark; resists bronze birch borer; tolerates a wide soil range &amp; limited drought; fall dig hazard; locate in full sun or minimal shade &amp; moisture retentive neutral to acidic soil; US native (Allen) Zones 4 - 9</i>			7g	
<b>Betula platyphylla Dakota Pinnacle ('Fargo')</b> <p style="text-align: right;"><b>TREE FORM</b></p> Columnar Asian Birch <i>DECIDUOUS ORNAMENTAL TREE; slightly exfoliating yellowish-white bark; light green summer foliage is held late into fall before turning yellowish-brown; columnar to narrowly pyramidal habit to about 30' tall by 10' wide at maturity; bronze birch borer susceptibility; fall dig hazard; locate in full sun &amp; moisture retentive well-drained soil; probably more reliable in colder range; Asian native (N. Dakota St U) Zones 3 - 6 (7)</i>			7g	
<b>Betula utilis var. jacquemonti</b> <p style="text-align: right;"><b>TREE FORM</b></p> Whitebarked Himalayan Birch <i>DECIDUOUS ORNAMENTAL TREE; exceptionally white bark appears at an early age; dark green summer foliage turns yellowish in the fall; pyramidal to oval habit to about 40' tall by 25' wide; borers and Japanese Beetles are a problem; fall dig hazard; locate in full sun to minimal shade &amp; well-drained moisture retentive soil; not tolerant of drought or areas with warm summer nights; native to western Himalayas; Zones 5 - 6 (7)</i>			7g 15g	

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Bouteloua gracilis 'Blonde Ambition'</b> Blue Grama Grass <i>ORNAMENTAL GRASS; chartreuse summer flowers turn to blonde seed heads that are effective from fall into early winter; upright arching habit to 30" tall by 18" wide; blue-green summer foliage; stems resist heavy snow loads; resistant to Black Walnut, air pollution, erosion &amp; drought; locate in full sun; tolerant of most soils that drain well; won't tolerate moist soils; US native (Salman) Zones 3 - 10</i>			1g	_____
<b>Buddleia 'Miss Molly'</b> Compact Red Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; bright wine-red flower spikes on new wood from mid-summer to fall; compact habit to 4' tall &amp; wide; cut back in late fall or early spring; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; well-drained moisture retentive organic garden soils; native of China [B. davidii] (PW) (Werner) Zones 5 - 9</i>			1g 2g 5g	_____ _____ _____
<b>Buddleia 'Miss Ruby'</b> Compact Pink Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; fragrant fuchsia-pink flower spikes on new wood from mid-summer to fall; compact habit to 4' tall &amp; wide; gray-green foliage; cut back in late fall or early spring; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; well-drained moisture retentive organic garden soils; native of China (Werner) Zones 5 - 9</i>			1g 2g	_____ _____
<b>Buddleia 'Miss Violet'</b> Lavander Butterfly Bush <i>DECIDUOUS FLOWERING SHRUB; fragrant violet-purple flower spikes on new wood from mid-summer to fall; compact habit to 5' tall &amp; wide; gray-green foliage; cut back in late fall or early spring; attracts butterflies &amp; hummingbirds; resistant to deer browse; locate in full to mostly sunny areas &amp; well-drained moisture retentive organic garden soils; native of China (PW) Zones 5 - 9</i>			1g 2g 5g	_____ _____ _____
<b>Buxus x 'Green Gem'</b> Dwarf Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark glossy green summer foliage tends to bronze in winter; rounded mound to about 2' tall &amp; wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____
<b>Buxus x 'Green Mountain'</b> Upright Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer &amp; winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; sheared so a round ball sits over a bottom one on a straight stem; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>	<b>2 TIER</b>		5g 7g	_____ _____ <b>N</b>
<b>Buxus x 'Green Mountain'</b> Upright Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer &amp; winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; tops sheared to be about as tall as wide; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>	<b>BUSH</b>		1g 2g 5g	_____ _____ _____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Buxus x 'Green Mountain'</b> <p style="text-align: right;"><b>CONE</b></p> Upright Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer &amp; winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; sheared into tight round cones; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>			5g	
<b>Buxus x 'Green Mountain'</b> <p style="text-align: right;"><b>POM POM</b></p> Upright Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer &amp; winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; most branched removed; sheared balls are at the ends of the remaining branches; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>			5g 7g	<b>N</b>
<b>Buxus x 'Green Mountain'</b> <p style="text-align: right;"><b>SPIRAL</b></p> Upright Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer &amp; winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; sheared into a spiral around a central leader; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>			5g 7g	<b>N</b>
<b>Buxus x 'Green Velvet'</b> Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer &amp; winter foliage; compact mounding habit to about 2' high by 3' wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>			1g 2g 5g 7g	<b>N</b>
<b>Buxus microphylla Baby Gem â„† ('Gregem')</b> Dwarf Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dwarf rounded habit to about 4' tall &amp; wide at maturity; dark green summer foliage; minimal winter bronzing; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant (Greenleaf Ns) Zones (4) 5 - 8 (9)</i>			1g 3g	
<b>Buxus microphylla 'Faulkner'</b> Japanese Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; good hedging plant with glossy green foliage; densely branched habit will reach 6' at maturity, but can be kept at or under 3'; adaptable to shady and coastal sites; resistant to late spring frosts; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones 5 - 9</i>			1g 2g 5g	<b>N</b>
<b>Buxus microphylla 'Koreana'</b> <i>see: Buxus sinica var. insularis 'Fastigiata'</i>				

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Buxus microphylla 'Little Missy'</b> Japanese Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; small lustrous dark green foliage through the winter; tight spreading mound to about 2' tall by 3' wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japanese native (Cole) Zones (5) 6 - 9</i>			1g 2g 5g	_____ _____ _____	<b>N</b>
<b>Buxus microphylla 'Winter Gem'</b> <i>see: Buxus sinica var. insularis 'Winter Gem'</i>				_____	
<b>Buxus sempervirens</b> Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage with minimal bronzing except in exposed locations in winter; broadly upright habit to about 4' tall &amp; wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>		<b>BUSH</b>	1g 2g 5g	_____ _____ _____	
<b>Buxus sempervirens North Star ('Katerberg')</b> Dwarf Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; glossy dark green foliage; bred in Michigan to retain good winter foliage color; slow growing compact globular habit reaches about 30" x 30" at maturity; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa (Katerberg) Zones 5 - 7</i>		<b>BUSH</b>	1g 2g 5g	_____ _____ _____	
<b>Buxus sempervirens North Star ('Katerberg')</b> Dwarf Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; glossy dark green foliage; bred in Michigan to retain good winter foliage color; slow growing compact globular habit reaches about 30" x 30" at maturity; sheared into formal cones; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa (Katerberg) Zones 5 - 7</i>		<b>CONE</b>	5g	_____	<b>N</b>
<b>Buxus sempervirens 'Rotundifolia'</b> Roundleaf Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; large round dark green convex foliage usually retains good winter color; broadly upright habit to about 5' tall by 4' wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>		<b>BUSH</b>	1g 2g 5g 7g	_____ _____ _____ _____	<b>N</b> <b>N</b> <b>N</b> <b>N</b>
<b>Buxus sempervirens 'Skywalker'</b> Columnar Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage all year; narrow upright conical shrub to about 20' tall by 5' wide at maturity; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones (5) 6 - 8</i>			2g 5g	_____ _____	<b>N</b>



# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Buxus sempervirens 'Suffruticosa'</b> Dwarf English Boxwood <i>BROADLEAF EVERGREEN SHRUB; medium to dark green foliage; very slow broadly upright habit to about 2' tall by 18" wide in 10 or more years; broadens with age; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>			1g 5g	_____ _____ _____	<b>N</b> <b>N</b>
<b>Buxus sempervirens 'Variegata'</b> Variegated Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; could be one of several cultivars; creamy to gold edged foliage around dark green centers; broadly upright habit to about 5' tall &amp; wide; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>		<b>BUSH</b>	1g 2g 5g	_____ _____ _____	
<b>Buxus sempervirens 'Variegata'</b> Variegated Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; could be one of several cultivars; creamy to gold edged foliage around dark green centers; broadly upright habit to about 5' tall &amp; wide; sheared into tight round cones; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>		<b>CONE</b>	5g	_____	
<b>Buxus sinica var. insularis 'Fastigiata'</b> Columnar Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage is retained in winter; compact upright habit will grow to about 5' tall by 3' wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones 4 - 9</i>	V Ltd		1g 2g 5g 7g	_____ _____ _____ _____	<b>N</b>
<b>Buxus sinica var. insularis 'Fastigiata'</b> Columnar Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage is retained in winter; compact upright habit will grow to about 5' tall by 3' wide in 10 years; 2 balls sheared about the same size with a stem between them; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones 4 - 9</i>		<b>2-TIER</b>	5g	_____	
<b>Buxus sinica var. insularis 'Fastigiata'</b> Columnar Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage is retained in winter; compact upright habit will grow to about 5' tall by 3' wide in 10 years; 3 balls sheared about the same size with a stem between them; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones 4 - 9</i>	V Ltd	<b>3-TIER</b>	5g	_____	<b>N</b>
<b>Buxus sinica var. insularis 'Fastigiata'</b> Columnar Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage is retained in winter; compact upright habit will grow to about 5' tall by 3' wide in 10 years; sheared into formal cones; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones 4 - 9</i>		<b>CONE</b>	5g	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Buxus sinica var. insularis 'Fastigiata'</b> <p style="text-align: right;"><b>STANDARD</b></p> Columnar Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage is retained in winter; compact upright habit will grow to about 5' tall by 3' wide in 10 years; rounded heads on a single trunk usually about 18" to 24" above the ground; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones 4 - 9</i>			5g	_____	<b>N</b>
<b>Buxus sinica var. insularis 'Winter Gem'</b> Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; new lime-green foliage matures to dark glossy green; compact spreading habit to about 4' tall &amp; wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones 5 - 9</i>			1g 2g 5g 7g	_____ _____ _____ _____	<b>N</b>
<b>Calamagrostis x acutiflora 'Karl Foerster'</b> Feather Reed Grass <i>ORNAMENTAL GRASS; upright foliage to 4' tall; pinkish to golden inflorescence from June to September which are sterile reach as much as 6' tall; deer browse resistant; salt tolerant; locate in full sun to light shade &amp; moisture retentive soils; performs well in dry &amp; boggy situations; &amp; areas with coolish nights; Zones (3) 4 - 9</i>			1g 2g 5g	_____ _____ _____	
<b>Callicarpa bodinieri</b> Bodinier's Beautyberry <i>DECIDUOUS FLOWERING SHRUB; small lavender flowers with yellow stamens in spring on new wood; profuse clusters of lavender berries held close to the stems for about 6 weeks in in late summer &amp; early fall are more prolific when planted in mass; dull bluish-green summer foliage turn pinkish-purple in fall; broadly upright habit to about 10' tall by 8' wide; locate in full sun to light shade &amp; most well-drained soils; Chinese native; Zones 6 - 8</i>			1g 5g	_____ _____	
<b>Callitropsis nootkatensis</b> <i>see: Chamaecyparis nootkatensis</i>				_____	
<b>Calluna vulgaris 'Firefly'</b> Scotch Heather <i>EVERGREEN GROUNDCOVER; semi-double dark mauve-pink flowers from July to Sept; spring &amp; summer foliage is a mix of yellow &amp; chartreuse which intensifies to oranges &amp; red in fall then turns brick-red through winter; compact bushy habit to about 2' tall &amp; wide; some tolerance to deer browse; not tolerant of hot humid climates &amp; soil that doesn't drain or retains too much moisture; prune in early spring; locate in full sun to part shade &amp; most well-drained moisture retentive soils; native to N America &amp; Eurasia; Zones 4 - 6</i>			1g	_____	<b>N</b>
<b>Calluna vulgaris 'Silver Knight'</b> Scotch Heather <i>EVERGREEN GROUNDCOVER; lavender flowers in late summer; silvery-gray foliage turns soft purple by &amp; through winter; compact bushy habit to about 20" tall 2' wide; some tolerance to deer browse; not tolerant of hot humid climates &amp; soil that doesn't drain or retains too much moisture; prune in early spring; locate in full sun to part shade &amp; most well-drained moisture retentive soils; native to N America &amp; Eurasia; Zones 4 - 6</i>			1g	_____	<b>N</b>
<b>Calluna vulgaris 'Tib'</b> Scotch Heather <i>EVERGREEN GROUNDCOVER; dark lavender-pink flowers in late summer; dark green foliage turns brone-green by &amp; through winter; compact bushy habit to about 18" tall 2' wide; some tolerance to deer browse; not tolerant of hot humid climates &amp; soil that doesn't drain or retains too much moisture; prune in early spring; locate in full sun to part shade &amp; most well-drained moisture retentive soils; native to N America &amp; Eurasia; Zones 4 - 6</i>			1g	_____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Calycanthus floridus Simply Scentsational® ('SMNCAF')</b> Sweetshrub; Carolina Allspice <i>DECIDUOUS FLOWERING SHRUB; very fragrant large burgundy flowers from May into summer on new &amp; old wood; inconspicuous brown fruit in early fall; leathery fragrant grayish-green summer foliage turns yellowish in fall; bushy-upright habit to about 6' tall by 5' wide; spreads by suckers; attracts butterflies &amp; pollinators; resists deer browse as well as limited drought &amp; flooding; locate in sun or shade &amp; rich moist organic soils; pH adaptable; eastern US native (Wood / PW) Zones 4 - 9</i>			2g	
<b>Calycanthus x raulstonii 'Aphrodite'</b> Raulston Sweetshrub <i>DECIDUOUS FLOWERING SHRUB; fragrant 4" red flowers in late spring can be cut &amp;/or dried; dense upright habit to about 8' tall by 6' wide; glossy dark green summer foliage turns golden yellow in fall; deer browse resistant; locate in sun or light shade &amp; rich well-drained moisture retentive organic soil; pH adaptable [C. floridus x C. chinensis] (Ranney) Zones 5 - 8</i>			2g	
<b>Camellia japonica Early Wonder</b> Pink Japanese Camellia <i>EVERGREEN FLOWERING SHRUB; large double rosy-pink flowers from Sept. through fall - unusual!; glossy dark green foliage; upright habit to about 8' tall by 6' wide; protect from winter winds in northern range; locate in light to filtered shade &amp; moist acidic well-drained organic soil; Zones 7 - 10</i>			1g 3g	
<b>Camellia japonica Early Wonder</b> Pink Japanese Camellia <i>EVERGREEN FLOWERING SHRUB; large double rosy-pink flowers from Sept. through fall - unusual!; glossy dark green foliage; upright habit to about 8' tall by 6' wide; protect from winter winds in northern range; locate in light to filtered shade &amp; moist acidic well-drained organic soil; Zones 7 - 10</i>	V Ltd	<b>TREE FORM</b>	3g	<b>N</b>
<b>Camellia sasanqua Dianaâ„¢</b> White Sasanqua Camellia <i>EVERGREEN FLOWERING SHRUB; semi-double white flowers with faint light yellow centers from mid to late fall &amp; into winter with mild temperatures; dark glossy green foliage; upright habit to about 10' tall by 8' wide at maturity; needs a sheltered location in winter for colder areas; locate in partial shade &amp; acidic well-drained moisture retentive organic soil (Southern Living) Zones 7 - 9</i>			1g 3g	<b>N</b> <b>N</b>
<b>Camellia sasanqua October Magic® Brideâ„¢ ('Green 99-006')</b> White Sasanqua Camellia <i>EVERGREEN FLOWERING SHRUB; single dark red flowers with yellow centers from mid to late fall &amp; into winter with mild temperatures; dark glossy green foliage; upright habit to about 5' tall by 4' wide; needs a sheltered location in winter for colder areas; locate in partial shade &amp; acidic well-drained moisture retentive organic soil (Green / Plants Nouveau) Zones (6) 7 - 9</i>			1g 3g	
<b>Camellia sasanqua October Magic® Crimson N' Cloverâ„¢ ('Green 08-052')</b> Red Sasanqua Camellia <i>EVERGREEN FLOWERING SHRUB; single dark red flowers with yellow centers from mid to late fall &amp; into winter with mild temperatures; dark glossy green foliage; upright habit to about 12' tall by 8' wide; needs a sheltered location in winter for colder areas; locate in partial shade &amp; acidic well-drained moisture retentive organic soil (Green / Plants Nouveau) Zones (6) 7 - 9</i>			1g 3g	
<b>Camellia sasanqua October Magic® Crimson N' Cloverâ„¢ ('Green 08-052')</b> Red Sasanqua Camellia <i>EVERGREEN FLOWERING SHRUB; single dark red flowers with yellow centers from mid to late fall &amp; into winter with mild temperatures; dark glossy green foliage; upright habit to about 12' tall by 8' wide; needs a sheltered location in winter for colder areas; locate in partial shade &amp; acidic well-drained moisture retentive organic soil (Green / Plants Nouveau) Zones (6) 7 - 9</i>		<b>TRELLIS</b>	3g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Camellia sasanqua October Magic® Orchidâ„¢ ('Green 94-035')</b> Pink Sasanqua Camellia <i>EVERGREEN FLOWERING SHRUB; semi-double pink &amp; white petals appear in mid to late fall &amp; with mild temperatures can bloom into mid-winter; glossy dark green foliage; broadly upright habit to about 5' tall by 4' wide; provide sheltered location from wind in northern range; locate in full sun to partial shade &amp; acidic well-drained moisture retentive organic soil (Green / Plants Nouveau) Zones (6) 7 - 9</i>			1g 3g	
<b>Camellia sasanqua October Magic® Rubyâ„¢ ('Green 02-003')</b> Red Sasanqua Camellia <i>EVERGREEN FLOWERING SHRUB; lightly fragrant profuse flowering double bright red flowers in mid to late fall &amp; with mild temperatures can bloom into mid-winter; broadly upright habit to about 4' tall by 5' wide; glossy olive-green foliage; needs a sheltered location in northern range; locate in full sun or partial shade &amp; acidic well-drained moisture retentive organic soil (Green / Plants Nouveau) Zones (6) 7 - 9</i>			1g 3g	
<b>Camellia sasanqua October Magic® White Shi Shi â„¢ ('Green 02-004')</b> White Sasanqua Camellia <i>EVERGREEN FLOWERING SHRUB; lightly fragrant profuse double white flowers in mid to late fall &amp; with mild temperatures can bloom into mid-winter; mounding habit to about 4' tall &amp; wide; glossy olive-green foliage; needs a sheltered location in northern range; locate in full sun or partial shade &amp; acidic well-drained moisture retentive organic soil (Green / Plants Nouveau) Zones 7 - 9</i>			1g 3g	N
<b>Camellia sasanqua 'Yuletide'</b> Red Sasanqua Camellia <i>EVERGREEN FLOWERING SHRUB; single crimson petals with prominent gold stamens in the middle; fall bloomer; dark evergreen foliage; grows to about 10' by 8' wide; locate in partial shade &amp; moist acidic well drained organic soil for best results; Zones (6) 7 - 9</i>			1g 3g	N N
<b>Carex morrowii 'Everglow' [Evercolor®]</b> Morrow's Sedge; Japanese Sedge <i>ORNAMENTAL GRASS; non-ornamental brownish flower spikes in spring; narrow dark green arching foliage with creamy-white margins that turn orange in fall through winter; clumping habit to about 15" tall by 18" wide; attracts pollinators; resists deer browse; tolerates drought &amp; moist soil; locate in light to partial shade &amp; moisture retentive soil; Japanese native (FitzGerald) Zones (5) 6 - 9</i>			1g	
<b>Carex morrowii 'Ice Dance'</b> Variegated Japanese Sedge <i>ORNAMENTAL GRASS; evergreen or semi-evergreen foliage; thin creamy margins edge dark green centers on narrow blades; grows to about 12" tall by 18" wide; rhizomatous clumping habit; not invasive; deer browse resistant; locate in full to partial shade &amp; rich organic moisture retentive soil; Japanese native; Zones 5 - 9</i>			1g	
<b>Carex oshimensis 'Everest' [Evercolor®]</b> Variegated Oshima Sedge <i>ORNAMENTAL GRASS; narrow green arching foliage with thin white edges; compact clumping habit to 12" high &amp; wide; good groundcover or in containers; deer browse resistant; locate is partial to filtered shade &amp; moisture retentive soils that don't stay wet; Japanese native [C. oshimensis] (Tesselaar) Zones (5) 6 - 9</i>			1g 2g	N
<b>Carex oshimensis 'Evergold'</b> Variegated Oshima Sedge <i>ORNAMENTAL GRASS; creamy-white new foliage with green margins matures to creamy-yellow; densely clumping with arching leaves reaches 12" tall by 18" wide; good groundcover or in containers; deer browse resistant; locate is partial to filtered shade &amp; moisture retentive soils that don't stay wet; Japanese native; Zones (5) 6 - 8 (9)</i>			1g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<p><b>Carex oshimensis 'Everillo' [Evercolor®]</b>                      Yellow Oshima Sedge  <i>ORNAMENTAL GRASS; lime green arching foliage transitions to gold with maturity; becomes chartreuse in more shade; densely clumping with arching leaves reaches 12" tall &amp; wide; good groundcover or in containers; deer browse resistant; locate in full sun to partial or filtered shade &amp; moisture retentive soils that don't stay wet; Japanese native (Fitzgerald) Zones (5) 6 - 8 (9)</i></p>			1g 2g	_____ _____ _____	<b>N</b>
<p><b>Carex oshimensis 'Eversheen' [Evercolor®]</b>                      Variegated Oshima Sedge  <i>ORNAMENTAL GRASS; foliage has a wide lime-green central stripe with dark green margins; broadly arching leaves to about 18" tall &amp; wide; good groundcover or in containers; deer browse resistant; locate in partial or filtered shade &amp; moisture retentive soils that don't stay wet or remain dry; Japanese native; Zones (5) 6 - 8 (9)</i></p>			1g	_____	
<p><b>Carex pensylvanica</b>                      Oak Sedge; Pennsylvanica Sedge  <i>ORNAMENTAL GRASS; flowers sparsely in late spring &amp; is not especially ornamental; narrow bright green arching foliage forming clumps to 10" tall; spreads by stolons (runners above ground); resists deer browse; somewhat drought tolerant; locate in partial to dappled shade &amp; most well-drained soils; native to eastern US &amp; Canada; Zones (3) 4 - 8</i></p>			1g	_____	
<p><b>Carex testacea</b>                      Copper Hair Sedge  <i>EVERGREEN ORNAMENTAL GRASS; brownish flowers in late spring to early summer; narrow bronze-orange foliage; spreads by rhizomes, arching habit to 15" tall by 18" wide; deer browse resistant; locate in sunny to mostly sunny locations &amp; moisture retentive well-drained soil; New Zealand native; Zones 6 - 9</i></p>			1g	_____	
<p><b>Carpinus betulus</b>                      European Hornbeam  <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer foliage turns yellowish then tan by winter; broadly upright habit to about 40' tall &amp; almost as wide at maturity; good for hedging as it takes shearing well &amp; the foliage is often retained through winter - especially in protected locations; branching normally starts about 4' above the ground; locate in full sun or part shade &amp; any soil with moderate drainage; native to Europe &amp; Asia Minor; Zones 5 - 8</i></p>			15g	_____	<b>TREE FORM</b>
<p><b>Carpinus betulus 'Columnaris Nana'</b>                      Dwarf Columnar European Hornbeam  <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; bright green summer foliage turns a better yellow in fall than others; narrow upright habit to 4' tall by 18" wide in 10 years; like the larger forms it widens with age (just like us); branching starts at or very close to the ground; locate in full sun or part shade &amp; any soil with moderate drainage; native to Europe &amp; Asia Minor; Zones 5 - 8</i></p>			5g	_____	
<p><b>Carpinus betulus 'Fastigiata'</b>                      Columnar European Hornbeam  <i>DECIDUOUS ORNAMENTAL TREE; dark green summer foliage turns yellowish then tan by winter; columnar habit when young matures to about 40' tall &amp; about 30' wide; good for hedging as it takes shearing well &amp; the foliage is often retained through winter - especially in protected locations; branching starts at or near the ground; locate in full sun or part shade &amp; any soil with moderate drainage; native to Europe &amp; Asia Minor; Zones 5 - 8</i></p>			5g 7g 15g	_____ _____ _____	<b>LOW BRANCHED</b> <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Caryopteris x clandonensis Beekeeper â„¢ ('Minigold')</b> Gold False Spirea; Gold Bluebeard <i>DECIDUOUS FLOWERING SHRUB; bright blue flowers on new wood from mid-summer through fall; gold foliage in spring &amp; summer; compact mounding habit to about 3' tall &amp; wide; retains color in full sun; resists deer browse &amp; rabbit browse; attracts bees, butterflies &amp; hummingbirds; minimal disease or insect problems; locate in full sun or minimal shade &amp; well-drained moisture retentive slightly acidic soil; native Asian cross (Bloomin' Easy) Zones 6 - 9</i>			2g	
<b>Caryopteris x clandonensis 'Blue Mist'</b> False Spirea; Bluebeard <i>DECIDUOUS FLOWERING SHRUB; fragrant powder-blue flower for about 8 weeks beginning in August; silver-gray foliage; resists deer browse &amp; rabbit browse; attracts bees, butterflies &amp; hummingbirds; minimal disease or insect problems; locate in full sun or minimal shade &amp; well-drained neutral garden soil; native Asian cross; Zones 6 - 9</i>			1g 2g 5g	
<b>Castanea 'Colossal'</b> Hybrid Chestnut <i>DECIDUOUS SHADE TREE; creamy foul smelling 4" panicles in June yield large sweet nuts when mature in fall annually; pollen-sterile; needs pollinator such as 'Precose Migoule' or 'Labor Day'; dark green summer foliage turns shades of yellow to bronze in fall; compact rounded heads to about 25' tall &amp; wide at maturity; subject to Chestnut blight east of the Rocky Mtns; locate in full sun &amp; organic well-drained acidic soil [C. sativa x C. crenata] Zones 4 - 9</i>	V Ltd		7g	<b>N</b>
<b>Catalpa bignonioides 'Aurea'</b> Golden Southern Catalpa <i>DECIDUOUS SHADE TREE; broad 8-10" white panicles with yellow &amp; purple spotting in June; long narrow brown seed pods in fall; spring foliage emerges a nice yellow which matures to green about the time the flowers open; foliage turns yellowish-green in fall; broadly upright habit to about 25' tall &amp; wide; locate in sun or partial shade &amp; just about any soil with reasonable drainage; native to central US; Zones 5 - 8</i>	V Ltd		15g	<b>N</b>
<b>Ceanothus 'Concha'</b> California Lilac <i>DECIDUOUS FLOWERING SHRUB; profuse clusters of deep blue flowers from late spring into early summer; red seed heads; small dark green foliage; broadly arching habit to as much as 8' tall by 12' wide; attracts bees, butterflies &amp; birds; tolerates drought &amp; coastal conditions; resists deer &amp; rabbit browse; locate in full sun or minimal shade &amp; well-drained moisture retentive neutral to alkaline soil [C. impressus x C. papillosus] Zones 7 - 10</i>			1g 5g	<b>N</b>
<b>Ceanothus gloriosus</b> Point Reyes Ceanothus <i>EVERGREEN GROUND COVER; dark bluish-purple flower in late winter &amp; early spring; spreading habit to 3' high by 6' wide at maturity; attracts butterflies &amp; bees; locate in partial shade and moisture retentive well-drained soil; California native; Zone 7 - 9</i>			1g	
<b>Ceanothus impressus 'Victoria'</b> California Lilac <i>EVERGREEN GROUND COVER; dark blue flower in spring; upright mounding habit to 9' high by 12' wide at maturity; attracts butterflies &amp; bees; tolerant of coastal conditions; locate in full sun and well-drained soil; California native; Zone 7 - 9</i>			1g 2g 5g	<b>N</b>
<b>Ceanothus maritimus 'Popcorn'</b> California Lilac <i>EVERGREEN FLOWERING SHRUB; lightly fragrant clusters of white flowers in late winter or early spring; reddish-gray bark on young stems mature to gray; low spreading habit to about 2' tall by 6' wide; attracts pollinators; resists deer browse &amp; coastal locations; tolerates limited drought; locate in full sun to partial shade &amp; just about any soil that's close to neutral acidity; western US native; Zones (7) 8 - 9</i>			1g 2g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Ceanothus x 'Ray Hartman'</b> California Lilac <i>DECIDUOUS FLOWERING SHRUB; clusters of medium blue flowers from late spring into early summer; followed by red seed heads; broadly upright habit to as much as 20' tall &amp; wide; attracts bees, butterflies &amp; birds; tolerant of drought &amp; coastal conditions; loved by deer; locate in full sun or minimal shade &amp; very well drained neutral to alkaline soil [C. arborescens x C. griseus] Zones 9 - 11</i>			1g 5g	_____ _____ _____	<b>N</b>
<b>Ceanothus thyrsiflorus 'Cool Blue'</b> Compact Variegated Blueblossom <i>EVERGREEN FLOWERING SHRUB; true blue flowers (rare!) from mid-May to mid-June; small edible fruit; glossy green alternate leaves have creamy margin; compact mounding habit to about 4' tall by 5' wide; attracts pollinators; locate in full sun or minimal shade &amp; moisture retentive well-drained alkaline soil; western US native; Zones (7) 8 - 10</i>			1g 3g	_____ _____ _____	
<b>Ceanothus thyrsiflorus 'Skylark'</b> California Lilac <i>EVERGREEN FLOWERING SHRUB; true blue flowers (rare!) from mid-May to mid-June; small edible fruit; glossy green alternate leaves; bushy spreading habit to as much as 6' tall by 12' wide; attracts pollinators; tolerates drought &amp; coastal areas; locate in full sun or minimal shade &amp; moisture retentive well-drained alkaline soil; western US native; Zones 7 - 10</i>			1g 5g	_____ _____ _____	
<b>Cedrus atlantica 'Glauca'</b> Blue Atlas Cedar <i>EVERGREEN ORNAMENTAL CONIFER; dark blue needles; somewhat open &amp; upright when young; matures to a large pyramid or irregular flat-topped to about 60'+ tall by 40' wide; locate in full to mostly sunny locations &amp; well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9</i>			5g	_____ _____	<b>N</b>
<b>Cedrus atlantica 'Glauca Pendula'</b> Weeping Blue Atlas Cedar <i>EVERGREEN ORNAMENTAL CONIFER; blue-green needles; trunks are staked in an undulating shape to resemble a multi-curved S; ultimate shape and undulation will vary with staking; locate in full to mostly sunny locations &amp; well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9</i>		<b>SERPENTINE</b>	5g 10g	_____ _____ _____	<b>N</b>
<b>Cedrus atlantica 'Glauca Pendula'</b> Weeping Blue Atlas Cedar <i>EVERGREEN ORNAMENTAL CONIFER; blue-green evergreen needles; trunks are staked straight; tops will have varying shapes, but will weep toward, if not all the way to, the ground; locate in full to mostly sunny locations &amp; well-drained organic moisture retentive soil; somewhat drought tolerant; protect from winter winds in northern range; north African native; Zones (5) 6 - 9</i>		<b>STAKED UPRIGHT</b>	5g 10g	_____ _____ _____	
<b>Cedrus atlantica 'Horstmann'</b> Compact Blue Atlas Cedar <i>EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles; compact pyramidal habit to about 25' tall which matures more flat-topped &amp; about half as wide; terrific plant for small properties where a blue evergreen accent is desired; somewhat drought tolerant; protect from winter winds in northern range; locate in full to mostly sunny locations &amp; well-drained organic moisture retentive soil; north African native; Zones (5) 6 - 9</i>			5g	_____ _____	<b>N</b>
<b>Cedrus deodara</b> Deodara Cedar; Himalayan Cedar <i>EVERGREEN CONIFER; medium green pointed needles; densely pyramidal habit when young maturing to about 60' or more tall by 40' wide at the base; somewhat deer browse resistant &amp; drought tolerant; locate in full to mostly sunny locations &amp; organic well-drained moisture retentive soil; protect from winter winds in northern range; native to western Himalaya; Zones (6) 7 - 9</i>			5g 10g	_____ _____ _____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Cedrus deodara 'Devinely Blue'</b> Compact Blue Deodara Cedar <i>EVERGREEN ORNAMENTAL CONIFER; pointed gray-blue needles; broadly irregular upright when young matures more pyramidal to about 4' tall by 3' wide in 10 years; somewhat deer browse resistant &amp; drought tolerant; locate in full to mostly sunny locations &amp; organic well-drained moisture retentive soil; protect from winter winds in northern range; native to western Himalaya (Angelica N) Zones (6) 7 - 9</i>			5g	_____	
<b>Cedrus deodara 'Feelin' Blue'</b> Compact Blue Deodara Cedar <i>EVERGREEN ORNAMENTAL CONIFER; blue-green needles; compact spreading habit to about 2' tall by 6' wide in 10 years; if leader is staked lateral branches will droop gracefully downward; somewhat deer browse resistant &amp; drought tolerant; locate in full to mostly sunny locations &amp; organic well-drained moisture retentive soil; protect from winter winds in northern range; native to western Himalaya; Zones (6) 7 - 9</i>			5g	_____	
<b>Cedrus deodara 'Gold Cone'</b> Golden Deodara Cedar <i>EVERGREEN ORNAMENTAL CONIFER; golden yellow on the outside become green inside; pyramidal habit to about 12' tall by 6' wide in 10 years; somewhat deer browse resistant &amp; drought tolerant; locate in full to mostly sunny locations &amp; organic well-drained moisture retentive soil; protect from winter winds in northern range; native to western Himalaya; Zones (6) 7 - 9</i>			5g	_____	
<b>Cedrus deodara 'Karl Fuchs'</b> Blue Deodara Cedar <i>EVERGREEN ORNAMENTAL CONIFER; silvery to steel-blue pointed needles; vigorous open pyramidal habit to about 15" tall by 6' wide in 10 years; slightly pendulous branching; somewhat deer browse resistant &amp; drought tolerant; locate in full to mostly sunny locations &amp; organic well-drained moisture retentive soil; protect from winter winds in northern range; hardy selection from Afghanistan; native to western Himalaya (Fuchs) Zones (5) 6 - 9</i>			5g	_____	
<b>Celtis occidentalis</b> Common Hackberry <i>DECIDUOUS SHADE TREE; pyramidal headed shade tree growing to 50' tall and about as wide; yellow fall foliage; tolerant of urban conditions, some salt exposure &amp; most pests; drought tolerant; locate in full sun &amp; just about any soil that isn't wet for extended periods; native to US &amp; Canada; Zones 3 - 7 (8)</i>			15g	_____	<b>N</b>
<b>Cephalotaxus harringtoniana Yewtopia ('Plania')</b> Compact Plum Yew <i>EVERGREEN CONIFER; medium to dark green Taxus-like needles; compact spreading mound to about 3' high &amp; wide in 10 years; 1" fleshy fruit on female plants in late summer; resists deer browse; locate in partial sun to full shade &amp; well-drained moisture retentive soil; somewhat drought tolerant when established; Asian native; Zones 6 - 9</i>			1g 3g	_____ _____	
<b>Cercis canadensis</b> <b>BUSH</b> Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching starts at the ground; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native; Zones (3) 4 - 9</i>			5g 7g	_____ _____	<b>N</b> <b>N</b>



# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Cercis canadensis</b> <p style="text-align: right;"><b>TREE FORM</b></p> Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching usually starts about 3' to 5' above the ground from a single stem; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones (3) 4 - 9</i>			7g 15g	
<b>Cercis canadensis 'Alley Cat'</b> Variegated Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in April; green leaves with streaks of white from spring through fall; broadly spreading heads to about 20' tall &amp; wide; slow grower; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Bush / Hidden Hollow N) Zones 5 - 9</i>			7g	<b>N</b>
<b>Cercis canadensis Black Pearl™ (‘JN16’)</b> Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; deep purple-pink buds open to lavender-pink flowers in April before the foliage; foliage is a very dark (almost black) purple through summer then chartreuse yellow in fall; wide-spreading habit to about 20' tall by 25' wide; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native [Ruby Falls x The Rising Sun] (Garden Debut) Zones 4 - 9</i>			7g	
<b>Cercis canadensis Burgundy Hearts® (‘Greswan’)</b> Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; deep purple-pink buds open to lavender-pink flowers in April before the foliage; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Greenleaf N) Zones 4 - 9</i>			7g	<b>N</b>
<b>Cercis canadensis Carolina Sweetheart (‘NCCC1’)</b> Variegated Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; flowers are more pink than the species; new leaves unfurl bright pink &amp; soon add green &amp; white before maturing to mostly green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Star) Zones 4 - 9</i>			7g 15g	
<b>Cercis canadensis Flame Thrower ® (‘NC2016-2’)</b> Variegated Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow &amp; green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9</i>			7g 15g	<b>N</b>
<b>Cercis canadensis 'Forest Pansy'</b> <p style="text-align: right;"><b>TREE FORM</b></p> Purpleleaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges purple before becoming dark purplish-green by mid-summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Forest N) Zones (4) 5 - 9</i>			7g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Cercis canadensis Golden Falls® ('NC2015-12')</b> Golden Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges orange with yellow dominating &amp; retained through summer; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Werner / Star) Zones 4 - 9</i>			7g 15g	_____ _____ _____	<b>N</b>
<b>Cercis canadensis 'Green Machine'</b> Eastern Redbud			7g	_____ _____	<b>N</b>
<b>Cercis canadensis Lavender Twist ('Covey')</b> Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; strictly weeping habit; height determined by staking; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Brotzman) Zones 4 - 9</i>	V Ltd		7g 15g	_____ _____ _____	<b>N</b>
<b>Cercis canadensis 'Merlot'</b> Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright pink self-cleaning flowers in April; low seed set; smaller thicker spring foliage emerges purple before turning dark green by late summer then variable shades of yellow in fall; compact spreading habit to about 20' tall by 25' wide; branching more horizontal than 'Forest Pansy'; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet soil; parentage makes it more heat &amp; drought tolerant; US native ['Texas White' x 'Forest Pansy'] (Werner / Plant Haven) Zones 4 - 9</i>			5g 7g	_____ _____	<b>N</b>
<b>Cercis canadensis Midnight Expressâ„¢ ('RNI-RCC3')</b> Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright pink pea-shaped flowers in April; velvety purple foliage; upright oval heads to about 30' tall by 20' wide; attracts hummingbirds; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Robinson / PW) Zones 4 - 9</i>			7g	_____ _____	<b>N</b>
<b>Cercis canadensis 'Pink Pom Poms'</b> <i>see: Cercis canadensis subsp. texensis 'Pink Pom Poms'</i>				_____ _____	
<b>Cercis canadensis Rise 'N Shineâ„¢ ('JN15')</b> Gold-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges yellow with reddish tones before turning chartreuse by summer then variable shades of yellow in fall; drought stress will turn the summer foliage green; compact upright habit to about 25' tall by 20' wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Garden Debut) Zones 4 - 9</i>			7g	_____ _____	<b>N</b>
<b>Cercis canadensis 'Ruby Falls'</b> Purpleleaf Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in mid to late April; spring foliage emerges reddish-purple before turning dark green by late summer then variable shades of yellow in fall; narrow weeping habit like Lavender Twist; size is determined by staking, resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; not tolerant of very wet or dry soils; US native ['Covey' x 'Forest Pansy'] (Werner / Plant Haven) Zones 5 - 9</i>			7g	_____ _____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Cercis canadensis Sparkling Wineâ„¢ ('JN21')</b> Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; dark rosy-pink flowers in April before the foliage; glossy dark purple spring foliage bronzes in summer then turns shades of yellow in fall; compact broadly upright habit to about 15' tall &amp; wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Garden Debut) Zones 4 - 9</i>			7g	N
<b>Cercis canadensis subsp. texensis 'Oklahoma'</b> Oklahoma Redbud <i>DECIDUOUS ORNAMENTAL TREE; wine-red buds open to rosy-red flowers April before the foliage; thick glossy dark green drought resistant foliage; compact rounded habit to about 20' tall &amp; wide; locate in sun or part shade &amp; most well-drained moisture retentive soil; US native; Zones 6 - 9</i>			7g	N
<b>Cercis canadensis subsp. texensis 'Pink Pom Poms'</b> Pink Oklahoma Redbud <i>DECIDUOUS ORNAMENTAL TREE; masses of double pink flowers in April before the foliage; seedless; thick glossy dark green drought resistant foliage; compact rounded habit to about 12' tall &amp; wide in 8 years; locate in sun or part shade &amp; most well-drained moisture retentive soil; US native (Werner / Star) Zones 6 - 9</i>			7g 15g	N
<b>Cercis canadensis The Rising Sun ('JN2')</b>  Golden Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; profuse rosy-lavender flowers appear in spring before the leaves; spring foliage break is a wow as the new leaves unfurl bright orange-pink before turning chartreuse &amp; finally lime green by summer; fall reintroduces the bright gold to orange tones; rounded habit to about 25' tall &amp; wide; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Jackson) Zones (5) 6 - 9</i>		<b>TREE FORM</b>	7g	
<b>Cestrum corymbosum Juicedâ„¢ Orange ('WNCESCORYEL')</b> Orange Jessamine <i>EVERGREEN FLOWERING SHRUB; clusters of fragrant tubular light orange flowers from spring into (&amp; sometimes through) summer; glossy foliage is semi-evergreen in northern range; bushy habit to about 5' tall by 4' wide; attracts bees, butterflies &amp; hummingbirds; resists deer browse; tolerates heat; locate in full sun or light shade &amp; well-drained moisture retentive soil; S. American native; Zones (7) 8 - 10</i>			1g	N
<b>Chaenomeles lagenaria Double Takeâ„¢ Eternal White ('SMNCSDW')</b> White Quince <i>DECIDUOUS FLOWERING SHRUB; sterile double to semi-double creamy white camellia-like flowers with yellow stamens from early to late spring; fruitless; thornless; bushy spreading habit to about 4' tall by 5' wide; attracts bees &amp; butterflies; tolerates drought; locate in full sun to light shade &amp; neutral to acidic soil with good to moderate drainage; somewhat drought tolerant (PW) Zones 5 - 8 (9)</i>			2g	N
<b>Chaenomeles lagenaria Double Takeâ„¢ Orange</b> Orange Quince <i>DECIDUOUS FLOWERING SHRUB; sterile double to semi-double dark orange camellia-like flowers with yellow stamens from late winter into spring; fruitless; thornless; bushy upright habit to about 5' tall by 4' wide; drought tolerant; locate in full sun to light shade &amp; neutral to acidic soil with good to moderate drainage; somewhat drought tolerant (PW) Zones 5 - 8 (9)</i>			2g	N
<b>Chaenomeles lagenaria Double Take Peachâ„¢ ('NCCS4')</b> Pink Flowering Quince <i>DECIDUOUS FLOWERING SHRUB; large double peachy-pink flowers with yellow stamens from mid to late spring; can re-bloom in fall; fruitless; thornless; bushy habit to about 4' tall &amp; wide; spread by root suckers; somewhat resistant to drought &amp; deer browse; locate in full sun to light shade &amp; neutral to acidic well-drained soil; species renamed: lagenaria (PW) Zones 5 - 9</i>			2g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Chaenomeles lagenaria Double Take Scarlet<sup>®</sup> (Scarlet Storm)</b> Red Flowering Quince <i>DECIDUOUS FLOWERING SHRUB; 2" double dark red flowers with yellow stamens from early to late spring; can re-bloom in fall; fruitless; thornless; glossy dark green summer foliage; bushy habit to about 4' tall &amp; wide; spread by root suckers; somewhat resistant to drought &amp; deer browse; locate in full sun to light shade &amp; neutral to acidic well-drained soil; species renamed: lagenaria (PW) Zones 5 - 9</i>			2g	
<b>Chamaecyparis lawsoniana 'Golden Showers'</b> Golden Lawson Cypress <i>EVERGREEN ORNAMENTAL CONIFER; blue-green foliage inside and bright gold on the outside; broadly columnar habit; locate in full sun or partial shade &amp; deep organic well-drained moisture retentive soil; excellent drainage is critical; challenging to establish on East Coast; native to SW Oregon; Zones 5 - 7</i>	V Ltd		5g	<b>N</b>
<b>Chamaecyparis nootkatensis 'Glauca Pendula'</b> Blue Weeping Alaskan Cedar <i>EVERGREEN ORNAMENTAL CONIFER; flatened sprays of blue-green foliage; pronounced single leader with branchlets hanging downward from horizontal lateral branches; open layered pyramidal habit to about 15' tall by 8' wide in 10 years; locate in full sun or partial shade &amp; deep organic well-drained moisture retentive soil; northwestern US native [Genus renamed: Cupressus] Zones 4 - 7 (8)</i>			5g 10g	<b>N</b>
<b>Chamaecyparis nootkatensis 'Green Arrow'</b> Narrow Weeping Alaskan Cedar <i>EVERGREEN ORNAMENTAL CONIFER; flatened sprays of medium green foliage; pronounced single leader with all branches hanging almost straight downward; very narrow profile to about 18' tall &amp; 3' wide in 10 years; sometimes develops a broad skirt at the base; locate in full sun or partial shade &amp; deep organic well-drained moisture retentive soil; northwestern US native (Bentham &amp; Buchholz) [Genus renamed: Cupressus] Zones 4 - 7 (8)</i>			5g 10g	<b>N</b>
<b>Chamaecyparis obtusa 'Aurea'</b> Golden Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright gold foliage; afternoon shade can prevent sunburn; too much shade will make it mostly green; pyramidal habit to about 5' tall by 3' wide; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>			5g	<b>N</b>
<b>Chamaecyparis obtusa 'Aurea Nana'</b> Golden Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright golden outer foliage will be mostly green on the inside or if located in shade; moderate growing pyramidal habit to about 10' tall by 4' wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		<b>STANDARD</b>	2g 5g	<b>N</b>
<b>Chamaecyparis obtusa 'Compacta'</b> Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright dark green foliage; compact (not dwarf) upright habit to about 3' tall by 2' wide in 10 years; ultimate size varies greatly with local conditions; also probably a lot of strains with various growth rates; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>			2g 5g 7g	<b>N</b>
<b>Chamaecyparis obtusa 'Kosteri'</b> Dwarf Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; medium green horizontal foliage with lighter green or yellow highlights; compact bushy broadly pyramidal habit to about 2' tall &amp; wide in 10 years; horizontal branching; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native (Koster N) Zones 5 - 8</i>			1g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Chamaecyparis obtusa 'Nana'</b> <p style="text-align: right;"><b>STANDARD</b></p> True Dwarf Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage is mostly vertical; slow broadly mounding to upright habit to about 2' tall &amp; wide in 10 years; often broader than tall at maturity; usually grafted about 24" above the ground on a clear stem; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>			5g	_____	<b>N</b>
<b>Chamaecyparis obtusa Night Light â„¢ (Conschlecht')</b> <p style="text-align: right;"><b>BUSH</b></p> Golden Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; golden spring &amp; summer foliage turns bronze in winter; rounding mounding habit to about 4' tall &amp; wide in 10 years; best color in full sun; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native (Star / So. Living) Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____	
<b>Chamaecyparis obtusa 'Templehof'</b> Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark green cupped summer foliage gets slightly bronze in winter; broadly upright habit in time, but is more rounded in youth; very compact mound to about 3' tall by 2' wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native (Templehof N) Zones 5 - 8</i>			5g	_____	<b>N</b>
<b>Chamaecyparis obtusa 'Torulosa Dwarf'</b> Dwarf Twisted Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; compact spreading mound; orange bark on new stems; narrow twisting foliage with some cocks-combs; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>			1g	_____	<b>N</b>
<b>Chamaecyparis obtusa 'Verdon'</b> Compact Golden Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright gold foliage tends not to burn in full hot sun with adequate moisture; dwarf broadly upright habit to about 2' tall by 18" wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native (W. Rogers N) Zones 5 - 8</i>			2g 5g	_____ _____	
<b>Chamaecyparis pisifera Cedar Rapidsâ„¢ ('RutCham1')</b> Sawara False-Cypress <i>EVERGREEN ORNAMENTAL CONIFER; lacey lime-green foliage with a slight twist; compact upright pyramidal habit with horizontal layered branches to about 30' tall &amp; half as wide in 10 years; somewhat tolerant of salt &amp; deer browse (reportedly); locate in full to light shade &amp; organic well-drained moisture retentive soil; Japanese native (PW) Zones (4) 5 - 8</i>			2g	_____	<b>N</b>
<b>Chamaecyparis pisifera 'Cream Ball'</b> <p style="text-align: right;"><b>BUSH</b></p> Dwarf Golden Sawara Cypress <i>EVERGREEN ORNAMENTAL CONIFER; lacey creamy yellow foliage in full sun; interior foliage is greenish; compact upright habit to about 5' tall by 3' wide in 10-15 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____	
<b>Chamaecyparis pisifera 'Lemon Thread'</b> Gold Thread Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright gold thread-like foliage all year; broadly pyramidal arching habit to about 4' tall by 3' wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; sport of 'Lutescens' (Mitsch) Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Chamaecyparis pisifera Soft Serve ('Dow Whiting')</b> False-Cypress <i>EVERGREEN ORNAMENTAL CONIFER; lacey medium green foliage with flecks of silver-blue below; compact pyramidal habit with horizontal layered branches to about 6' tall by 4' wide in 10 years; somewhat tolerant of salt &amp; deer browse (reportedly); locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; sport of 'Boulevard' (Whiting / PW) Zones (4) 5 - 8</i>			1g 2g 5g	_____ _____ _____	
<b>Chamaecyparis pisifera Soft Serve ('Dow Whiting')</b> False-Cypress <i>EVERGREEN ORNAMENTAL CONIFER; lacey medium green foliage with flecks of silver-blue below; compact pyramidal habit with horizontal layered branches to about 6' tall by 4' wide in 10 years; somewhat tolerant of salt &amp; deer browse (reportedly); locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; sport of 'Boulevard' (Whiting / PW) Zones (4) 5 - 8</i>		<b>POM POM</b>	10g	_____	<b>N</b>
<b>Chamaecyparis pisifera 'Sungold'</b> Gold Threadleaf Cypress <i>EVERGREEN ORNAMENTAL CONIFER; gold thread-like foliage in full sun on new growth; will become more green by summer with golden highlights; not as gaudy; compact spreading mound to about 3' tall by 4' wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; seedling of 'Filifera Aurea' (Goddard) Zones 5 - 8</i>			1g 2g 5g 10g	_____ _____ _____ _____	
<b>Chionanthus virginicus 'Maritimus'</b> White Fringetree		<b>BUSH</b>	7g	_____	
<b>Chitalpa El Ninoâ„¢ ('NCXC1')</b> Desert Orchid <i>DECIDUOUS FLOWERING SHRUB; fragrant lavender-purple orchid-like flowers from late spring to early summer &amp; sporadically thereafter; light green summer flower; bushy upright habit to about 8' tall by 6' wide; attracts pollinators; may resist deer browse; tolerates drought; locate in full sun to light shade &amp; just about any well-drained soil; intergeneric hybrid between Chilopsis linearis &amp; Catalpa sp.; North American native hybrid; Zones 6 - 9</i>			2g	_____	<b>N</b>
<b>Cistus x hybridus 'Little Miss Sunshine'</b> Variegated White Rockrose <i>EVERGREEN ORNAMENTAL SHRUB; masses of white flowers with yellow centers from early summer into fall; leaves have a golden border around medium green centers; compact mounding habit to about 12" tall &amp; wide; tolerates drought, salt &amp; deer browse; locate in full sun &amp; moisture retentive well-drained soil; Mediterranean native; Zones 8 - 10</i>			1g 3g	_____ _____	<b>N</b>
<b>Cistus x pulverulentus 'Sunset'</b> Magenta Rock Rose <i>EVERGREEN ORNAMENTAL SHRUB; bright hot pink flowers with yellow pistals in the center from late spring through summer; bushy wide-spreading habit to about 30" tall by up to 8' wide; small wavy gray-green foliage; drought &amp; salt tolerant; locate in full sun &amp; moisture retentive well-drained soil; Mediterranean native [C. albidus x C. crispus] Zones 8 - 10</i>			1g 5g	_____ _____	
<b>Cistus x purpureus</b> Pink Rockrose <i>EVERGREEN ORNAMENTAL SHRUB; 3" magenta flowers have a red spot &amp; yellow pistals in the center in late spring or early summer; compact habit to about 6' tall &amp; slightly wider; narrow dark green foliage; drought &amp; salt tolerant; locate in full sun &amp; moisture retentive well-drained soil; Mediterranean native [C. ladanifer x C. incanus creticus] Zones 7 - 9</i>	V Ltd		1g 2g 5g	_____ _____ _____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Cistus x 'Snow Fire'</b> White Rockrose <i>EVERGREEN ORNAMENTAL SHRUB; pure white flowers have a red spot &amp; yellow pistals in the center from late spring into mid-summer; compact habit to about 4' tall &amp; slightly wider; bright green foliage &amp; red stems; drought &amp; salt tolerant; locate in full sun &amp; moisture retentive well-drained soil; Mediterranean native [C. populifolius subsp. major x C. inflatus] (Sammons) Zones (7) 8 - 9</i>			1g 5g	_____ _____ _____	
<b>Cleyera</b> <i>see: Ternstroemia</i>				_____	
<b>Cornus alba Ivory Halo ('Bailhalo')</b> Variegated Red-twig Dogwood <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant creamy-white flower clusters from late May into June; clusters of white fruit in summer that birds love; narrow white edges surround medium green leaves; fall color is purplish; young winter twigs are bright red; bushy habit to 6' tall &amp; wide; locate in full sun to partial shade &amp; moisture retentive well-drained soil; northeastern Asian native (Bailey) Zones 3 - 6 (7)</i>			1g 2g 5g	_____ _____ _____	
<b>Cornus florida</b> Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy white flower bracts in late April or early May; red fruit in late summer is devoured by birds; variably bright to dark red fall foliage; layered spreading habit to about 25' tall &amp; wide; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9</i>			5g	_____	
<b>Cornus kousa</b> Kousa Dogwood; Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; variable reddish-purple fall foliage; mottled gray &amp; tan exfoliating bark; short single trunk; tan &amp; gray exfoliating bark; vase shaped when young becomes as high &amp; wide at maturity - about 25'; branching starting at about 2-3'; locate in full sun to partial shade &amp; acidic organic well-drained moisture retentive soil; Asian native; Zones 4 - 8</i>			5g 7g	_____ _____	<b>N</b>
<b>Cornus sanguinea</b> <i>see: Cornus sericea</i>				_____	
<b>Cornus sericea Arctic Sun® ('Cato')</b> Compact Redosier Dogwood <i>DECIDUOUS FLOWERING SHRUB; white flowers from late May into early June; white fruit in late summer; reddish-purple fall foliage; bright red young stems in winter; not stoloniferous; compact bushy habit to 5' tall &amp; wide; locate in full sun to partial shade &amp; any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native (Farrow / PW) Zones 3 - 7</i>			2g	_____	<b>N</b>
<b>Cornus sericea 'Bailey'</b> Red-twig Dogwood; Redosier Dogwood <i>DECIDUOUS FLOWERING SHRUB; clusters of fairly insignificant creamy flowers in early summer; creamy fruit clusters in late summer; purple-red fall foliage; bright red young stems in the winter; cut away older stems to maximize red effect; broadly upright habit to about 8' tall by 10' wide; spreads by stolons; locate in full sun to partial shade &amp; any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native; Zones 2 - 7</i>	V Ltd		1g 2g 5g 15g	_____ _____ _____ _____	<b>N</b> <b>N</b>
<b>Cornus sericea 'Flaviramea' / 'Lutea'</b> Yellow-twig Redosier Dogwood; Yellow-twig Dogwood <i>DECIDUOUS FLOWERING SHRUB; clusters of fairly insignificant creamy flowers in early summer; creamy fruit clusters with a blue tinge in late summer; red to orange fall foliage; bright yellow young stems in the winter; cut away older stems to maximize red effect; compact broadly upright habit to about 6' tall by 6' wide; spreads by stolons; locate in full sun to partial shade &amp; any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native; Zones 2 - 7</i>	V Ltd V Ltd		1g 2g 5g 15g	_____ _____ _____ _____	<b>N</b> <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Cornus sericea 'Isanti'</b> Compact Red-twig Dogwood; Compact Redosier Dogwood <i>DECIDUOUS FLOWERING SHRUB; clusters of fairly insignificant creamy flowers in early summer; creamy fruit clusters in late summer; purple-red fall foliage; bright red young stems in the winter; cut away older stems to maximize red effect; broadly upright habit to about 5' tall by 7' wide; spreads by stolons; locate in full sun to partial shade &amp; any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native (MN Lp Arb.) Zones 3 - 7</i>			1g 7g	_____ _____ _____	<b>N</b> <b>N</b>
<b>Cornus sericea 'Kelseyi'</b> Dwarf Red-twig Dogwood; Dwarf Redosier Dogwood <i>DECIDUOUS FLOWERING SHRUB; clusters of fairly insignificant creamy flowers in early summer; creamy fruit clusters in late summer; purple-red fall foliage; bright red young stems in the winter; cut away older stems to maximize red effect; compact broadly upright habit to about 3" tall; width determined by spreading stolons; locate in full sun to partial shade &amp; any organic boggy to moderately draining soil; formerly C. stolonifera; genera recently changed to Swida; US native; Zones 2 - 7</i>			1g 2g 5g	_____ _____ _____	<b>N</b>
<b>Cornus stolonifera</b> <i>see: Cornus sericea</i>				_____	
<b>Cornus Venus ('KN30-8')</b> White Jersey Star Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse 6" diameter white bracts in mid to late May; round red strawberry-like fruit in fall; dark green summer foliage turns orange in fall; vigorous upright vase-shaped habit to about 20' tall &amp; wide in 20 years &amp; wider than tall at maturity; resistant to powdery mildew, anthracnose &amp; borers; locate in full sun to partial shade &amp; organic well-drained moisture retentive acidic soil [C. kousa x C. nuttallii x C. kousa] (Orton) Zones 6 - 8 (9)</i>			5g	_____	<b>N</b>
<b>Corylus avellana 'Contorta'</b> Harry Lauder's Walking Stick; Contorted Filbert <i>DECIDUOUS FLOWERING SHRUB; very contorted stems give very interesting effect in winter; drooping yellow flowers in March before the foliage; grows into a rounded shrub to 10' tall &amp; wide; green summer foliage turns brown in fall; Japanese Beetles love the foliage; locate in full sun or light shade &amp; any well-drained organic soil; native to Europe &amp; western Asia; Zones (3) 4 - 8</i>		<b>BUSH</b>	7g	_____	
<b>Corylus avellana 'Red Dragon'</b> Red Harry Lauder's Walking Stick; Red Contorted Filbert <i>DECIDUOUS FLOWERING SHRUB; new burgundy foliage retains color fairly well into summer; contorted stems; drooping burgundy catkins in March before the foliage; red nut hulls in fall; bushy grower to about 12' tall by 8' wide; complete resistance to Eastern Filbert Blight; locate in full sun (for best foliage color) or light shade &amp; any well-drained organic soil; native to Europe &amp; western Asia (Holden) Zones 4 - 7</i>		<b>BUSH</b>	7g	_____	
<b>Corylus avellana 'Theta'</b> Common Hazel; Hazelnut; Filbert <i>DECIDUOUS NUT TREE; fairly showy greenish-yellow male flowers; female flowers are inconspicuous; excellent pollinator blooming later than most in late winter; small nuts mature in October &amp; usually drop to the ground when ripe; green summer foliage turns shades of yellow in fall; bushy upright habit to about 15' tall by 10' wide; pollen attracts bees; resists EFB; male &amp; female nuts attract many animals; locate in full to partial sun &amp; rich organic moisture retentive well-drained neutral to alkaline soil that doesn't dry out; native to Europe &amp; W. Asia (OR SU) Zones 4 - 8</i>	V Ltd		5g	_____	<b>N</b>



# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Cotinus coggygia Golden Spirit ('Ancot')</b> <b>TREE FORM</b> Golden Smoketree <i>DECIDUOUS FLOWERING SHRUB; translucent, non burning, golden foliage, turns shades of red, orange, yellow &amp; coral in fall; pinkish-white flowers appear from late spring into summer; broadly upright to 10' tall and almost as wide; locate in full to mostly sunny locations &amp; virtually any soil with good to moderate drainage; drought resistant; native to southern Europe &amp; Asia; Zones 4 - 8</i>	V Ltd		5g	_____	<b>N</b>
<b>Cotinus coggygia 'Royal Purple'</b> <b>BUSH</b> Purple Smoketree <i>DECIDUOUS FLOWERING SHRUB; purple spring &amp; summer foliage lightens to reddish-purple in fall; puffy gray flowers in early summer; broadly upright to 12' by 12'; locate in full to mostly sunny locations &amp; virtually any soil with good to moderate drainage; drought resistant; native to southern Europe &amp; Asia; Zones (4) 5 - 8</i>			1g 2g 5g	_____ _____ _____	<b>N</b> <b>N</b>
<b>Cotinus coggygia Winecraft Black® ('NCCO1')</b> Purple Smoketree <i>DECIDUOUS FLOWERING SHRUB; purple spring foliage turns darker in summer before reds &amp; oranges take over in fall; puffy gray flowers in early summer; compact rounded habit to about 6' tall &amp; wide; locate in full to mostly sunny locations &amp; virtually any soil with good to moderate drainage; drought resistant; native to southern Europe &amp; Asia (PW) Zones (4) 5 - 8</i>			2g	_____	<b>N</b>
<b>Cotinus coggygia Winecraft Gold® ('MINCOJAU3')</b> Gold Smokebush <i>DECIDUOUS FLOWERING SHRUB; from insignificant small yellowish flowers on old wood come masses of puffy greenish-pink hairs in early summer giving a smoky appearance; new foliage unfurls orange to chartreuse then becomes lime-green by summer before turning clear yellow in fall; compact upright habit to about 6' tall by 4' wide; resists deer browse &amp; clay soils; tolerates drought &amp; shade; locate in full to mostly sunny locations &amp; virtually any soil with good to moderate drainage; native to southern Europe &amp; Asia (Liquiere / PW) Zones 5 - 8</i>			2g	_____	<b>N</b>
<b>Cotoneaster apiculatus</b> Cranberry Cotoneaster <i>EVERGREEN GROUND COVER; light pink flowers in late May; small bright red fruit from August into November; small glossy deciduous green summer foliage turns dark red in fall; wide spreading mounding habit staying under 3' tall; locate in sun to moderate shade &amp; most well-drained soils; native to western China; Zones 4 - 7</i>			1g 2g 5g	_____ _____ _____	
<b>Cotoneaster dammeri 'Coral Beauty'</b> Bearberry Cotoneaster <i>EVERGREEN GROUND COVER; low evergreen spreader; white spring flowers followed by persistent red fruit in late summer; locate in sun to moderate shade &amp; most well-drained soils; native to China; Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____	
<b>Cotoneaster Emerald Beauty</b> <i>see: Cotoneaster x suecicus Emerald Beauty ('DSUCOT2')</i>				_____	
<b>Cotoneaster x suecicus Emerald Beautyâ„¢ ('OSUCOT2')</b> Spreading Hybrid Cotoneaster <i>EVERGREEN GROUND COVER; masses of small white flowers in spring followed by small orange fruit in late summer; small shiny dark green foliage turns purplish in late fall; spreading mound to about 2' tall by 5' wide; resists fireblight; locate in full sun to moderate shade &amp; most well-drained soils; open pollinated seedling of 'Coral Beauty' (Contreras / OSU) Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____	

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Cupressocyparis leylandii</b> <i>see: Cupressus leylandii</i>					
<b>Cupressus arizonica var. glabra 'Chaparral'</b> Arizona Cypress <i>EVERGREEN ORNAMENTAL CONIFER; medium to light green foliage; loose lateral branching; pyramidal to columnar habit to about 10' tall by 5' wide in 10 years; very drought tolerant; locate in full sun &amp; any well-drained soil; native to Arizona; Zones (6) 7 - 9</i>			5g		
<b>Cupressus arizonica var. glabra 'Sulphurea'</b> Compact Golden Arizona Cypress <i>EVERGREEN ORNAMENTAL CONIFER; pale gold tipped foliage that's more to gray-green closer to the trunk; loose lateral branching; pyramidal to columnar habit to about 10' tall by 4' wide in 10 years; very drought tolerant; locate in full sun &amp; any well-drained soil; native to Arizona; Zones (6) 7 - 9</i>			5g		
<b>Cupressus glabra var. glabra 'Blue Ice'</b> Blue Arizona Cypress <i>EVERGREEN ORNAMENTAL CONIFER; powder-blue foliage; loose lateral branching; pyramidal to columnar habit to about 10' tall by 4' wide in 10 years; very drought tolerant; locate in full sun &amp; any well-drained soil; native to Arizona; Zones (6) 7 - 9</i>			5g		
<b>Cupressus leylandii</b> Leyland Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage all year; fast-growing pyramidal habit to as much as 50' tall by 20' wide in 15 years; exposed locations in winter subject to wind-burn in northern range; tolerant of saline soils &amp; urban conditions; locate in full sun or minimal shade &amp; any well-drained soil; native US cross; Genus recently changed to Cupressus [Cupressus macrocarpa x Cupressus nootkatensis] Zones 6 - 10</i>			5g 15g		<b>N</b>
<b>Cupressus leylandii 'Gold Rider'</b> Golden Leyland Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright golden foliage all year that doesn't sunburn; pyramidal habit to about 35' tall by 15' wide in 15 years; exposed locations in winter subject to wind-burn in northern range; tolerant of saline soils &amp; urban conditions; locate in full sun or minimal shade &amp; any well-drained soil; native US cross; Genus recently changed to Cupressus [Cupressus macrocarpa x Cupressus nootkatensis] (Vergeer) Zones 6 - 10</i>			5g		<b>N</b>
<b>Cupressus macrocarpa 'Golden Pillar'</b> Golden Monterey Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright chartreuse juvenile foliage; compact narrow pyramidal habit to about 20' tall by 4' wide at maturity; locate in full sun for best golden color &amp; well-drained organic moisture retentive soil; native to California; Zones 8 - 9</i>			5g		<b>N</b>
<b>Cupressus sempervirens 'Glauca'</b> Italian Cypress; Mediterranean Cypress <i>EVERGREEN ORNAMENTAL CONIFER; narrow evergreen with bluish-green needles; narrow upright habit to 60' tall by about 10' wide; locate in full sun &amp; any well-drained soil; native to southern Europe; Zones 7 - 9</i>			5g		
<b>Cydonia oblonga 'Pineapple'</b> Common Quince		<b>TREE FORM</b>	7g		<b>N</b>
<b>Cydonia oblonga 'Rich's Dwarf'</b> Compact Common Quince <i>DECIDUOUS FLOWERING SHRUB; pale pink to white flowers on new wood in May; edible yellowish fruit is larger than the species &amp; often doesn't ripen in northern ranges so is used in jellies &amp; pies; ripe fruit tastes like a combination of apples, pears &amp; pineapple; pale green foliage; bushy slightly upright habit to about 8' tall &amp; wide; attracts butterflies; can spread by root suckers locate in full sun to partial shade &amp; well-drained acidic soil; native to western Asia; Zones 5 - 8</i>		<b>TREE FORM</b>	7g		<b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Daphne odora 'Sweet Amethyst'</b> Pink Winter Daphne; Pink Fragrant Daphne <i>EVERGREEN FLOWERING SHRUB; clusters of very fragrant pale to purplish-pink flowers in February &amp; March; infrequent red berries; thick glossy foliage is usually deciduous in northern range; upright habit to about 6' tall by 4' wide; attracts pollinators; tolerates some salt; can be poisonous; locate in dappled or afternoon shade &amp; rich organic well-drained soil; Asian native; Zones 7 - 10</i>			1g 2g	_____ _____ _____	<b>N</b>
<b>Daphne x Perfume Princess â„¢</b> Hybrid Daphne <i>EVERGREEN FLOWERING SHRUB; bright pink buds open to large masses of pinkish-white intensely fragrant flowers from mid-winter through spring; dark green foliage; bushy habit to about 4' tall by 3' wide; locate in light to medium shade &amp; well-drained organic moisture retentive slightly acidic soils (Tesselaar) Zones 7 - 8</i>			2g	_____ _____	
<b>Daphne x Perfume Princess White â„¢</b> White Hybrid Daphne <i>EVERGREEN FLOWERING SHRUB; large masses of pure white intensely fragrant flowers from mid-winter through spring; dark green foliage; bushy habit to about 4' tall by 3' wide; locate in light to medium shade &amp; well-drained organic moisture retentive slightly acidic soils [D. odora x D. bholua] (Tesselaar) Zones (7) 8</i>			2g	_____ _____	
<b>Daphne x transatlantica Eternal Fragrance ('Blafra')</b> Eternal Fragrance Daphne <i>DECIDUOUS FLOWERING SHRUB; intensely fragrant light pink flowers in spring &amp; creamy white from mid-summer into fall; compact ball-like habit to 3' by 3'; evergreen to semi-evergreen in southern range; locate in light to medium shade &amp; well drained moisture retentive soils of neutral pH; finicky, but worth it; Zones 6 - 8</i>			2g	_____ _____	
<b>Diervilla splendens Nightglow ('El Madrigal')</b> Red Bush Honeysuckle <i>DECIDUOUS FLOWERING SHRUB; small fragrant sulphur-yellow flowers on new wood in June &amp; July contrast with the dark purple foliage; bushy habit to about 3' tall by 3' wide; fall foliage color is a more intense red; deer browse resistant; attracts bees, hummingbirds &amp; butterflies; locate in full sun to full shade &amp; well-drained soils with moderate moisture; US native (Blomin' Easy) Zones 4 - 7 (8)</i>			2g 5g	_____ _____ _____	
<b>Diospyros kaki 'Fuju'</b> Japanese Persimmon; Oriental Persimmon; Chinese Fig <i>DECIDUOUS FRUIT TREE; inconspicuous pale yellow flowers in summer; mature orange to scarlet fruit is medium to large which persists into winter &amp; can be picked when bright orange; non-astringent; jelly-like consistency can be used in cooking, eaten fresh or frozen; self-fruiting; glossy dark green summer foliage turns a brilliant reddish-orange in fall; broad habit to about 30' tall by 35' or more wide; locate in full sun &amp; well-drained moisture retentive slightly acidic loamy soil; Asian native; Jiro group; Zones (6) 7 - 10</i>			5g 7g	_____ _____ _____	<b>N</b> <b>N</b>
<b>Distylium Cast in Bronze ('BLDY02')</b> Distylium <i>EVERGREEN FLOWERING SHRUB; small insignificant red flowers in early spring; bronzy new foliage matures to dark shiny dark green; mature size is about 4'tall &amp; wide; disease &amp; pest resistant; locate in full sun to partial shade &amp; neutral to acidic well-drained soil; Zones 7 - 9</i>			3g	_____ _____	
<b>Distylium Cinnamon Girl® ('PIIDST-V')</b> Distylium <i>EVERGREEN FLOWERING SHRUB; small red flowers all along the stems in late winter; spring foliage emerges purple in spring maturing to blue-green by summer; compact spreading mound to about 5' tall by 4' wide; resists deer browse, soil moisture, drought &amp; most diseases; locate in full to partial sun &amp; wet or dry neutral to slightly acidic soils (1st Editions) Zones 7 - 9</i>	V Ltd		2g	_____ _____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Distylium x 'Coppertone'</b> Distylium <i>EVERGREEN FLOWERING SHRUB; small reddish flower in late winter; coppery-red new foliage matures to dark bluish-green by summer; both new &amp; mature foliage are on display in late spring; dense upright to rounded habit reaching 4' tall by 5' wide in about 10 years; resistant to deer browse &amp; most diseases; locate in full to partial sun &amp; wet or dry neutral to slightly acidic soils [D. myricoides x D. racemosum] (Plant Introductions) Zones 7 - 9</i>	Ltd		2g	_____	
<b>Distylium Jewel Box ('BLDY01')</b> Distylium <i>EVERGREEN FLOWERING SHRUB; small reddish flower in late winter; fine textured needle-like blue-green foliage; compact spreading habit about 3' tall by 4' wide; disease &amp; pest resistant; locate in full sun to partial shade &amp; neutral to acidic well-drained soil; Zones 7 - 9</i>			1g 3g	_____ _____	<b>N</b> <b>N</b>
<b>Distylium Linebackerâ„¢ [First Editions®] 'PIIDIST-IV')</b> Distylium <i>EVERGREEN FLOWERING SHRUB; small reddish flower all along the stems in late winter; dark green summer foliage emerges dark red in spring; intermediate upright grower to 10' tall by 6' wide in about 15 years; resistant to deer browse &amp; most diseases; locate in full to partial sun &amp; wet or dry neutral to slightly acidic soils (Plant Introductions) Zones 7 - 9</i>			5g	_____	
<b>Distylium Swing Lowâ„¢ [First Editions®] ('PIIDIST-VI')</b> Distylium <i>EVERGREEN FLOWERING SHRUB; small reddish flower all along the stems in late winter; dark green summer foliage emerges dark red in spring; compact mounding habit to about 3' tall by 6' wide in about 10 years; resists insects, deer browse &amp; most diseases; locate in full to partial sun &amp; wet or dry neutral to slightly acidic soils; tolerant of seasonal flooding (Plant Introductions / Bailey) Zones 7 - 9</i>			2g	_____	
<b>Dryopteris erythrosora var. prolifica'</b> Autumn Fern; Japanese Shield Fern <i>EVERGREEN FERN; new deeply serrated foliage emerges quite red before turning glossy green by summer; semi-evergreen in northern range; upright habit to about 30" tall &amp; wide; resists deer &amp; rabbit browse; locate in full to partial shade &amp; rich organic neutral to slightly acidic moisture retentive soil that doesn't dry out; native to Japan &amp; China; Zones 5 - 8</i>			1g	_____	<b>N</b>
<b>Dryopteris wallichiana 'Jurassic Gold'</b> Golden Wallich's Wood Fern <i>SEMI-EVERGREEN FERN; new fronds emerge golden orange then yellow before maturing to rich green; upright habit to about 24" tall by 18" wide on hairy blackish-brown stems; spreads by spores; can be evergreen in southern range; clumping habit; resists deer &amp; rabbit browse; tolerates heavy shade &amp; drought when established; prefers cool summers; locate in full to moderate shade &amp; deep organic moisture retentive soils of any pH; native to Asia &amp; Central America; Zones 6 - 9</i>			1g	_____	<b>N</b>
<b>Elaeagnus x ebbingei Olive Martini ('Viveleg')</b> Variegated Ebbing's Silverberry <i>DECIDUOUS ORNAMENTAL SHRUB; fragrant white fall flowers aren't particularly showy; semi-evergreen gray-green foliage with a narrow yellow edge southern range; more stable variegation than 'Gilt Edge'; bushy habit to about 12' tall &amp; wide; will grow in sun or shade &amp; virtually any soil with some drainage; very tolerant of coastal situations; native cross from Asia [E. macrophylla x E. pungens] Zones (6) 7 - 9</i>	V Ltd		1g 2g	_____ _____	<b>N</b>
<b>Epilobium 'Everett's Choice'</b> California Fuchsia <i>DECIDUOUS FLOWERING SHRUB; reddish-orange tubular flowers from summer into winter; gray-green foliage can be semi-evergreen; low spreading mound to about 9" tall by 30" wide; attracts hummingbirds; resists deer browse; locate in full sun to partial shade &amp; well to medium draining soil; Zones 8 - 10</i>			1g	_____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Erica x darleyensis 'Kramer's Red' / 'Kramer's Rote'</b> Red Winter Heath <i>EVERGREEN GROUND COVER; profuse magenta flowers from winter into early spring covers the foliage; dark bronze-green foliage; spreading mounds to about 18" tall by 24" wide; attracts bees; tolerant of coastal conditions &amp; deer browse; don't fertilize; locate in full to mostly sunny locations &amp; acidic sandy to loamy well-drained somewhat moisture retentive soils; European native; Zones 6 - 8</i>			1g	N
<b>Erica x darleyensis 'Mediterranean Pink'</b> Pink Heath <i>GROUND COVER; pink flower November through April; broadly spreading mounds to 24" tall; locate in full sun &amp; acidic sandy to loamy well drained soils; don't fertilize; tolerant of coastal conditions; European native; Zones (5) 6 - 7</i>			1g	
<b>Erica x darleyensis 'Mediterranean White'</b> White Heath <i>GROUND COVER; white flower November through April; broadly spreading mounds to 24" tall; locate in full sun &amp; acidic sandy to loamy well drained soils; don't fertilize; tolerant of coastal conditions; European native; Zones (5) 6 - 7</i>			1g	
<b>Escallonia x exoniensis 'Pink Princess'</b> Pink Escallonia <i>EVERGREEN FLOWERING SHRUB; pink flowers in summer; locate in full sun to partial shade &amp; any well drained soil; tolerant of coastal locations; doesn't perform well in eastern US; native to Chile; Zones 8 - 9 (10)</i>			1g 5g	
<b>Euonymus alatus 'Compacta'</b> Compact Burning Bush <i>DECIDUOUS ORNAMENTAL SHRUB; upright arching habit when young; wider than tall with maturity; can get quite large in time; bright red fall foliage; red seeds in fall; can be invasive; not very drought tolerant; locate in sun or shade &amp; any soil that drains; native to Asia; Zones 4 - 8</i>			1g 2g 5g 7g	
<b>Euonymus alatus Little Moses ('Odom')</b> Dwarf Burning Bush <i>DECIDUOUS ORNAMENTAL SHRUB; low widely spreading habit to 2' tall by 3' wide in 10 years; brick red fall foliage; very few seeds which are not viable; locate in sun or shade; tolerant of any soil that drains; not very drought tolerant; native to Asia; Zones 4 - 8</i>			1g 2g 5g 7g	
<b>Euonymus fortunei 'Emerald Gaiety'</b> Variegated Wintercreeper Euonymus <i>EVERGREEN GROUND COVER; green foliage with irregular white margins; spreading to mounding habit that can climb up walls; locate in sun or shade &amp; any soil that drains; tolerant of coastal locations; native to China; Zones 5 - 8</i>			1g 2g 5g	
<b>Euonymus fortunei 'Emerald 'n Gold'</b> Variegated Wintercreeper Euonymus <i>EVERGREEN GROUND COVER; gold mottled foliage; low spreader that can climb up walls; locate in sun or shade &amp; any soil that drains; tolerant of coastal locations; native to China; Zones 5 - 8</i>			1g 2g 5g	
<b>Euonymus fortunei 'Ivory Jade'</b> Variegated Wintercreeper Euonymus <i>EVERGREEN GROUND COVER; green foliage with creamy white margins and pink highlights in winter; spreading to mounding habit can reach 3' tall by 6' wide &amp; can climb up walls; tolerant of coastal locations; locate in partial to full shade &amp; any soil that drains; native to China; Zones 5 - 8</i>			1g 2g 5g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Euonymus fortunei 'Moonshadow'</b> Variegated Wintercreeper Euonymus <i>BROADLEAF EVERGREEN SHRUB; low spreading evergreen to 2' tall; narrow dark green edged leaves with prominent golden centers; can climb walls; locate in sun or shade &amp; any soil that drains; tolerant of coastal locations; native to China (Dugan N) Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____
<b>Euonymus japonicus 'Aureo-marginatus'</b> Variegated Japanese Euonymus <i>BROADLEAF EVERGREEN SHRUB; yellow margins on medium green foliage; compact upright habit to as much as 10' tall; locate in sun or shade &amp; any soil that drains; tolerant of coastal locations; Asian native; Zones (6) 7 - 9</i>			1g 2g 5g	_____ _____ _____
<b>Euonymus japonicus 'Silver King'</b> Variegated Japanese Euonymus <i>BROADLEAF EVERGREEN SHRUB; green foliage with creamy edges; compact upright habit to as much as 10' tall; locate in sun or shade &amp; any soil that drains; tolerant of coastal locations; Asian native; Zones (6) 7 - 9</i>			1g 2g 5g	_____ _____ _____
<b>Fatsyhedera lizei 'Angyo Star'</b> Tree Ivy <i>EVERYGREEN VINE; non-ornamental creamy flower in winter; green foliage with variable creamy yellow margins; semi-upright grower without the ability to cling to structures; Genus cross: Fatsia x Hedera (Stevens) Zones (7) 8 - 10</i>			1g 3g	_____ _____ <b>N</b>
<b>Festuca arundinacea 'Glow Sticks'</b> Tall Fescue <i>ORNAMENTAL GRASS; pale yellow flower stalks to about 30" tall in mid-spring; dark green upright foliage to about 18" tall; mounding slightly arching habit; deep root system is good for soil retention on slopes; tolerates drought, heat, humidity &amp; salt; locate in full sun to minimal shade &amp; moisture retentive neutral to slightly acidic soils; European native (Briggs) Zones 3 - 8</i>			1g	_____
<b>Festuca ovina glauca Beyond Blue ('Cascall')</b> Blue Fescue <i>ORNAMENTAL GRASS; low clumping grass with improved deep blue foliage &amp; inflorescence; few flower stems fade into foliage; plants don't open in the middle - even after 2 winters; locate in full sun &amp; well-drained soil; drought tolerant; will not tolerate soils that don't dry out (Skagit) Zones 5 - 9</i>			1g	_____
<b>Ficus 'Brown Turkey'</b> Common Fig <i>FRUIT TREE; inconspicuous green flowers in spring on old &amp; new wood yield medium to large purplish-brown fruit in late summer to early fall; can be a bush to 15' high &amp; wide or a tree to 30' tall; this cultivar is among the more hardy, but needs winter protection in northern range; can be kept in containers that are brought inside a garage or basement for the winter; locate in full to mostly sunny location with organically rich well-drained moisture retentive soil [F. carica] Zones (6) 7 - 10</i>			2g 5g	_____ _____
<b>Ficus 'Champagne'</b> Common Fig <i>Zones (7) 8 - 10</i>			2g	_____
<b>Ficus 'Desert King'</b> Common Fig <i>FRUIT TREE; inconspicuous white flowers in spring on old wood yield green fruit with a pink blush in summer; can be a bush to 15' high &amp; wide or a tree to 25' tall; can be kept in containers that are brought inside a garage or basement for the winter; locate in full to mostly sunny location with organically rich well-drained moisture retentive soil [F. carica] Zones (6) 7 - 10</i>			2g 5g	_____ _____

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Ficus Little Miss Figgy ('MAJOAM')</b> Dwarf Common Fig <i>FRUIT TREE; inconspicuous white flowers in spring on old wood yield abundant dark purple fruit in summer; compact bushy habit to about 6' tall by 4' wide; can be kept in containers that are brought inside a garage or basement for the winter; locate in full to mostly sunny location with organically rich well-drained moisture retentive soil [F. carica] (Nobles) Zones (6) 7 - 10</i>			2g 3g	_____ _____
<b>Ficus 'Olympian'</b> Common Fig <i>FRUIT TREE; inconspicuous white flowers in spring on old wood yield very large sweet thin-skinned purple fruit in summer; can be a bush to or tree; can be kept in containers that are brought inside a garage or basement for the winter; locate in full to mostly sunny location with organically rich well-drained moisture retentive soil [F. carica] Zones (6) 7 - 10</i>			2g	_____
<b>Ficus Panache ('Tiger')</b> Common Fig Zones (7) 8 - 10			2g 5g	_____ _____
<b>Ficus Violette de Bordeaux</b> Compact Common Fig <i>FRUIT TREE; inconspicuous white flowers in spring on old wood yield medium sized very sweet purplish-black fruit with red pulp in early summer &amp; again in fall; compact broadly upright habit to about 10' tall by 8' wide; locate in a full to mostly sunny location &amp; rich organic well-drained moisture retentive soil [F. carica] Zones (5) 6 - 10</i>			2g 5g	_____ _____
<b>Forsythia x intermedia Gold Tide ('Courtasol')</b> Compact Border Forsythia <i>DECIDUOUS FLOWERING SHRUB; compact spreading habit (1.5' tall x 5' wide); profuse yellow flowers; graceful arching branches; locate in full sun (for maximum flower effect) to medium shade &amp; any soil with reasonable drainage; tolerant of urban conditions; Chinese hybrid [F. suspensa x F. viridissima] Zones 5 - 8</i>			1g 2g	_____ _____
<b>Forsythia x intermedia 'Northern Gold'</b> Border Forsythia <i>DECIDUOUS FLOWERING SHRUB; masses bright yellow flowers in early spring; spreading mounded shrub to about 8' tall &amp; wide; supposedly more bud hardy; tolerant of urban conditions; locate in full sun (for maximum flower effect) to medium shade &amp; any soil with reasonable drainage; Chinese hybrid [F. suspensa x F. viridissima] Zone (3b) 4 - 8</i>			1g 2g	_____ _____ <b>N</b>
<b>Forsythia x intermedia Show Offâ„¢ ('Mindor')</b> Border Forsythia <i>DECIDUOUS FLOWERING SHRUB; abundant bright yellow flowers in early spring from the bottom to the top of the plant; often won't flower if winter temps are below -5â„; compact upright habit to about 5' tall &amp; wide; reported resistance to deer browse; tolerates urban conditions &amp; Black Walnut; locate in full sun (for maximum floral display) to partial shade &amp; most soils types that aren't excessively wet or dry; Chinese hybrid [F. suspensa x F. viridissima] Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____
<b>Fragaria Scarlet Bellâ„¢ [Bushel &amp; Berry] ('Ruby Ann')</b> Hybrid Everbearing Strawberry <i>FRUITING PERENNIAL; scarlet red spring blooms with yellow centers yield juicy medium-sized bright red fruit from late spring to frost; trailing habit to as much as 10" high; spreads by runners; locate in full sun &amp; a slightly raised area that has moisture retentive well-drained organic soil; Zones 4 - 8</i>			1g	_____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Fragaria Snowy Bell<sup>®</sup> [Bushel &amp; Berry] ('Elan')</b> Hybrid Everbearing Strawberry <i>FRUITING PERENNIAL; large white spring blooms yield an abundance of very sweet medium-sized bright red fruit from late spring to frost; trailing habit to as much as 10" high; spreads by runners; locate in full sun &amp; a slightly raised area that has moisture retentive well-drained organic soil; Zones 5 - 8</i>			1g	
<b>Gardenis jasminoides Steady As She Goes<sup>®</sup> ('Prince Charles')</b> Cape Jasmine; Gardenia <i>EVERGREEN FLOWERING SHRUB; very fragrant pure white double flowers in May &amp; sporatically through the summer; dark glossy foliage all year; broadly upright habit to 5' high by 7' wide; attracts many pollinators; resists disease &amp; deer browse; tolerates some drought; needs good air circulation; locate in full to partial sun &amp; well-drained acidic organic moisture retentive soil (Dark) Zones 7 - 9</i>			2g	<b>N</b>
<b>Ginkgo biloba 'Autumn Gold'</b> Ginkgo; Maidenhair Tree <i>DECIDUOUS CONIFER; a male selection; upright head to 45' tall by 35' or more wide; clear golden-yellow fall foliage; highly resistant to pests &amp; diseases; not as hardy as other cultivars; very tolerant of urban &amp; coastal conditions; locate in full sun &amp; any soil that drains; Chinese native; Zones (6) 7 - 8 (9)</i>			7g	
<b>Ginkgo biloba 'Marieken'</b> Dwarf Ginkgo; Dwarf Maidenhair Tree <i>DECIDUOUS ORNAMENTAL CONIFER; male cultivar; golden yellow fall foliage; dwarf spreading habit to about 2' tall &amp; wide at 10 years &amp; 3' tall by 8' wide at maturity; highly resistant to pests &amp; diseases; very tolerant of urban &amp; coastal conditions; locate in full sun &amp; any soil that drains; witches broom; Chinese native (Vergeldt) Zones 4 - 8 (9)</i>			5g	
<b>Ginkgo biloba Princeton Sentry ('PNI2720')</b> Columnar Ginkgo; Columnar Maidenhair Tree <i>DECIDUOUS CONIFER; columnar habit; male clone; to 60' x 25' wide; golden fall foliage; highly resistant to pests &amp; diseases; locate in full sun &amp; any soil that drains; very tolerant of urban &amp; coastal conditions; China (Flemer) Zones 4 - 8 (9)</i>			7g	
<b>Ginkgo biloba Skinny Fit<sup>®</sup> ('Menhir')</b> Columnar Ginkgo; Columnar Maidenhair Tree <i>DECIDUOUS CONIFER; blue-green summer foliage turn a persistent gold in fall; very narrow columnar habit reaching about 20' tall by 8' wide in 10 years; male clone; highly resistant to pests &amp; diseases; very tolerant of urban &amp; coastal conditions; locate in full sun &amp; any soil that drains; Chinese native; Zones 4 - 8 (9)</i>		<b>TREE FORM</b>	2g 5g	<b>N</b> <b>N</b>
<b>Gleditsia triacanthos f. inermis Skyline<sup>®</sup> ('Skycole')</b> Thornless Honeylocust <i>DECIDUOUS SHADE TREE; upright pyramidal habit; small dark green compound foliage turns golden in fall and casts a light dappled shade; seedless; locate in full sun; prefers moist neutral to alkaline soils, but is very adaptable; very tolerant of urban conditions including soil compaction &amp; salt; US native; Zones 4 - 9</i>			7g 15g	
<b>Gleditsia triacanthos f. inermis Sunburst<sup>®</sup> ('Suncole')</b> Golden Thornless Honeylocust <i>DECIDUOUS SHADE TREE; golden tipped foliage on new growth; open spreading heads; golden fall foliage; seedless; locate in full sun; prefers moist neutral to alkaline soils, but is very adaptable; very tolerant of urban conditions including soil compaction &amp; salt; US native; Zones 4 - 9</i>			7g 15g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Hakonechloa macra 'Allgold'</b>                      Golden Hakone Grass; Golden Japanese Forest Grass  <i>ORNAMENTAL GRASS; golden to chartreuse foliage; clumping arching foliage to 12" tall by 18" wide; fairly slow grower; tolerates Black Walnut; locate in partial shade &amp; organic well-drained moisture retentive soil; Japanese native; Zones (5) 6 - 8 (9)</i></p>			1g	
<p><b>Hakonechloa macra 'Beni-kaze'</b>                      Hakone Grass; Japanese Forest Grass  <i>ORNAMENTAL GRASS; yellowish-green flowers in mid summer; bright green spring &amp; summer foliage turns shades of red &amp; gold in fall; arching habit to about 18" high by 3' wide; tolerates deer browse, air pollution &amp; Black Walnut; locate in shade &amp; organic moisture retentive well-drained soil; Japanese native; Zones 5 - 8</i></p>			1g	
<p><b>Hakonechloa macra SunFlare ('HABsf1007')</b>                      Golden Hakone Grass; Golden Japanese Forest Grass  <i>ORNAMENTAL GRASS; chartreuse new foliage turns more gold in sun; burgundy leaf tips become more visible with maturity; fall foliage is chartreuse &amp; gold with orange &amp; burgundy highlights; arching foliage to 18" tall by 24" wide; spreads slowly by rhizomes; tolerates Black Walnut; locate in partial shade &amp; organic well-drained moisture retentive soil; Japanese native; Zones (5) 6 - 8 (9)</i></p>			1g	
<p><b>Helictotrichon sempervirens</b>                      Blue Oat Grass  <i>ORNAMENTAL GRASS; medium width blue foliage; clumping habit to 24" tall; flowers appear 12-18" above the foliage from June to August; locate in full sun to light shade &amp; moist fertile soil that drains well; won't tolerate soggy soils; Zones 4 - 8</i></p>			1g	
<p><b>Hemerocallis 'Mauna Loa'</b>                      Orange Daylily  <i>PERENNIAL; tetraploid; 5" amber-gold repeat blooming flowers with narrow dark red edges &amp; light green throat on 22" stems in early mid-season; narrow clumping arching foliage to about 18" tall &amp; wide; attracts hummingbirds &amp; butterflies; tolerant of drought, road salt, urban conditions &amp; rabbits but not deer browse; locate in full sun or minimal shade &amp; organic well-drained moisture retentive soil; Asian native (Roberts) Zones 3 - 9</i></p>			1g	
<p><b>Hemerocallis 'Night Embers'</b>                      Purple Daylily  <i>PERENNIAL; 5" fragrant double reddish-purple reblooming flowers with thin golden edge in early mid-season on 30" stems; narrow clumping arching foliage to about 30" tall &amp; wide; attracts hummingbirds &amp; butterflies; tolerant of drought, road salt, urban conditions, Black Walnut &amp; rabbits but not deer browse; locate in full sun or minimal shade &amp; organic well-drained moisture retentive soil; Asian native (Apps) Zones 3 - 9</i></p>			1g	
<p><b>Hemerocallis 'Pardon Me'</b>                      Red Daylily  <i>PERENNIAL; fragrant 3" dark red repeat blooming flowers on 24" stems in latter summer &amp; possibly again in fall; clumping arching foliage to about 18" tall &amp; wide; attracts hummingbirds &amp; butterflies; tolerant of drought, road salt, urban conditions &amp; rabbits but not deer browse; locate in full sun or minimal shade &amp; organic well-drained moisture retentive soil; Asian native (Apps) Zones 3 - 9</i></p>			1g	
<p><b>Hemerocallis 'Stella 'd Oro'</b>                      Yellow Daylily  <i>PERENNIAL; repeat blooming golden blooms; dwarf habit; best located in full sun or minimal shade &amp; organic well-drained moisture retentive soils, however adapts well to most well-drained soils; somewhat drought tolerant; Asian native; Zones 3 - 9</i></p>			1g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Heptacodium miconioides Temple of Bloom® ('SNMHMRF')</b> Seven-son Flower <i>DECIDUOUS ORNAMENTAL SHRUB; fragrant creamy white flowers in dense clusters from mid-summer into early fall; good pollen source; green fruit follows that turns rosy-pink &amp; is effective into late fall; compact upright habit to about 8' tall &amp; wide; tan exfoliating bark gives winter interest; locate in full sun to partial shade &amp; organic moisture retentive well-drained acidic soil; Chinese native; Zones 5 - 8</i>			2g	
<b>Hibiscus syriacus 'Aphrodite'</b> BUSH Pink Rose-of-Sharon; Pink Althea <i>DECIDUOUS FLOWERING SHRUB; single rose-pink with red eye; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall &amp; almost as wide; locate in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; Asian native (Egolf) Zones 5 - 8 (9)</i>	V Ltd		2g	<b>N</b>
<b>Hibiscus syriacus 'Aphrodite'</b> TREE FORM Pink Rose-of-Sharon; Pink Althea <i>DECIDUOUS FLOWERING SHRUB; single rose-pink with red eye; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall &amp; almost as wide; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; Asian native (Egolf) Zones 5 - 8 (9)</i>	V Ltd		15g	<b>N</b>
<b>Hibiscus syriacus 'Blue Bird'</b> TREE FORM Blue Rose-of-Sharon; Blue Althea <i>DECIDUOUS FLOWERING SHRUB; single sky-blue flower; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall &amp; almost as wide; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; Asian native (Egolf) Zones 5 - 8 (9)</i>	V Ltd		7g	<b>N</b>
<b>Hibiscus syriacus Blue Satin ('Marina')</b> BUSH Rose-of-Sharon; Pink Althea <i>DECIDUOUS FLOWERING SHRUB; large, single, purple-blue flower; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall &amp; almost as wide; locate in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; Asian native (PW) Zones 5 - 8 (9)</i>			2g	<b>N</b>
<b>Hibiscus syriacus Blue Satin ('Marina')</b> TREE FORM Rose-of-Sharon; Pink Althea <i>DECIDUOUS FLOWERING SHRUB; large, single, purple-blue flower; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall &amp; almost as wide; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; Asian native (PW) Zones 5 - 8 (9)</i>	V Ltd		7g	<b>N</b>
<b>Hibiscus syriacus 'Coelestis'</b> BUSH Lavender Rose-of-Sharon; Lavender Althea <i>DECIDUOUS FLOWERING SHRUB; single lavender flower with a red throat; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall &amp; 6' wide; locate in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; Asian native; Zones 5 - 8 (9)</i>			1g 2g 5g	<b>N</b> <b>N</b> <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Hibiscus syriacus Danica ('Variegata')</b> <b>BUSH</b> Double White Rose-of-Sharon; Double White Althea <i>DECIDUOUS FLOWERING SHRUB; double white flower with petals edged in red; blooms well in hot weather; yellowish fall foliage; upright habit to about 8' tall by 4' wide; locate in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; Asian native; Zones 5 - 8 (9)Zones 5 - 8</i>	V Ltd		5g	_____	<b>N</b>
<b>Hibiscus syriacus Danica ('Variegata')</b> <b>TREE FORM</b> Double White Rose-of-Sharon; Double White Althea <i>DECIDUOUS FLOWERING SHRUB; double white flower with petals edged in red; blooms well in hot weather; yellowish fall foliage; upright habit to about 8' tall by 4' wide; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; Asian native; Zones 5 - 8 (9)Zones 5 - 8</i>	V Ltd V Ltd		5g 7g	_____ _____	<b>N</b> <b>N</b>
<b>Hibiscus syriacus Dark Lavender Chiffon® ('SMNHSPCL')</b> Double Lavender Rose-of-Sharon; Double Lavender Althea <i>DECIDUOUS FLOWERING SHRUB; large double to semi-double lavender bloom; blooms all summer; medium green summer foliage turns a nondescript yellow in fall; broadly upright habit to about 12' tall &amp; almost as wide; tolerates heat, drought, salt &amp; wide pH range; locate in full sun to light shade &amp; rich organic well-drained soils; Asian native (PW) Zones 5 - 9</i>			2g	_____	
<b>Hibiscus syriacus Lavender Chiffon ('Notwoodone')</b> <b>BUSH</b> Lavender Rose-of-Sharon; Lavender Althea <i>DECIDUOUS FLOWERING SHRUB; large single lavender bloom with lacy center; blooms all summer; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall &amp; almost as wide; locate in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; Asian native (PW) Zones 5 - 8 (9)</i>			2g	_____	<b>N</b>
<b>Hibiscus syriacus 'Lucy'</b> <b>TREE FORM</b> Red Rose-of-Sharon; Red Althea <i>DECIDUOUS FLOWERING SHRUB; double red; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall &amp; almost as wide; branching starts at about 3-4' above the ground on a single trunk; tolerates heat, drought, salt &amp; wide pH range; locate in full sun to light shade &amp; rich organic well-drained soils; Asian native; Zones 5 - 8 (9)</i>			7g	_____	<b>N</b>
<b>Hibiscus syriacus Magenta Chiffon® ('Rwoods5')</b> <b>TREE FORM</b> Purple Rose-of-Sharon; Purple Althea <i>DECIDUOUS FLOWERING SHRUB; large double magenta bloom with lacy center on new wood all summer; minimal seeds; medium green summer foliage turns a nondescript yellow in fall; broadly upright habit to about 12' tall by 10' wide; branching starts at about 3-4' above the ground on a single trunk; attracts bees, butterflies &amp; hummingbirds; tolerates heat, drought, salt &amp; wide pH range; locate in full sun to light shade &amp; rich organic well-drained soils; Asian native (PW) Zones 5 - 9</i>			7g	_____	<b>N</b>
<b>Hibiscus syriacus 'Minerva'</b> <b>TREE FORM</b> Lavender Rose-of-Sharon; Lavender Althea <i>DECIDUOUS FLOWERING SHRUB; 4" diameter single lavender-pink flower with red eye that's effective from June through September; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall &amp; almost as wide; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; Asian native; Zones 5 - 8 (9)</i>	V Ltd V Ltd		7g 15g	_____ _____	<b>N</b> <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Hibiscus syriacus Paraplu Pink Ink® ('Minsywhi07')</b> Bicolor Rose-of-Sharon; Bicolor Althea <i>DECIDUOUS FLOWERING SHRUB; single white flower margin with starburst bright center &amp; prominent white stamens; medium green summer foliage turns yellowish in fall; upright habit to about 6' tall by 4' wide; attracts pollinators; tolerates heat, drought, salt &amp; wide pH range; locate in full sun to light shade &amp; rich organic well-drained soils; Asian native (Minier N / PW) Zones 5 - 9</i>			2g	
<b>Hibiscus syriacus Paraplu Rouge® ('Minsyrou17')</b> Pink Rose-of-Sharon; Pink Althea <i>DECIDUOUS FLOWERING SHRUB; single dark pink flower red center &amp; prominent white stamens; medium green summer foliage turns a nondescript yellow in fall; upright habit to about 8' tall by 5' wide; attracts pollinators; tolerates heat, drought, salt &amp; wide pH range; locate in full sun to light shade &amp; rich organic well-drained soils; Asian native (Minier N / PW) Zones 5 - 9</i>			2g	
<b>Hibiscus syriacus Paraplu Violet® ('Minsybv3s01')</b> Purple Rose-of-Sharon; Purple Althea <i>DECIDUOUS FLOWERING SHRUB; single violet flower with dark red eye &amp; prominent white stamens; medium green summer foliage turns yellowish in fall; upright habit to about 8' tall by 5' wide; attracts pollinators; tolerates heat, drought, salt &amp; wide pH range; locate in full sun to light shade &amp; rich organic well-drained soils; Asian native (Minier N / PW) Zones 5 - 9</i>			2g	
<b>Hibiscus syriacus Pink Chiffon® ('JWNWOOD4')</b> Pink Rose-of-Sharon; Pink Althea <i>DECIDUOUS FLOWERING SHRUB; large double soft pink bloom with lacy center on new wood all summer; minimal seeds; small medium green summer foliage turns a nondescript yellow in fall; upright habit to about 12' tall by 6' wide; branching starts at about 3-4' above the ground on a single trunk; attracts bees, butterflies &amp; hummingbirds; tolerates heat, drought, salt &amp; wide pH range; locate in full sun to light shade &amp; rich organic well-drained soils; Asian native (PW) Zones 5 - 9</i>		<b>TREE FORM</b>	7g	<b>N</b>
<b>Hibiscus syriacus Purple Pillar® ('Gandini Santiago')</b> Columnar Purple Rose-of-Sharon; Columnar Purple Althea <i>DECIDUOUS FLOWERING SHRUB; semi-double sterile light purple flower with darker red eye; can re-bloom; blooms well in hot weather; columnar habit to about 12' tall by 3' wide; locate in full sun to light shade &amp; rich organic well-drained soil of about any pH; Asian native (PW) Zones 5 - 8 (9)</i>			2g	
<b>Hibiscus syriacus 'Red Heart'</b> White Rose-of-Sharon; White Althea <i>DECIDUOUS FLOWERING SHRUB; single white flower with red eye; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall &amp; almost as wide; locate in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; Asian native; Zones 5 - 8 (9)</i>		<b>BUSH</b>	1g 2g 5g	<b>N</b> <b>N</b> <b>N</b>
<b>Hibiscus syriacus Red Pillarâ„¢ ('GFNHSRP')</b> Columnar Red Rose-of-Sharon; Columnar Red Althea <i>DECIDUOUS FLOWERING SHRUB; large single light red bloom with darker centers &amp; a prominent yellow stamen in the center on new wood all summer; bushy upright to about 16' tall by 5' wide; medium green summer foliage turns a nondescript yellow in fall; attracts bees, butterflies &amp; hummingbirds; resists deer browse; tolerates heat, drought, salt &amp; wide pH range; locate in full sun to light shade &amp; rich organic well-drained soils of any pH; Asian native (PW) Zones 5 - 9</i>			2g	<b>N</b>
<b>Hibiscus syriacus Starburst Chiffonâ„¢ ('Rwoods6')</b> Pink Rose-of-Sharon; Pink Althea <i>DECIDUOUS FLOWERING SHRUB; large single light pink flowers with darker pink centers &amp; a prominent yellow stamen in the center on new wood all summer; bushy upright to about 12' tall by 8' wide; medium green summer foliage turns a nondescript yellow in fall; attracts bees, butterflies &amp; hummingbirds; resists deer browse; tolerates heat, drought, salt &amp; wide pH range; locate in full sun to light shade &amp; rich organic well-drained soils of any pH; Asian native (PW) Zones 5 - 9</i>			2g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Hibiscus syriacus White Chiffon ('Notwoodtwo')</b> <b>BUSH</b> White Rose-of-Sharon; White Althea <i>DECIDUOUS FLOWERING SHRUB; large single white bloom with a lacy center; blooms all summer; bushy upright to 10'; yellowish fall foliage; best in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; blooms well in hot weather; locate in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; Asian native; Zones 5 - 8</i>			2g	
<b>Hibiscus syriacus White Chiffon ('Notwoodtwo')</b> <b>TREE FORM</b> White Rose-of-Sharon; White Althea <i>DECIDUOUS FLOWERING SHRUB; large single white bloom with a lacy center; blooms all summer; bushy upright to 10'; yellowish fall foliage; best in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; blooms well in hot weather; branching starts at about 3-4' above the ground on a single trunk; locate in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; Asian native; Zones 5 - 8</i>	V Ltd		7g	<b>N</b>
<b>Hibiscus syriacus White Pillar® ('Gandini van AArt')</b> Columnar White Rose-of-Sharon; Columnar White Althea <i>DECIDUOUS FLOWERING SHRUB; semi-double sterile pure white flower; can re-bloom; blooms well in hot weather; columnar habit to about 15' tall by 3' wide; locate in full sun to light shade &amp; rich organic well-drained soil of about any pH; Asian native (PW) Zones 5 - 8 (9)</i>			2g	
<b>Hosta 'Francee'</b> Plantan Lily; Funkia <i>PERENNIAL; pale lavender flowers on 18" scapes in late summer; medium sized dark green foliage with a narrow white edge; mounding habit to 21" tall by 36" wide; attracts hummingbirds; tolerates Black Walnuts &amp; urban conditions; locate in partial sun to heavy shade &amp; organic slightly acidic well-drained moisture retentive soil; sport of H. fortunei 'Albomarginata'; Asian native (Klopping) Zones 3 - (8) 9</i>			1g	<b>N</b>
<b>Hosta 'Hadspen Blue'</b> Plantan Lily; Funkia <i>PERENNIAL; lavender to off-white flowers on 18" scapes in mid-summer; thick heavily textured slightly cupped and nearly round powdery gray-blue-foliage; spreading mound to about 12" tall by 2' wide; takes several years to fully mature; attracts hummingbirds; tolerates Black Walnuts &amp; urban conditions; "deer candy"; locate in partial sun to heavy shade &amp; organic slightly acidic well-drained moisture retentive soil; Asian native (E. Smith &amp; P. Ruth) Zones 3 - (8) 9</i>			1g	
<b>Hosta lancifolia</b> Narrow-leafed Plantan Lily; Narrow-leafed Funkia <i>PERENNIAL; lavender flowers in late summer; narrow medium green foliage; spreading mound to about 12" tall by 18" wide; attracts hummingbirds; tolerates Black Walnuts, light drought &amp; urban conditions; locate in partial sun to heavy shade &amp; organic slightly acidic well-drained moisture retentive soil; Asian native; Zones 3 - 8</i>			1g	<b>N</b>
<b>Hosta lancifolia 'Aurea'</b> Yellow Narrow-leafed Plantan Lily; Yellow Narrow-leafed Funkia <i>PERENNIAL; lavender flowers in late summer; narrow yellow foliage; spreading mound to about 12" tall by 18" wide; attracts hummingbirds; tolerates Black Walnuts, light drought &amp; urban conditions; locate in partial sun to heavy shade &amp; organic slightly acidic well-drained moisture retentive soil; Asian native; Zones 3 - 8</i>			1g	<b>N</b>
<b>Hosta 'Orange Marmalade'</b> Plantan Lily; Funkia <i>PERENNIAL; pale lavender flowers on 2' scapes in mid-summer; new foliage bright amber centers with blue-green margins; by summer the centers are cream (white in full sun); broad mounding habit to about 18" tall by 3' wide; attracts hummingbirds; tolerates Black Walnuts, sun &amp; urban conditions; locate in partial sun to heavy shade &amp; organic slightly acidic well-drained moisture retentive soil; sport of 'Paul's Glory'; Asian native (Solberg) Zones 3 - (8) 9</i>			1g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Hosta 'Rainforest Sunrise'</b> Plantan Lily; Funkia <i>PERENNIAL; pale lavender flowers on 24" scapes; variably narrow bright green margins surround yellow to chartreuse centered foliage that's heavily textured; compact spreading mound to about 8" tall by 16" wide; ; attracts hummingbirds; somewhat resistant to slugs; tolerates Black Walnuts &amp; urban conditions; "deer candy"; locate in light to heavy shade &amp; organic well-drained moisture retentive soil; sport of 'Maui Buttercups'; Hosta/Year 2013; Asian native; Zones 3 - 9</i>			1g	
<b>Hosta 'Sum &amp; Substance'</b> Plantan Lily; Funkia <i>PERENNIAL; heavy thick roundish foliage is light green, chartreuse or gold depending on the amount of sun - more sun, more gold; more sun tolerant than most; pale lavender flowers on 4' scapes; large mounding habit to 3' tall by 6' wide; attracts hummingbirds; tolerates Black Walnuts &amp; urban conditions; locate in light to heavy shade &amp; organic well-drained moisture retentive soil; Asian native; Hosta/Year 2004 (Aden) Zones 3 - 9</i>			1g	<b>N</b>
<b>Hydrangea anomala subsp. petiolaris</b> Climbing Hydrangea <i>DECIDUOUS VINE; dull fragrant white flowers open in late June for about 2 weeks; glossy dark green summer foliage into mid-fall turns a variable yellow; exfoliating tan bark; can cover very large surfaces in time; needs support when climbing flat surfaces; locate in full sun or shade &amp; organic well-drained organic moisture retentive soil; native of Asia; Zones 4 - 7 (8)</i>			1g	<b>N</b>
<b>Hydrangea anomala subsp. petiolaris</b> Climbing Hydrangea <i>DECIDUOUS VINE; dull fragrant white flowers open in late June for about 2 weeks; glossy dark green summer foliage into mid-fall turns a variable yellow; exfoliating tan bark; can cover very large surfaces in time; attached to one or more stakes; needs additional support when climbing flat surfaces; locate in full sun or shade &amp; organic well-drained organic moisture retentive soil; native of Asia; Zones 4 - 7 (8)</i>		<b>STAKED</b>	2g	
<b>Hydrangea macrophylla Starfieldâ„¢ ('Hortmafarfa')</b> Reblooming Bigleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; masses of reblooming pink mophead blooms with pointed petals &amp; yellow centers on old &amp; new wood; dark glossy green summer foliage; compact mounding habit to about 3' tall &amp; wide; good salt tolerance for coastal areas; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Japanese native (Plants Nouveau) Zones (5) 6 - 9</i>			2g	
<b>Hydrangea paniculata Boboâ„¢ ('ILVOBO')</b> Dwarf Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white cone-shaped flowers in late summer fade to pink with age on new wood; blooms on new wood from mid summer into fall; compact spreading habit to about 3' tall by 4' wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 3 - 9</i>		<b>BUSH</b>	1g 2g 5g	
<b>Hydrangea paniculata Fire Lightâ„¢ ('SMHPFL')</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white sterile flowers from mid-summer into fall on new wood that turn reddish pink by late summer on sturdy stems; dark green foliage; broadly upright habit to about 6' tall &amp; wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones (3) 4 - 9</i>		<b>BUSH</b>	1g 2g 5g 7g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Hydrangea paniculata Fire Light Tidbitâ„¢ ('SMNHPK')</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; profuse sterile white flowers for about 3 months from mid-summer into fall on new wood quickly turn pink after opening then reddish pink by late summer on sturdy stems; dark green summer foliage; compact rounded habit to about 3' tall &amp; wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones (3) 4 - 9</i>			2g 5g	
<b>Hydrangea paniculata 'Limelight'</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark green foliage; spreading habit to about 8' tall &amp; wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asian native (PW) Zones 4 - 9</i>		<b>BUSH</b>	1g 2g 5g 7g	<b>N</b>
<b>Hydrangea paniculata 'Limelight'</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark green foliage; spreading habit to about 8' tall &amp; wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asian native (PW) Zones 4 - 9</i>		<b>TREE FORM</b>	7g 15g	
<b>Hydrangea paniculata Limelight Primeâ„¢ ('SMNHPPH')</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large profuse bright greenish-white flowers in mid-summer on new wood then turn reddish-pink by late summer into fall on sturdy stems; dark green summer foliage; compact upright habit to about 6' tall by 4' wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones (3) 4 - 9</i>			1g 2g 5g	<b>N</b>
<b>Hydrangea paniculata Little Lime® ('Jane')</b> Dwarf Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright lime green flowers in late summer on new wood; dark green foliage; spreading habit to about 5' tall &amp; wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9</i>		<b>BUSH</b>	1g 2g 5g 7g	<b>N</b>
<b>Hydrangea paniculata Little Lime® ('Jane')</b> Dwarf Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright lime green flowers in late summer on new wood; dark green foliage; spreading habit to about 5' tall &amp; wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9</i>		<b>TREE FORM</b> V Ltd	7g 15g	<b>N</b>
<b>Hydrangea paniculata Little Lime Punch® ('SMNHPPH')</b> Dwarf Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; flowers open lime green in late summer on new wood &amp; transition to pink then red from the bottom up; dark green summer foliage; spreading habit to about 5' tall &amp; wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9</i>		<b>BUSH</b>	2g 5g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Hydrangea paniculata Little Quick Fire® ('SMHPLQF')</b> <b>BUSH</b> Dwarf Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; white flowers appear a month earlier than older H. paniculata types on new wood, then turn rosy-pink; dark green foliage; compact rounded habit to about 4' tall &amp; wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			2g 5g	
<b>Hydrangea paniculata 'Phantom'</b> <b>TREE FORM</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; huge white ball-like panicle clusters on stiff branches in late summer on new wood; dark green foliage; spreading habit to about 10' tall &amp; wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			7g 15g	<b>N</b>
<b>Hydrangea paniculata Pinky Winkyâ„¢ ('DVPPinky')</b> <b>TREE FORM</b> V Ltd Pink Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; profuse 12" white flowers turn pink as they age while pushing more white flowers at the tips, giving a two-tone effect in late summer on new wood; dark green foliage; spreading habit to about 8' tall &amp; wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9</i>			7g 15g	<b>N</b>
<b>Hydrangea paniculata Quick Fire® ('Bulk')</b> <b>TREE FORM</b> V Ltd Pink Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; white flowers appear a month earlier than older H. paniculata types on new wood, then turn rosy-pink; dark green foliage; spreading habit to about 8' tall &amp; wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			7g 15g	<b>N</b>
<b>Hydrangea paniculata Quick Fire Fab® ('SMNHPM')</b> <b>BUSH</b> Pink Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; creamy-white flowers appear a month earlier than older H. paniculata types on new wood &amp; quickly turn watermelon-pink; dark green summer foliage; spreading habit to about 8' tall &amp; wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9</i>			2g 5g	<b>N</b>
<b>Hydrangea paniculata Vanilla Strawberry â„¢ ('RENhy')</b> <b>TREE FORM</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large pyramidal flower clusters open greenish, quickly turn creamy white, then light pink before maturing to dark rosy-pink as they age; new flowers continually appear providing a two-tone effect in late summer on new wood; dark green summer foliage; broadly upright to about 7' tall by 5' wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>			7g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Hydrangea paniculata White Wedding ('LeeP')</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white conical flowers from late spring into fall on new wood; dark green foliage; upright habit to about 6' tall by 4' wide at maturity; good cut flower; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (Lee) Zones 4 - 9</i>			1g 3g	_____ _____	
<b>Hydrangea quercifolia 'Pee Wee'</b> Dwarf Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white pyramidal blooms in June &amp; July on old wood; burgundy-red fall foliage; tan exfoliating bark; compact spreading habit to 4' tall by 6' wide even in full shade; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native; Zones 5 - 9</i>			2g	_____	
<b>Hydrangea quercifolia 'Ruby Slippers'</b> Compact Pink Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; 9" flowers open white on old wood, but quickly turn pale pink then rose by mid-summer; compact spreading habit to 3.5' tall by 5' wide in 7 years; dark green summer foliage turns mahogany-red in fall; tan exfoliating bark; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native (Reed / USNA) Zones 5 - 8</i>			2g 5g	_____ _____	
<b>Hydrangea quercifolia 'Sikes Dwarf'</b> Compact Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; 12" tall flowers open light green in late June on old wood, turn pure white then pinkish in late summer; burgundy to scarlet fall foliage; tan exfoliating bark; compact spreading habit to 3' tall by 4' wide; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native (Sikes) Zones 5 - 9</i>			2g 5g	_____ _____	
<b>Hydrangea quercifolia Snow Queen® ('Flemygea')</b> Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; masses of 6" to 8" fragrant white pyramidal flowers in late June on old wood turn pinkish by late summer; dark green summer foliage turns burgundy to scarlet in fall; tan exfoliating bark; broadly upright habit to about 5' tall &amp; wide; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native; PHS Gold Metal (Flemer) Zones 5 - 9</i>			2g 5g	_____ _____	<b>N</b>
<b>Hydrangea serrata Pink Dynamo ♂,♀ ('JPD01')</b> Sawtooth Hydrangea; Mountain Hydrangea <i>DECIDUOUS FLOWERING SHRUB; hot pink lace-cap flowers from early summer into fall; dark black-green summer foliage; compact habit to about 3' high &amp; wide; attracts butterflies; locate in partial shade &amp; well-drained moisture retentive soil; Japanese native; Zones 5 - 9</i>			2g	_____	
<b>Ilex x China Girl ('Mesog')</b> Female Hybrid Meserveae Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous off-white flowers in spring; bright red fruit persists from fall into or through winter; glossy bright green foliage; bushy upright habit to about 8' tall by 6' wide; more heat tolerant than the Blue Hollies; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil [I. rugosa x I. cornuta] Zones 6 - 9</i>			1g	_____	
<b>Ilex crenata 'Convexa'</b> Japanese Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous male or female flowers in late spring; black fruit on female plants; old selection with dark glossy green convex foliage; wide spreading compact habit to about 3' tall by 6' wide; hardy selection; small black fruit; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Asian native; Zones (5) 6 - 7 (8)</i>	V Ltd		1g 2g	_____ _____	<b>N</b> <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Ilex crenata 'Lucky Marble'</b> Compact Japanese Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous male or female flowers in late spring; black fruit on female plants; tiny glossy dark green foliage; compact mounding habit to about 4' tall &amp; wide; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Asian native; Zones (5) 6 - 7 (8)</i>			1g 2g	_____ _____ _____	<b>N</b>
<b>Ilex crenata LUXUS® Globe ('Annys5')</b> Compact Japanese Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous male flowers in late spring; no fruit; flat dark green foliage; compact upright to globular mound to about 2' tall by 20" wide; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Asian native (van Nijnatten / Concept P) Zones (5) 6 - 7 (8)</i>			1g 2g	_____ _____ _____	<b>N</b> <b>N</b>
<b>Ilex glabra Gem Box® ('SMNIGAB17')</b> Dwarf flnkberry <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous creamy flowers in late spring; black fruit from fall to following spring; compact gobular habit to about 3' high &amp; wide; spring flush has red-tipped foliage before turning dark green by summer; needs shearing to retain lower branches &amp; foliage; deer &amp; rabbit browse resistant; tolerant of air pollution &amp; coastal locations; good for wet sites; will colonize from root suckers; locate in full sun to partial shade &amp; neutral to slightly acidic moist organic soil; US native (PW) Zones (4) 5 - 9</i>	V Ltd		1g 2g	_____ _____ _____	<b>N</b> <b>N</b>
<b>Ilex x meserveae Blue Princess ('Conapry')</b> Female Blue Holly; Female Meserve Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; bright red fruit persists from fall into or through winter; dark blue-green foliage on purple stems; upright mounding upright habit to about 10' tall by 8' wide; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil [I. rugosa x I. aquifolium] Zones 5 - 9</i>			1g	_____ _____	<b>N</b>
<b>Ilex x meserveae Castle Spireâ„¢ ('Hachfee')</b> Pyramidal Female Blue Holly; Pyramidal Female Meserveae Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; red fruit clusters persist from fall into or through winter; very large glossy dark green foliage on green stems; compact pyramidal habit to about 10' tall by 5' wide; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil [I. rugosa x I. aquifolium] (Hachman) Zones 5 - 9</i>			1g 2g	_____ _____ _____	<b>N</b> <b>N</b>
<b>Ilex x meserveae Castle Wallâ„¢ ('Hachenstar')</b> Upright Male Blue Holly; Upright Male Meserve Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; no fruit; very large glossy dark green foliage on purple stems; compact pyramidal habit to about 8' tall by 3' wide; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil [I. rugosa x I. aquifolium] (Hachman) Zones 5 - 9</i>			1g	_____ _____	<b>N</b>
<b>Ilex x meserveae 'Honey Maid'</b> Variegated Female Blue Holly; Variegated Female Meserve Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; bright red fruit persists from fall into or through winter; irregular patches of creamy gold accentuate the blue-green foliage; broadly upright to somewhat pyramidal habit to 8' tall by 8' wide; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; sport of 'Blue Maid' [I. rugosa x I. aquifolium] Zones 5 - 8</i>		<b>BUSH</b>	1g	_____ _____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Ilex x 'Screen Play'</b> Holly <i>BROADLEAF EVERGREEN TREE; small inconspicuous flowers in spring; bright red fruit persists from fall into or through winter; bronzy-green new spineless foliage matures dark green; vigorous upright columnar habit to about 12' tall by 6' wide in 10 years; locate in full sun to partial shade &amp; well-drained acidic organic soil; Asian cross [I. integra x i. latifolia] Zones 7 - 9</i>			1g 3g	
<b>Illicium floridanum 'Pink Frost'</b> Japanese Anise Tree <i>EVERGREEN FLOWERING SHRUB; dark red malodorous fragrant flowers with rays of narrow petals from late April into May; showy star-shaped fruit; upright habit to as much as 10' tall by 8' wide; dark glossy olive-green foliage has an anise scent when crushed; resists most diseases &amp; deer browse; tolerates wet soils &amp; shade; locate in shady situations with moist organic soil; reported to tolerate wet soils; highly deer browse resistant; very disease &amp; insect resistant; southeastern US native; Zones 7 - 10</i>	V Ltd		2g	<b>N</b>
<b>Iris pallida 'Albo-variegata'</b> Variegated Sweet Iris <i>PERENNIAL; fragrant pale lavender flowers with a yellow throat on tall scapes above the foliage in late spring; medium green foliage with bold longitudinal creamy white stripes; upright habit to about 3' tall; attracts attracts butterflies &amp; hummingbirds; resists deer &amp; rabbit browse, disease &amp; drought; locate in full sun to partial shade &amp; well-drained moisture retentive soil of any pH; European native; Zones 4 - 9</i>			1g	
<b>Iris pallida 'Aureo-variegata'</b> Variegated Sweet Iris <i>PERENNIAL; fragrant dark lavender-blue flowers with a yellow throat on tall scapes above the foliage in late spring; foliage has bold longitudinal golden yellow &amp; gray-green stripes; upright habit to about 2' tall by 18" wide; attracts attracts butterflies &amp; hummingbirds; resists deer &amp; rabbit browse, disease &amp; drought; locate in full sun to partial shade &amp; well-drained moisture retentive soil of any pH; European native; Zones 4 - 9</i>			1g	
<b>Itea virginica Fizzy Missyâ„¢ ('SMNIVMM')</b> Compact Virginia Sweetspire <i>DECIDUOUS FLOWERING SHRUB; mildly fragrant upright 3-4" white racemes in late May or early June; thick dark bright green summer foliage turns reddish-purple in fall &amp; is persistent into winter; compact bushy habit to about 4' tall &amp; wide; spreads by root suckers; tolerates moist soils; attracts bees &amp; butterflies; locate in full sun or shade &amp; well-drained moisture retentive acidic soils; not drought tolerant; US native (PW) Zones 5 - 9</i>			2g	
<b>Itea virginica 'Henry's Garnet'</b> Virginia Sweetspire <i>DECIDUOUS FLOWERING SHRUB; mildly fragrant white flowers in late May or early June; bushy upright habit to 6'; persistent burgundy foliage in fall; locate in full sun or shade &amp; moist or well-drained acidic moisture retentive soils; not drought tolerant; PHS Gold Metal plant; US native; Zones 5 - 9</i>	Ltd		2g	<b>N</b>
<b>Itea virginica Scentlandia ('SMNIVDFC')</b> Compact Virginia Sweetspire <i>DECIDUOUS FLOWERING SHRUB; large very fragrant white flowers in late May or early June; more bud hardy; bushy upright habit to 3' tall &amp; wide; persistent burgundy foliage in fall; locate in full sun or shade &amp; moist or well-drained acidic moisture retentive soils; not drought tolerant; US native (PW) Zones 5 - 9</i>			2g	
<b>Juglans regia 'Manregion'</b> English Walnut <i>DECIDUOUS SHADE TREE; separate male &amp; female flowers on the tree; large good tasting nuts are easy to open; higher nut yields with multiple varieties; compound green summer foliage turns an undistinguished yellow in fall; broadly spreading habit to about 40' tall &amp; wide; roots produce juglone that is lethal to some plants; less lethal than J. nigra; locate in full to mostly sunny areas &amp; organic well-drained moisture retentive soil; native to Europe &amp; Asia; Zones 6 - 9</i>			5g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Juniperus chinensis 'Blaauw'</b> Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; irregular upright habit to about 6' tall in 10 years; bluish scale-like needles; bright blue fruit from late fall into winter; mostly used for bonsai; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>	V Ltd		10g	_____	<b>N</b>
<b>Juniperus chinensis 'Blue Point'</b> Blue Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; compact pyramid to 10'; blue scale-like needles; foliage is trimmed around a central stem in an upward spiral; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>		<b>SPIRAL</b>	5g 10g	_____ _____	
<b>Juniperus chinensis 'Daub's Frosted'</b> <i>see: Juniperus x pfitzeriana 'Daub's Frosted'</i>				_____	
<b>Juniperus chinensis Gin Fizz ® ('RIKAG')</b> Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; female flowers produce prominent light greenish-blue female cones in fall; dark green foliage; pyramidal habit to about 20' tall by 12' wide; attract birds; tolerates drought &amp; deer browse; locate in full sun or minimal shade &amp; most well-drained soils; Asian native (PW) Zones (4) 5 - 8 (9)</i>			2g 5g	_____ _____	<b>N</b>
<b>Juniperus chinensis 'Hetzi Columnaris' / 'Fairview'</b> Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; narrow pyramidal habit to 25'; somewhat loose branching; prominent light blue fruit; mature green and bluish juvenile foliage; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 5 - 9</i>			5g 10g	_____ _____	<b>N</b>
<b>Juniperus chinensis 'Old Gold'</b> Golden Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; compact spreading habit to 3' high by 4' or more wide; golden tipped foliage; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>			1g 2g 5g	_____ _____ _____	
<b>Juniperus chinensis 'Saybrook Gold'</b> Golden Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright yellow summer foliage becomes bronze-yellow in winter; low spreading habit of 2' tall by 5' wide; may be more subject to tip blight than other cultivars; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 5 - 9</i>			1g 2g 5g 10g	_____ _____ _____ _____	<b>N</b>
<b>Juniperus chinensis 'Sea Green'</b> Spreading Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; compact spreading habit; bright green evergreen arching foliage; grows to 6' high by 8' wide; easily trimmed to desired size; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>			1g 2g 5g 7g	_____ _____ _____ _____	<b>N</b>
<b>Juniperus chinensis 'Spartan'</b> Upright Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright green evergreen needles; narrowly pyramidal to columnar habit; grows to about 15' tall by 5' wide; susceptible to Phomopsis; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 5 - 9</i>			5g 10g	_____ _____	
<b>Juniperus chinensis 'Spartan'</b> Upright Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright green evergreen needles; narrowly pyramidal to columnar habit; grows to about 15' tall by 5' wide; susceptible to Phomopsis; 3 balls on top of each other separated by a central stem; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 5 - 9</i>		<b>3-TIER</b>	5g	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Juniperus chinensis 'Spartan'</b> Upright Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright green evergreen needles; narrowly pyramidal to columnar habit; grows to about 15' tall by 5' wide; susceptible to Phomopsis; foliage is trimmed around a central stem in an upward spiral; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 5 - 9</i>			5g	_____
<b>SPIRAL</b>				
<b>Juniperus chinensis 'Torulosa' / 'Kaizuka'</b> Hollywood Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright evergreen foliage; irregular upright habit to 30'; heat &amp; salt tolerant; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones (5) 6 - 9</i>			1g 5g 10g	_____ _____ _____
<b>Juniperus communis Tortugaâ„¢ ('SMNJCB')</b> Dwarf Common Juniper <i>EVERGREEN ORNAMENTAL CONIFER; prickly bluish-green summer foliage turns brownish or bronze in winter; compact spreading mound to about 2' tall by 4' wide; resists deer browse; tolerates heat, drought, coastal conditions, poor soils &amp; Black Walnut; locate in full sun &amp; alkaline to acidic well-drained soil; soil must drain well; native to Earth; Zones 2 - 7</i>			2g	_____
<b>Juniperus horizontalis 'Andorra Compacta'</b> Compact Andorra Juniper <i>EVERGREEN ORNAMENTAL CONIFER; compact bushy spreader; burgundy winter foliage; resists deer browse; locate in full sun &amp; well-drained soil; tolerant of coastal locations; native to North America; Zones 4 - 9</i>			1g 2g 5g	_____ _____ _____
<b>Juniperus horizontalis 'Bar Harbor'</b> Blue Creeping Juniper <i>EVERGREEN ORNAMENTAL CONIFER; low prostrate spreader; gray-blue foliage; plum winter foliage; resists deer browse; locate in full sun &amp; well-drained soil; tolerant of coastal locations; native to North America; Zones 4 - 9</i>			1g 2g 5g	_____ _____ _____
<b>Juniperus horizontalis 'Blue Chip'</b> Blue Creeping Juniper <i>EVERGREEN ORNAMENTAL CONIFER; low, compact, spreading habit; blue foliage turns purplish in winter; subject to tip blight " especially further south; resists deer browse; locate in full sun &amp; well-drained soil; tolerant of coastal locations; native to North America; Zones 4 - 7</i>			1g 2g 5g	_____ _____ _____
<b>Juniperus horizontalis 'Hughes'</b> Blue Creeping Juniper <i>EVERGREEN ORNAMENTAL CONIFER; low prostrate spreader reaching about 12" tall; can spread up to 8' wide; gray-blue foliage all year; resists deer browse; locate in full sun &amp; well-drained soil; tolerant of coastal locations; native to North America; Zones 4 - 9</i>			1g 2g 5g	_____ _____ _____
<b>Juniperus horizontalis 'Wiltonii'</b> Blue Creeping Juniper <i>EVERGREEN ORNAMENTAL CONIFER; prostrate blue evergreen; stays under 3"; turns plum in winter; resists deer browse; locate in full sun &amp; well-drained soil; tolerant of coastal locations; native to North America; Zones 4 - 9</i>			1g 2g 5g	_____ _____ _____
<b>Juniperus x pfitzeriana 'Daub's Frosted'</b> Prostrate Golden Pfitzer Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright gold spreader to 2' tall by 4' wide that doesn't burn; disease resistant; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; formerly listed as J. chinensis or J. x media [J. chinensis x J. sabina] Zones 4 - 9</i>			1g 2g 5g	_____ _____ _____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Juniperus x pfitzeriana 'Daub's Frosted'</b> <b>STANDARD</b> Prostrate Golden Pfitzer Juniper EVERGREEN ORNAMENTAL CONIFER; bright gold spreader to 2' tall by 4' wide that doesn't burn; grafted on a bare single stem at about 18-24" above the ground; disease resistant; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; formerly listed as J. chinensis or J. x media [J. chinensis x J. sabina] Zones 4 - 9			5g	_____	<b>N</b>
<b>Juniperus x pfitzeriana 'Gold Lace'</b> Golden Chinese Juniper EVERGREEN ORNAMENTAL CONIFER; blue-green interior foliage with bright lacey gold tipped branches; can get 4' tall by 6' wide, however can be kept smaller with trimming; locate in full sun & most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9			1g 2g 5g	_____ _____ _____	
<b>Juniperus procumbens 'Nana Green Mound'</b> Dwarf Japanese Garden Juniper EVERGREEN ORNAMENTAL CONIFER; low mounding spreader to 12" tall by 5' wide; lighter green juvenile foliage than 'Nana'; resists deer browse; locate in full sun & any well-drained soil; native to Japan Zones 4 - 8			1g 2g	_____ _____	<b>N</b>
<b>Juniperus sabina 'Broadmoor'</b> Savin Juniper EVERGREEN ORNAMENTAL CONIFER; slow growing, but wide spreading mound to 3' tall by 10' wide at maturity if not trimmed; gray-green foliage; resistant to Juniper blight; locate in full sun & well-drained neutral to alkaline soils; tolerant of urban conditions; performs better is northern hardiness range; native to Europe & western Asia (D. Hill N) Zones 3 - 6 (7)			1g 2g 5g	_____ _____ _____	
<b>Juniperus sabina 'Buffalo'</b> Savin Juniper EVERGREEN ORNAMENTAL CONIFER; slow growing, but wide spreading mound to 18" tall by 8' wide at maturity if not trimmed; bright green foliage; blue berries from summer into winter; locate in full sun & well-drained neutral to alkaline soils; tolerant of urban conditions; performs better is northern hardiness range; native to Europe & western Asia; Zones 3 - 6 (7)			1g 2g 5g	_____ _____ _____	
<b>Juniperus sabina Calgary Carpet ('Monna')</b> Savin Juniper EVERGREEN ORNAMENTAL CONIFER; slow growing, but wide spreading mound with layered branching; spreading habit 12" tall by 6' wide at maturity; soft smooth green foliage; locate in full sun & well-drained neutral to alkaline soils; tolerant of urban conditions; performs better is northern hardiness range; native to Europe & western Asia; Zones 3 - 6 (7)			1g 2g 5g	_____ _____ _____	
<b>Juniperus sabina 'Mini Arcade'</b> Savin Juniper EVERGREEN ORNAMENTAL CONIFER; slow wide-spreading habit with layered branches to about 15" tall by 6' wide at maturity; soft smooth green foliage that doesn't bronze in winter; locate in full sun & well-drained neutral to alkaline soils; tolerant of urban conditions; performs better is northern hardiness range; native to Europe & western Asia; Zones 3 - 6 (7)			2g 5g	_____ _____	<b>N</b>
<b>Juniperus scopulorum 'Blue Arrow'</b> Narrow Blue Rocky Mountain Juniper EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; very narrow upright columnar habit to about 15' tall by 3' wide; normally a little narrower than 'Skyrocket'; Phomopsis blight a problem in areas with high humidity & summer night temps; tolerates drought, air pollution, sterile soil & Black Walnut; locate in full sun & dry well-drained soils; native to Rocky Mtns of US & Canada; Zones 3 - 6 (7)			5g	_____	<b>N</b>

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Juniperus scopulorum 'Moonglow'</b> Blue Rocky Mountain Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; fairly narrow upright pyramidal habit to 15'; subject to tip blight on the East Coast; needs full sun &amp; dry well-drained soils; does not perform well in areas with high humidity &amp; high evening temperatures; native western to US &amp; Canada; Zones 3 - 6 (7)</i>			1g 2g 5g 10g	_____ _____ _____ _____
<b>Juniperus scopulorum 'Moonglow'</b> Blue Rocky Mountain Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; fairly narrow upright pyramidal habit to 15'; 3 balls on top of each other separated by a central stem; subject to tip blight on the East Coast; needs full sun &amp; dry well-drained soils; does not perform well in areas with high humidity &amp; high evening temperatures; native western to US &amp; Canada; Zones 3 - 6 (7)</i>		<b>3-TIER</b>	5g	_____
<b>Juniperus scopulorum 'Moonglow'</b> Blue Rocky Mountain Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; fairly narrow upright pyramidal habit to 15'; foliage sheared into spirals around a central stem; subject to tip blight on the East Coast; needs full sun &amp; dry well-drained soils; does not perform well in areas with high humidity &amp; high evening temperatures; native western to US &amp; Canada; Zones 3 - 6 (7)</i>		<b>SPIRAL</b>	5g	_____
<b>Juniperus scopulorum 'Skyrocket'</b> Narrow Blue Rocky Mountain Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; very narrow upright columnar habit to about 15' tall by 3' wide; Phomopsis blight a problem in areas with high humidity &amp; summer night temps; tolerates drought, air pollution, sterile soil &amp; Black Walnut; locate in full sun &amp; dry well-drained soils; native to Rocky Mtns of US &amp; Canada; Zones 3 - 6 (7)</i>	V Ltd		10g	_____ <b>N</b>
<b>Juniperus scopulorum 'Table Top'</b> Spreading Blue Rocky Mountain Juniper <i>EVERGREEN ORNAMENTAL CONIFER; silvery-blue evergreen foliage; spreading habit to 5' tall by 12' wide; subject to tip blight on the East Coast; needs full sun &amp; dry well-drained soils; does not perform well in areas with high humidity &amp; high evening temperatures; native western to US &amp; Canada; Zones 3 - 6 (7)</i>			1g 2g 5g	_____ _____ _____ <b>N</b>
<b>Juniperus scopulorum 'Table Top'</b> Spreading Blue Rocky Mountain Juniper <i>EVERGREEN ORNAMENTAL CONIFER; silvery-blue evergreen foliage; spreading habit to 5' tall by 12' wide; subject to tip blight on the East Coast; sheared into a three leaved cactus; needs full sun &amp; dry well-drained soils; does not perform well in areas with high humidity &amp; high evening temperatures; native western to US &amp; Canada; Zones 3 - 6 (7)</i>	V Ltd	<b>CACTUS</b>	25g	_____ <b>N</b>
<b>Juniperus scopulorum 'Table Top'</b> Spreading Blue Rocky Mountain Juniper <i>EVERGREEN ORNAMENTAL CONIFER; silvery-blue evergreen foliage; spreading habit to 5' tall by 12' wide; subject to tip blight on the East Coast; sheared into a flower; needs full sun &amp; dry well-drained soils; does not perform well in areas with high humidity &amp; high evening temperatures; native western to US &amp; Canada; Zones 3 - 6 (7)</i>	V Ltd	<b>FLOWER</b>	10g	_____ <b>N</b>

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Juniperus scopulorum 'Table Top'</b> <p style="text-align: right;"><b>MOON</b></p> Spreading Blue Rocky Mountain Juniper <i>EVERGREEN ORNAMENTAL CONIFER; silvery-blue evergreen foliage; spreading habit to 5' tall by 12' wide; subject to tip blight on the East Coast; sheared into a crescent moon; needs full sun &amp; dry well-drained soils; does not perform well in areas with high humidity &amp; high evening temperatures; native western to US &amp; Canada; Zones 3 - 6 (7)</i>	V Ltd		5g	_____	<b>N</b>
<b>Juniperus scopulorum 'Wichita Blue'</b> Blue Rocky Mountain Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright gray-blue foliage; upright pyramid to 15' tall by 5' wide; subject to tip blight on the East Coast; needs full sun &amp; dry well-drained soils; does not perform well in areas with high humidity &amp; high evening temperatures; native western to US &amp; Canada; Zones 3 - 6 (7)</i>			1g	_____	<b>N</b>
<b>Juniperus squamata 'Blue Star'</b> Dwarf Blue Singleseed Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright blue foliage; very compact mounding habit; can reach 3' tall by 3' or more wide in time; locate in full sun &amp; most well-drained soils; does not perform well in areas with high humidity &amp; high evening temperatures; native to Asia; Zones 4 - 7</i>			1g 2g 5g	_____ _____ _____	
<b>Juniperus virginiana 'Gray Owl'</b> Compact Blue Eastern Red Cedar <i>EVERGREEN ORNAMENTAL CONIFER; silvery gray-blue summer foliage exhibits some winter bronzing on branch tips; compact broadly spreading habit to 3' tall by 6' wide; light blue fruit appearing in summer is a valuable bird food; tolerant of deer browse, drought, air pollution, sterile soil &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; German introduction; may be a cross of 2 or more species; native to eastern North &amp; Central America; Zones 3 - 9</i>			1g 2g 5g	_____ _____ _____	
<b>Juniperus virginiana 'Taylor'</b> Columnar Eastern Red Cedar <i>EVERGREEN CONIFER; narrow pyramid habit reaching about 25' tall by 4' wide; gray-green summer foliage bronzes a little in winter; tolerant of drought, air pollution, sterile soil &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern North &amp; Central America; Zones (3) 4 - 9</i>			5g	_____	
<b>Lagerstroemia Early Bird, ¢ Purple ('JD827')</b> Compact Purple Crape-myrtle <i>DECIDUOUS FLOWERING TREE; bright light purple flowers begin blooming in late May &amp; will continue for almost 4 months; green summer foliage turns yellow in fall; exfoliating gray-brown bark on mature branches; compact upright habit to about 6' tall by 4' wide; heat &amp; drought tolerant; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's only moderately fertile; too much fertility encourages foliage growth instead of flowers (Davy) [Zones 7 - 10</i>	V Ltd		1g 3g	_____ _____	<b>N</b>
<b>Lagerstroemia Early Bird, ¢ White ('JD900')</b> Compact White Crape-myrtle <i>DECIDUOUS FLOWERING TREE; white flowers begin blooming in late May &amp; will continue for almost 4 months; compact upright habit to about 8' tall by 4' wide; gray exfoliating bark; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's only moderately fertile; too much fertility encourages foliage growth instead of flowers [L. Acoma seedling] (Davy) Zones 7 - 10</i>			1g	_____	
<b>Lagerstroemia indica Black Diamond® Best Red, ¢</b> <p style="text-align: right;"><b>STANDARD</b></p> Red Crape-myrtle <i>DECIDUOUS FLOWERING SHRUB; dark red flowers from mid-summer into early fall on new wood; upright arching habit to about 12" tall by 8' wide; new foliage emerges a blackish-red &amp; retains most of the intensity in summer; resists to mildew &amp; leafspot; moderate tolerant to drought; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers; Zones (6) 7 - 9</i>			7g	_____	<b>N</b>



# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Lagerstroemia indica Lunar Magic® (PIILAG-X')</b> <b>STANDARD</b> White Crape-myrtle <i>DECIDUOUS FLOWERING TREE; masses of white flowers all summer on red stems; purplish-black foliage; upright habit to 10' tall by 8' wide; resistant to Cercospora &amp; powdery mildew; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers; Zones 7 - 9</i>			7g		<b>N</b>
<b>Lagerstroemia Purple Magic® [First Editions]</b> Purple Crape-myrtle <i>DECIDUOUS FLOWERING TREE; clusters of vivid purple flowers on new wood in early summer; red new foliage matures to glossy green by summer then red again in fall; broadly upright habit to about 8' tall &amp; wide; resistant to leaf spot &amp; powdery mildew; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers [L. indica] Zones 7 - 9</i>			2g		
<b>Lagerstroemia Purple Magic® [First Editions]</b> <b>STANDARD</b> Purple Crape-myrtle <i>DECIDUOUS FLOWERING TREE; clusters of vivid purple flowers on new wood in early summer; red new foliage matures to glossy green by summer then red again in fall; broadly upright habit to about 8' tall &amp; wide; resistant to leaf spot &amp; powdery mildew; locate in full sun to light or partial shade &amp; well-drained moisture retentive soil that's moderately fertile; too much fertility encourages foliage growth instead of flowers [L. indica] Zones 7 - 9</i>			7g		<b>N</b>
<b>Larix decidua 'Pendula'</b> Weeping European Larch <i>DECIDUOUS ORNAMENTAL CONIFER; bright green needles turn golden in fall; shape varies according to staking; locate in full sun &amp; well drained moisture retentive soils that are acidic to neutral; not drought tolerant; European native; Zones 3 - 6 (7)</i>			5g		
<b>Laurus nobilis</b> Bay Laurel <i>BROADLEAF EVERGREEN SHRUB; small yellowish-green male or female flowers in spring; purplish-black fruit on female plants; leathery dark green aromatic foliage; compact bushy upright habit to about 25' tall by 15' wide; easily sheared to any almost size; tolerates coastal conditions; locate in full sun to partial shade &amp; well-drained moisture retentive organic soil of any acidity; Mediterranean native; Zones 8 - 10</i>	Ltd		1g 5g		
<b>Lavandula angustifolia 'Hidcote Blue'</b> English Lavender <i>EVERGREEN PERENNIAL; fragrant purple flower from June to August; compact mounding habit to about 30" tall &amp; wide; small fragrant gray-green foliage; good cut flower; attracts butterflies; tolerant of deer &amp; rabbit browse &amp; air pollution; locate in full sun &amp; neutral to alkaline well-drained soil with minimal fertility; native to western Mediterranean area; Zones (5) 6 - 8 (9)</i>			1g		
<b>Lavandula x intermedia 'Bridget Chloe'</b> Lavender <i>PERENNIAL; strongly fragrant purple flowers on strong stems above the foliage from mid-June to early summer; fragrant gray-green semi-evergreen to evergreen foliage (in the southern range); bushy habit to 30" tall by 5' wide; good for cutting; attracts bees &amp; butterflies; resists leaf spot, humidity as well as deer &amp; rabbit browse; locate in full sun &amp; deep organic well-drained soil; sport or seedling of 'Provence' [L. angustifolia x L. latifolia] (Hendon) Zones 5 - 9</i>			1g		<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Lavandula x intermedia Sensational! ('Tesseract')</b> Lavender <i>PERENNIAL; very fragrant dark-purple flower on strong stems from late June to late Sept; bushy habit to 22" tall &amp; wide with prominent flower stems above the foliage; fragrant gray-green semi-evergreen to evergreen foliage (in the southern range); good for cutting; attracts butterflies; deer &amp; rabbit browse resistant; locate in full sun &amp; deep organic well-drained soil; more tolerant of high humidity &amp; heat [L. angustifolia x L. latifolia] (Peace Tree F) Zones 5 - (8) 9</i>			1g	_____
<b>Leucothoe axillaris</b> Coast Leucothoe; Dog-hobble <i>EVERGREEN FLOWERING SHRUB; drooping white flowers in late April &amp; early May; compact spreading mound to 3' tall by 5' wide; resists deer browse; locate in partial to full shade &amp; well-drained moisture retentive acidic soil; US native; Zones (4) 5 - 7</i>			1g 2g	_____ _____ <b>N</b>
<b>Leucothoe fontansiana 'Girard's Rainbow'</b> Variegated Drooping Leucothoe; Variegated Fetterbush <i>EVERGREEN FLOWERING SHRUB; red, white &amp; green evergreen foliage; spreading mound to 6' or taller; resists deer browse; locate in full to partial shade &amp; well-drained moisture retentive acidic soil; eastern US native; Zones (4) 5 - 8</i>			1g	_____
<b>Leucothoe keiskei 'Burning Love' [Leafscape] ('Opstal50')</b> Japanese Leucothoe <i>EVERGREEN FLOWERING SHRUB; narrow bright dark red new growth matures to dark green in summer before turning purple in fall through winter; compact spreading habit to about 30" high &amp; wide; locate in full sun or moderate shade &amp; well-drained moisture retentive acidic soil (van Opstal / Concept Plants) Zones (5) 6 - 9 (10)</i>			1g	_____
<b>Ligustrum japonicum 'Texanum'</b> Compact Waxleaf Privet; Compact Japanese Privet <i>BROADLEAF EVERGREEN SHRUB; fragrant creamy white flowers in early June; glossy dark green foliage; compact bushy upright habit can reach 8' tall by 6' wide in time, however, can be pruned to almost any size &amp; shape; locate in sun or shade &amp; any soil that doesn't remain wet; Asian native; Zones (7) 8 - 9</i>			1g 5g	_____ _____
<b>Ligustrum sinense 'Sunshine'</b> Golden Chinese Privet <i>EVERGREEN ORNAMENTAL SHRUB; golden foliage all season in full sun; greenish-gold in shade; this variety does not produce flowers or fruit; bushy habit to 10' high &amp; wide, however, can be pruned to almost any size &amp; shape; locate in sun or shade &amp; any soil that doesn't remain wet; Asian native; (Ball) Zones (6) 7 - 10</i>			1g 3g	_____ _____
<b>Ligustrum x vicary</b> Golden Privet <i>DECIDUOUS SHRUB; golden foliage spring &amp; summer in full sun; greenish-gold in shade; small fragrant white flowers in late spring; dark fruit from summer into fall; broadly upright habit to about 12' high by 10' wide, however, can be pruned to almost any size &amp; shape; locate in sun or shade &amp; any soil that doesn't remain wet; Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____
<b>Ligustrum x vicary</b> Golden Privet <i>DECIDUOUS SHRUB; golden foliage spring &amp; summer in full sun; greenish-gold in shade; small fragrant white flowers in late spring; dark fruit from summer into fall; broadly upright habit to about 12' high by 10' wide, however, can be pruned to almost any size &amp; shape; 3 plants in a plastic cloth "box" that's about 3' long by 15" wide; locate in sun or shade &amp; any soil that doesn't remain wet; Zones 5 - 8</i>		<b>3' HEDGE</b>	3' bag	_____

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Ligustrum vulgare Straight Talk ('Swift')</b>            Columnar Lodense Privet  <i>DECIDUOUS ORNAMENTAL SHRUB; profuse white flowers in late spring; black fruit favored by birds in late summer; narrow columnar habit to about 12' tall by 2' wide; can be sheared to any size; locate in full sun or partial shade &amp; any soil that doesn't remain wet (First Editions) Zones 4 - 7 (8)</i></p>			2g	
<p><b>Liquidambar styraciflua 'Slender Silhouette'</b>            Columnar American Sweetgum  <i>DECIDUOUS ORNAMENTAL TREE; very narrow upright habit to 60' tall by 7' wide; minimal to moderate fruit production; shiny dark green summer foliage turns mostly yellow with a red tinge in fall; locate in full sun &amp; moist to partially wet organic soils; native to eastern of US &amp; Mexico (Shadow) Zones (5) 6 - 8 (9)</i></p>			7g	<b>N</b>
<p><b>Liriodendron tulipifera</b>            Tuliptree; Tulip Poplar  <i>DECIDUOUS SHADE TREE; rapid narrowly upright habit to approaching 100' tall; somewhat weak wooded; light orange-green flowers in early June; green summer foliage turns variable yellow in fall; locate in full sun or light shade &amp; deep organic soil that retains moisture &amp; is somewhat acidic; not drought tolerant; US native; Zones 4 - 9</i></p>			7g	
<p><b>Liriodendron tulipifera Little Volunteer</b>            Compact Tuliptree; Compact Tulip Poplar  <i>DECIDUOUS SHADE TREE; compact upright habit to oval heads reaching about 35' tall by 20' wide; light orange-green flowers in early June; medium green summer foliage turns butter yellow in fall; locate in full sun or light shade &amp; deep organic soil that retains moisture &amp; is somewhat acidic; not drought tolerant; US native; Zones 4 - 9</i></p>			7g	
<p><b>Liriope muscari 'Variegata'</b>            Variegated Blue Lily-turf  <i>EVERGREEN GROUND COVER; lilac-purple flower spikes above the foliage in late summer; gold &amp; white striped leaves to 12" tall; locate in full sun or full shade &amp; average well-drained soil; tolerant of a wider range of soils &amp; drought; Asian native; Zones (5) 6 - 10</i></p>	Ltd		1g	<b>N</b>
<p><b>Lonicera caerulea 'Berry Blue'</b>            Honeyberry; Blue Honeysuckle  <i>DECIDUOUS FRUITING SHRUB; slightly fragrant white early spring flowers; tasty blueberry-like fruit ripens in late spring; gray-green foliage; compact bushy habit to about 4' tall &amp; wide; tolerates deer &amp; Black Walnut; locate in full sun to partial shade &amp; moist richly organic moisture retentive well-drained soil; North American native; Zones (2) 3 - 7 (8)</i></p>			1g	
<p><b>Lonicera caerulea 'Borealis'</b>            Honeyberry; Blue Honeysuckle  <i>DECIDUOUS FRUITING SHRUB; slightly fragrant white early spring flowers; tasty blueberry-like fruit ripens in late spring; multiple plants increases the harvest; gray-green foliage; compact bushy habit to about 3' tall &amp; wide; tolerates deer &amp; Black Walnut; locate in full sun to partial shade &amp; moist organic moisture retentive well-drained soil of any pH; Asian native (U of Saskatchewan) Zones 2 - 7</i></p>			1g	
<p><b>Lonicera x heckrottii 'Gold Flame'</b>  <span style="float: right;"><b>STAKED</b></span>            Goldflame Honeysuckle; Everblooming Honeysuckle  <i>DECIDUOUS VINE; red buds open to fragrant rose-pink flowers with yellow centers which persist all summer while attracting butterflies &amp; hummingbirds; oval blue-green foliage from reddish stems add interest; may be evergreen or semi-evergreen in southern hardiness range; twining habit to a structure of up to 15' but can be pruned as a bush; locate in full sun to partial shade &amp; soils with good to moderate drainage [L. sempervirens x L. americana] Zones 5 - 9</i></p>			2g	

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Lonicera x 'Mandarin'</b></p> <p style="text-align: right;"><b>STAKED</b></p> <p>Mandarin Honeysuckle  <i>DECIDUOUS VINE; profuse mandarin-orange flowers in late spring through summer; new foliage emerges coppery-brown &amp; matures to dark green; twining habit to a structure of up to 20'; attracts butterflies &amp; hummingbirds; locate in full to mostly sunny location &amp; moisture retentive soil with good drainage; Zones 4 - 8</i></p>			2g	_____
<p><b>Lonicera nitida Thunderbolt™ ('Golden Glow')</b></p> <p>Golden Boxleaf Honeysuckle  <i>EVERGREEN FLOWERING SHRUB; small mildly fragrant creamy flowers; small bright chartreuse foliage; very compact arching habit to about 5' tall &amp; wide; easily trimmed to desired shape; locate in partial sun &amp; any moisture retentive well-drained slightly acidic soil; Asian native (Bloomin' Easy) Zones 5 - 9</i></p>			2g 5g	_____ _____
<p><b>Lonicera periclymenum 'Peaches &amp; Cream'</b></p> <p style="text-align: right;"><b>STAKED</b></p> <p>Woodbine Honeysuckle  <i>EVERGREEN VINE; fragrant pink &amp; white flowers from spring through mid-summer followed by red fruit; can cover a structure up to 20' tall which allows it to twine; attracts butterflies &amp; humming birds; tolerant of drought &amp; heat; locate in full to partial shade &amp; most soils with good drainage; North American native (Ball) Zones 4 - 9</i></p>			2g	_____
<p><b>Lonicera pileata</b></p> <p>Privet Honeysuckle  <i>EVERGREEN SHRUB; small fragrant yellowish-white flowers in spring; amethyst fruit in late summer on mature plants; low spreading habit reaching up to 3' tall; tolerates deer browse &amp; salt spray; locate in full sun to almost full shade &amp; most well-drained soils; Chinese native; Zones (5) 6 - 9</i></p>			1g 2g 5g	_____ _____ _____
<p><b>Magnolia x acuminata 'Butterflies'</b></p> <p>Yellow Cucumbertree Magnolia  <i>DECIDUOUS ORNAMENTAL TREE; fragrant deep yellow flower in early April before the foliage opens; rarely produces seed; upright pyramidal habit to about 20' tall by 15' wide; multiple main branches reach upward from the ground; locate in full sun to partial shade &amp; well-drained organic moisture retentive soil of varying pH; US / Asian cross [M. acuminata x M. denudata] (Savage) Zones (3) 4 - 8</i></p>			5g 7g	_____ _____ <b>N</b>
<p><b>Magnolia x acuminata 'Elizabeth'</b></p> <p>Yellow Hybrid Cucumbertree Magnolia  <i>DECIDUOUS ORNAMENTAL TREE; fragrant 3" creamy-yellow flowers in late April before the leaves; vigorous upright habit to about 50' tall by 35' wide; foliage opens coppery before turning dark green by summer; multiple main branches reach upward from the ground; locate in full sun to partial shade &amp; well-drained organic moisture retentive soil of varying pH; US / Asian cross [M. acuminata x M. denudata] (Sperber) Zones (3) 4 - 8</i></p>			7g	_____
<p><b>Magnolia x acuminata 'Yellow Bird'</b></p> <p>Yellow Hybrid Cucumbertree Magnolia  <i>DECIDUOUS ORNAMENTAL TREE; bright yellow flower with slight greenish tint as the foliage opens in spring; bushy upright habit up to about 40' tall by 25' wide in time; locate in full sun to partial shade &amp; well-drained organic moisture retentive soil of varying pH; US / Asian cross [M. acuminata var. subcordata x M. xbrooklynensis 'Evamaria'™] (Stone/BBG) Zones (3) 4 - 8</i></p>			7g	_____
<p><b>Magnolia x 'Brixton Belle'</b></p> <p>Hybrid Magnolia  <i>DECIDUOUS ORNAMENTAL TREE; flowering at an early age, the large petals are pink on the outside &amp; whitish pink inside in profusion which begin in early spring with additional blooms as late as early summer; dark green summer foliage is highly resistant to powdery mildew; bushy habit to about 10' tall &amp; wide; locate in full sun or minimal shade &amp; moist organic well-drained soils of varying acidity; [(M. soulangeana 'Sweet Simplicity' x M. 'Black Tulip') x M. 'Sir Harold Hillier'] (Magnolia Grove) Zones 6 - 8 (9)</i></p>			7g	_____ <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Magnolia 'Butterflies'</b> <i>see: Magnolia x acuminata 'Butterflies'</i>					
<b>Magnolia x 'Cameo'</b> Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; large petals are reddish-purple on the outside &amp; light whitish lavender inside in profusion which begin in early spring with additional blooms as late as early summer; dark green summer foliage is highly resistant to powdery mildew; upright habit to about 12' tall; locate in full sun or minimal shade &amp; moist organic well-drained soils of varying acidity; sister seedling of 'Cleopatra' [M. soulangeana 'Sweet Simplicity' x M. 'Black Tulip'] (Hooper) Zones (5) 6 - 8 (9)</i>	V Ltd		7g		<b>N</b>
<b>Magnolia x 'Cleopatra'</b> Purple Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; very large reddish-purple flower from late April to early May; dark green summer foliage is highly resistant to powdery mildew; upright habit to about 12' tall by 6' wide; locate in full sun or minimal shade &amp; moist organic well-drained soils of varying acidity [M. soulangeana 'Sweet Simplicity' x M. 'Black Tulip'] (Hooper) Zones (5) 6 - 8 (9)</i>			5g 7g		<b>N</b> <b>N</b>
<b>Magnolia x 'Daybreak'</b> Pink Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; highly fragrant light pink 9" diameter flowers in late April to early May; upright grower to about 30' tall &amp; half as wide; medium green foliage is resistant to mildew and other maladies; tolerant of pollution &amp; urban situations; locate in full sun or light shade &amp; moist organic well-drained soils of varying acidity; PHS Gold Metal; M. acuminata cross; US native (Kehr) Zones 5 - 8</i>	V Ltd		7g		<b>N</b>
<b>Magnolia 'Elizabeth'</b> <i>see: Magnolia x acuminata 'Elizabeth'</i>					
<b>Magnolia figo 'Stellar Ruby'</b> Purple Hybrid Banana Magnolia <i>EVERGREEN ORNAMENTAL TREE; strongly banana scented star-like purplish-pink flower with yellow centers in late spring &amp; sporadically beyond; bushy upright habit to about 15' tall by 8' wide at maturity; dark green foliage; somewhat resistant to deer browse; locate in full sun or light shade &amp; moisture retentive organic well-drained soil; Chinese native [M. f. var. crassipes x M. f. var. skinneriana] (McCracken) Zones 7 - 8 (9)</i>			1g 3g		
<b>Magnolia x 'Galaxy'</b> Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; profuse 9" lightly fragrant reddish-purple to pink flowers in mid-April; narrowly pyramidal to columnar habit to about 30' tall by 15' wide; multiple main branches reach upward from the ground; locate in full sun to light shade &amp; well-drained organic slightly acidic soil; PHS Gold Metal [M. kobus var. stellata x M. sprengeri 'Diva'] (USNA / Kosar) Zones 5 - 9</i>			5g 7g		<b>N</b>
<b>Magnolia x 'Genie'</b> Dwarf Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant 6" deep maroon-purple flowers inside &amp; out appearing in late April &amp; May with minimal repeat blooms in summer; very compact bushy upright habit to about 12' tall by 6' wide; locate in full sun or light shade &amp; moist organic well-drained soils of varying acidity [M. soulangeana x M. liliiflora] (Hooper) Zones (5) 6 - 9</i>			5g 7g		
<b>Magnolia grandiflora 'Bracken's Brown Beauty'</b> <b>TREE FORM</b> Southern Magnolia <i>EVERGREEN FLOWERING TREE; fragrant white flowers in June; dark green leathery foliage is quite smaller than the species with dark brown indumentum; showy red seeds in late summer; broadly upright habit to about 30' by 20' wide; locate in full sun to partial shade &amp; acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Bracken) Zones (5) 6 - 9 (10)</i>			2g 5g 7g		<b>N</b> <b>N</b> <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Magnolia grandiflora 'Edith Bogue'</b> Southern Magnolia <i>EVERGREEN FLOWERING TREE; large white fragrant flowers from May into summer; medium green foliage with very light indumentum below the leaf; hardy strain from NJ that tolerates snow loads better than most; upright habit to about 50' tall by 35' wide; locate in full sun to partial shade &amp; acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native; PHS Gold Metal; Zones 6 - 9</i>	V Ltd V Ltd		5g 7g	_____ _____ _____	<b>N</b> <b>N</b>
<b>Magnolia grandiflora 'Kay Parris'</b> Compact Southern Magnolia <i>EVERGREEN FLOWERING TREE; slightly smaller fragrant white flowers from late spring through summer; showy red seeds appear in late summer; glossy medium green foliage with orange-brown indumentum; narrow upright habit to about 20' tall by 10' wide in 10 years; moderate cold tolerance; locate in full sun to partial shade &amp; acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Gilberts N) Zones 7 - 9</i>			2g 5g 7g	_____ _____ _____	
<b>Magnolia x liliiflora 'Susan'</b> Hybrid Lily Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fuzzy light gray buds open to reddish-purple flowers that have white centers in mid/late April as the foliage emerges; sporadic summer flowers; medium green summer foliage turns yellowish in fall; upright habit to 20' or more' tall; wide; smooth gray bark; locate in full sun or light shade &amp; moist organic well-drained soils of varying acidity; tolerates limited excessive moisture; native Asian cross [M. liliiflora 'Nigra' x stellata 'Rosea'] (Kosar &amp; deVos / USNA) Zones 3 - 8</i>			7g	_____	<b>N</b>
<b>Magnolia x loebneri 'Leonard Messel'</b> <b>BUSH</b> Pink Loebner Magnolia; Pink Star Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant purplish-pink star-like flowers in mid-April from purple buds are almost white on the inside; medium green summer foliage; bushy upright habit to about 20' tall &amp; almost as wide; locate in full sun to light or dappled shade &amp; deep well-drained neutral to slightly acidic soil with good moisture retention; Asian cross [M. kobus x M. stellata 'Rosea'] Zones 5 - 8 (9)</i>	Ltd		5g	_____	<b>N</b>
<b>Magnolia x loebneri 'Leonard Messel'</b> <b>TREE FORM</b> Pink Loebner Magnolia; Pink Star Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant purplish-pink star-like flowers in mid-April from purple buds are almost white on the inside; medium green summer foliage; bushy upright habit to about 20' tall &amp; almost as wide; locate in full sun to light or dappled shade &amp; deep well-drained neutral to slightly acidic soil with good moisture retention; Asian cross [M. kobus x M. stellata 'Rosea'] Zones 5 - 8 (9)</i>			7g	_____	<b>N</b>
<b>Magnolia Pink Pyramid ('MGPIN2010')</b> <b>BUSH</b> Pink Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; dark pink cup-shaped flowers in mid-spring before leaf break &amp; sporadically in mid to late summer from an early age; dark green foliage; upright habit to about 12' tall by 5' wide in 10 years; attracts butterflies; locate in full sun or light shade &amp; moist organic well-drained soils of varying acidity (Hooper) Zones (5) 6 - 9</i>	V Ltd		7g 15g	_____ _____	<b>N</b>
<b>Magnolia x soulangeana</b> Saucer Magnolia <i>DECIDUOUS ORNAMENTAL TREE; flowers are whitish inside &amp; dark pink outside in early April before the foliage; broadly upright habit to 30' tall &amp; wider with age; locate in full sun to light or dappled shade &amp; deep well-drained moisture retentive acidic soil [M. denudata x M. liliiflora] (Soulange-Bodin) Zones 4 - 9</i>			7g	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Magnolia stellata 'Royal Star'</b> Star Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant white 3" star-like flowers in late March before the foliage; broad bushy habit to about 15' tall &amp; usually wider; locate in full sun to light or dappled shade &amp; deep well-drained acidic soil with good moisture retention; Japanese native (Vermeulen N) Zones 5 - 8</i>			7g	_____	
<b>Magnolia x 'Tinker Belle'</b> Purple Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant 3" purple flower with lighter pink interior early spring appear on young plants; green foliage; bushy habit to about 12' tall by 8' wide at maturity; locate in full sun to medium shade &amp; moisture retentive well-drained organic soil; Zones 5 - 9</i>	<b>BUSH</b>	V Ltd	7g 15g	_____ _____	<b>N</b>
<b>Magnolia 'Yellow Bird'</b> <i>see: Magnolia x acuminata 'Yellow Bird'</i>				_____	
<b>Mahonia aquifolium</b> Oregon Grapeholly <i>EVERGREEN ORNAMENTAL SHRUB; yellow flower in early April; blue-black fruit from late summer into late fall; spiny evergreen foliage; upright evergreen to 6'; spreads by suckers; deer browse resistant; locate in full to partial shade &amp; well-drained organic acidic moisture retentive soil; protect from desiccating winter winds; US native to the Pacific Northwest; Zones (4) 5 - 7 (8)</i>			1g 5g	_____ _____	
<b>Mahonia eurybacteata 'Marvel'</b> Fine-leaf Oregon Grape <i>EVERGREEN ORNAMENTAL SHRUB; fragrant yellow flowers in late fall to early winter; large clusters of dark blue fruit the following summer; coarse upright habit to 6' tall by up to 4' wide; dark green foliage; resists deer browse; locate in partial to full shade &amp; organic well-drained neutral to acidic soil; somewhat drought tolerant when established; protect from desiccating winter winds; Zones (6) 7 - 9</i>	Ltd		1g 3g	_____ _____	<b>N</b>
<b>Mahonia eurybacteata 'Soft Caress'</b> Fine-leaf Oregon Grape <i>EVERGREEN ORNAMENTAL SHRUB; fragrant lemon yellow flowers in late winter; large clusters of silver-blue fruit after the flower; spreading habit to 3' tall by up to 5' wide; dark black-green foliage; locate in partial to full shade &amp; organic well-drained neutral to acidic soil; somewhat drought tolerant when established; protect from desiccating winter winds; Zones 7 - 9</i>			1g 3g	_____ _____	
<b>Mahonia repens</b> Creeping Mahonia; Creeping Oregon Grape <i>EVERGREEN ORNAMENTAL SHRUB; small racemes of deep yellow flower spikes in April; clusters of small bluish-purple fruit mature in late summer; slow low spreading habit to 12" tall by 18" wide; glossy spiny dark-green foliage turns purplish in winter; locate in partial to full shade &amp; organic well-drained neutral to acidic soil; somewhat drought tolerant when established; protect from desiccating winter winds; Zones 6 - 8</i>			1g	_____	
<b>Malus domestica</b> Fruiting Apple <i>multiple cultivars grafted on 1 plant; refer to www.AlphaNursery.com for details.</i>	<b>COMBO</b>		7g	_____	<b>N</b>
<b>Malus domestica 'Ambrosia'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; firm fruit has pinkish-red blush over yellow which matures in late Sept &amp; is sweet with low acidity; habit varies with rootstock but tends to be more upright than wide; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with at least 1 other variety; native to western Asia (Mennell) Zones 5 - 9</i>			7g	_____	<b>N</b>

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Malus domestica Blushing Delight Urban Apple ('UEB 3727/4â€™™)</b> Columnar Fruiting Apple <i>DECIDUOUS FRUIT TREE; white flowers in May; green fruit (with pink blush) in the fall; narrow columnar habit to about 10' tall by 2' wide; attracts hummingbirds &amp; butterflies; does well in containers; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; native to western Asia; Zones 4 - 8</i>			7g	_____	<b>N</b>
<b>Malus domestica 'Braeburn'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; red fruit follows in the fall; habit varies with rootstock but tends to be as high as wide; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; best pollination with at least 1 other variety; native to western Asia; Zones 3 - 8</i>			5g	_____	<b>N</b>
<b>Malus domestica 'Chehalis'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers in May; yellowish-green fruit in early fall; habit varies with root-stock but tends to be as high as wide; sweet juicy flavor; attracts hummingbirds &amp; butterflies; resists scab; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; excellent pollinator; self fruitful (but more fruit with other cultivar nearby); native to western Asia; Zones 4 - 8</i>			5g 7g	_____ _____	<b>N</b>
<b>Malus domestica 'Fuji'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers in May; fruit usually follows in early fall; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained soil; native to western Asia; Zones 3 - 8</i>			5g 7g	_____ _____	<b>N</b>
<b>Malus domestica 'Gala'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers in May; fruit usually follows in early fall; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained soil; native to western Asia; Zones 3 - 8</i>			5g 7g	_____ _____	<b>N</b>
<b>Malus domestica 'Granny Smith'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; light pink to white flowers in May; green fruit in late summer; grows to about 20' tall and wide; attracts hummingbirds &amp; butterflies; used mostly for baking &amp; sauces; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; chance seedling from Australia that might be M. pumila x M. sylvestris; native to western Asia; Zones 3 - 8</i>			7g	_____	
<b>Malus domestica 'Gravenstein'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers in May; fruit usually follows in early fall; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained soil; native to western Asia [M. domestica] Zones 3 - 8</i>			5g 7g	_____ _____	<b>N</b>
<b>Malus domestica 'Haralson'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in mid-spring; medium sized yellowish-green &amp; red fruit follows in early fall; can be an alternate bearer; flowers attract pollinators; plant another variety with the same bloom period for more fruit; depending on rootstock will normally reach about 12' tall &amp; wide; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained soil; native to western Asia; Zones 3 - 8</i>			5g	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Malus domestica Honeycrisp</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; very juicy &amp; sweet large red fruit with yellowish stripping follows in early fall; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; native to western Asia (U of MN) Zones 3 - 8</i>			5g 7g	_____	
<b>Malus domestica 'Liberty'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; red over green fruit follows in the fall; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; native to western Asia; Zones 3 - 8</i>			5g	_____	
<b>Malus domestica 'Pink Lady® ('Cripps Pink')</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white or very light pink flowers in May; medium sized sweet crisp juicy yellow fruit with reddish-pink blush in mid-fall; rounded habit whose size depends on root-stock; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained neutral soil; best pollination with at least 1 other variety; native to western Asia [M. Lady Williams x M. Golden Delicious] Zones (5) 6 - 8 (9)</i>			5g 7g	_____	<b>N</b> <b>N</b>
<b>Malus domestica Tangy Green Urban Apple ('UEB 3812-2')</b> Columnar Fruiting Apple <i>DECIDUOUS FRUIT TREE; white flowers in May; juicy tart lime-green fruit in the fall; narrow columnar habit to about 10' tall by 2' wide; two varieties needed for pollination; attracts hummingbirds &amp; butterflies; does well in containers; disease resistant; locate in full sun &amp; organic moisture retentive well-drained slightly acidic soil; native to western Asia (Tupy) Zones 4 - 9</i>			5g	_____	<b>N</b>
<b>Malus domestica Tasty Red Urban Apple ('UEB 3449-1')</b> Columnar Fruiting Apple <i>DECIDUOUS FRUIT TREE; white flowers in May; sweet juicy bright red fruit in the fall; narrow columnar habit to about 10' tall by 2' wide; two varieties needed for pollination; attracts hummingbirds &amp; butterflies; does well in containers; disease resistant; locate in full sun &amp; organic moisture retentive well-drained slightly acidic soil; native to western Asia (Tupy) Zones 4 - 9</i>			7g	_____	
<b>Malus domestica 'Wealthy'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers for an extended period in mid to late spring; normally alternate bearer; good pollinator for other cultivars; yellow fruit with red stripes follows in early fall; habit varies with root-stock but tends to be about 10' tall &amp; wide; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; hardy introduction from MN; native to western Asia; Zones 3 - 9</i>			7g	_____	
<b>Malus domestica 'Yellow Delicious'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers in May; fruit usually follows in early fall; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; excellent pollinator; self fruitful; native to western Asia; Zones 4 - 8</i>			7g	_____	

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Malus 'Prairiefire'</b> Pink Crabapple <i>DECIDUOUS ORNAMENTAL TREE; red buds open to exceedingly showy purplish-red flowers; persistent 3/8" purplish-red fruit; new bronze-red foliage matures to bronze-green by summer before turning to shades of orange &amp; red in fall; rounded heads to 20' x 20'; excellent disease resistance; locate in full or mostly sunny areas with loamy moist well-drained acidic soil, but more widely adaptable; tolerant of urban conditions if not allowed to dry out; sprout-free rootstock (Dayton) Zones 4 - 8</i>	Ltd		5g 7g 15g	_____ _____ _____	<b>N</b> <b>N</b>
<b>Malus Royal Raindrops ('JFS-KW5')</b> Pink Crabapple <i>DECIDUOUS ORNAMENTAL TREE; single deep pink flower; persistent 1/4" bright red fruit; purple cutleaf summer foliage turns shades of orange &amp; red in fall; upright oval heads to 20' tall by 15' wide; excellent disease resistance; locate in full or mostly sunny areas with loamy moist well-drained acidic soil; tolerant of urban conditions if not allowed to dry out; sprout-free rootstock (Schmidt) Zones 4 - 8</i>			7g 15g	_____ _____	<b>N</b>
<b>Malus 'Spring Snow'</b> White Crabapple <i>DECIDUOUS ORNAMENTAL TREE; sterile white flowers; no fruit; densely branched upright oval head to 25' tall by 20' wide; susceptible to scab &amp; moderately to cedar apple rust &amp; fireblight; locate in full or mostly sunny areas with loamy moist well-drained acidic soil, but more widely adaptable; tolerant of urban conditions if not allowed to dry out; sprout-free rootstock; Zones 4 - 8</i>			7g 15g	_____ _____	<b>N</b>
<b>Malus Starlite ('Jeflite')</b> White Crabapple <i>DECIDUOUS ORNAMENTAL TREE; fragrant white flowers in mid-spring; red fruit effective from late summer to late fall; dark green pointed foliage turns bright yellow in fall; rounded heads to 20' tall &amp; wide; susceptible to scab &amp; moderately to cedar apple rust &amp; fireblight; locate in full or mostly sunny areas with loamy moist well-drained acidic soil, but more widely adaptable; tolerant of urban conditions if not allowed to dry out; Zones 4 - 8</i>			7g	_____	
<b>Metasequoia glyptostroboides Urban Spire</b> Columnar Dawn Redwood <i>DECIDUOUS CONIFER; bright green summer needles turn a burnt orange in fall; narrow columnar habit to about 20' tall by 10' wide in 10 years; branching starts at or near the ground; tolerates somewhat wet &amp; all but highly alkaline soils; locate in full sun &amp; moisture retentive neutral to acidic organic soil that doesn't stay wet, Chinese native (Schenk / P.Nouveau) Zones 4 - 9</i>	V Ltd		7g 15g	_____ _____	<b>N</b>
<b>Miscanthus sinensis 'Gold Bar'</b> Variegated Miscanthus <i>ORNAMENTAL GRASS; reddish plumes rise 1' above the foliage in mid to late fall before turning tan; upright clumps of green foliage with horizontal gold bands to about 5' tall by 4' wide; winter foliage is tan; clumping habit spreads by rhizomes; tolerates drought, high humidity, salt, deer browse &amp; Black Walnut; no pest or disease problems; can be invasive in southern range where seed matures; locate in full sun or light to partial shade &amp; most moisture retentive well-drained soils of any pH; sport of 'Strictus'; Asian native (Joy Creek N) Zones 5 - 9</i>			1g 2g	_____ _____	<b>N</b>
<b>Miscanthus sinensis 'Gracillimus'</b> Slender Miscanthus <i>ORNAMENTAL GRASS; narrow arching foliage to 5'; silvery plumes extend to 7' in late summer; deer browse resistant; deer browse resistant; locate in full sun or light to partial shade &amp; most moist well-drained soils; tolerant of drought &amp; high humidity; can be invasive in southern range; Asian native; Zones 4 - 7</i>			1g 2g 5g	_____ _____ _____	<b>N</b> <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Miscanthus sinensis 'Little Miss'</b> Dwarf Miscanthus <i>ORNAMENTAL GRASS; red flower plumes appear in mid-summer &amp; mature to tan by fall; narrow green arching spring foliage gets reddish-purple in summer; tolerant of drought &amp; high humidity; can be invasive in southern range; locate in full sun or light to partial shade &amp; most most well-drained soils; Asian native (Menzel) Zones 6 - 8</i>			1g 2g	_____ _____ _____	<b>N</b>
<b>Miscanthus sinensis 'Morning Light'</b> Silver Slender Miscanthus <i>ORNAMENTAL GRASS; narrow foliage with silver edged stripes that usually remains upright all winter; reaches about 5' tall; turns tan in fall; deer browse resistant; locate in full sun or light to partial shade &amp; most moist well-drained soils; tolerant of drought &amp; high humidity; Asian native; Zones 5 - 9</i>			1g 2g 5g	_____ _____ _____	<b>N</b> <b>N</b>
<b>Nandina domestica 'Alpha Compact'</b> Compact Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; minimal if any flowers or fruit; new foliage has silvery tones with hints of orange &amp; turns orange in late fall &amp; winter; resistant to deer browse; compact bushy habit to about 3' tall &amp; wide; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native (Tancredi) Zones 6 - 9</i>			1g 2g 5g	_____ _____ _____	
<b>Nandina domestica 'Atropurpurea Nana'</b> Dwarf Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; spreading habit to about 2' tall by 3' wide; spreads wider by rhizomes; yellowish-green summer foliage turns purple-red in fall &amp; winter; deer browse resistant; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6 - 9</i>			1g 2g 5g	_____ _____ _____	<b>N</b>
<b>Nandina domestica Blush Pink ('AKA')</b> Compact Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; new growth is bright rosy-red; summer foliage has pink color throughout the growing season; winter foliage is bright red; no flowers or fruit; compact mound to 2' high &amp; wide; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native (Magnolia Gdns) Zones 6 - 9</i>	V Ltd V Ltd		2g 3g	_____ _____	<b>N</b> <b>N</b>
<b>Nandina domestica 'Burgundy Wine'</b> Dwarf Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; white flower clusters rise above the foliage in late spring; narrow bright red new growth overlays the mature darker green foliage; all foliage turns bright red in the fall &amp; winter; clusters of white fruit in fall &amp; winter; compact mound to 3' tall &amp; wide; excellent for edging or ground cover; deer browse resistant; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6 - 9</i>	V Ltd		2g 5g	_____ _____	<b>N</b> <b>N</b>
<b>Nandina domestica 'Compacta'</b> Compact Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; white flowers in June; clusters of red fruit appear in the fall; coppery new foliage turns green through the summer then bright red to orange-red in late fall &amp; winter; resistant to deer browse; upright habit to about 5' tall by 4' wide; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6 - 9</i>	V Ltd		1g 2g 5g 7g	_____ _____ _____ _____	<b>N</b>
<b>Nandina domestica 'Lemon Lime'</b> Compact Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; very few white flowers in spring; no fruit; compact grower up to 4' tall &amp; wide; chartreuse new foliage turns medium in green summer then bright red in fall &amp; winter; somewhat drought tolerant; deer browse resistant; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6 - 9</i>			1g 3g	_____ _____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Nandina domestica 'Moon Bay'</b> Compact Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; white flowers in spring not very showy, but produce showy clusters of red fruit in fall &amp; winter; compact grower to 30" tall &amp; wide; medium green summer foliage turns bright red in fall &amp; winter; somewhat drought tolerant; deer browse resistant; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6 - 9</i>	V Ltd		1g 5g	_____ _____ _____	<b>N</b> <b>N</b>
<b>Nandina domestica 'Moyer's Red'</b> Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; white flowers in June; tight clusters of red fruit from late summer through winter; grows to 6' tall by 5' wide; purple-red fall and winter foliage; not as hardy; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 7 - 9</i>	V Ltd		2g 5g	_____ _____ _____	<b>N</b>
<b>Nandina domestica 'Tuscan Flame'</b> Compact Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; both white flowers &amp; red fruit are mostly hidden by the foliage; grows to about 4' tall by 3' wide; new foliage is bright red which is retained all year; mature foliage is yellowish-green; locate in full sun or shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native (Tancredi / Plant Haven) Zones 6 - 9</i>			1g 2g 5g	_____ _____ _____	
<b>Nandina domestica 'Twilight'</b> Dwarf Variegated Heavenly Bamboo <i>BROADLEAF EVERGREEN SHRUB; sparse small white flowers in late spring; little to no fruit; pink new foliage with irregular white flecks matures to green; purple-red fall and winter foliage; compact mound to 2' tall &amp; wide; sport of 'Gulf Stream'; deer browse resistant; locate in full sun or full shade; prefers moist fertile soil, but is very adaptable; protect from desiccating winter winds in northern hardiness range; Chinese native; Zones 6 - 9</i>			2g	_____ _____	<b>N</b>
<b>Nepeta 'Blue Wonder'</b> Blue Catnip; Blue Catmint <i>PERENNIAL; abundant dark blue flowers in loose racemes from May to Sept above the foliage; aromatic gray-green foliage; compact mounding habit to 15" tall by 12" wide; attracts butterflies; tolerant of deer browse, drought, poor soil &amp; urban pollution; locate in full sun or light shade &amp; well-drained soil; native to southwestern Asia [N. racemosa] Zones 4 - 9</i>			1g	_____ _____	
<b>Nyssa sylvatica</b> Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; black fruit in fall favored by birds; glossy dark green summer foliage turns brilliant shades of red, orange &amp;/or yellow in fall; pyramidal heads in youth usually become wide-spreading to about 40' tall by 25' wide; taproot; fall transplanting hazard; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native; Zones 4 - 9</i>			7g	_____ _____	
<b>Nyssa sylvatica 'Wildfire'</b> Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; bright red new leaves, veins &amp; petioles contrasts with mature dark green foliage; fall foliage is bright red; pyramidal habit to about 50' tall by 30' wide; less susceptible to leaf spot; taproot; fall transplanting hazard; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native (Hottovy) Zones 4 - 9</i>			7g	_____ _____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Olea europaea 'Arbequina'</b> Fruiting Olive <i>EVERGREEN FRUIT TREE; very small inconspicuous fragrant white flowers on 2" long panicles appear in June &amp; July shortly before 'Arbosana'; green fruit (drupes) follow &amp; mature to purplish-black, edible; self-fruiting, but more fruit with 2 or more trees; gray-green foliage on top &amp; silvery below; bushy habit to about 30' tall by 25' wide; tolerates drought; locate in full sun &amp; well-drained soil that's slightly acid or alkaline; Mediterranean native; Zones (7b) 8 - 10</i>			2g 5g	_____ _____ _____	<b>N</b>
<b>Olea europaea 'Arbosana'</b> Fruiting Olive <i>EVERGREEN FRUIT TREE; very small inconspicuous fragrant white flowers on 2" long panicles appear in June &amp; July shortly after 'Arbequina'; green fruit (drupes) follow &amp; mature to purplish-black, edible; self-fruiting, but more fruit with 2 or more trees; gray-green foliage on top &amp; silvery below; bushy habit to about 30' tall by 25' wide; tolerates drought; locate in full sun &amp; well-drained soil that's slightly acid or alkaline; Mediterranean native; Zones (7b) 8 - 10</i>			2g 5g	_____ _____ _____	<b>N</b>
<b>Ophiopogon planiscapus Black Beard♾️ ('Yapard')</b> Long Black Mondo Grass <i>GROUND COVER; longer, narrow, jet black foliage; low mounding habit to 12" tall by 24" wide; small white flowers held slightly above the foliage in Aug &amp; Sept, followed by black inconspicuous fruit, more vigorous and faster suckering than 'Nigrescens', so it fills in quicker; resists deer &amp; rabbit browse; locate in full sun to light shade &amp; moisture retentive well-drained soil that doesn't totally dry out for extended periods; not specific to soil acidity; Asian native (Yandell) Zones 6 - 8</i>			1g	_____ _____ _____	<b>N</b>
<b>Ophiopogon planiscapus 'Nigrescens'</b> Black Mondo Grass <i>GROUND COVER; pinkish flowers held slightly above the foliage in July &amp; Aug followed by glossy dark purple fruit; long, narrow, dark purple grass-like foliage that often appears black; upright mounding clumps to about 8" tall; stoloniferous, but fills in slowly; resists deer &amp; rabbit browse; locate in full sun to light shade &amp; moisture retentive well-drained soil that doesn't totally dry out for extended periods; not specific to soil acidity; Asian native; Zones (6) 7 - 8</i>			1g	_____ _____ _____	<b>N</b>
<b>Osmanthus x burkwoodii</b> Burkwood Osmanthus; Burkwood False-holly <i>BROADLEAF EVERGREEN SHRUB; profuse small fragrant white flowers in spring; little to no fruit; compact upright habit to about 8' tall &amp; wide; lightly toothed linear dark green foliage; highly resistant to deer browse; locate in full sun to partial shade; prefers moist organic well-drained acidic soil, but is tolerant of slight alkalinity [O. delavayi x O. decorus] Zones 7 - 9</i>			1g 2g 5g	_____ _____ _____	
<b>Osmanthus delavayi</b> Delavay Osmanthus; Little-leaf Fragrant False-holly <i>BROADLEAF EVERGREEN SHRUB; fragrant white flower in spring; compact bushy upright habit to about 8' &amp; almost as wide; spiny dark green holly-like foliage; resistant to deer browse; good hedging plant, but not in windy locations in northern range; locate in full sun to partial or afternoon shade &amp; moist organic well-drained acidic soil; Zones 7 - 10</i>			1g 2g 5g	_____ _____ _____	<b>N</b>
<b>Osmanthus heterophyllus 'Goshiki'</b> Compact Variegated False-holly <i>BROADLEAF EVERGREEN SHRUB; new foliage emerges gold &amp; cream with green flecks which mature to mostly gold with green; best foliage color in dappled or afternoon shade, but plant grows in full sun; small fragrant white flowers in fall followed by black drupe; compact bushy grower to 6' tall &amp; wide; deer browse resistant; locate in full sun to partial shade; prefers moist organic well-drained acidic soil, but is tolerant of slight alkalinity; native to Japan; Zones 6 - 9</i>			1g 2g 5g	_____ _____ _____	<b>N</b>

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Osmanthus heterophyllus 'Gulftide'</b> Hardy False-holly <i>BROADLEAF EVERGREEN SHRUB; compact upright habit to 15'; spiny holly-like foliage; small fragrant white flowers in fall followed by black drupe; highly resistant to deer browse; locate in full sun to partial shade; prefers moist organic well-drained acidic soil, but is tolerant of slight alkalinity; native to Japan; Zones 6 - 9</i>	Ltd		1g 2g 5g	_____ _____ _____	<b>N</b>
<b>Osmunda regalis 'Purpurascens'</b> Purple-stemmed Royal Fern <i>DECIDUOUS FERN; spores appear on upright golden-tan stems in summer; well separated bright green leaflets on purple stems in summer turn yellow to brown in fall; upright habit to about 4' tall &amp; wide or larger in optimal conditions; resists rabbit &amp; deer browse; locate in part shade &amp; medium to moist highly organic acidic soil; can survive in waterways that drain; native to much of the world; Zones 3 - 9</i>			1g	_____	
<b>Paeonia 'Coral Charm'</b> Pink Garden Peony <i>PERENNIAL; deep coral-pink buds open to fragrant 5" semi-double coral-peach flowers before fading to off-white in late spring to early-summer; good cut flower; bushy habit to about 36" tall by 30" wide; attracts butterflies; resists deer &amp; rabbit browse; locate in full sun or minima shade &amp; organic well-drained moisture retentive soil; native to eastern Asia; Zones 3 - 8</i>			3g	_____	
<b>Paeonia lactiflora 'Felix Crousse'</b> Pink Garden Peony <i>PERENNIAL; large fragrant double frilly dark raspberry-pink flowers in late spring to early summer; good cut flower; bushy habit to about 3' tall by 30" wide; dark green summer foliage; resists deer &amp; rabbit browse; attracts butterflies; locate in full sun for most flowers &amp; about any soil with reasonable drainage; native to central &amp; eastern Asia; Zones 3 - 9</i>			3g	_____	<b>N</b>
<b>Paeonia 'Monsieur Jules Elie'</b> Double Pink Garden Peony <i>PERENNIAL; profuse very large fragrant ruffled double rose-pink flowers in late spring on relatively weak stems (needs staking); good cut flower; bushy habit to about 3' tall by 30" wide; attracts butterflies; resists deer &amp; rabbit browse; locate in full sun to partial shade &amp; organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] Zones 3 - 8</i>			3g	_____	<b>N</b>
<b>Paeonia 'Mr. Ed'</b> Double Pink Garden Peony <i>PERENNIAL; lightly fragrant 3.5" dia. double pink or white flowers in late spring or early summer on strong stems; some will be almost white &amp; some dark pink &amp; others a mix of both; good cut flower; bushy habit to about 3' tall &amp; wide; attracts butterflies; resists deer &amp; rabbit browse; locate in full sun to partial shade &amp; organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] (Klehm) Zones 3 - 8</i>			3g	_____	<b>N</b>
<b>Paeonia 'Raspberry Charm'</b> Red Garden Peony <i>PERENNIAL; semi-double crimson-red flowers with yellow centers in late-spring on sturdy stems; good cut flower; bushy habit to 30" tall &amp; wide; attracts butterflies; resists deer &amp; rabbit browse; locate in full sun to partial shade &amp; organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] (Wissing / Klehm) Zones 3 - 8</i>			3g	_____	
<b>Paeonia 'Raspberry Sunday'</b> Double Pink Garden Peony <i>PERENNIAL; large fragrant double pink &amp; white flowers with dark red crests in late spring or early summer on strong stems; good cut flower; bushy habit to about 3' tall &amp; wide; attracts butterflies; resists deer &amp; rabbit browse; locate in full sun to partial shade &amp; organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] (Klehm) Zones 3 - 8</i>			3g	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Paeonia 'Red Charm'</b> Double Red Garden Peony <i>PERENNIAL; large fragrant double crimson-red flowers in late-spring on sturdy stems; good cut flower; bushy habit to about 3' tall &amp; wide; attracts butterflies; resists deer &amp; rabbit browse; locate in full sun to partial shade &amp; organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] (Glasscock) Zones 3 - 8</i>			3g	_____	
<b>Paeonia 'Sarah Bernhardt'</b> Double Pink Garden Peony <i>PERENNIAL; fragrant double apple blossom pink flowers in late spring; good cut flower; bushy habit to 3' tall &amp; wide; attracts butterflies; resists deer &amp; rabbit browse; locate in full sun to partial shade &amp; organic well-drained moisture retentive soil; native to eastern Asia [P. lactiflora] Zones 3 - 8</i>			3g	_____	<b>N</b>
<b>Panicum virgatum 'Heavy Metal'</b> Blue Switch Grass <i>ORNAMENTAL GRASS; metallic lavender-blue foliage; tight upright clumps to 4' tall; silvery flowers in late summer; locate in full sun or partial shade &amp; just about any soil; tolerates drought, salt spray, wet soils &amp; Black Walnuts; North American native; Zones 5 - 8</i>			1g 2g	_____ _____ _____	<b>N</b>
<b>Panicum virgatum 'Shenandoah'</b> Red Switch Grass <i>ORNAMENTAL GRASS; deep green spring foliage gets red tips in summer then the whole plant turns burgundy in fall which is retained into winter; upright habit to 4' tall; locate in full sun or partial shade &amp; just about any soil; tolerates drought, salt spray, wet soils &amp; Black Walnuts; North American native; Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____	<b>N</b> <b>N</b>
<b>Parrotia persica 'Ruby Vase'</b>  Columnar Persian Ironwood <i>DECIDUOUS ORNAMENTAL TREE; new foliage is ruby red; upright vase-shaped habit to 30' tall by 12' wide; locate in full sun or partial shade and most well-drained soils; native of Asia Minor (Carlton Plants) Zones (4) 5 - 8</i>		<b>TREE FORM</b>	7g	_____	<b>N</b>
<b>Pennisetum alopecuroides 'Burgundy Bunny'</b> Dwarf Red Fountain Grass <i>ORNAMENTAL GRASS; green &amp; red arching foliage in summer to 15" tall &amp; wide; small off-white bottlebrush flowers appear above the foliage in late summer; foliage turns bright red in fall until frost; locate in full sun &amp; average to well drained organic soil that's neutral to acidic; Asian native (Walla Walla N) Zones 5 - 9</i>			1g	_____	
<b>Pennisetum alopecuroides 'Hameln'</b> Dwarf Fountain Grass <i>ORNAMENTAL GRASS; off white plumes to 24" by late summer; foliage is narrower than the species &amp; reaches 18"; deer browse resistant; seeds attracts song birds; drought tolerant when established; locate in full sun &amp; average to well drained organic soil that's neutral to acidic; Asian native; Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____	<b>N</b> <b>N</b>
<b>Pennisetum alopecuroides Lumen Goldâ„¢ ('JS Jommenik')</b> Dwarf Gold Fountain Grass <i>ORNAMENTAL GRASS; tan bottle-brush seed heads in summer; golden spring foliage turns lime-green by summer foliage turns golden brown in fall then beige by winter; compact mound to 10" tall by 12" wide; resists deer browse, air pollution &amp; Black Walnut; not drought tolerant; birds eat seeds in winter; locate in full sun or light shade &amp; neutral to acidic well-drained soil; Asian native (Spruyt) Zones 6 - 9</i>			1g 2g	_____ _____	<b>N</b> <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Pennisetum alopecuroides 'Red Head'</b> Red Fountain Grass <i>ORNAMENTAL GRASS; pinkish-gray bottle-brush flowers appear in late summer before turning tan &amp; reaching to 4'; narrow medium green arching foliage to 3.5' tall by 30" wide; resists dry &amp; wet soil, deer browse, air pollution &amp; Black Walnut; birds eat seeds in winter; locate in full sun &amp; neutral to acidic well-drained organic soil; Asian native; Zones 6 - 9</i>			1g	_____	
<b>Perovskia atriplicifolia</b> Russian Sage <i>PERENNIAL; lavender-blue flower from July to Sept on new wood; bushy upright habit to 3'; best to cut back hard before new spring growth; resistant to drought &amp; deer browse; locate in full sun &amp; any well-drained soil; Asian native; Zones 5 - 9</i>			1g 2g 5g	_____ _____ _____	<b>N</b>
<b>Perovskia atriplicifolia 'Blue Jean Baby'</b> Dwarf Russian Sage <i>PERENNIAL; lavender-blue flowers in early summer through mid-fall on new wood; compact bushy habit to 30" tall by 36" wide; grayish-green foliage; best to cut back hard before new spring growth; attracts hummingbirds; resistant to drought, air pollution, salt &amp; deer &amp; rabbit browse; locate in full sun or minimal shade &amp; any well-drained soil; Asian native [P. atriplicifolia] (Walter Gdns) Zones 4 - 9</i>			1g	_____	
<b>Philadelphus coronarius Illuminate Tower â„¢ ('SMNPVG')</b> Dwarf Sweet Mockorange <i>DECIDUOUS FLOWERING SHRUB; very fragrant single white flowers from late May to early June; dark green summer foliage; compact upright habit to about 4' tall by 18" wide; attracts butterflies; resists drought &amp; deer; locate in full sun or light shade &amp; moisture retentive well-drained soil (Wood) Zones 4 - 8</i>			2g	_____	
<b>Phormium cookianum Black Adder â„¢ ('Fit01')</b> Purple New Zealand Flax; Purple Mountain Flax <i>EVERGREEN PERENNIAL; yellow-orange flowers on long spikes that arch outward in late spring to early summer; long black seed pods; 1.5" wide glossy dark purple sword-like foliage; arching habit to about 4' tall &amp; wide; tolerates coastal areas; locate in full sun or shade &amp; well-drained moisture retentive soil; can take limited drought; native to New Zealand (Fitzgerald) Zones 8 - 10</i>			1g	_____	
<b>Phormium cookianum 'Blondie'</b> Variegated New Zealand Flax; Variegated Mountain Flax <i>EVERGREEN PERENNIAL; yellow-orange flowers on long spikes that arch outward in late spring to early summer; long black seed pods; arching chartreuse foliage with narrow dark green margins; broadly arching habit to about 2' tall by 4' wide; tolerates coastal areas; locate in full sun or shade &amp; well-drained soil; can take some drought; native to New Zealand; Zones 8 - 10</i>			1g 3g	_____ _____	<b>N</b> <b>N</b>
<b>Phormium 'Sundowner'</b> New Zealand Flax <i>PERENNIAL; upright sword-like bronze-green foliage with pink edges that turn creamy in summer; upright habit to about 8' tall; locate in full sun or partial shade &amp; rich organic soil; moisture tolerant; native to New Zealand (Porteous) Zone 7 - 9</i>			2g	_____	<b>N</b>
<b>Photinia x fraseri</b> Fraser's Photinia; Redtip <i>BROADLEAF EVERGREEN SHRUB; bright red new foliage; glossy evergreen foliage; upright habit to 15' tall &amp; half as wide; excellent medium sized evergreen hedge; locate in full to partly sun &amp; moist well-drained soil, although it tolerates almost all conditions (Conard-Pyle &amp; Alpha N) Zones (6) 7 - 9</i>			1g 2g 5g	_____ _____ _____	<b>N</b>



# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Photinia x fraseri</b> <p style="text-align: right;"><b>TREE FORM</b></p> Fraser's Photinia; Redtip <i>BROADLEAF EVERGREEN SHRUB; bright red new foliage; glossy evergreen foliage; upright habit to 15' tall &amp; half as wide; excellent medium sized evergreen hedge; locate in full to partly sun &amp; moist well-drained soil, although it tolerates almost all conditions (Star) Zones (6) 7 - 9</i>			7g	_____	<b>N</b>
<b>Photinia x fraseri Pink Marbleâ„¢ ('Cassini')</b> Variegated Fraser's Photinia; Variegated Redtip <i>BROADLEAF EVERGREEN SHRUB; bright red &amp; pink new foliage that matures to glossy green with pink &amp; white highlights; bushy upright oval habit to about 12' tall by 8' wide; excellent medium sized evergreen hedge; locate in full to partly sun &amp; moist well-drained soil, although it tolerates almost all conditions (Conard-Pyle &amp; Alpha N) Zones (6) 7 - 9</i>			1g 2g 5g	_____ _____ _____	<b>N</b>
<b>Photinia x fraseri Pink Marbleâ„¢ ('Cassini')</b> <p style="text-align: right;"><b>TREE FORM</b></p> Variegated Fraser's Photinia; Variegated Redtip <i>BROADLEAF EVERGREEN SHRUB; bright red &amp; pink new foliage that matures to glossy green with pink &amp; white highlights; bushy upright oval habit to about 12' tall by 8' wide; excellent medium sized evergreen hedge; locate in full to partly sun &amp; moist well-drained soil, although it tolerates almost all conditions (Tancredi / Star) Zones (6) 7 - 9</i>	V Ltd		7g	_____	<b>N</b>
<b>Photinia glabra Dynamo Red® ('Parsur')</b> Japanese Photinia; Red-leaf Photinia <i>BROADLEAF EVERGREEN SHRUB; bright red new foliage matures to dark glossy green in summer; broadly upright habit to about 10' tall by 7' wide; locate in full to partial sun &amp; moist well-drained soil, although it tolerates almost all conditions (Ball) Zones 7 - 11</i>			1g 1g 5g	_____ _____ _____	<b>N</b> <b>N</b> <b>N</b>
<b>Photinia glabra Fireball Red® ('Parbri')</b> Japanese Photinia; Red-leaf Photinia <i>BROADLEAF EVERGREEN SHRUB; small bright red new foliage matures to dark glossy green in summer; white spring flowers; compact bushy habit to about 4' tall by 5' wide; heat &amp; drought tolerant; locate in full to partial sun &amp; moist well-drained soil, although it tolerates almost all conditions (Ball) Zones 7 - 11</i>			5g	_____	<b>N</b>
<b>Physocarpus opulifolius Panther® ('N5')</b> Dwarf Purple Ninebark <i>DECIDUOUS FLOWERING SHRUB; sparse light pink summer flower; small dark purple foliage; exfoliating bark exhibits dark &amp; light tan longitudinal striations; compact narrowly upright habit to about 5' tall by 3' wide; resists mildew; can spread by suckers; locate in full sun or light to partial shade &amp; most well-drained soils; drought tolerant; US native (Bloomin' Easy) Zones 3 - 6 (7)</i>			2g 5g	_____ _____	
<b>Physocarpus opulifolius Summer Wineâ„¢ ('Seward')</b> Red Ninebark <i>DECIDUOUS FLOWERING SHRUB; button-like pinkish-white late spring flowers; finely cut dark crimson-red foliage all summer; compact rounded habit to 6' high &amp; wide; exfoliating bark exhibits dark &amp; light tan longitudinal striations; can spread by suckers; locate in full sun or partial shade &amp; most well drained soils; drought tolerant; US native (PW) Zones 3 - 7</i>			5g 7g	_____ _____	<b>N</b>
<b>Physocarpus opulifolius Tiny Wine® ('SMPOTW')</b> Dwarf Red Ninebark <i>DECIDUOUS FLOWERING SHRUB; profuse pinkish-white flowers in late spring; small maroon-bronze foliage; exfoliating bark exhibits dark &amp; light tan longitudinal striations; can spread by suckers; locate in full sun or light to partial shade &amp; most well-drained soils; drought tolerant; US native (PW) Zones (3) 4 - 6 (7)</i>			2g	_____	

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Picea abies</b></p> <p style="text-align: right;"><b>LIGHT SHEARED</b></p> <p>Norway Spruce  <i>EVERGREEN CONIFER; pyramidal habit to about 60' tall by 30' wide at maturity; dark green needles persist for several years; plants are lightly tipped for shape; loose branching; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 3 -</i></p>			1g 5g 10g	_____ _____ _____
<p><b>Picea abies 'Cupressina'</b></p> <p>Columnar Norway Spruce  <i>EVERGREEN ORNAMENTAL CONIFER; narrow pyramidal to columnar habit to about 6' tall by 2' wide in 10 years; dark green summer needles become bluish-green in winter; heavy snow or ice in winter can spread branches; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i></p>			5g	_____
<p><b>Picea abies 'Little Gem'</b></p> <p style="text-align: right;"><b>BUSH</b></p> <p>Dwarf Norway Spruce  <i>EVERGREEN ORNAMENTAL CONIFER; very tight bun with very short green needles; mounding spreader; grows about 1" per year; red spiders &amp; sun burn can be problems; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe [witches broom: P. a. 'Nidiformis'] (Grootendorst N) Zones 2 - 7</i></p>			1g	_____
<p><b>Picea abies 'Little Gem'</b></p> <p style="text-align: right;"><b>STANDARD</b></p> <p>Dwarf Norway Spruce  <i>EVERGREEN ORNAMENTAL CONIFER; very tight bun with very short green needles; mounding spreader; grows about 1" per year; usually grafted about 18-24" above the ground on a straight stem; red spiders &amp; sun burn can be problems; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe [witches broom: P. a. 'Nidiformis'] (Grootendorst N) Zones 2 - 7</i></p>			5g	_____
<p><b>Picea abies 'Nidiformis'</b></p> <p>Bird's Nest Spruce  <i>EVERGREEN ORNAMENTAL CONIFER; densely spreading nest-like habit to about 18" tall by 3' or more wide in 10 years; dark green needles; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe (Rulemann Grisson N) Zones 2 - 7</i></p>			1g 2g 5g	_____ _____ _____
<p><b>Picea abies 'Pendula'</b></p> <p style="text-align: right;"><b>STAKED UPRIGHT</b></p> <p>Weeping Norway Spruce  <i>EVERGREEN ORNAMENTAL CONIFER; dark green needles; leader staked upright; can develop a broad skirt in time; height &amp; shape varies with staking &amp; source; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i></p>			5g 10g	_____ _____
<p><b>Picea glauca 'Conica'</b></p> <p>Alberta Spruce  <i>EVERGREEN ORNAMENTAL CONIFER; compact pyramidal habit with short green needles; becomes broadly pyramidal when mature; rarely exceeds 10' in height; highly deer browse resistant; locate in full sun or light shade &amp; moist organic soils, although tolerant of many soil conditions; US native; Zones 2 - 6 (7)</i></p>	V Ltd	42 - 48"	1g 2g 5g 7g	_____ _____ _____ _____ <b>N</b>

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Picea glauca 'North Pole'</b> Columnar White Spruce <i>EVERGREEN CONIFER; new foliage is bright green before maturing to gray-green; narrowly pyramidal habit to about 12' tall by 4' wide; tolerates coastal conditions &amp; broad soil range; resists deer browse; locate in full sun or minimal shade &amp; moist organic soils; native to northern US &amp; Canada; Zones 3 - 6 (7)</i>			2g	_____	<b>N</b>
<b>Picea glauca 'Pendula'</b> Weeping White Spruce <i>EVERGREEN ORNAMENTAL CONIFER; the very narrow profile is great for tight spaces; the leader goes straight up and the lateral branches hang almost straight down; gray-green evergreen needles; deer browse resistant; locate in full sun or light shade &amp; moist organic soils, although tolerant of many soil conditions; US native; Zones 2 - 6 (7)</i>			5g 10g	_____ _____	<b>N</b>
<b>Picea glauca Spruce It Upâ„¢ ('Kolmschagi')</b> Dwarf White Spruce <i>EVERGREEN CONIFER; gray-green needles; compact conical habit to about 7' tall by 4' wide in 10 years; tolerates coastal conditions; resists mites &amp; deer browse; locate in full sun or minimal shade &amp; moist organic soils, although tolerant of many soil conditions; native to northern US &amp; Canada (Plants Nouveau) Zones 2 - 6 (7)</i>			1g	_____	<b>N</b>
<b>Picea mariana 'Nana'</b> Dwarf Black Spruce; Blue Nest Spruce <i>EVERGREEN ORNAMENTAL CONIFER; steel-blue needles; horizontal nest-like habit; locate in full sun; tolerant of dry &amp; moist soils if well drained; native to northern US &amp; Canada; Zones 3 - 5 (6 - 7)</i>	V Ltd		1g 5g	_____ _____	<b>N</b>
<b>Picea omorika</b> Serbian Spruce <i>EVERGREEN CONIFER; narrow pyramidal habit to 60' tall &amp; half as wide; blue &amp; green needles; locate in full sun or partial shade &amp; moisture retentive well-drained soil that's either acidic or alkaline; protect from winter wind in northern range; adapts to poor air quality; native to southern Europe; Zones 4 - 7</i>			5g 10g	_____ _____	<b>N</b>
<b>Picea omorika 'Nana'</b> Dwarf Serbian Spruce <i>EVERGREEN ORNAMENTAL CONIFER; bicolor green &amp; blue needles; broadly compact pyramidal habit; sheared into tight globes; locate in full sun or partial shade &amp; moisture retentive well-drained soil that's either acidic or alkaline; protect from winter wind in northern range; adapts to poor air quality; native to southern Europe; Zones 4 - 7</i>	V Ltd	24 - 30" spr	7g	_____	<b>N</b>
<b>Picea omorika 'Pendula Bruns'</b> Weeping Serbian Spruce <i>EVERGREEN ORNAMENTAL CONIFER; blue &amp; green bicolor needles; twisting upright leader &amp; strictly weeping lateral branches make each plant unique without staking; irregular narrowly upright habit to about 10' tall by 2' wide in 10 years; protect from winter wind in northern range; adapts to poor air quality; locate in full sun or partial shade &amp; moisture retentive well-drained soil of any pH; native to southern Europe; Zones 4 - 7</i>	Ltd		10g	_____	<b>N</b>
<b>Picea pungens</b> Colorado Spruce <i>EVERGREEN CONIFER; variable green to gray-green needles; needle color is consistent throughout the plant; compact pyramidal habit to about 60' tall by 25' wide; highly deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)</i>			1g 2g 5g 10g	_____ _____ _____ _____	<b>N</b>

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Picea pungens 'Baby Blue'</b> Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; bright blue needles; compact pyramidal habit to about 8' tall by 3' wide in 10 years; grown from a select seed source; tolerant of deer browse, drought &amp; coastal conditions; subject to needle cast in warmer zones; locate in full sun &amp; just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US (W Montrose Fm) Zones 3 - 7 (8)</i>			5g	_____	<b>N</b>
<b>Picea pungens 'Bakeri' / 'Bacheri'</b> Select Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; pyramidal habit growing to 50' or more in time; gray-blue needles; highly deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)</i>			5g 10g	_____ _____	
<b>Picea pungens 'Fastigiata' / 'Glauca Fastigiata' / 'Iseli Fastigiata'</b> Columnar Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit when young; widens with age (like we do); gray-blue needles; highly deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn. region of US (Iseli) Zones 3 - 7 (8)</i>			5g	_____	
<b>Picea pungens 'Fat Albert'</b> Select Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; uniform broadly compact pyramidal habit; good blue color; highly deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn. region of US (Iseli) Zones 3 - 7 (8)</i>	Ltd		5g 10g	_____ _____	<b>N</b>
<b>Picea pungens 'Glauca Globosa'</b> <b>24" STANDARD</b> Dwarf Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; dwarf mounding globe; silvery-blue needles; usually grafted between 18" &amp; 3' on top of a clear trunk; highly deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)</i>			5g	_____	
<b>Picea pungens 'Glauca Globosa'</b> <b>BUSH</b> Dwarf Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; dwarf mounding globe; silvery-blue needles; highly deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)</i>	V Ltd	12 - 15" spr 15 - 18" spr 24 - 30" spr	5g 5g 7g	_____ _____ _____	<b>N</b> <b>N</b> <b>N</b>
<b>Picea pungens Slenderina ('Glauca Slenderina Pendula')</b> Weeping Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; bright silvery-blue needles; upright weeping habit; ultimate shape will vary with staking; habit similar to P. abies 'Pendula'; highly deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn. region of US; Zones 3 - 7 (8)</i>			5g 10g	_____ _____	<b>N</b>
<b>Picea sitchensis Papoose' / 'Tenas'</b> Dwarf Sitka Spruce <i>EVERGREEN ORNAMENTAL CONIFER; very compact pyramidal habit; bicolor green &amp; blue needles; locate in full sun &amp; acidic moisture retentive soil with reasonable drainage; won't tolerate hot humid summer nights; tolerates coastal conditions; native to Pacific Northwest; Zones 6 - 7</i>			1g 2g	_____ _____	<b>N</b>

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Pieris japonica 'Cavatine'</b> Dwarf Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; long lasting white flowers in early April; dwarf compact mound to 3' by 3'; highly deer browse resistant; locate in dappled or afternoon shade &amp; moist well-drained organic neutral to acidic soil; native to Japan &amp; eastern China; Zones (4b) 5 - 7</i>	Ltd V Ltd		1g 5g 7g	_____ _____ _____	 <b>N</b> <b>N</b>
<b>Pieris japonica 'Dorothy Wycoff'</b> Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; deep red flower buds all winter; pendulous light pink racemes from late March into early April; dark green foliage; highly deer browse resistant; locate in dappled or afternoon shade &amp; moist well-drained organic neutral to acidic soil; native to Japan &amp; eastern China; Zones 5 - 7</i>	V Ltd		1g 2g 5g 7g	_____ _____ _____ _____	  <b>N</b> <b>N</b>
<b>Pieris japonica 'Flaming Silver'</b> Variegated Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; pendulous white racemes from late March into early April; new foliage opens red with pink margins before maturing to green white &amp; pink; highly deer browse resistant; locate in dappled or afternoon shade &amp; moist well-drained organic neutral to acidic soil; native to Japan &amp; eastern China; Zones 5 - 7</i>			1g	_____	
<b>Pieris japonica 'Forest Flame'</b> Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; pink winter buds open to pendulous white racemes from late March into early April; bright red new growth fades to pink before turning glossy dark green in summer; highly deer browse resistant; locate in dappled or afternoon shade &amp; moist acidic well-drained organic neutral to acidic soil; native to Japan &amp; eastern China; Zones 5 - 7 (8)</i>	Ltd		1g 2g 5g	_____ _____ _____	 <b>N</b> <b>N</b>
<b>Pieris japonica 'Katsura'</b> Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; pendulous rosy-pink racemes from late March into early April; wine-red new foliage turns glossy green by summer; broadly upright habit to 4' tall by 3' wide in 5 years; highly deer browse resistant; locate in dappled or afternoon shade &amp; moist well-drained organic neutral to acidic soil; native to Japan &amp; eastern China (Hirose / PlantHaven) Zones 5 - 7 (8)</i>	V Ltd V Ltd		1g 5g 7g	_____ _____ _____	 <b>N</b> <b>N</b>
<b>Pieris japonica 'Mountain Fire'</b> Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; very limited quantity of pendulous white racemes from late March into early April; bright red new growth appears for a long time; highly deer browse resistant; locate in dappled or afternoon shade &amp; moist well-drained organic neutral to acidic soil; native to Japan &amp; eastern China; Zones 5 - 7</i>	V Ltd		1g 5g	_____ _____	 <b>N</b>
<b>Pieris japonica 'Variegata'</b> Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; limited pendulous white racemes from late March into early April; compact upright habit; slower growing than the species; narrow white edged foliage; highly deer browse resistant; not a strong grower; locate in dappled or afternoon shade &amp; moist well-drained organic neutral to acidic soil; native to Japan &amp; eastern China; Zones 5 - 7</i>			1g	_____	
<b>Pinus contorta var. contorta</b> Shore Pine <i>EVERGREEN ORNAMENTAL CONIFER; upright pyramidal habit with dark green needles; locate in full sun &amp; moist to wet soils - especially in tidal areas near the ocean; native to Pacific northwestern US; Zones 4 - 7</i>			1g 5g	_____ _____	

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Pinus contorta var. contorta</b> Shore Pine <i>EVERGREEN ORNAMENTAL CONIFER; upright pyramidal habit with dark green needles; sheared balls at the ends of selectively retained branches radiating out from the central trunk; locate in full sun &amp; moist to wet soils - especially in tidal areas near the ocean; native to Pacific northwestern US; Zones 4 - 7</i>			10g		<b>N</b>
					<b>POM POM</b>
<b>Pinus contorta var. latifolia</b> Lodgepole Pine <i>EVERGREEN ORNAMENTAL CONIFER; dark green needles; upright somewhat open habit; locate in full sun &amp; moist well-drained soil; doesn't adapt well to areas with hot humid summers without cool nights; western US native; Zones (3) 4 - 7</i>			1g 5g		
<b>Pinus mugo var. pumilio</b> Dwarf Mugo Pine; Dwarf Swiss Mountain Pine <i>EVERGREEN ORNAMENTAL CONIFER; very compact spreading mounding habit; short medium green needles in groups of 2; locate if full sun or light shade &amp; moist soils that drain; tolerant of a wide pH range; native to Europe; Zones 3 - 7</i>			1g 2g 5g		
<b>Pinus nigra</b> Austrian Pine <i>EVERGREEN CONIFER; broad pyramidal habit; dark green needles in groups of 2; high salt tolerance makes it good for roadsides and coastal areas; watering during drought conditions in the mid-Atlantic region is needed to prevent Diplodia blight; locate in full sun &amp; most well-drained moisture retentive soils; European native; Zones 4 - 7</i>			1g 2g 5g 10g		<b>N</b>
<b>Pinus nigra 'Oregon Green'</b> Compact Austrian Pine <i>EVERGREEN ORNAMENTAL CONIFER; compact pyramidal habit that is somewhat open or loose; not unlike a pyramidal P. thunbergii 'Thunderhead'; with prominent off-white buds in winter; dark green needles in groups of 2; high salt tolerance makes it good for roadsides and coastal areas; watering during drought conditions in the mid-Atlantic region is needed to prevent Diplodia blight; locate in full sun &amp; most well-drained moisture retentive soils; European native; Zones 4 - 7</i>			5g 10g		
<b>Pinus ponderosa</b> Ponderosa Pine <i>EVERGREEN ORNAMENTAL CONIFER; rapid upright somewhat open habit to 60' or more; long dark green needles in groups of 3; locate in full sun &amp; well-drained soil; tolerant of drought &amp; salt; native to western North America; Zones 3 - 6 (7)</i>			1g 5g		
<b>Pinus strobus</b> Eastern White Pine <i>EVERGREEN CONIFER; long medium green needles in groups of 5; pyramidal habit in youth becomes dramatic open irregular specimens with maturity; sheared heavily, but have loose new growth on the outer branches; locate in full sun or very light shade &amp; acidic well-drained soil; native to eastern US &amp; Canada; Zones 3 - 7 (8)</i>			5g		
<b>Pinus strobus 'Blue Shag'</b> Dwarf Eastern White Pine <i>EVERGREEN ORNAMENTAL CONIFER; dark blue-green needles in groups of 5; compact mounding habit; locate in full sun &amp; well drained acidic soil; protect from wind in colder locations; native to eastern US &amp; Canada; Zones 3 - 7 (8)</i>		15 - 18" spr	5g		

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Pinus strobus 'Blue Shag'</b> Dwarf Blue Eastern White Pine <i>EVERGREEN ORNAMENTAL CONIFER; fairly dark bluish-green needles in groups of 5; compact mounding habit to about 3' tall &amp; slightly wider in 10 years; usually grafted between 18" &amp; 3' on top of a clear trunk; not tolerant of windy winter locations in northern range; locate in full sun or very light shade &amp; acidic well-drained moisture retentive soil; native to eastern US &amp; Canada (Waxman) Zones 3 - 7 (8)</i>		10 - 12" spr 18 - 21" spr	5g 10g	_____	<b>N</b>
<b>Pinus sylvestris</b> Scotch Pine; Scots Pine <i>EVERGREEN CONIFER; moderate growing pyramidal habit; grey-blue needles in bundles of 2; locate in full sun &amp; well-drained acidic soil; survives in areas with poor soils if drained; native to northern Europe &amp; Asia; Zones 3 - 6 (7)</i>			5g 10g	_____	
<b>Pinus sylvestris</b> Scotch Pine; Scots Pine <i>EVERGREEN ORNAMENTAL CONIFER; moderate growing pyramidal habit; grey-blue needles in bundles of 2; sheared balls at the ends of selectively retained branches radiating out from the central trunk; locate in full sun &amp; well-drained acidic soil; survives in areas with poor soils if drained; native to northern Europe &amp; Asia; Zones 3 - 6 (7)</i>			10g	_____	
<b>Pinus sylvestris 'Green Penguin'</b> Dwarf Scotch Pine <i>EVERGREEN ORNAMENTAL CONIFER; dark green needles in bundles of 2 keep their color even in the coldest hardiness zones; compact upright to pyramidal habit to about 4' tall by 18" wide in 10 years; tolerant of poor soils &amp; urban conditions with good drainage; not tolerant of areas with hot humid summers; locate in full sun &amp; well-drained acidic soil; native to northern Europe &amp; Asia (Lewis) Zones (2) 3 - 6 (7)</i>			5g	_____	
<b>Pinus thunbergii 'Thunderhead'</b> Compact Japanese Black Pine <i>EVERGREEN ORNAMENTAL CONIFER; long dark green needles in bundles of 2 with long prominent white buds in winter; broadly upright irregular habit to about 6' tall by 5' wide in 10 years; usually is wider than tall at maturity; can have multiple leaders; very resistant to salt from coastal &amp; urban situations; locate in full sun &amp; well-drained neutral to acidic soil; native to Japan &amp; Korea; Zones (5) 6 - 8</i>			5g	_____	
<b>Pittosporum tobira Mojo ('CNI Three')</b> Dwarf Variegated Pittosporum <i>BROADLEAF EVERGREEN SHRUB; fragrant white spring flowers; glossy green foliage with white tips; compact bushy habit to 3' tall &amp; wide; tolerant of salt spray; locate in full sun to partial shade &amp; well-drained soil; Zones (7) 8 - 10</i>			1g	_____	
<b>Platanus x acerifolia Exclamationâ„¢ ('Morton Circle')</b> London Planetree <i>DECIDUOUS SHADE TREE; vigorous large pyramidal shade tree to 60' tall or more; lighter fruit production; exfoliating bark reveals patches of off-white &amp; tan; high resistance to mildew &amp; anthracnose; locate in full sun &amp; a wide range of moisture retentive soils; good in wet soils and urban conditions [P. orientalis x P. occidentalis] (Ware / Morton Arb.) Zones (5) 6 - 8 (9)</i>			7g	_____	<b>N</b>
<b>Podocarpus macrocarpa Mood Ring® ('Sosa')</b> Japanese Yew; Shrubby Podocarpus; Chinese Podocarpus <i>EVERGREEN CONIFER; inconspicuous yellowish pollen cones; light blue fleshy seeds on red stalks; spirally arranged flattened needles emerge bronze-red in spring before turning dark green by summer &amp; are fragrant when crushed; compact bushy upright habit to about 15' tall by 8' wide; birds attracted to fruit; resists deer browse; tolerates drought, coastal conditions &amp; shearing; locate in full sun or partial shade &amp; organic well-drained slightly acidic soil; Asian native; Zones 7 - 9</i>			1g	_____	

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Podocarpus macrocarpa Roman Candle™, ♂ ('Miu')</b> Japanese Yew; Shrubby Podocarpus; Chinese Podocarpus <i>EVERGREEN CONIFER; inconspicuous yellowish pollen cones; light blue fleshy seeds on red stalks; spirally arranged flattened needles emerge light green with a creamy white edge in spring before turning dark green by summer &amp; are fragrant when crushed; compact bushy upright habit to about 15' tall by 8' wide; birds attracted to fruit; resists deer browse; tolerates drought, coastal conditions &amp; shearing; locate in full sun or partial shade &amp; organic well-drained slightly acidic soil; Asian native (Plant Network) Zones (8) 9 - 10</i>			1g	_____
<b>Polystichum munitum</b> Western Sword Fern <i>EVERGREEN FERN; dark green leathery fronds reach about 3-6' tall &amp; wide; resists rabbit &amp; deer browse; drought tolerant; low maintenance; locate in full to partial shade &amp; moist organic well-drained soil; adaptable to multiple soil types; western US native; Zones 3 - 9</i>			1g	_____
<b>Populus tremula 'Erecta'</b> Columnar Swedish Aspen <i>DECIDUOUS ORNAMENTAL TREE; rapid narrow upright habit to as much as 50' tall by 10' wide; more disease resistant than Lombardy Poplar; dark green summer foliage turns yellow in fall; locate in full sun &amp; most well-drained moisture retentive soils; European native; Zones 2 - 6 (7)</i>			7g	_____
<b>Populus tremuloides</b> Quaking Aspen; Quaking Poplar <i>DECIDUOUS SHADE TREE; narrow upright habit to 30' tall &amp; half as wide; can be larger in ideal conditions - not the mid-Atlantic; medium green summer foliage turns brilliant yellow in fall; flat petiole permits leaves to quiver in the slightest breeze; performs best in northern range or higher elevations; locate in full sun or minimal shade &amp; most well-drained moisture retentive soils; US native; Zones 2 - 6 (7)</i>		<b>CLUMP</b>	7g	_____ <b>N</b>
<b>Populus tremuloides</b> Quaking Aspen; Quaking Poplar <i>DECIDUOUS SHADE TREE; narrow upright habit to 30' tall &amp; half as wide; can be larger in ideal conditions - not the mid-Atlantic; medium green summer foliage turns brilliant yellow in fall; flat petiole permits leaves to quiver in the slightest breeze; performs best in northern range or higher elevations; locate in full sun or minimal shade &amp; most well-drained moisture retentive soils; US native; Zones 2 - 6 (7)</i>		<b>TREE FORM</b>	7g 15g	_____ _____
<b>Potentilla fruticosa 'Abbottswood'</b> White Bush Cinquefoil <i>DECIDUOUS FLOWERING SHRUB; white flowers all summer; bluish-green foliage; compact habit; deer browse resistant; locate in full sun &amp; moisture retentive soil; tolerant of highly alkaline soils; US native; Zones 2 - 6 (7)</i>			1g 2g 5g	_____ _____ _____
<b>Potentilla fruticosa 'Goldfinger'</b> Yellow Bush Cinquefoil <i>DECIDUOUS FLOWERING SHRUB; golden yellow summer flower; upright habit; locate in full sun with ample moisture; deer browse resistant; locate in full sun &amp; moisture retentive soil; tolerant of highly alkaline soils; US native; Zones 2 - 6 (7)</i>			1g 2g 5g	_____ _____ _____
<b>Prunus armeniaca</b> Chinese Apricot; Mormon Apricot <i>FRUIT TREE; profuse clusters of fragrant white flowers in April; medium sized yellow-orange fruit with orange pulp in August that are a mild / sweet flavor; good for eating, canning, baking or drying; self-pollinating but bears heavier near other varieties; broadly upright habit to about 25' tall &amp; wide; locate in full sun or minimal shade &amp; deep fertile well-drained soil of any alkalinity; Chinese native; Zones 5 - 9</i>			3g	_____ <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Prunus armeniaca 'Moorpark'</b> Chinese Apricot <i>FRUIT TREE; blush pink flowers in April; large yellowish-orange sweet juicy fruit with orange pulp in August; good for eating, jam, baking or drying; self-pollinating but bears heavier near other varieties; broadly upright habit to about 10' tall &amp; wide; locate in full sun or minimal shade &amp; well-drained soil; Chinese native; Zones 4 - 7 (8)</i>			5g	_____	
<b>Prunus armeniaca 'Puget Gold'</b> Chinese Apricot <i>FRUIT TREE; pinkish-white flowers in late March; large orange-yellow fruit with rose blush in mid-summer; fruit is sweet juicy; good for eating, jam, baking or drying; self-pollinating but bears heavier near other varieties; broadly upright habit to about 20' tall &amp; wide; locate in full sun or minimal shade &amp; well-drained soil; Chinese native (Wash. St. U) Zones 5 - 8 (9)</i>			5g	_____	
<b>Prunus avium</b> Black Cherry; Sweet Cherry <i>multiple cultivars; see www.AlphaNursery.com for details.</i>	<b>COMBO</b>		15g	_____	<b>N</b>
<b>Prunus avium 'Bing'</b> Black Cherry; Sweet Cherry <i>FRUIT TREE; sweet flavor; firm texture; burgundy-purple skin; broadly upright to about 25' tall &amp; wide; white flowers in late April or early May; harvest in late June to early July; good for eating or cooking; needs pollinator for maximum harvest; pollinators: 'Ranier', 'Black Tartarian' or 'Stella'; locate in full sun &amp; well-drained soil; native to Europe &amp; Asia (Lewelling) Zones (4) 5 - 8 (9)</i>			5g 7g	_____ _____	<b>N</b>
<b>Prunus avium 'Lambert'</b> Black Cherry; Sweet Cherry <i>FRUIT TREE; large dark red very flavorful fruit; broadly upright to about 25' tall &amp; wide; white flowers in late April or early May; harvest in early to mid-July; good for eating or cooking; self-pollinates; locate in full sun &amp; well-drained soil; native to Europe &amp; Asia; Zones (4) 5 - 8 (9)</i>			5g	_____	
<b>Prunus avium 'Lapins'</b> Black Cherry; Sweet Cherry <i>FRUIT TREE; fragrant pinkish-white flowers in mid-spring; large sweet dark red fruit in mid-summer; long glossy dark green foliage turns beautiful shades of red, orange &amp; yellow in fall; upright spreading habit to about 18' tall by 15' wide but varies with rootstock; good for eating or cooking; self-pollinates; fruit attracts birds so netting can help protect crop; consider good pollinator for other cultivars; locate in full sun with good air flow &amp; organic well-drained moisture retentive soil; native to Europe &amp; Asia; Zones 5 - 7</i>			5g 7g	_____ _____	<b>N</b>
<b>Prunus avium 'Rainier'</b> Black Cherry; Sweet Cherry <i>FRUIT TREE; fragrant white flowers in mid-spring; large sweet golden-yellow fruit with a large red blush in early to mid-summer has a high sugar content; needs other cultivar to cross-pollinate; long glossy dark green foliage turns bronze to yellow in fall; upright spreading habit to as much as 25' tall by 15' wide but varies with rootstock; good for eating or cooking; fruit attracts birds so netting can help protect crop; locate in full sun with good air flow &amp; organic well-drained moisture retentive soil; native to Europe &amp; Asia; Zones 5 - 7</i>			5g	_____	
<b>Prunus avium 'Royal Ann'</b> Black Cherry; Sweet Cherry <i>FRUIT TREE; white flowers in early April; light yellow skin with a rose blush maturing early in season; sweetly tart flavor with firm texture; broadly upright to about 25' tall &amp; wide; harvest in late June to early July; good for eating or cooking; needs pollinator such as: 'Ranier', 'Black Tartarian' or 'Stella'; used to make Maraschino Cherries; locate in full sun &amp; well-drained soil; native to Europe &amp; Asia; Zones 5 - 7</i>			5g 7g	_____ _____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Prunus avium 'Stella'</b> Black Cherry; Sweet Cherry <i>FRUIT TREE; white flowers in late April or early May; dark red fruit that's semi-sweet; broadly upright habit to about 30' tall &amp; wide; often grafted on dwarf or semi-dwarf rootstock which determines size; harvest in late June to early July; good for eating or cooking; self fruitful; often used as a pollinator for other cultivars; locate in full sun &amp; well-drained soil; native to Europe &amp; Asia; Zones (4) 5 - 8 (9)</i>			7g	_____	<b>N</b>
<b>Prunus avium 'Sweetheart'</b> Black Cherry; Sweet Cherry <i>DECIDUOUS FRUIT TREE; profuse fragrant white flowers in spring just before the foliage; very sweet dark red fruit in fall after most others; dark green serrated foliage turns shades of yellow in fall; broadly upright heads to about 30' tall &amp; wide; flowers attract butterflies &amp; other pollinators; fruit attracts birds &amp; squirrels; locate in full sun &amp; well-drained moisture retentive soil of any pH; Euro-Asian native; cross of Van &amp; Newstar (Summerland) Zones 3 - 8</i>	V Ltd		7g	_____	<b>N</b>
<b>Prunus x 'Carmine Jewel'</b> Fruiting Bush Cherry <i>DECIDUOUS FRUITING SHRUB; sweet dark red fruit that's considered a super food; bushy habit to about 8' tall; high resistance to pests; locate in full sun &amp; most well drained soils; European native [P. cerasus x P. fruticosa] (Kerr) Zones 2 - 7</i>			2g 3g	_____ _____	<b>N</b>
<b>Prunus cerasifera 'Krauter Vesuvius'</b> Purple-leaf Plum <i>DECIDUOUS ORNAMENTAL TREE; light pink flowers in early spring before the foliage; dark purple foliage; upright oval to rounded heads to 30' by 20' wide; locate in full sun &amp; any well-drained soil; Asian native; Zones 5 - 8</i>			7g	_____	
<b>Prunus cerasifera 'Newport'</b> Purple-leaf Plum <i>DECIDUOUS ORNAMENTAL TREE; earliest flowering Plum; pale pink to white flowers in early spring before the foliage; purple foliage loses its intensity by mid-summer; strong grower; rounded heads to 30'; locate in full sun &amp; any well-drained soil; Asian native; Zones 4 - 8</i>			7g	_____	
<b>Prunus cerasifera 'Thundercloud'</b> Purple-leaf Plum <i>DECIDUOUS ORNAMENTAL TREE; fragrant pink flower in early April before the foliage; purple foliage all summer; grows to 30' or more high &amp; wide; locate in full sun &amp; any well-drained soil; Asian native; Zones (4) 5 - 8</i>			7g 15g	_____ _____	<b>N</b>
<b>Prunus x cistena</b> Purple-leaf Sand Cherry <i>DECIDUOUS FLOWERING SHRUB; fragrant light pink flowers in late April or early May after the foliage breaks; purple foliage; bushy upright habit to 8' tall by 6' wide; locate in full sun &amp; any well drained soil [P. pumila x P. cerasifera] Zone 3 - 6 (7)</i>		<b>BUSH</b>	5g	_____	
<b>Prunus x cistena</b> Purple-leaf Sand Cherry <i>DECIDUOUS FLOWERING SHRUB; fragrant light pink flowers in late April or early May after the foliage breaks; purple foliage; bushy upright habit to 8' tall by 6' wide; locate in full sun &amp; any well drained soil [P. pumila x P. cerasifera] Zone 3 - 6 (7)</i>		<b>TREE FORM</b>	7g	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Prunus domestica 'Brooks'</b> European Plum; Prune Plum <i>DECIDUOUS FRUIT TREE; fragrant showy white flowers in April before the foliage; large sweet dark purple fruit in Sept; prune plums have firmer flesh &amp; higher sugar content which allows them to be dried into prunes; rounded heads to about 12' or more tall - depending on rootstock; partially self-fertile but bears more heavily with other plum trees; locate in full to mostly sunny locations &amp; well-drained moisture retentive soil; European native (NY Experimental Sta.) Zones 5 - 7</i>	V Ltd		15g	_____	<b>N</b>
<b>Prunus domestica 'Italian'</b> European Plum; Prune Plum <i>DECIDUOUS FRUIT TREE; fragrant showy white flowers in April before the foliage; large sweet dark purple fruit in Sept; prune plums have firmer flesh &amp; higher sugar content which allows them to be dried into prunes; upright habit to about 20' tall by 10' wide - depending on rootstock; partially self-fertile but bears more heavily with other plum trees; locate in full to mostly sunny locations &amp; well-drained moisture retentive soil; European native; Zones 5 - 7</i>			5g 7g	_____ _____	<b>N</b>
<b>Prunus domestica 'Moyer'</b> European Plum; Prune Plum <i>DECIDUOUS FRUIT TREE; fragrant showy white flowers in April before the foliage; very large sweet fruit with purple skin &amp; yellow pulp matures in Sept; partially self-fertile; high sugar content allows them to be dried into prunes; rounded heads to about 12' tall &amp; wide depending on rootstock; locate in full to mostly sunny locations &amp; well-drained moisture retentive soil; European native; Zones (4) 5 - 8 (9)</i>	V Ltd		15g	_____	<b>N</b>
<b>Prunus dulcis 'All In One'</b> Compact Almond <i>DECIDUOUS NUT TREE; fragrant white &amp; pale pink flowers in mid-spring before bud break; self-fertile; sweet flavored nuts follow in fall; green summer foliage turns yellowish in fall; rounded habit to about 15' tall &amp; wide; locate in full sun &amp; well-drained moisture retentive fertile soil; southwestern Asian native; Zones (5) 6 - 8</i>			7g	_____	<b>N</b>
<b>Prunus dulcis 'Hall's Hardy'</b> Almond <i>DECIDUOUS NUT TREE; fragrant pale pink flowers in mid-spring before bud break; bitter-sweet nuts follow about 7-8 months later; somewhat self-pollinating but multiple trees increase crop; green summer foliage turns yellowish in fall; upright habit to about 20' tall by 15' wide; locate in full sun with low humidity &amp; well-drained moisture retentive fertile soil; southwestern Asian native; Zones 5 - 8</i>			7g	_____	
<b>Prunus dulcis 'Texas Mission'</b> Almond <i>DECIDUOUS NUT TREE; fragrant white flowers with pink centers in mid-spring before bud break; very sweet meaty nuts follow about 7-8 months later; somewhat self-pollinating but multiple trees increase crop; green summer foliage turns yellowish in fall; upright habit to about 20' tall by 15' wide; locate in full sun with low humidity &amp; well-drained moisture retentive fertile soil; southwestern Asian native; Zones 7 - 9</i>			7g	_____	<b>N</b>
<b>Prunus incisa Little Twist ('Kojou No Mai')</b> Dwarf Contorted Fuji Cherry <i>DECIDUOUS FLOWERING SHRUB; profuse white flowers with pink centers in spring; interesting zig-zag stems for winter interest; very compact habit to 5' x 5'; full sun to partial shade; green summer foliage turns maroon in fall; locate in full sun to partial shade &amp; any soil with adequate drainage; can be grown as a shrub or grafted on a standard to create a small ornamental tree - especially for small spaces (Carlton Plants) Zones (4) 5 - 8</i>		<b>3' STANDARD</b>	7g	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Prunus x Juliet</b> Fruiting Bush Cherry <i>DECIDUOUS FRUITING SHRUB; fragrant white flowers in early spring; self-pollinating dark red fruit in late spring or early summer; bushy habit to about 8' tall by 6' wide; high resistance to pests; locate in full sun &amp; most well drained soils; European native [P. cerasus x P. fruticosa] (U of Saskatchewan)</i> Zones (2) 3 - 7			3g	_____
<b>Prunus laurocerasus 'Chestnut Hill'</b> Compact English Laurel; Upright Cherrylaurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer that are poisonous; large glossy dark green foliage; compact habit to 4' by 4'; somewhat tolerant of deer browse &amp; salt spray; locate in partial shade &amp; most moisture retentive well-drained soils; takes shearing well; native to Europe &amp; Asia Minor (Morris Arb / C-P)</i> Zones 6 - 8			1g 5g 7g	_____ _____ _____
<b>Prunus laurocerasus 'Mt Vernon'</b> Prostrate English Laurel; Prostrate Cherrylaurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer that are poisonous; low compact spreading broadleaf evergreen; mounding with age; locate in full sun or moderate shade &amp; moist well-drained soil that's pH adaptable; native to Europe &amp; Asia Minor; Zones (6) 7 - 8</i>			1g 5g	_____ _____
<b>Prunus laurocerasus 'Nana'</b> Compact English Laurel; Upright Cherrylaurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer that are poisonous; broad mounding habit; oval evergreen foliage; deer browse resistant; slightly faster grower than 'Anbri' with foliage that's not quite as dark in mid-summer; locate in full sun or moderate shade &amp; moist well-drained soil that's pH adaptable; native to Europe &amp; Asia Minor; Zones (6) 7 - 8</i>			1g 5g 7g	_____ _____ _____
<b>Prunus laurocerasus 'Otto Luyken'</b> Spreading Cherrylaurel; Spreading English Laurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer that are poisonous; low spreading evergreen; long dark evergreen foliage; deer browse resistant; locate in full sun or moderate shade &amp; moist well-drained soil that's pH adaptable; native to Europe &amp; Asia Minor; Zones (6) 7 - 8</i>			1g 5g 7g	_____ _____ _____
<b>Prunus laurocerasus 'Schipkaensis'</b> Upright Schip Laurel; Upright Schip Cherrylaurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black fruit in summer that are poisonous; broadly columnar habit; long dark evergreen foliage; deer browse resistant; locate in full sun or moderate shade &amp; moist well-drained soil that's pH adaptable; native to Europe &amp; Asia Minor; Zones (6) 7 - 8</i>			1g 5g 7g 15g	_____ _____ _____ _____
<b>Prunus lusitanica</b> Portugese Laurel <i>BROADLEAF EVERGREEN SHRUB; mildly fragrant white flower spikes in May followed by red to black to black fruit in summer that are poisonous; bushy broadleaf evergreen to about 25' tall; locate in full sun or moderate shade &amp; moist well-drained soil that's pH adaptable; native to southern Europe; Zones (6) 7 - 8</i>			1g 5g 7g	_____ _____ _____
<b>Prunus pendula 'Pendula Rosea'</b> <i>see: Prunus subhirtella 'Pendula Plena Rosea'</i>				_____

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Prunus persica 'Avalon Pride'</b> Yellow Peach <i>FRUIT TREE; showy pink flowers in early spring yield a heavy crop of juicy yellowish fruit with reddish tones in early August; good for eating or canning; broadly upright habit to about 7' tall by 4' wide in 10 years depending on rootstock; self-pollinating; resists leaf curl;; locate in full sun &amp; rich organic well-drained soil; additional fertilizer &amp; regular pruning to promote new growth are suggested [P. persica] Zones 5 - 9</i>			5g	_____	<b>N</b>
<b>Prunus persica 'Babcock'</b> White Freestone Peach <i>FRUIT TREE; showy pink flowers in late mid-spring yield a heavy crop of very sweet white pulp in an almost fuzz-less reddish skin with yellow hues in mid August; low chill; plants are self-fertile; green summer foliage turns golden yellow in fall; bushy habit to about 12' tall &amp; wide depending on root stock; good for eating or cooking; locate in full sun &amp; rich organic well-drained soil; Chinese native; Zones 7 - 9</i>			7g	_____	<b>N</b>
<b>Prunus persica 'Babcock' / 'Veteran'</b> White Freestone Peach <i>FRUIT TREE; showy pink flowers in late mid-spring yield a heavy crop of very sweet white pulp in an almost fuzz-less reddish skin with yellow hues in mid August; low chill; plants are self-fertile; green summer foliage turns golden yellow in fall; bushy habit to about 12' tall &amp; wide depending on root stock; good for eating or cooking; locate in full sun &amp; rich organic well-drained soil; Chinese native; Zones 7 - 9</i>			7g	_____	
<b>Prunus persica 'Canadian Harmony'</b> Yellow Freestone Peach <i>FRUIT TREE; showy pink flowers in late spring yield a heavy crop of large yellowish fruit with a red blush; sweet yellow pulp ripens in mid to late August; high chill; self-fertile; green summer foliage turns golden yellow in fall; bushy habit to about 12' tall &amp; wide depending on root stock; good for eating, canning or cooking; locate in full sun &amp; rich organic well-drained slightly acidic soil; Chinese native; Zones 5 - 8</i>			5g 7g	_____ _____	<b>N</b>
<b>Prunus persica 'Desert Gold'</b> Yellow Peach <i>DECIDUOUS FRUIT TREE; showy lightly fragrant pink flowers in early spring; heavy crop of semi-freestone sweet juicy medium sized fruit with yellow skin &amp; red blush early in the season; self-pollinating; good for eating &amp; baking; broadly upright habit to as much as 30' tall &amp; wide depending on rootstock; heat tolerant; locate in full sun &amp; rich organic well-drained soil [P. persica] Zones 7 - 9</i>			15g	_____	<b>N</b>
<b>Prunus persica 'Donut'</b> White Peach <i>FRUIT TREE; showy pink flowers in early spring yield a heavy crop of medium sized yellowish fruit with reddish patches in late July &amp; has a depressed center - like a donut; good for eating or cooking; self-fruitful; broadly upright habit to about 20' tall &amp; wide; locate in full sun &amp; rich organic well-drained soil; Chinese native; also known as Stark Saturn; Zones 4 - 9</i>			5g 7g	_____ _____	
<b>Prunus persica 'Early Elberta'</b> Yellow Freestone Peach <i>FRUIT TREE; showy fragrant pink flowers in early to mid-spring yield a heavy crop of large sweet yellow skinned fruit with red blush; sweet yellow pulp ripens in early to mid-August, about a week before 'Elberta'; medium chill; self-fertile; green summer foliage turns golden yellow in fall; bushy habit to about 15' tall by 12' wide depending on root stock; good for eating, canning or cooking; locate in full sun &amp; rich organic well-drained slightly acidic soil; Chinese native [sport of 'Elberta'] Zones 5 - 8</i>			7g	_____	<b>N</b>
<b>Prunus persica 'Elberta'</b> Yellow Freestone Peach <i>DECIDUOUS FRUIT TREE; profuse fragrant light pink flowers in early spring before the foliage emerges; yellow skinned fruit with red blush matures in mid to late summer; self pollinating; bushy upright habit to about 15' high by 12' wide depending on roodstock; good for eating, baking or canning; locate in full sun &amp; rich organic well-drained slightly acidic soil; Chinese native; Zones 5 - 8</i>			5g	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
[www.phintuthill.com](http://www.phintuthill.com)

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: [Phin@RPTuthill.com](mailto:Phin@RPTuthill.com)

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Prunus persica 'Fantasia'</b> Freestone Nectarine <i>DECIDUOUS FRUIT TREE; bright pink flowers in early spring before bud break; very large red skinned fruit with yellow flesh matures in mid-season; self pollinating; green summer foliage turns orangish in fall; bushy upright habit to about 15' high by 12' wide depending on roodstock; good for eating, baking or canning; locate in full sun &amp; rich organic well-drained slightly acidic soil; Chinese native; Zones 5 - 8</i>			7g		<b>N</b>
<b>Prunus persica 'Frost'</b> Yellow Peach <i>FRUIT TREE; showy pink flowers in early spring yield a heavy crop of yellowish fruit with reddish tones in early August; good for eating or canning; upright spreading habit to as much as 25' tall; locate in full sun &amp; rich organic well-drained soil; additional fertilizer &amp; regular pruning to promote new growth are suggested [P. persica] Zones 5 - 9</i>			5g		
<b>Prunus persica 'Golden Jubilee'</b> Yellow Freestone Peach <i>DECIDUOUS FRUIT TREE; profuse fragrant pink flowers in early spring before bud break; yellow skinned fruit with red blush matures in mid-summer; self pollinating; bushy upright habit to as much as 25' high by 20' wide but less on a dwarf roodstock; good for eating, freezing, preserves or canning; locate in full sun &amp; rich organic well-drained slightly acidic soil; Chinese native; Zones 5 - 8</i>			7g		
<b>Prunus persica 'Honeykist'</b> Freestone Nectarine <i>FRUIT TREE; mildly fragrant pink flowers in early spring yield a heavy crop of smooth red &amp; yellowish fruit in early August with very sweet yellow pulp; good for eating or canning; self-fruitful; upright spreading habit to as much as 20' tall &amp; wide; locate in full sun &amp; rich organic well-drained soil; Chinese native; Zones (5) 6 - 9</i>			5g		<b>N</b>
<b>Prunus persica 'Oregon Curl'</b> Orange Peach <i>DECIDUOUS FRUIT TREE; soft pink flowers in early spring before the foliage emerges; large yellowish-orange semi-freestone fruit matures in mid-August; good for eating, freezing &amp; preserves; leaf curl resistant; upright habit to about 15' high by 12' wide depending on rootstock; self pollinating; locate in full sun or partial shade &amp; well-drained moisture retentive soil that is neutral to slightly acidic [P. persica] Zones 5 - 8 (9)</i>			5g		
<b>Prunus persica 'Red Baron'</b> Freestone Peach <i>DECIDUOUS FRUIT TREE; fragrant scarlet flowers in early spring before the foliage; self-fruitful; medium to large pinnk &amp; yellow fruit matures in mid to late summer; standard rootstock produces rounded habit to about 15' tall &amp; wide; dwarf rootstock produces a tree about half as large; locate in full sun &amp; well-drained sandy to loamy moisture retentive soil that is neutral to slightly acidic; Asian native; Zones 5 - 8 (9)</i>			7g		<b>N</b>
<b>Prunus persica 'Redhaven'</b> Peach <i>DECIDUOUS FRUIT TREE; showy pink flowers in early spring yield a heavy crop of reddish fruit with yellow undertones in late July; considered by many the best; good for eating, freezing or canning; semi-dwarf habit to about 15' tall; locate in full sun &amp; rich organic well-drained soil; Asian native; Zones 5 - 9</i>			7g		<b>N</b>
<b>Prunus persica var. nucipersica 'Flavortop'</b> Freestone Nectarine <i>FRUIT TREE; mildly fragrant pink flowers in early spring yield a heavy crop of smooth red fruit in early August with sweet yellow pulp; good for eating or canning; self-fruitful; upright spreading habit to as much as 25' tall &amp; wide; locate in full sun &amp; rich organic well-drained soil; Chinese native; Zones (5) 6 - 9</i>			5g		

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Prunus persica var. nucipersica 'Goldmine'</b> Freestone Nectarine <i>DECIDUOUS FRUIT TREE; bright pink flowers in late March or early April before bud break; very large blush red skinned freestone fruit with white flesh matures in late July or August; self pollinating; green summer foliage turns orangish in fall; bushy upright habit to about 15' high &amp; wide depending on rootstock; good for juicing, eating or canning; attracts pollinators; resists leaf curl; locate in full sun &amp; rich organic well-drained slightly acidic moisture retentive soil; Chinese native; Zones 5 - 8</i>			15g		<b>N</b>
<b>Prunus persica var. nucipersica 'Pacific Pride'</b> White Nectarine <i>FRUIT TREE; mildly fragrant pink flowers in early spring yield a heavy crop of smooth yellowish-red skinned fruit in early August with very sweet juicy white pulp; good for eating or canning; self-fruitful; upright spreading habit to as much as 20' tall &amp; wide; locate in full sun &amp; rich organic well-drained soil; Chinese native; Zones (5) 6 - 9</i>			5g		
<b>Prunus persica var. nucipersica 'Panamint'</b> Red Freestone Nectarine <i>DECIDUOUS FRUIT TREE; mildly fragrant bright pink flowers in spring before the foliage break; smooth sweet red fruit in late July or early August; self-fruitful; compound bright green summer foliage; broadly upright habit to as much as 25' tall &amp; wide - depending on the rootstock; attracts pollinators; locate in full sun or partial shade &amp; organic well-drained soil; Chinese native; Zones 5 - 9</i>			7g		
<b>Prunus persica 'Veteran'</b> <i>see: Prunus persica 'Babcock' / 'Veteran'</i>					
<b>Prunus x Romeo</b> Fruiting Bush Cherry <i>DECIDUOUS FRUITING SHRUB; fragrant white flowers in early to mid-spring; very sweet self-pollinating non-splitting crimson fruit in early summer; bushy habit to about 6' tall &amp; wide; high resistance to pests; locate in full sun &amp; most well drained soils; European native [P. cerasus x P. fruticosa] (U of Saskatchewan) Zones (2) 3 - 7</i>			3g		
<b>Prunus salicina 'Elephant Heart'</b> Japanese Plum; Chinese Plum <i>DECIDUOUS FRUIT TREE; white to light pink flowers in late winter or early spring; large red fruit with an amber blush; sweet juicy dark red pulp matures in fall; pulp easily separates from the pit; somewhat self-fruitful but will bear heavier with another variety near by; depending on the rootstock it will mature to about 15' tall &amp; wide; locate in full sun &amp; fertile organic well-drained acidic soil; Asian native; Zones 4 - 10</i>			7g 15g		<b>N</b> <b>N</b>
<b>Prunus salicina 'Hollywood'</b> Red-leafed Fruiting Plum <i>DECIDUOUS FRUIT TREE; soft pink flowers in spring before the foliage; sweet juicy dark red fruit in Sept; purple summer foliage will be purple to burgundy in fall; somewhat self-fertile but will fruit heavier if another plum blooming at the same time is close; can be dried into prunes; rounded heads to about 15' tall &amp; wide depending on rootstock; locate in full to mostly sunny locations &amp; well-drained moisture retentive fertile soil; European native; Zones 4 - 9</i>	V Ltd		15g		<b>N</b>
<b>Prunus salicina 'Howard's Miracle'</b> Hybrid Plum <i>DECIDUOUS FRUIT TREE; white flowers in late winter to early spring yield large yellowish-orange freestone fruit; sweet juicy pulp matures in late July to early August; needs separate pollinator for best production; depending on the rootstock it will mature to about 15' tall &amp; wide; locate in full sun &amp; fertile organic well-drained moisture retentive neutral to acidic soil; Asian native; Zones 5 - 9</i>	Ltd		7g		<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Prunus salicina 'Santa Rosa'</b> Japanese Plum; Chinese Plum <i>DECIDUOUS FRUIT TREE; fragrant white flowers in late winter to early spring yield large purplish-red fruit by late summer; sweet juicy red pulp; self-fruitful; good for eating, canning or jelly; depending on the rootstock it will mature to as much as 20' tall &amp; wide; not particularly heat tolerant; locate in full sun &amp; fertile organic well-drained acidic soil; Asian native; Zones 5 - 9</i>	V Ltd		15g	_____	<b>N</b>
<b>Prunus salicina 'Satsuma'</b> Japanese Plum; Chinese Plum <i>DECIDUOUS FRUIT TREE; white flowers in spring yield large dark red fruit with sweet juicy red pulp from July into August; depending on the rootstock it will mature about 20' tall &amp; wide; can use 'Burbank' or 'Superior' to pollinate; locate in full sun &amp; fertile organic well-drained acidic soil; Asian native; Zones 5 - 7</i>	V Ltd		5g 15g	_____ _____	<b>N</b> <b>N</b>
<b>Prunus serrulata 'Kwanzan'</b> Japanese Flowering Cherry; Oriental Cherry <i>DECIDUOUS ORNAMENTAL TREE; profuse dark double pink flowers in late April or early May are sterile; vase shaped heads to about 30' tall &amp; wide; brilliant reddish-orange fall foliage; shiny dark brown bark; tolerant of salt &amp; urban locations; locate in full sun &amp; any well-drained soil; Asian native; Zones 4 - 7</i>			7g 15g	_____ _____	
<b>Prunus serrulata 'Kwanzan'</b> Japanese Flowering Cherry; Oriental Cherry <i>DECIDUOUS ORNAMENTAL TREE; profuse dark double pink flowers in late April or early May are sterile; vase shaped heads to about 30' tall &amp; wide; brilliant reddish-orange fall foliage; shiny dark brown bark; tolerant of salt &amp; urban locations; top grafted at about 6' above the ground; locate in full sun &amp; any well-drained soil; Asian native; Zones 4 - 7</i>		<b>BRANCHED @ 6'</b>	7g	_____	<b>N</b>
<b>Prunus x subhirtella 'Autumnalis' / var. autumnalis</b> Pink Fall Flowering Cherry <i>DECIDUOUS ORNAMENTAL TREE; semi-double light pink flowers in early April fade to white; sporadic fall flowers during warmer weather; spreading upright habit to 30' and almost as wide; locate in full sun &amp; any well-drained soil; Asian native; Zones (5) 6 - 8</i>	V Ltd		15g	_____	<b>N</b>
<b>Prunus x subhirtella 'Pendula Plena Rosea'</b> Weeping Higan Cherry <i>DECIDUOUS ORNAMENTAL TREE; dark pink buds open to profuse double bright pink flowers in April for a couple weeks before the foliage; new foliage emerges bronze-green; broadly arching heads to about 30' tall &amp; wide; grafted at 36" on top of a straight trunk; longer lived &amp; more heat &amp; cold tolerant than most other cherries; locate in full sun or light shade &amp; moisture retentive well-drained organic soil; species recently renamed; Asian native; Zones (4) 5 - 8</i>		<b>3' GRAFT</b>	7g 15g	_____ _____	<b>N</b> <b>N</b>
<b>Prunus x subhirtella 'Pendula Plena Rosea'</b> Weeping Higan Cherry <i>DECIDUOUS ORNAMENTAL TREE; dark pink buds open to profuse double bright pink flowers in April for a couple weeks before the foliage; new foliage emerges bronze-green; broadly arching heads to about 30' tall &amp; wide; grafted at 48" on top of a straight trunk; longer lived &amp; more heat &amp; cold tolerant than most other cherries; locate in full sun or light shade &amp; moisture retentive well-drained organic soil; species recently renamed; Asian native; Zones (4) 5 - 8</i>		<b>4' GRAFT</b>	5g 7g 15g	_____ _____ _____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Prunus x subhirtella 'Pendula Plena Rosea'</b> <b>5.5' GRAFT</b> Weeping Higan Cherry <i>DECIDUOUS ORNAMENTAL TREE; dark pink buds open to profuse double bright pink flowers in April for a couple weeks before the foliage; new foliage emerges bronze-green; broadly arching heads to about 30' tall &amp; wide; grafted at 66" on top of a straight trunk; longer lived &amp; more heat &amp; cold tolerant than most other cherries; locate in full sun or light shade &amp; moisture retentive well-drained organic soil; species recently renamed; Asian native; Zones (4) 5 - 8</i>			7g 15g	_____	<b>N</b>
<b>Prunus x subhirtella Snow Fountains® ('Snofozam')</b> <b>3' GRAFT</b> White Weeping Cherry <i>DECIDUOUS ORNAMENTAL TREE; pink buds open to fragrant profuse white flower in April before the foliage; dark green summer foliage turns shades of gold to orange in fall; strictly weeping habit; will be a groundcover without staking; graft height is at about 3' on top of a straight trunk; locate in full sun &amp; just about any well-drained soil (LCN) Zones (5) 6 - 9</i>	V Ltd		7g	_____	<b>N</b>
<b>Prunus x subhirtella Snow Fountains® ('Snofozam')</b> <b>4' GRAFT</b> White Weeping Cherry <i>DECIDUOUS ORNAMENTAL TREE; strictly weeping; profuse white flower in April before the foliage; dark green foliage turns orange in fall; grafted at 48" on top of a straight trunk; locate in full sun &amp; any well-drained soil; Zones 6 - 9</i>			7g	_____	
<b>Prunus x subhirtella Snow Fountains® ('Snofozam')</b> <b>5.5' GRAFT</b> White Weeping Cherry <i>DECIDUOUS ORNAMENTAL TREE; strictly weeping; profuse white flower in April before the foliage; dark green foliage turns orange in fall; grafted at 66" on top of a straight trunk; locate in full sun &amp; any well-drained soil; Zones 6 - 9</i>			7g 15g	_____	<b>N</b>
<b>Prunus x 'Toka'</b> Hybrid Prune Plum <i>DECIDUOUS FRUIT TREE; fragrant showy white flowers in April before the foliage; purplish-red fruit in late summer; Prune Plums have firmer flesh &amp; higher sugar content which allows them to be dried into prunes; also good for eating, canning or jelly; green summer foliage turns yellow in fall; rounded heads to 20' tall by 20' wide; somewhat self-fertile; excellent pollinator for other varieties; locate in full sun &amp; well-drained moisture retentive neutralish soil; American-Asian cross [P. americana x P. salicina] Zones 3 - 7</i>			7g	_____	<b>N</b>
<b>Prunus virginiana 'Canada Red'</b> <b>CLUMP</b> Red Chokecherry <i>DECIDUOUS ORNAMENTAL TREE; white racemes in early May; fruit is not ornamental, but is used for used in cooking; foliage opens bright green and matures to a dark crimson; broadly upright habit to 30' tall by 25' wide; 3 or more separate trunks; locate in full sun &amp; any well-drained soil; native to US &amp; Canada; Zones 2 - 6</i>			7g	_____	
<b>Prunus virginiana 'Canada Red'</b> <b>TREE FORM</b> Red Chokeberry <i>DECIDUOUS ORNAMENTAL TREE; white racemes in early May; fruit is not ornamental, but is used for used in cooking; foliage opens bright green and matures to a dark crimson; broadly upright habit to 30' tall by 25' wide; locate in full sun &amp; any well-drained soil; native to US &amp; Canada; Zones 2 - 6</i>			15g	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Prunus x Weeping Extraordinaire</b> (‘Extrazam’) <b>3' GRAFT</b> Weeping Japanese Flowering Cherry; Weeping Oriental Cherry <i>DECIDUOUS ORNAMENTAL TREE; buds open to mildly fragrant double light pink flowers similar to 'Kwanzan' before fading to near white in late April; few if any seeds; new foliage emerges coppery before turning glossy hunter green by late spring then burgundy in the fall; the vigorous weeping habit generally attains a height of about 20' with a similar spread; locate in full sun &amp; well-drained neutral to acidic soil; Asian native (LCN) Zones 5 - 9</i>			7g	_____	<b>N</b>
<b>Prunus x yedoensis</b> Yoshino Cherry <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant white flower in early to mid-spring at or just before foliage break; small black fruit in late summer favored by birds; dark green summer foliage turns shades of yellow if fall; upright arching habit to about 30' high &amp; wide; locate in full or light shade &amp; any moisture retentive well-drained soil; Japanese native; Zones 5 - 8</i>	V Ltd		7g	_____	<b>N</b>
<b>Prunus x yedoensis 'Akebono' / 'Daybreak'</b> Pink Yoshino Cherry <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant soft pink flower in early to mid-spring that fades to white at or just before foliage break; small black fruit in late summer favored by birds; dark green summer foliage turns shades of yellow if fall; upright arching habit to about 25' high &amp; wide; locate in full or light shade &amp; any moisture retentive well-drained soil; Japanese native (Clarke) Zones 5 - 8</i>			5g	_____	<b>N</b>
<b>Pseudotsuga menziesii</b> Douglas Fir <i>EVERGREEN CONIFER; large pyramidal habit to 80' or more tall; short medium green needles; brown pendulous cones; locate in full sun &amp; neutral to slightly acidic well-drained moisture retentive soil; native to western US, Canada &amp; Mexico; Zones 4 - 6 (7)</i>			1g 5g	_____ _____	
<b>Pyrus calleryana 'Capital'</b> Columnar Flowering Pear; Columnar Callery Pear <i>DECIDUOUS ORNAMENTAL TREE; profuse white flowers in mid April; yellow to red fall foliage is retained late into the season; very narrow columnar heads reaching 35' tall by about 12' wide; weak wooded - especially from wet snow or ice storms; locate in full sun or light shade &amp; just about any soil with reasonable drainage; tolerant of drought &amp; urban conditions; Chinese native; Zones 5 - 8</i>	V Ltd		15g	_____	<b>N</b>
<b>Pyrus calleryana Chanticleer (‘Glenn's Form’) / ‘Cleveland Select’</b> Flowering Pear; Callery Pear <i>DECIDUOUS ORNAMENTAL TREE; profuse white flowers in mid April; yellow to red fall foliage is retained late into the season; narrowly pyramidal to columnar heads reaching 40' tall by 20' wide; weak wooded - especially from wet snow or ice storms; locate in full sun or light shade &amp; just about any soil with reasonable drainage; tolerant of drought &amp; urban conditions; Chinese native (Scanlon) Zones 5 - 8</i>			7g 15g	_____ _____	<b>N</b>
<b>Pyrus calleryana 'Redspire'</b> Flowering Pear; Callery Pear <i>DECIDUOUS ORNAMENTAL TREE; white flowers in early April; yellow to red fall foliage; upright oval head to 35' tall by 25' wide; susceptible to fireblight; weak wooded - especially from wet snow or ice storms; locate in full sun or light shade &amp; just about any soil with reasonable drainage; tolerant of drought &amp; urban conditions; Chinese native (Flemer) Zones 5 - 8</i>			7g	_____	<b>N</b>
<b>Pyrus communis 'Anjou'</b> Fruiting Pear <i>DECIDUOUS FRUIT TREE; profuse white flowers in mid-April; sweet juicy white flesh &amp; greenish-yellow skin ripens in Sept; best pollinator if Luscoius;; semi-dwarf habit to 15' tall &amp; wide; glossy dark green summer foliage turns purple in fall; locate in full sun &amp; neutral to acidic well-drained moisture retentive soil; Zones 5 - 8</i>			5g 7g	_____ _____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Pyrus communis 'Bartlett'</b> Fruiting Pear <i>DECIDUOUS FRUIT TREE; profuse white flowers in early spring; greenish-yellow fruit in early fall; upright oval habit to about 10' tall by 8' wide; locate in full sun &amp; neutral to acidic well-drained moisture retentive soil; Zones 5 - 8</i>			5g 7g	
<b>Quercus acutissima</b> Sawtooth Oak <i>DECIDUOUS SHADE TREE; narrow serrated foliage opens yellow in spring before turning dark green by summer then yellow to golden brown in fall; pyramidal habit when young, but usually becomes spreading with age to about 50' tall &amp; variably wide; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; acidic well-drained soil; Asian native; Zones (5) 6 - 9</i>	V Ltd		7g	<b>N</b>
<b>Quercus Kindred Spiritâ„¢ ('Nadler')</b> Columnar Hybrid English Oak <i>DECIDUOUS ORNAMENTAL TREE; narrow columnar habit to about 40' tall by 8' wide; dark green summer foliage with silvery undersides turns shades of yellow &amp; bronze in fall; drought &amp; moisture tolerant; mildew resistant; important wildlife food source; fall transplant hazard however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; sister seedling of Regal Prince; locate in full sun &amp; most acidic to slightly alkaline soils [Q. robur 'Fastigiata' x Q. bicolor] (Nadler / Heritage) Zones 4 - 8</i>			7g 15g	<b>N</b>
<b>Rhamnus frangula Fine Lineâ„¢ ('Ron Williams')</b> Fastigiata Buckthorn; Tall Hedge <i>ORNAMENTAL SHRUB; narrow upright habit to 6'; very narrow fern-like foliage; great for hedging where space is limited; seeds reported to have very low viability - 3%; locate in full sun or partial shade &amp; any well-drained soil; tolerant of drought &amp; urban conditions; native to Europe &amp; western Asia (PW) Zones 3 - 7</i>			2g 5g	
<b>Rhododendron 'Anah Krushke'</b> Purple Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; reddish-purple flowers in late May; 6'; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light or partial shade &amp; deep organic well-drained moisture retentive acidic soil (Kruschke) - 15Å, ° F</i>			2g 5g	
<b>Rhododendron 'Anna Rose Whitney'</b> Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; deep pink flower in late May; broadly upright habit to 6' tall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; - 5Å, ° F</i>			2g 5g	
<b>Rhododendron 'Baden Baden'</b> Dwarf Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; red flowers in early May; 2'; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light or partial shade &amp; deep organic well-drained moisture retentive acidic soil; - 15Å, ° F</i>			2g	
<b>Rhododendron 'Bruce Brechtbill'</b> Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elipidote; pink dome trusses of about 10 flowers in late April; individual flowers have darker edges and yellowish centers; flat dark green foliage; compact rounded habit to about 4' tall &amp; wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; sport of 'Unique' [R. campylocarpum x ?] (Bloom) - 5° F</i>			2g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Rhododendron 'Catawbiense Album'</b> White Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; pure white flowers with yellow blush in late May; grows to about 6' in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; level; locate in light or partial shade &amp; deep organic well-drained moisture retentive acidic soil (Waterer) - 25° F</i>			2g 5g	_____ _____
<b>Rhododendron 'Catawbiense Boursault'</b> Lavender Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; lavender flowers in May; compact mound to 6' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; level; locate in light or partial shade &amp; deep organic well-drained moisture retentive acidic soil (Boursault) -20° F</i>			2g 5g	_____ _____
<b>Rhododendron 'Chionoides'</b> White Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; white flowers with yellow throat in May; compact spreading habit to 4' in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to light shade and deep organic well-drained acidic soils (Waterer) - 10° F</i>			2g 5g	_____ _____
<b>Rhododendron 'Cunningham's White'</b> White Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; white flowers in late May; grows to about 4' tall in 10 years; compact; will often throw some flowers in the fall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (Cunningham) - 15° F</i>			2g 5g	_____ _____
<b>Rhododendron 'Everred'</b> Dwarf Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; loose trusses waxy deep red flowers in mid-season; very compact mounding habit to 2' tall by 30" wide in 10 years; new foliage emerges dark purple-red which matures to reddish-green by summer; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. williamsianum] (Cox) Zones: 7 - 9</i>			2g	_____
<b>Rhododendron 'Holden'</b> Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; rosy red flower in early May; compact habit to about 4' in 10 years; dark green foliage; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soil (Shammarello) - 15° F</i>			2g	_____ <b>N</b>
<b>Rhododendron 'Holden's Solar Flare'</b> Yellow Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; red buds open to yellow flowers with a crimson blotch; compact upright habit to 4' tall by 3' wide in 10 years; deep green mildew resistant foliage; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soil (Leach) (- 25° F) - 15° F</i>			2g	_____
<b>Rhododendron 'Honeybutter'</b> Yellow Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; flowers are a combination of pink &amp; yellow with lighter centers in dome-shaped trusses; mid-season; compact habit to 3' in 10 years; glossy wine-red new foliage; deep green foliage; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soil (Barlup) 0° F</i>			2g 5g	_____ _____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

**N** denotes new plants and/or sizes for Fall 2023 / Spring 2024

92 / October 27, 2023

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Rhododendron 'Jean Marie de Montague'</b> Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; bright dark red flowers in domed trusses in mid-season; compact habit to 5' in 10 years; thick sun-tolerant emerald green foliage; this is the red against which all other red rhododendron flowers are judged; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (C. B. van Nes &amp; Sons) - 5° F</i>			2g 5g	
<b>Rhododendron 'Lee's Dark Purple'</b> Purple Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; purple flower in May; grows to about 6' in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (Lee) - 15° F</i>			5g	N
<b>Rhododendron 'Lemon Dream'</b> Yellow Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; mid-season single &amp; double yellow flowers with ruffled edges in dome trusses; low tight spreading habit to 1' tall in 10 yrs.; dark glossy evergreen foliage with slight indumentum; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil (McCulloch) 0° F</i>			5g	N
<b>Rhododendron 'Minnetonka'</b> Lavender Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; reddish-purple fades to lavender flowers with vivid yellow-green spots in late May; grows to about 4' in 10 years; gets wider than tall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic moisture retentive soils (Motzkau) - 25° F</i>			2g 5g	N
<b>Rhododendron Miyamaä„¢ Gold Prinz ('Goldschatz')</b> Yellow Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; golden-yellow flowers with dark red spots in May; compact spreading mound to about 3' tall by 4' wide in 10 years; dark glossy green foliage; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in partial sun &amp; shade &amp; deep organic well-drained moisture retentive acidic soil ['Festivo' x 'Alice Street'] (Hachmann) Zones (5) 6 - 8</i>			2g	N
<b>Rhododendron 'Nova Zembla'</b> Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; wine red flower in May; grows to 6' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (Koster) - 25° F</i>			2g 5g	N
<b>Rhododendron 'PJM Elite'</b> Compact PJM Rhododendron <i>EVERGREEN FLOWERING SHRUB; Lepidote; lavender-pink flowers in flat ball-shaped trusses of 10-15 flowers in early April ; compact upright habit to 4' tall in 10 yrs.; larger burgundy winter foliage; may have weakest root system of PJM cultivars; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil (Mezitt) - 25° F</i>			2g 5g	
<b>Rhododendron 'Polarnacht'</b> Purple Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; nearly black flower buds open to frilly dark purplish-red flowers with spotted red centers in mid to late season; grows to 3' tall by 6' wide; clean dark green foliage; resistant to leaf spot &amp; root rot; locate in acidic organic well drained soil; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (Hachmann / Briggs) - 10Ä,° F</i>			2g 5g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Rhododendron 'Pomegranate Splash'</b> Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; 3" trusses of dark red edged flowers with white centers in mid-season; dark green semi-glossy foliage; upright habit to 5' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil (Fujioka) + 10Å, ° F</i>			2g 5g	_____ _____ _____	<b>N</b>
<b>Rhododendron 'Ramapo'</b> Dwarf Lavender Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; pinkish-violet; April; 2'; low mounding dwarf; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; - 20Å, ° F</i>			1g 2g 5g	_____ _____ _____	<b>N</b>
<b>Rhododendron 'Roseum Elegans'</b> Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; lilac-pink flowers in mid-late May; compact habit to about 6' in 10 years; does well in full sun &amp; conditions where other varieties fail; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light shade and deep organic well-drained acidic soils (Waterer) - 25Å, ° F</i>			2g 5g	_____ _____	
<b>Rhododendron 'Unique'</b> Yellow Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; pinkish yellow flowers in early May; compact &amp; dense habit to 4' tall &amp; wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; - 5Å, ° F</i>			2g 5g	_____ _____	<b>N</b>
<b>Rhododendron 'Vulcan'</b> Red Hybrid Rhododendron <i>FLOWERING EVERGREEN SHRUB; dark red flowers in May; spreading mound to about 5' in 10 years; dark green pointed foliage; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (Waterer) - 10Å, ° F</i>			2g 5g	_____ _____	
<b>Rhododendron 'Wine &amp; Roses'</b> Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; dark pink flowers in April; bronze spring foliage matures to dark green by summer &amp; exhibits striking deep reddish-purple indumentum; compact rounded habit to about 3' tall &amp; wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil (Cox) Zones 6 - 7</i>			2g 5g	_____ _____	<b>N</b>
<b>Rhus aromatica 'Gro-Low'</b> Dwarf Fragrant Sumac <i>DECIDUOUS ORNAMENTAL SHRUB; low spreading habit to 2' tall by 6' or more wide; orange to red fall foliage; red fruit in summer; excellent spreading groundcover is perfect on banks with moderate to limited moisture (when established); locate in full sun or moderate shade &amp; well-drained acidic soil; native to eastern US &amp; Canada; Zones (3) 4 - 9</i>			2g 5g	_____ _____	
<b>Rhus typhina Tiger Eyes ('Bailtiger')</b> Yellow Cutleaf Staghorn Sumac <i>DECIDUOUS ORNAMENTAL SHRUB; deeply dissected foliage open chartreuse &amp; turns bright yellow by summer before turning yellow, orange &amp; scarlet in fall; somewhat compact spreading habit to 5' high &amp; wide; dark crimson fruit; locate in full sun; performs well on dry sterile ground; US native (Bailey) Zones 4 - 8</i>			5g	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Ribes alpinum</b> Alpine Currant <i>DECIDUOUS ORNAMENTAL SHRUB; non-showy greenish-yellow flowers in April; scarlet fruit in fall on female plants; male plants more resistant to rust; twiggy rounded shrub to about 6' tall &amp; wide; bright green summer foliage turns yellowish in fall; locate in sun or shade &amp; just about any soil; native to northern Europe &amp; Russia; Zones 2 - 7</i>			2g	
<b>Ribes nigrum</b> Blackcurrant <i>DECIDUOUS FRUITING SHRUB; inconspicuous fragrant yellowish-green flower clusters in spring; clusters of dark purpld-black fruit appear in late summer &amp; can be eaten fresh, used in drinks or in cooking; bushy habit to about 5' tall &amp; wide; fruit attracts birds; locate in full sun or minimal shade &amp; moisture retentive soil with neutral acidity; European native; Zones 3 - 7</i>	V Ltd		1g	<b>N</b>
<b>Ribes sanguineum 'King Edward VII'</b> Compact Flowering Currant; Compact Winter Currant <i>DECIDUOUS FRUITING SHRUB; pinkish-red pendulous flower clusters in early spring; clusters of bluish-black fruit appear in late summer are loved by birds; dark green pubescent foliage; compact bushy habit to about 6' tall &amp; wide; attracts pollinators &amp; birds; locate in full sun or minimal shade &amp; moisture retentive well-drained soils with neutral acidity; US native; Zones 6 - 8</i>			1g	<b>N</b>
<b>Ribes uva-crispa 'Little Ben'</b> Compact Gooseberry <i>DECIDUOUS FRUITING SHRUB; ornamentally insignificant small yellowish-green flowers in spring; self-fruitful; small brownish-red fruit appears in late summer on younger branches have sweet flesh but tart skins; fewer thorns; spreading habit to about 2.5' tall by 3' wide; resists mildew; locate in full sun to moderate shade &amp; well-drained moisture retentive soil; native to Europe &amp; N. Africa; Zones 3 - 7</i>			1g 2g	<b>N</b>
<b>Rosa Apricot Drift ('Meimirrote')</b> Double Pink Drift Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; abundant 1.5" dia clusters of double apricot-pink flowers from mid spring through mid fall; low vigorous spreading ground cover to 18" high by 30" wide; good disease resistant very glossy dark green foliage; locate in full sun &amp; organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10</i>			2g	
<b>Rosa Bonica® ('Meidomonac')</b> Pink Meidiland Rose <i>DECIDUOUS FLOWERING SHRUB; 3â€ double pastel pink flower all summer; bushy plants to 4' tall by 5' wide; dark green foliage; resistant to black spot &amp; mildew; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Star) Zones 4 - 9</i>	V Ltd		3g	<b>N</b>
<b>Rosa Coral Drift ('Meidrifora')</b> Pink Drift Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; abundant slightly scented 1.5" dia semi-double coral-orange cup-shaped flowers from mid spring through mid fall; low spreading mound to 18" high by 30" wide; dark green foliage with improved resistance to black spot, rust &amp; mildew; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10</i>			2g	
<b>Rosa Lemon Drift (â€™Meisentmilâ€™™)</b> Yellow Drift Rose <i>DECIDUOUS FLOWERING SHRUB; clusters of double bright yellow flowers from mid spring through mid fall; compact bushy habit to about 3' high &amp; wide; good disease resistant very glossy dark green foliage turns yellow in fall; locate in full sun &amp; organic well-drained slightly acidic or neutral soil (C-P) Zones 4 - 9</i>			2g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Rosa Peach Drift ('Meiggili')</b> Pink Drift Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; very floriferous soft pink flowers from mid spring to mid fall; flowers tolerates light freezes; compact spreading habit to 18" tall by 2' wide; dark green foliage with improved resistance to black spot, rust &amp; mildew; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10</i>			2g		
<b>Rosa Pink Drift ('Meijocos')</b> Pink Drift Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; clusters of deep pink flowers with yellowish centers from spring through frost; low spreading habit to 18" tall by 36" wide; use in containers or as a ground cover; dark green foliage with improved resistance to black spot, rust &amp; mildew; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10</i>			2g		
<b>Rosa Red Drift ('Meigalpio')</b> Red Drift Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; very small clusters of red roses from spring through frost; low spreading habit to 18" tall by 36" wide; use in containers or as a ground cover; dark green foliage with improved resistance to black spot, rust &amp; mildew; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 10</i>			2g		<b>N</b>
<b>Rosa rugosa</b> Rugosa Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant rose-pink summer flower; red fruit in fall; locate in full sun &amp; organic well-drained slightly acidic soil; very tolerant of coastal areas &amp; somewhat alkaline soil; Asian native; Zones 2 - 7 (8)</i>	V Ltd		2g 3g		<b>N</b> <b>N</b>
<b>Rosa rugosa 'Alba'</b> White Rugosa Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant 3.5" pure white flower from May through July; deadheading extends booming into fall.; bright red hips in fall; thick leathery dark green foliage turns shades of yellow, orange &amp; red in fall; bushy upright habit to about 6' tall by 4' wide; attracts butterflies; tolerates coastal conditions; locate in full sun or minimal shade &amp; organic well-drained neutral to slightly acidic moisture retentive soil; Asian native; Zones 3 - 8</i>	Ltd V Ltd		2g 3g		<b>N</b> <b>N</b>
<b>Rosa rugosa 'Blanc Double de Coubert'</b> White Rugosa Rose <i>DECIDUOUS FLOWERING SHRUB; very fragrant pure white flower from May to frost; scarlet hips in fall; dark green foliage; bushy upright habit to about 7' tall by 4' wide; attracts pollinators &amp; birds; fairly disease resistant; tolerates coastal conditions; locate in full sun or minimal shade &amp; organic well-drained neutral to slightly acidic moisture retentive soil; Asian native; Zones 4 - 9</i>	Ltd V Ltd		2g 3g		<b>N</b> <b>N</b>
<b>Rosa rugosa 'Hansa'</b> Pink Rugosa Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant double 3" dark pinkish-purple flower from May to frost; scarlet hips in fall; broadly upright habit to about 5' tall by 4' wide; attracts birds &amp; butterflies; resists diseases; tolerates coastal conditions; locate in full sun or minimal shade &amp; organic well-drained neutral to slightly acidic moisture retentive soil; Asian native (Schaum &amp; Van Tol) Zones (2) 3 - 7 (8)</i>	V Ltd		2g		<b>N</b>
<b>Rosa rugosa 'Moje Hammarberg'</b> Pink Rugosa Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant semi-double magenta flower from May to frost; scarlet hips in fall; compact bushy habit to about 4' tall &amp; wide; attracts birds &amp; butterflies; resists diseases; tolerates coastal conditions; locate in full sun or minimal shade &amp; organic well-drained neutral to slightly acidic moisture retentive soil; Asian native (Hammarberg) Zones 3 - 9</i>	Ltd		2g		<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Rosa rugosa Snow Pavement ('Schneekoppe')</b> White Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant foowers open blush-pink maturing to double white from May to frost; deadheading increases flowering; red hips in fall; compact bushy habit to about 30" tall &amp; wide; resists diseases; tolerates coastal conditions; locate in full sun or minimal shade &amp; organic well-drained neutral to slightly acidic moisture retentive soil; Asian native (Baum) Zones 4 - 9</i>	Ltd Ltd		2g 3g	_____ _____	<b>N</b> <b>N</b>
<b>Rosa rugosa 'Therese Bugnet'</b> Pink Rugosa Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant ruffled double pink flower from June into fall; red fruit in fall; bushy habit to 7' tall &amp; wide; excellent disease resistant medium green foliage turns red in fall; locate in full sun &amp; organic well-drained slightly acidic soil; very tolerant of coastal areas &amp; somewhat alkaline soil; Asian native; Zones 3 - 7 (8)</i>	Ltd		2g	_____	<b>N</b>
<b>Rosa Sunorita® ('CHEWGEWEST')</b> Orange Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; reddish-odrange buds open to double soft orange flowers on new wood that mature to gold-yellow from late spring to frost without deadheading; dark green foliage; bushy habit to about 4' tall &amp; wide; attracts butterflies; resists black spot &amp; mildew; locate in full sun or minimal shade &amp; organic well-drained moisture retentive soil of any pH (PW) Zones 5 - 9</i>	V Ltd Ltd		3g 5g	_____ _____	<b>N</b> <b>N</b>
<b>Rosa The Blushing Knockout® ('Radyod')</b> Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; 3" shell pink blooms from summer to frost; dark green foliage resists leaf spot; compact upright habit to 3'; burgundy fall foliage; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9</i>	V Ltd		2g 3g	_____ _____	
<b>Rosa The Coral Knockout® ('Radral')</b> Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; floriferous double coral-pink self-cleaning flowers from spring to frost that intensify in hot humid climates; bushy habit to 4.5' by 4.5'; medium green foliage is resistant to black spot; drought tolerant; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 10</i>			2g 3g	_____ _____	
<b>Rosa The Coral Knockout® ('Radral')</b> <b>TREE FORM</b> Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; floriferous double coral-pink self-cleaning flowers from spring to frost that intensify in hot humid climates; bushy habit to 4.5' by 4.5'; medium green foliage is resistant to black spot; drought tolerant; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Meilland / Star) Zones 5 - 10</i>		24" stem	5g	_____	<b>N</b>
<b>Rosa The Double Knockout® ('Radtko')</b> Red Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; very floriferous dark double red self-cleaning flowers from summer to frost; bushy habit to 4' by 4'; dark green foliage is resistant to black spot; drought tolerant; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 9</i>			2g 3g	_____ _____	
<b>Rosa The Double Knockout® ('Radtko')</b> <b>TREE FORM</b> Red Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; very floriferous dark double red self-cleaning flowers from summer to frost; bushy habit to 4' by 4'; dark green foliage is resistant to black spot; drought tolerant; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 9</i>		24" stem 36" stem	5g 5g	_____ _____	<b>N</b> <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Rosa The Easy Bee-zy Knockout® ('SRPylwko')</b> Yellow Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant semi-double medium yellow flowers on new wood from spring to frost fade to off-white; dark green foliage; bushy habit to about 4' tall by 3' wide; attracts bees &amp; butterflies; resists black spot &amp; mildew; locate in full sun or minimal shade &amp; organic well-drained slightly acidic to neutral moisture retentive soil (Star) Zones 5 - 9</i>	V Ltd Ltd		2g 3g	_____ _____	<b>N</b> <b>N</b>
<b>Rosa The Knockout® ('Radrazz')</b> Red Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; single florescent cherry-red blooms from late spring to frost; dark green foliage; disease resistant &amp; carefree; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9</i>			2g 3g	_____ _____	
<b>Rosa The Knockout® ('Radrazz')</b> <b>TREE FORM</b> Red Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; single florescent cherry-red blooms from late spring to frost; dark green foliage; disease resistant &amp; carefree; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9</i>		24" stem 36" stem	5g 5g	_____ _____	<b>N</b> <b>N</b>
<b>Rosa The Peachy Knockout® ('RADgor')</b> Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; semi-double shell-pink flowers with a yellow center fade to a softer pink &amp; are effective from spring to frost; compact spreading mound to 3' tall by 4' wide; dark green highly disease resistant foliage; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 10</i>			2g 3g	_____ _____	
<b>Rosa The Peachy Knockout® ('RADgor')</b> <b>TREE FORM</b> Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; semi-double shell-pink flowers with a yellow center fade to a softer pink &amp; are effective from spring to frost; compact spreading mound to 3' tall by 4' wide; dark green highly disease resistant foliage; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 10</i>		24" stem	5g	_____	<b>N</b>
<b>Rosa The Petite Knockout® ('Meibenbino')</b> Dwarf Red Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; single non-fading fire-engine-red blooms from late spring to frost; glossy dark green foliage; bushy habit to about 18" tall; disease resistant &amp; carefree; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Meiland / Star) Zones 4 - 9</i>			2g 3g	_____ _____	
<b>Rosa The Petite Knockout® ('Meibenbino')</b> <b>TREE FORM</b> Dwarf Red Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; single non-fading fire-engine-red blooms from late spring to frost; glossy dark green foliage; bushy habit to about 18" tall; disease resistant &amp; carefree; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Meiland / Star) Zones 4 - 9</i>		18" standard	3g	_____	<b>N</b>
<b>Rosa The Pink Double Knockout® ('Radtkopink')</b> Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; floriferous double hot pink self-cleaning flowers from summer through frost; bushy habit to 4' by 4'; black spot resistant dark glossy green foliage; drought tolerant; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9</i>			2g 3g	_____ _____	

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Rosa The Pink Double Knockout® ('Radtkopink')</b> <b>TREE FORM</b> Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; floriferous double hot pink self-cleaning flowers from summer through frost; bushy habit to 4' by 4'; black spot resistant dark glossy green foliage; drought tolerant; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9</i>		24" stem	5g	_____	<b>N</b>
<b>Rosa The Pink Knockout® ('RADcon')</b> Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; strong 2" self-cleaning clear pink blooms from spring to frost; dark green foliage resists black spot &amp; mildew; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9</i>			2g 3g	_____ _____	
<b>Rosa The Pink Knockout® ('RADcon')</b> <b>TREE FORM</b> Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; strong 2" self-cleaning clear pink blooms from spring to frost; dark green foliage resists black spot &amp; mildew; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 4 - 9</i>		24" stem 36" stem	5g 5g	_____ _____	<b>N</b> <b>N</b>
<b>Rosa The Rainbow Knockout® ('RADcor')</b> Pink Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; profuse, lightly scented, semi-double coral pink blooms with yellow centers from spring to frost; disease resistant foliage; bushy habit to 3' tall and wide; orange hips all winter; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil; AARS (Radler) Zones 4 - 9</i>			2g 3g	_____ _____	
<b>Rosa The Sunny Knockout® ('RADsunny')</b> Yellow Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant, single, 3" flowers open butter yellow before fading to off-white from late spring to frost; grows to about 4' tall &amp; wide; highly resistant to black spot as well as mildew, rust &amp; Japanese Beetles; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 9</i>			2g 3g	_____ _____	
<b>Rosa The Sunny Knockout® ('RADsunny')</b> <b>TREE FORM</b> Yellow Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; fragrant, single, 3" flowers open butter yellow before fading to off-white from late spring to frost; grows to about 4' tall &amp; wide; highly resistant to black spot as well as mildew, rust &amp; Japanese Beetles; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler) Zones 5 - 9</i>		24" stem	5g	_____	<b>N</b>
<b>Rosa The White Knockout® / The Whiteout® ('Radwhite')</b> White Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; single white flowers to 3.5" diameter with yellow centers from late spring to frost; dark green foliage; highly resistant to black spot, mildew, rust &amp; Japanese Beetles; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Radler / C-P) Zones 5 - 9</i>			2g 3g	_____ _____	
<b>Rosa White Drift ('Meizorlandâ€™™)</b> White Shrub Rose <i>DECIDUOUS FLOWERING SHRUB; abundant clusters of double bright white flowers from mid spring through mid fall; low vigorous spreading mound to 18" high by 30" wide; dark green foliage with improved resistance to black spot, rust &amp; mildew; locate in full sun or minimal shade &amp; organic well-drained slightly acidic or neutral soil (Conard-Pyle) Zones 5 - 11</i>			2g	_____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Rosmarinus officinalis Chef's Choice ('Roman Beauty')</b> Rosemary <i>EVERGREEN HERB; violet-blue spring flower; compact upright habit to about 18" tall by 12" wide; grayish-green foliage has higher oil content for cooking; good cut flower; tolerant of deer browse, heat, drought &amp; salt; locate in full sun &amp; well-drained garden soil; Zones (6) 7 - 11</i>			1g 3g	_____ _____ _____	<b>N</b>
<b>Rubus - assorted</b> Blackberry <i>see online availability for available sizes &amp; varieties</i>			1g	_____	
<b>Rubus Baby Cakes® [Bushel &amp; Berry®] ('APF-236T')</b> Dwarf Thornless Blackberry <i>FRUITING SHRUB; small white spring flowers yield very large glossy black &amp; red fruit in mid-summer &amp; sometimes again in early fall; thornless; broadly mounding habit to about 4' tall &amp; wide; valuable for a wide variety of birds &amp; insects; locate in full sun &amp; rich organic well-drained moisture retentive soil; European native; Zones 4 - 8</i>			1g 2g	_____ _____	
<b>Rubus 'Black Satin'</b> Thornless Blackberry <i>FRUITING SHRUB; small white flowers yield very large glossy black fruit in late spring or early summer; thornless; broadly upright habit to about 6' tall by 5' wide; valuable for a wide variety of birds &amp; insects; locate in full sun &amp; rich organic well-drained moisture retentive soil; European native [R. fruitcosus] Zones 5 - 9</i>			1g	_____	
<b>Rubus 'Boysen'</b> Boysenberry <i>DECIDUOUS FRUITING SHRUB; small white to light pink flowers in May; large nearly seedless black fruit is somewhat tart; thornless; trailing habit whose height is determined by stake height; attracts a wide variety of birds &amp; insects; locate in full sun &amp; rich organic well-drained moisture retentive soil; Zones 5 - 9</i>			1g	_____	
<b>Rubus Bushel &amp; Berry</b> Blackberry <i>see online availability for available sizes &amp; varieties</i>			1g 2g	_____ _____	
<b>Rubus 'Canby'</b> Red Raspberry <i>DECIDUOUS FRUITING VINE; white flowers in spring; large sweet red fruit in late spring to early summer; nearly thornless; height determined by staking; can reach about 5' tall &amp; can spread almost as much; attracts birds &amp; pollinators; locate in full sun &amp; rich organic well-drained moisture retentive soil; Zones (4) 5 - 8</i>			1g	_____	
<b>Rubus 'Chester'</b> Blackberry <i>DECIDUOUS FRUITING SHRUB; small white to light pink flower clusters in late spring; self-fruitful; very large glossy black fruit in mid to late summer on 2 year old wood; thornless; bushy habit to about 5' tall &amp; wide; attracts birds &amp; pollinators; increased disease resistance; locate in full sun &amp; rich organic well-drained moisture retentive neutral to acidic soil; Zones 5 - 8</i>			1g	_____	
<b>Rubus 'Columbia Giant'</b> Thornless Blackberry <i>FRUITING SHRUB; small white flower clusters in late spring are self-fertile &amp; yield extremely large glossy black fruit from late June through late July; thornless; trailing vine that needs support; will grow to 5' tall with support; disease, deer &amp; rabbit browse resistant; valuable for a wide variety of birds &amp; insects; locate in full sun &amp; rich organic well-drained moisture retentive soil; European native [R. nubigenis] (Finn / OSU) Zones 5 - 8</i>			1g	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Rubus 'Encore'</b> Red Raspberry <i>DECIDUOUS FRUITING SHRUB; small light pink flowers in spring; abundant large sweet red fruit in late July to early August; self-fruitful; broadly upright habit to about 8' tall by 3' wide; nearly thornless; attracts birds &amp; pollinators; locate in full sun &amp; rich organic well-drained moisture retentive acidic to neutral soil (Cornell U) Zones 6 - 8</i>			1g	_____
<b>Rubus 'Hall's Beauty'</b> Blackberry <i>DECIDUOUS FRUITING VINE; pink buds open to larger than normal showy white flowers in late spring; large glossy black fruit in late spring to early summer; thornless; trailing habit needs support &amp; can reach about 5' tall with support; attracts birds &amp; pollinators; locate in full sun &amp; rich organic well-drained moisture retentive neutral to acidic soil; Zones 6 - 8</i>			1g	_____
<b>Rubus idaeus 'Boyne'</b> Raspberry <i>DECIDUOUS FRUITING SHRUB; small white rose-like flowers in late spring to early summer; self-fruitful medium sized bright red fruit in early summer; thorny stems; upright habit to about 6' tall by 3' wide; attracts birds &amp; butterflies; increased disease resistance &amp; somewhat resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive well-drained neutral to acidic soil; Zones 4 - 8</i>			1g	_____
<b>Rubus idaeus 'Fall Gold'</b> Yellow Raspberry <i>DECIDUOUS FRUITING SHRUB; small white rose-like flowers in spring; large sweet yellowish-orange fruit in June &amp; a heavier crop in late August &amp; September; self-fruitful; upright habit to about 5' tall by 3' wide; thorny; attracts birds &amp; pollinators; locate in full sun &amp; rich organic well-drained moisture retentive acidic to neutral soil; US native; Zones 5 - 8</i>			1g	_____
<b>Rubus idaeus 'Nova'</b> Red Raspberry <i>DECIDUOUS FRUITING SHRUB; white rose-like spring flower clusters; medium sized firm red fruit in early summer; self-fruitful; nearly thornless; broadly upright habit to about 4' tall &amp; wide; attracts birds &amp; pollinators; locate in full sun &amp; rich organic well-drained moisture retentive soil (Kentville R.Sta.) Zones 3 - 8</i>			1g	_____
<b>Rubus idaeus Raspberry Shortcake ® [Bushel &amp; Berry ®] ('NR7')</b> Dwarf Raspberry <i>DECIDUOUS FRUITING SHRUB; clusters of white rose-like flowers in spring; self-fruitful large bright red fruit in mid-summer; thornless stems; compact spreading to slightly cascading habit to about 3' tall by 4' wide; attracts birds &amp; butterflies; somewhat resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive well-drained neutral to acidic soil; Zones (4) 5 - 9</i>			1g 2g	_____ _____
<b>Rubus idaeus 'Willamette'</b> Red Raspberry <i>DECIDUOUS FRUITING VINE; showy white self-fertile flowers in mid to late spring yield large sweet red fruit in late summer; can be staked to as high as 10' tall; valuable for a wide variety of birds &amp; insects; locate in full sun &amp; rich organic well-drained moisture retentive soil; European native [R. idaeus var. strigosus] Zones (4) 5 - 8</i>			1g	_____
<b>Rubus 'Lock Ness'</b> Thornless Blackberry <i>FRUITING SHRUB; small white self-fertile flower clusters in late spring yield large glossy black fruit from fall into early winter; multiple varieties yield more &amp; larger fruit; thornless; broadly upright habit to about 6' tall by 8' wide; disease resistant; valuable for a wide variety of birds &amp; insects; locate in full sun &amp; rich organic well-drained moisture retentive soil [R. fruitcosus] Zones 6 - 9</i>			1g	_____

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Rubus 'Meeker'</b> Red Raspberry <i>DECIDUOUS FRUITING SHRUB; showy white flowers in May; large sweet red fruit in July; self-fruitful; broad loosely branched habit to as much as 10' tall &amp; wide; attracts birds &amp; pollinators; locate in full sun &amp; rich organic well-drained moisture retentive neutral to acidic soil (Washington St U) Zones 5 - 8</i>			1g	_____
<b>Rubus pentalobus</b> Creeping Raspberry <i>EVERGREEN GROUND COVER; fragrant white flowers in summer; salmon-red fruit is born inconsistently; thick roundish heavily textured foliage; thornless; broadly prostrate habit usually under 6" tall by as much as 30' wide; locate is full to partial sun &amp; well-drained soil that doesn't totally dry out; native to Taiwan; Zones 7 - 9</i>			1g	_____
<b>Rudbeckia fulgida 'Goldsturm'</b> Perennial Black-eyed Susan <i>PERENNIAL; 3" diameter gold petals with dark brown eye from June to Sept; seeds are valuable food source for birds in winter (don't cut back!); dark green foliage; upright habit to about 3' tall by 2' wide; can self-seed; good cut flower; attracts butterflies; resists pests, disease &amp; deer browse; tolerates heat, humidity &amp; limited drought; locate in full sun &amp; moisture retentive well-drained soils; US native (Hagemann) (Am Bty) Zones 4 - 9</i>			1g	_____
<b>Salix candita Iceberg Alley® [First Editions®] ('Jefberg')</b> Sageleaf Willow <i>DECIDUOUS ORNAMENTAL SHRUB; silver catkins with red stamens in late winter to early spring; gray-green summer foliage; bushy habit to about 6' tall &amp; wide; attracts songbirds &amp; hummingbirds; tolerates wet soils; resists deer browse; locate in full sun to partial shade &amp; moisture retentive organic neutral to acidic soil; native to Europe &amp; Asia (Memorial U of Newfoundland &amp; Labrador BG) Zones 2 - 6</i>			2g	_____
<b>Salix caprea 'Pendula' ('Kilmarnock')</b> Weeping Pussy Willow; Weeping Goat Willow <i>DECIDUOUS ORNAMENTAL TREE; showy white catkins in late winter &amp; early spring; fairly tight weeping heads; locate in full sun &amp; moist organic acidic to neutral soils; native to Europe &amp; Asia; Zones 4 - 8</i>		<b>TREE FORM</b>	7g	_____
<b>Salix integra 'Hakuro nishiki'</b> Variegated Japanese Willow <i>DECIDUOUS ORNAMENTAL SHRUB; broad bushy shrub to 12' tall &amp; wide; new foliage is a colorful mix of green, white &amp; pink which follows yellow catkins; locate in full sun &amp; moist organic acidic to neutral soils; Zones 4 - 7</i>		<b>BUSH</b>	1g 2g 5g	_____ _____ _____
<b>Salix integra 'Hakuro nishiki'</b> Variegated Japanese Willow <i>DECIDUOUS ORNAMENTAL SHRUB; broad bushy shrub to 12' tall &amp; wide; new foliage is a colorful mix of green, white &amp; pink which follows yellow catkins; branching starts about 3-4' above a single stem; locate in full sun &amp; moist organic acidic to neutral soils; Zones 4 - 7</i>		<b>TREE FORM</b>	7g	_____
<b>Salix purpurea 'Nana'</b> Dwarf Artic Willow <i>DECIDUOUS ORNAMENTAL SHRUB; compact bushy shrub growing to about 5' high and wide; long very narrow bluish-green foliage; locate in full sun &amp; moist organic acidic to neutral soils; native to Europe &amp; Asia; Zones 3 - 7</i>		<b>BUSH</b>	1g 2g 5g	_____ _____ _____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Salvia apiana</b> White Sage <i>ANNUAL; waves of white flowers with small lavender spots appear in spring; long silvery-white foliage emits a strong sage fragrance when bruised; bushy habit to about 4' tall &amp; wide; attracts pollinators; resists deer browse; locate in full sun &amp; any well-drained soil; Southern CA native; Zones 8 - 11</i>			1g	
<b>Salvia officinalis 'Robert Grimm'</b> Dwarf Cullinary Sage <i>PERENNIAL; abundant fragrant lavender flowers in early summer; low spreading habit to about 8" tall by up to 4' wide; attracts butterflies &amp; hummingbirds; resists browsing by deer &amp; rabbits; drought tolerant; locate in full sun &amp; well-drained soil; Zones 8 - 10</i>			1g	
<b>Sambucus nigra Black Lace ('Eva')</b> Purple Cutleaf Common Elder; Purple Cutleaf European Elder <i>DECIDUOUS FLOWERING SHRUB; very dark purple, deeply cut, lacy summer foliage; lightly fragrant pink flowers in early summer; grows to 8' high &amp; wide if untrimmed; edible fruit; locate in full sun &amp; moderate shade; tolerant of moist or dry soils of any alkalinity; native to Europe Zones 4 - 7</i>			1g 2g 5g	
<b>Sarcococca hookeriana var. humilis Fragrant Mountain ('SarSid2')</b> Himalayan Sarcococca; Sweetbox <i>EVERGREEN GROUND COVER; ericaceous, stoloniferous evergreen; slow grower to about 18" tall; black fruit; likes shade; has larger foliage than humilis; locate in varying degrees of shade &amp; highly organic well-drained acidic soil; native to China; Zones (5) 6 - 8</i>			1g	
<b>Sarcococca hookeriana var. humilis Fragrant Valley ('SarSid1')</b> Himalayan Sarcococca; Sweetbox <i>EVERGREEN GROUND COVER; ericaceous; stoloniferous; more dense &amp; vigorous than the species; spreading habit to about 18" tall by 36" wide; black fruit; more disease resistant; deer browse resistant; locate in varying degrees of shade &amp; highly organic well-drained acidic soil; native to China (Sidhu N) Zones (5) 6 - 8</i>			1g	
<b>Sarcococca ruscifolia</b> Fragrant Sarcococca <i>EVERGREEN GROUND COVER; fragrant white flowers; red fruit; evergreen shrub to 3' high &amp; wide; locate in varying degrees of shade &amp; highly organic well-drained acidic soil; native to China; Zones 7 - 9</i>			1g 2g 5g	
<b>Schizachyrium scoparium Blue Heavenâ„¢ ('MinnBlueA')</b> Little Bluestem <i>ORNAMENTAL GRASS; narrow upright steel-blue summer foliage with purple highlights turns shades of reddish-orange in fall; upright habit to 4' tall by 30" wide; silvery seed heads appear from late summer into fall; good container plant; highly drought tolerant; deer browse resistant; attracts songbirds &amp; butterflies; locate in full sun &amp; just about any well-drained soil; eastern US native; Zones 3 - 9</i>	Ltd		1g	<b>N</b>
<b>Schizachyrium scoparium 'Standing Ovation'</b> Little Bluestem <i>ORNAMENTAL GRASS; silvery seed heads on 4' stems appear from late summer into fall; broader blue foliage with red tips becomes purplish at the base in fall before turning shades of orange, red &amp; maroon by winter; upright habit to about 3' tall by 18" wide; self-seeds; attracts songbirds &amp; butterflies; resists deer browse; tolerates drought, salt &amp; heavy soil; locate in full sun &amp; any well-drained soil; US native; thought to be a seedling of 'Prairie Blues' (North Creek N) Zones 3 - 8</i>			1g	
<b>Sequoiadendron giganteum 'Glaucum'</b> Blue Giant Sequoia <i>EVERGREEN CONIFER; bluish-green needles; red bark; branches droop at the ends; pyramidal habit to about 20' tall by 10' wide in 10 years; calipers rapidly; dramatic specimen that needs plenty of room; locate in full sun &amp; rich organic well-drained moisture retentive acidic soil; US native to northern California &amp; southern Oregon; Zones (6) 7 - 8</i>			5g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Sorbaria sorbafolia Cherry on Top<sup>®</sup> (‘Bococot’)</b> Compact Ural Falsespirea; Compact Ash-leaf Spirea <i>DECIDUOUS FLOWERING SHRUB; small white flowers in pyramidal panicles in early summer on new wood; dark red seed pods; compound spring foliage opens light red before turning yellowish then dark green by summer; compact habit to about 5' tall &amp; wide; can spread by root suckers; attracts birds; tolerates erosion; locate full sun or light shade &amp; moist organic well-drained soil of any pH; native to northern Asia (Bloomin' Easy) Zones (2) 3 - 8</i>			2g	_____
<b>Spiraea betulifolia 'Tor'</b> White Birchleaf Spirea <i>DECIDUOUS FLOWERING SHRUB; white flowers in early June; bright green summer foliage turns shades of yellow-gold to bronze &amp; red in fall; compact mounded shrub to 3'; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage [S. betulifolia] Zones 4 - 6 (7)</i>			1g 2g 5g	_____ _____ _____
<b>Spiraea Doozie<sup>®</sup> [Double Play<sup>®</sup>] (‘NCSX2’)</b> Red Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; dark purplish-red flowers start mid-spring &amp; continue through summer on old &amp; new wood; seedless; bright red new foliage matures to dark green in summer through fall; compact spreading mound to about 3' tall &amp; wide; attracts butterflies; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage (PW) Zones 4 - 8</i>			1g 2g 5g	_____ _____ _____ <b>N</b>
<b>Spiraea 'Gold Mound'</b> Golden Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; pink flowers in May &amp; June; bright gold spring foliage fades to yellow-green in mid-summer's heat; fall foliage becomes orangish; low compact mound to 3' tall by 4' wide; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			1g 2g 5g	_____ _____ _____
<b>Spiraea 'Goldflame'</b> Golden Bumald Spirea <i>DECIDUOUS FLOWERING SHRUB; pink summer flowers; orange-bronze new foliage turns to yellow, then yellow-green &amp; finally green by summer; grows to 3' tall &amp; 4' wide; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage [S. x bumalda] Zones 3 - 8</i>			1g 2g 5g	_____ _____ _____
<b>Spiraea Little Bonnie (‘BL0601’)</b> Dwarf Pink Spirea <i>DECIDUOUS FLOWERING SHRUB; lavender-pink spring flowers &amp; sporadic blooms through summer; blue-green summer foliage; spreading mound to about 3' tall &amp; wide; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage [S. x bumalda] Zones 3 - 8</i>			1g 3g	_____ _____
<b>Spiraea 'Little Princess'</b> Pink Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; pink flowers in early summer; green foliage; compact spreading mound to 3' tall &amp; wider; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			1g 2g 5g	_____ _____ _____
<b>Spiraea 'Magic Carpet'</b> Pink Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; pinkish-purple flowers in June &amp; July; yellow-green red-tipped foliage; dwarf spreading mound to 2'; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			1g 2g 5g	_____ _____ _____
<b>Spiraea 'Neon Flash'</b> Red Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; improved 'Anthony Waterer' â€” no variegated shoots; red flowers in late spring; reddish new foliage becomes a nice green in summer; compact mound; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage [S. japonica] Zones 4 - 8</i>			1g 2g 5g	_____ _____ _____



# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Spiraea nipponica 'Snowmound'</b> White Nippon Spirea <i>DECIDUOUS FLOWERING SHRUB; white flowers in early June on old wood cover the small blue-green foliage; upright mound to 5'; deer browse resistant; locate in sun or light shade &amp; just about any soil with reasonable drainage [S. nipponica] Zones (3) 4 - 7 (8)</i>			1g 2g 5g	_____ _____ _____
<b>Spiraea Poprocks® Petite ('Odessa')</b> Compact Pink Japanese Spirea <i>DECIDUOUS FLOWERING SHRUB; masses of bright pink button-like flowers in early to mid-summer; green foliage; compact mounding habit to about 3' tall &amp; wide; deer &amp; rabbit browse resistant; locate in full sun or light shade &amp; just about any soil with reasonable drainage; Japanese native [S. japonica] Zones 3 - 8</i>			2g	_____
<b>Spiraea x Sundropâ„¢ [First Editions®] ('Bailcarol')</b> Dwarf Golden Spirea <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant pink flower clusters in early summer; non-fading golden foliage that gets tinged with red in fall; low dense mounding habit to about 15" tall by 3' wide; attracts butterflies; resists deer browse; locate in sun or light shade &amp; just about any soil with reasonable drainage (Schwartz / Bailey) Zones 3 - 8</i>	V Ltd		2g	_____ <b>N</b>
<b>Stewartia pseudo-camellia</b> Japanese Stewartia <i>ORNAMENTAL TREE; 3" diameter white flowers with prominent yellow centers in late June or July; pyramidal habit to about 30' tall by 20' wide; exfoliating reddish-brown bark; dark green summer foliage turns reddish-orange to burgundy in fall; locate in mostly sunny or filtered shade &amp; rich organic well-drained moisture retentive acidic soil; Asian native; Zones 5 - 8</i>			5g	_____
<b>Stewartia sinensis</b> Chinese Stewartia <i>DECIDUOUS ORNAMENTAL TREE; small fragrant white summer flowers with prominent yellow centers appear from late May through July; dark green summer foliage turn various shades of red in fall; reddish-brown &amp; tan exfoliating bark; bushy upright habit to about 20' tall by 15' wide; attracts pollinators; disease resistant; not tolerant of drought; locate in partial sun to filtered shade &amp; rich organic well-drained moisture retentive acidic soil; Chinese native; Zones 5 - 7</i>			5g	_____
<b>Styrax japonicus</b> Japanese Snowbell <i>DECIDUOUS ORNAMENTAL TREE; white bell-like flowers in early June; creamy white berry clusters in August &amp; September; green summer foliage turns insignificant yellowish in fall; upright or spreading heads to about 25' tall &amp; nearly as wide; branching starts above a single stem at about 3' to 5' above the ground; locate in full sun or partial shade (best) &amp; deep organic well-drained moisture retentive acidic soil; eastern Asian native; Zones 5 - 7 (8)</i>			7g	_____
<b>Symphoricarpos albus</b> Snowberry <i>DECIDUOUS FLOWERING SHRUB; clusters of small pink flowers in early summer; pure white fruit in fall persists into winter; bushy upright habit to 6' tall &amp; wide; dull green foliage; locate in full sun to partial shade &amp; just about any soil; tolerant of drought &amp; poor soils; US native Zones 3 - 7</i>			1g 2g 5g	_____ _____ _____
<b>Symphoricarpos doorenbosii Pinky Promiseâ„¢ ('Kolmpica')</b> Pink Snowberry <i>DECIDUOUS FLOWERING SHRUB; clusters of small white to pink flowers in early summer on new wood; gumball pink fall fruit from late summer into early fall; mint-green summer foliage; bushy upright habit to about 3' tall &amp; wide; locate in full sun to partial shade &amp; moisture retentive well-drained soil; US native (Bloomin' Easy) Zones 3 - 7</i>			2g	_____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Symphoricarpos Proud Berry ('Sofie')</b> Pink Coralberry <i>DECIDUOUS FLOWERING SHRUB; small pink &amp; white summer flowers on new wood; dark pink berries appear in late summer persist into late fall; cooler weather intensifies the fruit color; broadly upright habit to about 4' tall &amp; wide; locate in full sun (for best fruit display) or partial shade; adaptable to most well-drained soils; North American native (Hoekstra-Arisz / PW) Zones 3 - 7</i>			2g	_____	
<b>Syringa x Bloomerang Dark Purple ('SMSJBP7')</b> Purple Reblooming Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; profuse fragrant purple bloom in spring; from mid-summer to frost a lesser quantity of flowers appear; grows up to 6' tall &amp; wide; locate in full to mostly sunny areas with good air circulation &amp; well-drained neutral to alkaline organic soil; withstands coastal conditions (PW) Zones (3) 4 - 7</i>		<b>BUSH</b>	1g 2g 5g	_____ _____ _____	
<b>Syringa x Bloomerang Dark Purple ('SMSJBP7')</b> Purple Reblooming Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; profuse fragrant purple bloom in spring; from mid-summer to frost a lesser quantity of flowers appear; grows up to 6' tall &amp; wide; locate in full to mostly sunny areas with good air circulation &amp; well-drained neutral to alkaline organic soil; withstands coastal conditions (PW) Zones (3) 4 - 7</i>		<b>TREE FORM</b>	7g 15g	_____ _____	<b>N</b>
<b>Syringa x hyacinthiflora Scentaria® Double Blue ('SMNSHBBL')</b> Purple Early Flowering Lilac <i>DECIDUOUS FLOWERING SHRUB; very fragrant large double bluish-purple flowers in early April on old wood; green summer foliage; upright grower to about 8' tall &amp; wide; tolerates coastal conditions; attracts butterflies &amp; hummingbirds; resists deer browse; tolerates chalky &amp; clay soils; locate in full to mostly sunny areas with good air circulation &amp; well-drained neutral to alkaline organic soil (PW) Zones 2 - 8</i>			2g	_____	
<b>Syringa x Little Lady â„¢ ('Jeflady')</b> Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; dark pink buds open to very fragrant single lavender-pink flowers in spring; compact rounded habit to about 5' tall &amp; wide; good disease resistance; attracts butterflies &amp; hummingbirds; locate in full to mostly sunny areas with good air circulation &amp; well-drained neutral to alkaline organic soil (First Editions) Zones 2 - 7</i>			2g	_____	
<b>Syringa meyeri Flowerfesta® Pink ('Anny200817')</b> Dwarf Korean Lilac <i>DECIDUOUS FLOWERING SHRUB; larger than average fragrant light pink flower clusters in May; compact bushy mound to about 5' high &amp; wide; attracts hummingbirds &amp; butterflies; may resist deer browse; tolerates some drought; locate in full sun or light shade &amp; well-drained organic soil of any pH; native to northeastern Asia (van Nijnatten) Zones (3) 4 - 7</i>			2g	_____	<b>N</b>
<b>Syringa meyeri Flowerfesta® Purple ('Anny200809')</b> Dwarf Korean Lilac <i>DECIDUOUS FLOWERING SHRUB; larger than average fragrant light purple flower clusters in May; compact bushy mound to about 5' high &amp; wide; attracts hummingbirds &amp; butterflies; may resist deer browse; tolerates some drought; locate in full sun or light shade &amp; well-drained organic soil of any pH; native to northeastern Asia (van Nijnatten) Zones (3) 4 - 7</i>			2g	_____	<b>N</b>
<b>Syringa meyeri 'Palibin'</b> Dwarf Korean Lilac <i>DECIDUOUS FLOWERING SHRUB; purplish-pink buds open to profuse light pink flowers in May; compact spreading mound to 4' high by 6' wide; locate in full sun or light shade &amp; well-drained organic soil of any pH; native to northeastern Asia; PHS Gold Metal; Zones 3 - 7</i>		<b>BUSH</b>	1g 2g 5g	_____ _____ _____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Syringa meyeri 'Palibin'</b> <b>TREE FORM</b> Dwarf Korean Lilac <i>DECIDUOUS FLOWERING SHRUB; purplish-pink buds open to profuse light pink flowers in May; compact spreading mound to 4' high by 6' wide; branching starts 3-4' above a single stem; locate in full sun or light shade &amp; well-drained organic soil of any pH; native to northeastern Asia; PHS Gold Metal; Zones 3 - 7</i>			7g	
<b>Syringa x prestionae Pinktiniã,¢ ('Jeftini')</b> Compact Pink Preston Lilac <i>DECIDUOUS FLOWERING SHRUB; dark pink buds open to lightly fragrant rose-pink flowers in late May or June; bright green summer foliage; compact bushy upright habit to about 5' tall by 4' wide; tolerates coastal conditions; locate in full sun with good air circulation &amp; well-drained neutral to slightly alkaline organic soil (Ronald / First Editions) Zones 2 - 7</i>			2g	<b>N</b>
<b>Syringa pubescens subsp. patula Baby Kim® ('SMNSDTP')</b> <b>TREE FORM</b> Dwarf Manchurian Lilac <i>DECIDUOUS FLOWERING SHRUB; dark purple buds open to fragrant lavender-purple blooms with lighter centers in mid to late May &amp; may be cut; dark green pointed summer foliage; compact rounded habit to about 3' tall &amp; wide; attracts butterflies &amp; hummingbirds; resists deer browse; locate in full sun or light shade &amp; well-drained organic soil of any pH; native to northeastern Asia; Zones 4 - 7</i>			7g	<b>N</b>
<b>Syringa pubescens subsp. patula 'Miss Kim'</b> <b>BUSH</b> Manchurian Lilac <i>DECIDUOUS FLOWERING SHRUB; very fragrant light lavender blooms in mid to late May; compact upright habit to 6' tall by 5' wide; locate in full sun or light shade &amp; well-drained organic soil of any pH; native to northeastern Asia; Zones 4 - 7</i>			1g 2g 5g	
<b>Syringa pubescens subsp. patula 'Miss Kim'</b> <b>TREE FORM</b> V Ltd Manchurian Lilac <i>DECIDUOUS FLOWERING SHRUB; very fragrant light lavender blooms in mid to late May; compact upright habit to 6' tall by 5' wide; branching starts 3-4' above a single stem; locate in full sun or light shade &amp; well-drained organic soil of any pH; native to northeastern Asia; Zones 4 - 7</i>			7g 15g	<b>N</b>
<b>Syringa Virtual Violetã,¢ [First Editions®] ('Bailbridget')</b> Purple Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; raspberry-purple buds open to fragrant violet flowers in early May on purple stems; dark green foliage; dense upright habit to 8' tall by 6' wide; locate in full to mostly sunny areas with good air circulation &amp; well-drained neutral to mildly alkaline organic soil (Selinger / Bailey) Zones 3 - 7</i>			2g	
<b>Syringa vulgaris</b> Common Lilac <i>DECIDUOUS FLOWERING SHRUB; fragrant lavender flower in early May; upright vase-shaped habit to 15'; habit; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe Zones 2 - 7</i>			2g 5g	
<b>Syringa vulgaris 'Beauty of Moscow' (aka: 'Krasavista Moskv'y')</b> White French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; highly fragrant double white flowers following pink buds; upright habit to 10'; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			2g 5g 7g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Syringa vulgaris 'Belle de Nancy'</b> Lavender French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; purple buds open to fragrant lavender-pink flowers in late April or May; pointed pale green summer foliage turns tan to brown in fall; upright habit to about 10' tall by 8' wide; tolerates heavy soils, deer browse &amp; coastal conditions; subject to mildew; locate in full to mostly sunny areas with good air circulation &amp; well-drained organic slightly acidic to slightly alkaline soil; native to southern Europe (Kolesnikov) Zones 3 - 7</i>			2g	_____	<b>N</b>
<b>Syringa vulgaris 'Charles Joly'</b> Red French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; double magenta flower; upright vase-shaped habit to 12'; good in coastal landscapes; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			2g	_____	
<b>Syringa vulgaris 'Congo'</b> Red French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; fragrant magenta flower; upright vase-shaped habit to 12'; good in coastal landscapes; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			2g 5g	_____ _____	
<b>Syringa vulgaris 'Ludwig Spaeth'</b> Purple French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; very fragrant single dark purple flowers; upright habit to 12'; one of the best!; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			2g 5g	_____ _____	
<b>Syringa vulgaris 'Madame Lemoine'</b> White French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; double white flower; upright spreading habit to 10'; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			2g 5g 7g	_____ _____ _____	<b>N</b>
<b>Syringa vulgaris 'Monge'</b> Red French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; single reddish-purple flower; upright vase-shaped habit to 10'; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			2g	_____	
<b>Syringa vulgaris 'Primrose'</b> Yellow French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; soft yellow to creamy white flowers; upright rounded habit to 10'; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			2g	_____	
<b>Syringa vulgaris 'Sensation'</b> Purple Bicolor French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; single purple flowers with white edges in early May; grows to 10' or more; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>			2g 5g 7g	_____ _____ _____	<b>N</b>
<b>Syringa vulgaris 'Yankee Doodle'</b> Purple French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; profuse fragrant dark purple flowers in early May; compact upright habit; habit; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe Zones 3 - 7</i>			2g	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Taxodium distichum var. distichum Shawnee Brave ('Mickelson')</b> Columnar Common Bald Cypress <i>DECIDUOUS ORNAMENTAL CONIFER; narrow columnar habit to about 75' tall by 20' wide; locate in full sun or minimal shade &amp; moist to well-drained acidic soils; tolerant of urban situations with little water &amp; compacted soils as well as wet tidal areas; US native; Zones 4 - 11</i>			7g	
<b>Taxus x media 'Densiformis'</b> Spreading Anglo-Jap Yew <i>EVERGREEN SHRUB; dark green needles; compact spreading mound; grows twice as wide as high; tolerates urban conditions; "deer candy"; prune in late winter; locate in full sun to fairly shady areas &amp; moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils [T. baccata x T. cuspidata] Zones 4 - 7</i>			2g	<b>N</b>
<b>Taxus x media 'Hicksii'</b> Upright Anglo-Jap Yew <i>EVERGREEN SHRUB; red fruit in late fall through winter; dark green needles; columnar habit to about 5' tall by 3' wide in 10 years &amp; as much as 20' tall by 12' wide at maturity; can be trimmed to about any size; a little narrower than 'Hatfield'; tolerates urban conditions; "deer candy"; prune in late winter; locate in full sun to fairly shady areas &amp; moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils [T. baccata x T. cuspidata] Zones 4 - 7</i>			1g 2g 5g	<b>N</b>
<b>Taxus x media Stonehenge® (SMNTHDC')</b> Columnar Anglo-Jap Yew <i>EVERGREEN SHRUB; dark green needles all year; dense narrowly columnar habit to about 12' tall by 4' wide; can be kept smaller with periodic pruning; tolerates urban conditions; "deer candy"; prune in late winter; locate in full sun to fairly shady areas &amp; moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils [T. baccata x T. cuspidata] (PW) Zones 5 - 7</i>			1g 2g	<b>N</b>
<b>Ternstroemia gymnanthera Bigfootâ„¢ ('Sotall')</b> Cleypora <i>EVERGREEN SHRUB; new foliage is light green &amp; matures to glossy dark green; rapid upright habit to about 20' tall by 6' wide; drought, heat &amp; disease tolerant; locate in full sun to light shade &amp; moist well-drained soil; Zones 7 - 9</i>			3g	<b>N</b>
<b>Ternstroemia gymnanthera Montagueâ„¢ ('BLTG01')</b> Cleypora <i>EVERGREEN SHRUB; reddish-bronze new foliage matures to glossy dark green by late spring; upright habit to about 7" tall by 4' wide; drought, heat &amp; disease tolerant; locate in full sun to light shade &amp; moisture retentive well-drained soil; Zones 7 - 9</i>			1g 3g	<b>N</b>
<b>Ternstroemia gymnanthera Romeoâ„¢ ('Variegata')</b> Cleypora <i>EVERGREEN SHRUB; variegated tricolor foliage with variable yellow margin &amp; pinkish-orange highlights that mature to darker red by summer; upright habit to about 10' tall by 6' wide; drought, heat &amp; disease tolerant; locate in full sun to light shade &amp; moist well-drained soil; Zones 7 - 9</i>	V Ltd		1g 3g	<b>N</b>
<b>Thuja x 'Green Giant'</b> Hybrid Western Arborvitae; Hybrid Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity; bright green foliage; minimal pest or disease problems; variable deer browse resistance; locate in full sun or light shade &amp; moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA introduction) Zones 5 - 8</i>			1g 2g 5g 10g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Thuja occidentalis Anna's Magic Ball ('Anna van Vloten')</b> Dwarf Golden Globe Eastern Arborvitae; Dwarf Golden Globe White <i>EVERGREEN ORNAMENTAL CONIFER; dwarf golden globular habit reaching about 15" tall &amp; wide in 10 years; resists sunburn; tolerant of air pollution &amp; Black Walnut; locate in full sun (for best color) or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada (PW) Zones 3 - 7</i>			1g 2g 5g	
<b>Thuja occidentalis 'Degroot's Spire'</b> Fastigiata American Arborvitae; Fastigiata White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting nubby medium green foliage; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones 3 - 7</i>			1g	
<b>Thuja occidentalis 'Degroot's Spire'</b> Columnar American Arborvitae; Columnar White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting nubby medium green foliage; broadly twisting band around a central stem; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones 3 - 7</i>		<b>SPIRAL</b>	5g	<b>N</b>
<b>Thuja occidentalis Fire Chief ('Congabe')</b> Dwarf Golden Eastern Arborvitae; Dwarf Golden White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; bright red new spring foliage reappears in winter; mature foliage is golden; semi-dwarf globular habit to 4' tall &amp; wide; tolerant of air pollution &amp; Black Walnut; locate in full sun (for best color) or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; sport of 'Rheingold'; native to eastern US &amp; Canada; Zones 3 - 7</i>	V Ltd		1g 2g 5g 7g	<b>N</b>
<b>Thuja occidentalis Full Speed A Hedge® ('American Pillar')</b> Columnar American Arborvitae; Columnar White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage that does not bronze in winter; narrowly pyramidal habit to about 30' tall by 5' wide; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; sport of 'Hetz Wintergreen'; native to eastern US &amp; Canada (Houser) Zones 3 - 7</i>			2g 5g 7g	<b>N</b> <b>N</b>
<b>Thuja occidentalis 'Hetz Midget'</b> Dwarf Globe American Arborvitae; Dwarf Globe White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; dense green globe; 3-4' maximum height; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones 3 - 7</i>			1g 2g 5g	
<b>Thuja occidentalis Mr. Bowling Ball® ('Bobazam')</b> Compact Globe Eastern Arborvitae; Compact Globe White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; slow growing globular habit to about 3' x 3'; feathery sage-green foliage; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones 3 - 7</i>			1g 2g 5g	
<b>Thuja occidentalis North Pole® ('Art Boe')</b> Narrow Dark American Arborvitae; Narrow White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage that does not bronze in winter; narrowly pyramidal habit to about 15' tall by 4' wide; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada (Boe / PW) Zones 3 - 7</i>			1g 2g 5g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Thuja occidentalis Privet Jetâ„¢ ('King of Brabant')</b> Narrow Dark American Arborvitae; Narrow White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage that does not bronze in winter; narrowly pyramidal habit to about 20" tall by 5' wide; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada (Bloomin' Easy) Zones 3 - 7</i>			2g	_____	<b>N</b>
<b>Thuja occidentalis 'Smaragd'</b> Emerald Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones (4) 5 - 7</i>			1g 5g 7g 15g	_____ _____ _____ _____	
<b>Thuja occidentalis 'Smaragd'</b> Emerald Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 2 balls of foliage on top of each other around the central stem; top pad may be pointed or round; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada (Poulsen N) Zones (4) 5 - 7</i>	V Ltd <b>2-TIER</b> V Ltd		5g 7g	_____ _____	<b>N</b> <b>N</b>
<b>Thuja occidentalis 'Smaragd'</b> Emerald Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; 3 balls of foliage separated vertically along the central leader; top pad may be pointed or round; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones (4) 5 - 7</i>	<b>3-TIER</b>		5g 7g	_____ _____	<b>N</b>
<b>Thuja occidentalis 'Smaragd'</b> Emerald Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; sheared into an upright cactus; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones (4) 5 - 7</i>	<b>CACTUS</b> V Ltd		7g	_____	<b>N</b>
<b>Thuja occidentalis 'Smaragd'</b> Emerald Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage all year; columnar to narrow pyramidal habit; broadly twisting band around a central stem; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones (4) 5 - 7</i>	<b>SPIRAL</b>		5g 7g	_____ _____	
<b>Thuja occidentalis Tater Tot® ('SMINTOBAB')</b> Dwarf Eastern Arborvitae; Dwarf White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; compact spreading mound to about 2' tall &amp; wide; bronze foliage in winter; tolerates of air pollution &amp; Black Walnut; locate in full sun or light shade &amp; most soils with adequate drainage; native to eastern US &amp; Canada (PW) Zones 3 - 8</i>			1g 2g	_____ _____	<b>N</b>

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Thuja plicata Fluffy® ('SMNTPGF')</b> Compact Golden Western Arborvitae; Compact Golden Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONFIER; golden foliage all year; compact pyramidal habit to about 10' tall by 5' wide at the base; somewhat deer browse resistant; locate in full sun (for best color) or light shade &amp; moisture retentive well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US &amp; Canada (PW) Zones 5 - 8 (9)</i>			1g 2g	_____ _____ _____	<b>N</b>
<b>Thuja plicata Forever Goldy ('4EVER')</b> Golden Western Arborvitae; Golden Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONFIER; golden foliage all year - even in hot summer sun; turns orangey-gold in fall &amp; contrasts with red stems in winter; tight columnar to narrow pyramidal habit to about 20' tall by 4' wide; somewhat deer browse resistant; locate in full sun (for best color) or light shade &amp; organic well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US &amp; Canada (Ball) Zones 5 - 8 (9)</i>			1g	_____	
<b>Thuja plicata Golden Spire ('Daniellow')</b> Golden Western Arborvitae; Golden Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONFIER; golden foliage all year - even in hot summer sun and cold winters; moderate grower with a tight narrow pyramidal to columnar habit to about 15' tall by 4' wide; somewhat deer browse resistant; locate in full sun (for best color) or light shade &amp; moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US &amp; Canada (Daniels / Plant Haven) Zones 5 - 8 (9)</i>			1g 5g	_____ _____ _____	<b>N</b>
<b>Thuja plicata Sugar &amp; Spice ('De Rakt')</b> Compact Western Arborvitae; Compact Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; compact upright pyramidal habit to about 10' tall by 3' wide; lacey green to cream foliage; somewhat deer browse resistant; locate in full sun or light shade &amp; moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US &amp; Canada; Zones 5 - 7 (8)</i>			1g 2g 5g 7g 15g	_____ _____ _____ _____ _____	<b>N</b> <b>N</b> <b>N</b> <b>N</b>
<b>Thuja plicata Sugar &amp; Spice ('De Rakt')</b> <b>3' HEDGE</b> Compact Western Arborvitae; Compact Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; lacey green to cream foliage; compact upright pyramidal habit to about 10' tall by 3' wide; somewhat deer browse resistant; tolerant of coastal exposure but not persistent drought; 3 plants in a plastic cloth "box" that's about 3' long by 15" wide; locate in full sun or light shade &amp; moist to well-drained soil of varying acidity; native to northwestern US &amp; Canada; Zones 5 - 7 (8)</i>			3' bag	_____	<b>N</b>
<b>Trachelospermum jasminoides</b> Star Jasmine <i>EVERGREEN VINE; very fragrant creamy white star-like flowers in mid to late spring; dark green foliage; inconspicuous black fruit; twining stems can reach about 20' if supported on a structure; attracts bees; resists deer browse, drought &amp; most diseases; locate in full sun to partial to full shade &amp; well-drained organic soil; Asian native; Zones 8 - 10</i>			1g	_____	
<b>Trachelospermum jasminoides</b> <b>STAKED</b> Star Jasmine <i>EVERGREEN VINE; very fragrant creamy white star-like flowers in mid to late spring; dark green foliage; inconspicuous black fruit; twining stems can reach about 20' if supported on a structure; attracts bees; resists deer browse, drought &amp; most diseases; locate in full sun to partial to full shade &amp; well-drained organic soil; Asian native; Zones 8 - 10</i>			5g	_____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Tsuga canadensis</b> Canadian Hemlock <i>EVERGREEN CONIFER; short medium green needles; large pyramidal habit to 50' or more; excellent screen for shady locations; adelgid can be controlled by reducing stress with adequate moisture &amp; is almost a non-factor on intermediate to dwarf cultivars; protect from winter winds in colder areas; locate in full sun or full shade &amp; moist well-drained acidic soils; native to US &amp; Canada; Zones (3) 4 - 7</i>			1g 5g	_____ _____	<b>N</b> <b>N</b>
<b>Tsuga canadensis 'Alpha Upright'</b> Dwarf Canadian Hemlock <i>EVERGREEN ORNAMENTAL CONIFER; insignificant flowers; small brown cones in fall; short green needles; compact upright habit that widens with age; adelgid can be controlled by reducing stress with adequate moisture &amp; is almost a non-factor on intermediate to dwarf cultivars; protect from winter winds in colder areas; locate in full sun or full shade &amp; moist well-drained acidic soils; native to US &amp; Canada; Zones (3) 4 - 7</i>	V Ltd		5g	_____	<b>N</b>
<b>Tsuga canadensis 'Pendula'</b> Weeping Canadian Hemlock <i>EVERGREEN ORNAMENTAL CONIFER; graceful wide-spreading evergreen; small foliage; staked so leader is erect; adelgid can be controlled by reducing stress with adequate moisture &amp; is almost a non-factor on intermediate to dwarf cultivars; protect from winter winds in colder areas; locate in full sun or full shade &amp; moist well-drained acidic soils; native to US &amp; Canada; Zones (3) 4 - 7</i>			5g	_____	<b>N</b>
					<b>STAKED UPRIGHT</b>
<b>Ulmus americana 'Jefferson'</b> American Elm <i>DECIDUOUS SHADE TREE; dark green persistent summer foliage turns yellow in fall; original plant on National Mall (DC) is broadly upright with arching branches to 70' tall by 50' wide at 70 years; tolerates drought, air pollution &amp; black walnuts; highly resistant to Dutch elm disease; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant; native to US &amp; Canada (Townsend / NPS &amp; USNA) Zones 4 - 7</i>	V Ltd		7g	_____	<b>N</b>
<b>Vaccinium angustifolium 'Brunswick'</b> Lowbush Blueberry <i>DECIDUOUS FRUITING SHRUB; white flower in mid-season; highly nutritious light blue berries in mid-summer; blue-green summer foliage turns bright red in fall; low spreading shrub to about 1' tall by 4' wide forming dense ground cover; tolerant of poor &amp; dry soils &amp; coastal conditions; locate in full sun or partial shade &amp; well-drained to dry acidic soil; US native; Zones (2) 3 - 5 (6)</i>			1g	_____	
<b>Vaccinium angustifolium 'Burgundy'</b> Lowbush Blueberry <i>DECIDUOUS FRUITING SHRUB; white flower in mid-season; highly nutritious light blue berries in mid-summer; burgundy new foliage turns gray-green by summer then burgundy again in fall; low spreading shrub to about 1' tall by 4' wide forming dense ground cover; tolerant of poor &amp; dry soils &amp; coastal conditions; locate in full sun or partial shade &amp; well-drained to dry acidic soil; US native (U of Maine) Zones (2) 3 - 5 (6)</i>			1g	_____	
<b>Vaccinium ashei 'Pink Lemonade'</b> Rabbiteye Blueberry <i>DECIDUOUS FRUITING SHRUB; small white flowers in spring before foliage break; edible blue berries appear in early to mid-summer; bluish-green summer foliage turns outstanding shades of orange to scarlet in fall; broadly upright habit to about 12' tall; more heat &amp; drought tolerant than V. angustifolium or V. corymbosum; plant 2 varieties for most fruit; locate in full sun or partial shade &amp; well-drained moisture retentive to fairly dry acidic soil; SE US native; Zones 7 - 9</i>			1g 2g	_____ _____	

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Vaccinium Cabernet Splash<sup>®</sup>,<sup>®</sup> ('VacBri1')</b> Hybrid Blueberry <i>DECIDUOUS FRUITING SHRUB; clusters of white bell-like flowers in April; very large dark blue fruit early to mid-season; bushy habit to about 4' tall &amp; wide; spring foliage emerges reddish-purple then becomes green with red highlights in summer before turning bright red in fall; locate in full to mostly sunny location (for best fruit production) &amp; organic well-drained moisture retentive slightly acidic soil; sport of 'Toto' [V. corymbosum] Zones 4 - 8</i>			1g	_____	
<b>Vaccinium corymbosum - assorted</b> Highbush Blueberry <i>refer to AlphaNursery.com for currently available varieties &amp; sizes; some premium varieties may cost more.</i>			1g 2g	_____ _____	
<b>Vaccinium corymbosum 'Bluegold'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; late-season crop; 4-6' tall &amp; wide; bright red to purplish fall foliage; locate in full or partial sun &amp; well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones 3 - 7 (8)</i>			1g	_____	
<b>Vaccinium corymbosum 'Bushel &amp; Berry'</b> Highbush Blueberry <i>refer to AlphaNursery.com for currently available varieties &amp; sizes; some premium varieties may cost more.</i>			1g 2g	_____ _____	
<b>Vaccinium corymbosum 'Mini Blues'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; profuse white bell-like flowers in early April yield bountiful clusters of small sweet blue fruit in July; needs other variety to cross-pollinate; foliage turns bright red to purplish in fall; bushy habit to about 6' tall by 4' wide; locate in full or partial sun &amp; organic well-drained moisture retentive slightly acidic soil [V. corymbosum] [Bushel &amp; Berry ®] Zones 4 - 8</i>			1g 2g 5g	_____ _____ _____	<b>N</b>
<b>Vaccinium corymbosum 'Peach Sorbet'</b> Compact Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; white bell-like flowers in mid spring; blue fruit in early to midseason; new foliage peachy pink foliage turns medium green by summer &amp; bright red to purplish in fall; bushy habit to about 2' tall &amp; wide; locate in full or partial sun &amp; organic well-drained moisture retentive slightly acidic soil [V. corymbosum] [Bushel &amp; Berry ®] Zones 5 - 7 (8)</i>			1g 2g	_____ _____	
<b>Vaccinium corymbosum Pink Icing<sup>®</sup> ('ZF06-079')</b> Compact Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; white bell-like flowers in mid spring; large blue fruit in July; new foliage open with pink tones before turning medium green by summer &amp; bright blue to purplish in fall; semi-evergreen in warmer zones; compact bushy habit to about 3' tall by 4' wide; locate in full or partial sun &amp; organic well-drained moisture retentive slightly acidic soil [V. corymbosum] [Bushel &amp; Berry ®] Zones 5 - 7 (8)</i>			1g 2g	_____ _____	<b>N</b> <b>N</b>
<b>Vaccinium 'Nocturne'</b> Hybrid Blueberry <i>DECIDUOUS FRUITING SHRUB; white bell-like flowers in mid to late April; clusters of medium to large coral-red fruit appear in mid July before maturing to dark blue in late July; self-fruitful but heavier fruiting with other Highbush cultivar; foliage turns bright red to purplish in fall; broadly upright habit to about 5' tall by 6' wide; locate in full or partial sun &amp; organic well-drained moisture retentive slightly acidic soil [V. corymbosum x V. ashei x V. constablaei] (USDA) Zones 4 - 8</i>			1g 5g	_____ _____	<b>N</b>

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Verbena bonariensis 'Lollipop'</b> Compact Tall Verbena; Compact Tall Vervain <i>PERENNIAL; small lavender flowers in 2-3" diameter clusters from June to frost on thin stems to about 2' tall &amp; wide; flowers attract pollinators; seeds attract Gold Finch; locate in full sun &amp; well-drained moisture retentive soil; South American native; Zones 7 - 11</i>			1g	_____	<b>N</b>
<b>Viburnum x burkwoodii</b> Fragrant Viburnum <i>DECIDUOUS FLOWERING SHRUB; pink buds open to fragrant white flowers in April; glossy dark green foliage turns reddish in fall &amp; is semi-evergreen in southern range; upright bushy habit to 10' tall &amp; nearly as wide; locate in full to partial sun &amp; neutral to acidic well-drained moisture retentive soil; Zones 5 - 8</i>			1g 2g 5g 7g	_____ _____ _____ _____	
<b>Viburnum carlesii</b> Koreanspice Viburnum <i>DECIDUOUS FLOWERING SHRUB; spicy fragrant white flowers in early May; red fruit clusters in fall; compact rounded habit to 8'; dull fuzzy foliage turns reddish to burgundy in the fall; attracts butterflies &amp; hummingbirds; tolerant of Black Locust; locate in full sun or partial shade &amp; moisture retentive well-drained neutral to acidic soil; Korean native; Zones (4) 5 - 7 (8)</i>			1g 2g 5g	_____ _____ _____	
<b>Viburnum davidii</b> David Viburnum <i>EVERGREEN FLOWERING SHRUB; compact spreading habit to 5' tall &amp; slightly wider; white flowers in late April or early May; blue fruit; locate in full sun or partial shade &amp; moisture retentive well-drained neutral to acidic soil; native to western China; Zones (7) 8 - 9</i>			1g 2g 5g	_____ _____ _____	
<b>Viburnum dentatum Autumn Jazz ('Ralph Senior')</b> Arrowwood Viburnum <i>DECIDUOUS FLOWERING SHRUB; bushy upright habit to 10'; white flowers in late May; glossy green summer foliage turns yellow to orange to red in the fall; locate in full sun or moderate shade; prefers well-drained soil but is very adaptable including coastal locations; native to US &amp; Canada (Chicagoland Grows) Zones (2) 3 - 8</i>			1g 2g 5g	_____ _____ _____	<b>N</b>
<b>Viburnum x 'Emerald Triumph'</b> Hybrid Viburnum <i>DECIDUOUS FLOWERING SHRUB; white cymes in late April or May; fruit emerges red in late summer &amp; matures to black; leathery glossy dark green foliage turns shades of red &amp; bronze in fall; broadly upright habit to about 8' tall &amp; wide in 10 years; locate in full to partial sun &amp; loamy well-drained moisture retentive soil [V. 'Allegheny' x V. burejaeticum] (Pellett) Zones 4 - 7</i>			5g	_____	<b>N</b>
<b>Viburnum x juddii</b> Fragrant Viburnum <i>DECIDUOUS FLOWERING SHRUB; very fragrant white flowers in late April; rounded habit to 8' tall &amp; wide; improved disease resistance over V. carlesii; locate in full to partial sun &amp; neutral to acidic well-drained moisture retentive soil [V. carlesii x V. butchiuense] (Judd) Zones 4 - 8</i>			1g	_____	
<b>Viburnum lantana 'Mohican'</b> Wayfaringtree Viburnum <i>DECIDUOUS FLOWERING SHRUB; profuse small off-white cymes in early to mid May; clusters of reddish-orange fruit in July ripen to black by Sept; heavily textured medium to dark green foliage is resistant to bacterial leaf spot; broadly upright habit to about 8' tall &amp; wide; locate in full sun or moderate shade &amp; neutral to alkaline well-drained soil; native to Europe &amp; western Asia (Egolf / USNA) Zones 4 - 7 (8)</i>			1g 5g	_____ _____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Viburnum nudum 'Winterthur'</b> Smooth Witherod; Possumhaw Viburnum <i>DECIDUOUS FLOWERING SHRUB; dark glossy foliage turns brilliant reddish-purple in fall; creamy white flowers in late May; fruit emerges white before turning pink, then red, then blue; locate in full sun to partial shade with moist well drained soil; drought tolerant; PHS Gold Metal; eastern US native; Zones 5 - 9</i>			1g 2g 5g	_____ _____ _____	
<b>Viburnum opulus 'Roseum' (Sterile)</b> European Snowball Viburnum; Old Fashioned Snowball Viburnum <i>DECIDUOUS FLOWERING SHRUB; very showy 3" round clusters of sterile white flowers in mid May; does not fruit; bushy upright habit to about 12' tall &amp; wide; somewhat resistant to deer browse &amp; drought; locate in full sun or partial shade &amp; just about any well-drained soil; native to Europe &amp; N. Africa; Zones 3 - 8</i>			1g 2g 5g	_____ _____ _____	
<b>Viburnum opulus subsp. trilobum 'Bailey Compact'</b> Compact American Cranberrybush Viburnum <i>DECIDUOUS FLOWERING SHRUB; white spring lacecap flower in mid to late May are minimal; sparse fruit changes from yellow-red to bright red in mid to late fall; red fall foliage; intermediate grower to about 6' tall and wide; locate in full sun to partial shade &amp; moist to well-drained acidic soil; native to US &amp; Canada (Perkins / Bailey) Zones 4 - 7</i>			1g 2g 5g	_____ _____ _____	
<b>Viburnum plicatum f. tomentosum</b> Double-file Viburnum <i>DECIDUOUS FLOWERING SHRUB; lace-cap flowers in May; fruit opens red before turning black; broadly upright bushy grower to 10' tall &amp; perhaps wider; dark green summer foliage turns reddish purple in fall; branching starts about 3-4' above a single stem; locate in full sun to light shade &amp; well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)</i>	V Ltd <b>TREE FORM</b> V Ltd		7g 15g	_____ _____	<b>N</b> <b>N</b>
<b>Viburnum plicatum f. tomentosum 'Mariesii'</b> Doublefile Viburnum <i>DECIDUOUS FLOWERING SHRUB; horizontal spreading branches are covered by white flowers in May, followed by red fruit in summer that turns to black; grows to 8' tall by 12' wide; locate in full sun to light shade &amp; well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)</i>	<b>BUSH</b>		1g 2g 5g	_____ _____ _____	
<b>Viburnum plicatum f. tomentosum 'Summer Snowflake' / 'Fujisanensis'</b> Compact Reblooming Double-file Viburnum <i>DECIDUOUS FLOWERING SHRUB; sterile white flowers sporadically all summer; fall foliage is purplish-red; compact habit to 5'; may be the same plant as 'Watanabei'; locate in full sun to light shade &amp; well-drained moisture retentive soil; native to eastern Asia; Zone 5 - 7 (8)</i>			1g 2g 5g 7g	_____ _____ _____ _____	
<b>Viburnum x pragense</b> Prague Viburnum <i>EVERGREEN FLOWERING SHRUB; small narrow glossy leathery evergreen foliage; pink flower buds open white; bushy upright habit to 10' tall &amp; nearly as wide; locate in full sun to light shade &amp; well-drained moisture retentive acidic soil; Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____	<b>N</b>
<b>Viburnum x Shiny Dancer ('NCVS1')</b> Compact Hybrid Viburnum <i>DECIDUOUS FLOWERING SHRUB; creamy white spring flower; compact habit to about 5' tall &amp; wide; bright red fruit; very glossy reddish new foliage; semi-evergreen with red fall &amp; winter foliage; locate in full to partial sun &amp; loamy well-drained moisture retentive soil (PW) Zones 6 - 8</i>	Ltd		2g	_____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Viburnum tinus 'Spring Bouquet'</b> Laurustinus <i>DECIDUOUS FLOWERING SHRUB; upright evergreen; early white flowers; locate in full sun or shade &amp; well-drained moisture retentive soil; tolerant of coastal conditions; native to southern Europe; Zones 8 - 9</i>			1g 2g 5g	_____ _____ _____	
<b>Viburnum trilobum 'Bailey Compact'</b> <i>see: Viburnum opulus subsp. trilobum 'Bailey Compact'</i>				_____	
<b>Viburnum Yangâ„¢ ('NCVX3')</b> Compact David Viburnum <i>EVERGREEN FLOWERING SHRUB; white flower; dark green foliage; compact spreading habit to about 2' tall by 4' wide; locate in full sun or partial shade &amp; moisture retentive well-drained neutral to slightly acidic soil [V. davidii x V. macrocephalum] (Ranney / PW) Zones (7) 8 - 9</i>			2g 5g	_____ _____	
<b>Viburnum Yinâ„¢ ('NCVX2')</b> Compact David Viburnum <i>EVERGREEN FLOWERING SHRUB; white flower; dark green foliage; blue fruit clusters in the fall when planted near V. Yang; compact spreading habit to about 2' tall by 4' wide; locate in full sun or partial shade &amp; moisture retentive well-drained neutral to slightly acidic soil [V. davidii x V. macrocephalum] (Ranney / PW) Zones (7) 8 - 9</i>			2g 5g	_____ _____	<b>N</b>
<b>Vitis labrusca 'Canadice'</b> Red Seedless Grape <i>DECIDUOUS VINE; fragrant inconspicuous greenish flowers in late May or June; self pollinating; seedless red fruit follows in August through Sept; climbs by tendrils to as much as 20' from its' base; summer foliage is medium green; flowers attract bees; fruit attracts hornets &amp; wasps; resists deer &amp; rabbit browse; locate in full sun (for best flavor) &amp; loamy moisture retentive well-drained neutral to alkaline soil; eastern N. American native; Zones 5 - 8</i>			1g 2g	_____ _____	<b>N</b> <b>N</b>
<b>Vitis labrusca 'Himrod'</b> White Seedless Grape <i>DECIDUOUS VINE; fragrant inconspicuous greenish flowers in late May or June; self pollinating; seedless white fruit that matures to golden yellow follows in August through Sept; climbs by tendrils to as much as 20' from its' base; summer foliage is medium green; flowers attract bees; fruit attracts hornets &amp; wasps; resists deer &amp; rabbit browse; locate in full sun (for best flavor) &amp; loamy moisture retentive well-drained neutral to alkaline soil; eastern N. American native; Zones 5 - 8</i>			1g 2g	_____ _____	<b>N</b> <b>N</b>
<b>Vitis labrusca 'Reliance'</b> Pink Seedless Grape <i>DECIDUOUS VINE; fragrant inconspicuous greenish flowers in late May or June; self pollinating; seedless pinkish-red fruit in early August through Sept; climbs by tendrils to as much as 20' from its' base; summer foliage is medium green; flowers attract bees; fruit attracts hornets &amp; wasps; resists deer &amp; rabbit browse; locate in full sun (for best flavor) &amp; loamy moisture retentive well-drained neutral to alkaline soil; eastern N. American native [V. 'Ontario' x V. 'Suffolk Red'] (U of AR) Zones 5 - 8</i>			1g 2g	_____ _____	<b>N</b> <b>N</b>
<b>Vitis labrusca 'Suffolk Red'</b> Red Seedless Grape <i>DECIDUOUS VINE; fragrant inconspicuous greenish flowers in late May or June; self pollinating; seedless red fruit follows in August through Sept; climbs by tendrils to as much as 20' from its' base; summer foliage is medium green; flowers attract bees; fruit attracts hornets &amp; wasps; resists deer &amp; rabbit browse; locate in full sun (for best flavor) &amp; loamy moisture retentive well-drained neutral to alkaline soil; eastern N. American native (Cornell U) Zones 5 - 8</i>			1g 2g	_____ _____	<b>N</b> <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Weigela florida Electric Love® [Date Nightâ„¢] ('ZR1')</b> Compact Red Weigela <i>DECIDUOUS FLOWERING SHRUB; bright red flowers in late spring &amp; sporadic flowers in summer; purple spring foliage becomes bronzy-green by summer; broadly compact habit to about 2' tall by 3' wide; some deer browse resistance; attracts hummingbirds &amp; butterflies; locate in full sun or minimal shade &amp; most well-drained moisture retentive soils; native to Japan (Bloomin' Easy) Zones 4 - 7</i>			2g	_____	<b>N</b>
<b>Weigela florida My Monet Purple Effect® ('Verweig8')</b> Compact Variegated Weigela <i>DECIDUOUS FLOWERING SHRUB; green foliage that's edged in white with a purple tinge in spring which fades to white by summer; purplish-pink flowers appear in late spring; compact mounding habit to about 30" high &amp; wide; deer browse resistant; attracts hummingbirds &amp; butterflies; locate in full to part shade &amp; most well-drained moisture retentive soils; native to Japan (Verhoef / PW) Zones 4 - 6 (7)</i>			2g	_____	
<b>Weigela florida My Monet ('Verweig')</b> Dwarf Variegated Weigela <i>DECIDUOUS FLOWERING SHRUB; green foliage that's edged in white with a pink tinge in spring; the pink fades to white in summer; purplish-pink flowers appear in late spring; very compact mounding habit to 18" high &amp; wide; deer browse resistant; attracts hummingbirds &amp; butterflies; locate in full to part shade &amp; most well-drained moisture retentive soils; native to Japan (PW) (Verhoef) Zones 4 - 8</i>			1g 2g 5g	_____ _____ _____	
<b>Weigela florida Peach Kisses â„¢ ('Slingpink')</b> Compact Pink Weigela <i>DECIDUOUS FLOWERING SHRUB; peachy-pink reblooming flowers start in late spring; green summer foliage; compact bushy habit to about 4' tall &amp; wide; attracts hummingbirds &amp; butterflies; somewhat deer browse resistant; locate in full sun or minimal shade &amp; most well-drained moisture retentive soils; native to Japan (Bloomin' Easy) Zones (4) 5 - 7 (8)</i>			2g	_____	<b>N</b>
<b>Weigela florida Shining Sensation ('Bokrashine')</b> Pink Weigela <i>DECIDUOUS FLOWERING SHRUB; pink flowers in June; very glossy burgundy foliage; upright arching habit to 6' tall by 4' wide; deer browse resistant; attracts hummingbirds &amp; butterflies; locate in full to part shade &amp; most well-drained moisture retentive soils; native to Japan; Zones 5 - 8</i>	V Ltd		2g 3g	_____ _____	<b>N</b>
<b>Weigela florida Spilled Wineâ„¢ ('Bokraspiwi')</b> Pink Weigela <i>DECIDUOUS FLOWERING SHRUB; magenta-pink funnel shaped flowers in May; spreading mounding habit to 2' tall by 3' wide; deer browse resistant; attracts hummingbirds &amp; butterflies; locate in full to part shade &amp; most well-drained moisture retentive soils; native to Japan; Zones (4) 5 - 8</i>			1g 2g 5g	_____ _____ _____	
<b>Weigela florida Wine &amp; Roses ('Alexandra')</b> Purple-leaf Weigela <i>DECIDUOUS FLOWERING SHRUB; hot rosy-pink June flowers; dark burgundy foliage; broadly upright habit to 5'; deer browse resistant; attracts hummingbirds &amp; butterflies; locate in full to part shade &amp; most well-drained moisture retentive soils; PHS Gold Metal; native to Japan (PW) Zones 5 - 8</i>			1g 2g 5g	_____ _____ _____	
<b>Wisteria 'Amethyst Falls'</b> Lavender American Wisteria <i>DECIDUOUS TWINING FLOWERING VINE; mildly fragrant lilac-blue flowers from June to August; not as vigorous as Asian cultivars; locate in full sun &amp; well-drained moisture retentive neutral to slightly alkaline soil; shade &amp; over fertilization can reduce flowering; US native [W. frutescens] (Head-Lee N) Zones 5 - 9</i>		<b>STAKED</b>	5g	_____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Wisteria 'Blue Moon'</b></p> <p style="text-align: right;"><b>STAKED</b></p> <p>Blue Kentucky Wisteria  <i>DECIDUOUS TWINING FLOWERING VINE; 12" fragrant lilac-blue racemes appear in 3 waves from early summer; vines can grow up to 25'; very cold hardy; not as vigorous as Asian cultivars; locate in full sun &amp; well-drained moisture retentive neutral to slightly alkaline soil; shade &amp; over fertilization can reduce flowering; US native [W. macrostachya] (Buchite) Zones 4 - 9</i></p>			2g	
<p><b>Wisteria brachybotrys 'Okayama'</b></p> <p style="text-align: right;"><b>STAKED</b></p> <p>Lavender Silky Wisteria  <i>DECIDUOUS TWINING FLOWERING VINE; fragrant pale pea-like lavender racemes with prominent white centers in late spring; velvety green seed pods mature in late summer &amp; can persist into winter; pale green summer leaflets turn golden yellow in fall; twines counter-clockwise to as much as 20'; attracts butterflies; resists deer browse; tolerates drought when established; locate in full sun to minimal shade &amp; well-drained moisture retentive neutral to slightly alkaline soil; shade &amp; over fertilization can reduce flowering; Zones 5 - 8</i></p>			7g	<b>N</b>
<p><b>Wisteria 'Cooke's Special'</b></p> <p style="text-align: right;"><b>TREE FORM</b></p> <p>Purple Chinese Wisteria  <i>DECIDUOUS TWINING FLOWERING VINE; purple racemes; twines counter-clockwise; locate in full sun &amp; well-drained moisture retentive neutral to slightly alkaline soil; shade &amp; over fertilization can reduce flowering; Chinese native [W. sinensis] Zones 5 - 8</i></p>			2g	<b>N</b>
<p><b>Wisteria macrostachya 'Clara Mack'</b></p> <p style="text-align: right;"><b>STAKED</b></p> <p>White Kentucky Wisteria  <i>DECIDUOUS TWINING FLOWERING VINE; lightly fragrant 12" long white racemes in June; locate in full sun &amp; well-drained moisture retentive soil; shade &amp; over fertilization can reduce flowering; US native [W. macrostachya] Zones 4 - 9</i></p>			7g	<b>N</b>
<p><b>Wisteria 'Rosa Beni Fuji'</b></p> <p style="text-align: right;"><b>STAKED</b></p> <p>Hybrid Pink Wisteria  <i>DECIDUOUS TWINING FLOWERING VINE; long pink racemes in early spring between Chinese &amp; Japanese cultivars; vigorous grower to about 25' tall on a structure; drought resistant once established; considered invasive in some areas; attracts humming birds; locate in full sun &amp; well-drained moisture retentive neutral to slightly alkaline soil; shade &amp; over fertilization can reduce flowering; Asian cross [W. sinensis x W. floribunda] Zones 5 - 8</i></p>			2g	<b>N</b>
<p><b>Wisteria sinensis</b></p> <p style="text-align: right;"><b>STAKED</b></p> <p>Chinese Wisteria  <i>DECIDUOUS TWINING FLOWERING VINE; 18" long lavender racemes in early spring; vigorous grower; drought resistant once established; twines counter-clockwise; locate in full sun &amp; well-drained moisture retentive neutral to slightly alkaline soil; shade &amp; over fertilization can reduce flowering; Chinese native [W. sinensis] Zones 5 - 8</i></p>			2g	<b>N</b>
<p><b>Wisteria Summer Cascadeã,¢ [First Editions®] ('Betty Matthews')</b></p> <p style="text-align: right;"><b>STAKED</b></p> <p>Lavender Kentucky Wisteria  <i>DECIDUOUS TWINING FLOWERING VINE; flowers open as 12" dark lavender racemes on new wood before fading to a lighter shade by June; it will rebloom during the summer; if planted by a structure it can climb to about 20' tall; foliage turns yellow in fall; not as vigorous as Asian cultivars; locate in full sun &amp; well-drained moisture retentive neutral to slightly alkaline soil; shade &amp; over-fertilization can reduce flowering; US native [W. macrostachya] (McNamara &amp; Hokansan) Zones 4 - 8</i></p>			7g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Alpha Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<p><b>Wisteria 'Texas White'</b></p> <p style="text-align: right;"><b>STAKED</b></p> <p>White Chinese Wisteria  <i>DECIDUOUS TWINING FLOWERING VINE; fragrant white racemes in early spring; vigorous grower to as much as 30' tall on a structure; drought resistant once established; twines counter-clockwise; considered invasive in some areas; attracts humming birds; locate in full sun &amp; well-drained moisture retentive neutral to slightly alkaline soil; shade &amp; over fertilization can reduce flowering; Chinese native [W. sinensis] Zones (4) 5 - 8</i></p>	Ltd		5g	<hr style="width: 50px; margin-left: auto; margin-right: 0;"/> <b>N</b>
<p><b>Zelkova serrata 'Village Green'</b></p> <p>Japanese Zelkova  <i>SHADE TREE; compact spreading branches; bronze-red fall foliage; locate in full sun or light shade &amp; moist well-drained soil of varying pH; tolerant of urban conditions; Asian native; Zones (4) 5 - 8</i></p>			7g	<hr style="width: 50px; margin-left: auto; margin-right: 0;"/>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



