

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Abies cephalonica</b> Greek Fir; Grecian Fir <i>EVERGREEN CONIFER; bright glossy dark green pointed needles; breaks bud early in season which can be damaged by late frosts; large pyramidal to 100' or more in its' native range; intolerant of atmospheric pollution; does not transplant well at larger sizes; deer browse resistant; locate in full sun or partial shade &amp; well-drained moisture retentive soils; tolerant of most soil acidity; native to Greece; Zones 5 - 7</i>		6 - 7'	B&B	<b>N</b>
<b>Abies nordmanniana</b> Nordmann Fir; Caucasian Fir <i>EVERGREEN CONIFER; flat grossy dark green needles notched &amp; rounded at the tip; pyramidal habit to about 50' tall &amp; half as wide at the base; 6" by 2" cylindrical cones mature to reddish-brown; deer browse resistant; locate in full to partial sun &amp; very well-drained slightly acidic moisture retentive soil; one of the most heat tolerant species; southwestern Asian native; Zones (4) 5 - 6 (7)</i>		6 - 7' 7 - 8'	B&B B&B	
<b>Acer campestre Metro Gold® ('Panacek')</b> Hedge Maple <i>DECIDUOUS SHADE TREE; inconspicuous yellowish-green flowers in late April or May; minimal fruit set; larger darker green leaves that turn bright yellow in fall; tight upright habit to about 35' by 20' wide; good street tree under wires; tolerates urban conditions; locate in full sun to partial shade &amp; about any well-drained soil; native of Europe &amp; Africa (Panacek / Schmidt) Zones 6 - 8</i>		2 - 2.5" c	B&B	<b>N</b>
<b>Acer campestre Queen Elizabeth ('Evelyn')</b> Hedge Maple <i>DECIDUOUS SHADE TREE; small tree to about 35' tall with a 30' wide head; more vigorous than the species with larger darker green leaves; good street tree under utility lines; yellowish fall foliage; locate in full sun to partial shade &amp; about any well drained &amp; compacted soil; native of Europe &amp; Africa (Schmidt) Zones (5) 6 - 8</i>		2 - 2.5" c 2.5 - 3" c	B&B B&B	<b>N</b>
<b>Acer x freemanii 'Armstrong'</b> Columnar Freeman Maple <i>DECIDUOUS SHADE TREE; small reddish-green flowers before the foliage; variable reddish to reddish-orange fall foliage; silvery-gray bark; columnar habit to about 60' tall by 20' wide; locate in full sun &amp; most any soil regardless of acidity or moisture but not wet; native US cross [A. rubrum x A. saccharinum] Zones 3 - 9</i>		6 - 8' 2 - 2.5" c	2g B&B	
<b>Acer x freemanii Autumn Blaze® ('Jeffersred')</b> Freeman Maple <i>DECIDUOUS SHADE TREE; minimal small inconspicuous red to yellowish-green flowers; orange-red to scarlet red fall foliage; broadly upright habit to about 55' tall by 40' wide at maturity; adaptable to a wide range of conditions; tolerates extended wet soils; locate in full sun or light shade &amp; most any soil regardless of acidity or moisture but not continually wet; native US cross [A. rubrum x A. saccharinum] (Jeffers) Zones 3 - 7</i>		2 - 2.5" c	B&B	<b>N</b>
<b>Acer griseum</b> Paperbark Maple <i>DECIDUOUS ORNAMENTAL TREE; variable exfoliating cinnamon bark; green foliage turns to shades of red in the fall; variable growth &amp; branching reaching to about 25' tall &amp; wide or larger; branching starts at the ground - usually with multiple main trunks; locate in full sun to partial shade; tolerates most soils with good to moderate drainage; PHS Gold Metal; native of China; Zones 5 - 7</i>	<b>BUSH</b>	6 - 7' 8 - 10'	B&B B&B	
<b>Acer griseum</b> Paperbark Maple <i>DECIDUOUS ORNAMENTAL TREE; variable exfoliating cinnamon bark; green foliage turns to shades of red in the fall; variable growth &amp; branching reaching to about 25' tall &amp; wide or larger; there is a single trunk for 3' to 6' or possibly more; locate in full sun to partial shade; tolerates most soils with good to moderate drainage; PHS Gold Metal; native of China; Zones 5 - 7</i>	<b>TREE FORM</b>	2 - 2.5" c	B&B	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Acer rubrum</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; dark green summer foliage turns variable shades of yellow to bright red in fall; large broadly upright habit to about 50' or more tall with heads close to that width; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native; Zones 3 - 9</i>		3 - 5'	2g	
<b>Acer rubrum 'Brandywine'</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; profuse small dark red male flowers in early spring; seedless; medium green summer foliage turns red before becoming purple-red &amp; is resistant to leafhoppers; oval to pyramidal habit to about 35' tall by 20' wide; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native (Townsend / USNA) Zones 4 - 9</i>		6 - 8'	2g	<b>N</b>
<b>Acer rubrum 'Karpick'</b> Fastigiate Red Maple; Fastigiate Swamp Maple <i>DECIDUOUS SHADE TREE; small red flowers appear in early spring before the foliage &amp; presents a reddish cast; male/seedless; compact upright pyramidal habit to about 50' tall by 20' wide; dark green summer foliage turns shades of yellow &amp;/or red in mid-fall; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native (Schichtel) Zones 4 - 9</i>		6 - 8'	2g	<b>N</b>
<b>Acer rubrum 'October Glory'</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; broad oval head to about 50' tall &amp; about as wide; brilliant orange-red to red fall foliage; the last A. rubrum to color in fall; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; not as cold hardy as Red Sunset; US native (Flemer) Zone 5 - 9</i>		5 - 6'	2g	
<b>Acer rubrum Red Sunset ('Franksred')</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; pyramidal to rounded head; grows to 50' tall; showy orange to red fall foliage; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native; not as drought tolerant as most other cultivars (Schmidt) Zones 4 - 9</i>		5 - 6' stk 2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c	3g B&B B&B B&B B&B	
<b>Acer rubrum Redpoint ('Frank Jr')</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; rapid growing broadly pyramidal habit to about 45' tall by 30' wide with dominant central leader; dark green summer foliage turns bright red in early fall; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native (Schmidt) Zones 4 - 9</i>		2.5 - 3" c 3 - 3.5" c	B&B B&B	
<b>Acer rubrum 'Sun Valley'</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; upright oval crown to about 20' tall &amp; 10' wide at 10 years; smaller than normal medium green summer leafhopper resistant foliage turns brilliant bright red in fall; seedless; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native (Townsend / USNA) Zones 4 - 7</i>		2 - 3' stk 2 - 2.5" c 2.5 - 3" c	2g B&B B&B	
<b>Acer saccharum 'Commemoration'</b> Sugar Maple <i>DECIDUOUS SHADE TREE; fast grower with oval to rounded head gets about 50' tall by 35' wide; dense thick dark green foliage resists leaf tatter &amp; turns brilliant orange &amp; yellow in fall; locate in full sun or partial shade &amp; well-drained organic soil; not tolerant of compacted soils deicing salt reflected heat or restricted root zones; US native (Wandell) Zones 4 - 8</i>		2 - 2.5" c	B&B	

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Acer saccharum 'Green Mountain'</b> Sugar Maple <i>DECIDUOUS SHADE TREE; thick matt-green foliage resists scorch &amp; leaf tatter; variable yellow to orange fall foliage; oval to rounded head reaching about 70' tall by 50' wide; heat resistant cultivar; locate in full sun or partial shade &amp; well-drained organic soil; not tolerant of compacted soils deicing salt reflected heat or restricted root zones; may be a cross with A. nigrum; US native (Flemer) Zones 4 - 8</i>		2 - 2.5" 3.5 - 4" 4 - 4.5"	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b>
<b>Aesculus flava</b> Yellow Buckeye <i>DECIDUOUS SHADE TREE; 7" long yellowish-green flowers in May; large growing tree to about 75' tall by 40' wide; tolerant of urban conditions; resistant to foliar diseases; locate in full sun &amp; rich organic slightly acidic well-drained soil; eastern US native (formerly: A. octandra) Zones 4 - 8</i>		2.5 - 3" 3 - 3.5" 3.5 - 4"	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b>
<b>Aesculus pavia</b> <b>TREE FORM</b> Red Buckeye; Red Horse Chestnut <i>DECIDUOUS FLOWERING SHRUB; red flowers in late April or early March on most seedlings (some native to Texas are yellow); large bush or small tree to about 15' tall &amp; wide; locate in full sun or light shade &amp; rich organic well-drained moisture retentive slightly acidic soil; PHS Gold Metal; southeast US native; Zones 4 - 8</i>		2 - 2.5" 2.5 - 3" 3 - 3.5"	B&B B&B B&B	_____ _____ _____	
<b>Amelanchier x grandiflora 'Autumn Brilliance'</b> <b>BUSH</b> Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot &amp; turns showy shades of orange &amp; red in fall; bushy broadly upright habit to about 25' tall &amp; wide; stoloniferous; locate in full sun to partial shade &amp; moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>	Spring	6 - 7'	B&B	_____	
<b>Amelanchier laevis</b> <b>TREE FORM</b> Alleghany Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant white flower in April; sweet black edible fruit in June; new foliage opens bronzy-purple before turning dark green then reddish-orange in fall; bushy upright habit to about 25' tall &amp; wide; staked to have a single trunk; locate in full sun or light shade &amp; pH adaptable well-drained soil; US native; Zones 4 - 8</i>		2 - 2.5"	B&B	_____	<b>N</b>
<b>Aronia arbutifolia 'Brilliantissima'</b> Red Chokeberry <i>DECIDUOUS FLOWERING SHRUB; upright suckering shrub to 10'; white flowers in May; brilliant red fall foliage; persistent red fruit; glossy dark green summer foliage; locate in full sun to part shade; tolerant of most soils that don't stay wet; eastern US native; PHS Gold Metal; Zones 4 - 9</i>		4'	7g	_____	<b>N</b>
<b>Aronia melanocarpa 'Viking'</b> Black Chokeberry <i>DECIDUOUS FLOWERING SHRUB; masses of small white flowers in May; large persistent black fruit into winter; glossy dark green summer foliage turns brilliant reddish-orange in the fall; bushy grower to about 5' tall; locate in full sun to part shade; tolerant of most soils that don't stay wet; eastern US native; Zones 3 - 8 (9)</i>		30 - 36"	7g	_____	<b>N</b>
<b>Asimina triloba KSU Atwoodâ„¢</b> Atwood Pawpaw <i>DECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; heavy crops of medium sized yellow edible custard-like fruit in late summer tastes almost like a banana or mango; needs other cultivar to pollinate; medium green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' high &amp; wide; highly resistant to deer browse; improved disease resistant; locate in full sun or minimal shade &amp; well-drained moisture retentive soil, eastern US native (U KY) Zones 5 - 8</i>		6'	10g	_____	<b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Asimina triloba 'NC-1'</b> NC-1 Pawpaw <i>DECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; yellow edible custard-like fruit in late summer tastes almost like a banana or mango; needs other cultivar to pollinate; medium green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' high &amp; wide; highly resistant to deer browse; disease resistant; locate in full sun or minimal shade &amp; well-drained moisture retentive soil, eastern US native; Canadian introduction; Zones (4) 5 - 8</i>		5 - 6'	10g	_____	<b>N</b>
<b>Asimina triloba 'Pennsylvania Golden'</b> PA Gold Pawpaw <i>DECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; large yellow edible custard-like fruit that ripens early to mid-season &amp; tastes almost like a banana or mango; needs other cultivar to pollinate; medium green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' high &amp; wide; highly resistant to deer browse; disease resistant; locate in full sun or minimal shade &amp; well-drained moisture retentive soil, eastern US native; Zones 5 - 8</i>		6 - 7'	10g	_____	<b>N</b>
<b>Asimina triloba 'Prolific'</b> Prolific Pawpaw <i>DECIDUOUS FLOWERING TREE; purple flower in May just before the new foliage; masses of large yellow edible custard-like fruit in late summer or early fall tastes almost like a banana or mango; medium green summer foliage in groups of 3 turns yellow in fall; somewhat open understory tree to about 20' high &amp; wide; highly resistant to deer browse; locate in full sun or shade &amp; moist to wet soils, although is being seen in dryer sites; eastern US native; Zones 5 - 8</i>		4 - 5'	10g	_____	<b>N</b>
<b>Azalea luteum 'Golden Comet'</b> Yellow Pontic Azalea <i>DECIDUOUS FLOWERING SHRUB; large very fragrant bright yellow trusses of up to 30 flowers with a darker throat for an extended time in mid-spring; yellowish-green summer foliage turns bright red to purplish in fall &amp; resists powdery mildew; broadly upright habit to about 4' tall &amp; wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to partial shade &amp; well-drained moisture retentive acidic soil; European native (Robbins / R. Species F.) (- 20° F) - 15° F</i>		15 - 18" 18 - 21"	5g 5g	_____ _____	<b>N</b> <b>N</b>
<b>Azalea 'Poukhanense'</b> <i>see: Rhododendron yedoense var. poukhanense</i>				_____	
<b>Betula nigra</b>  River Birch <i>DECIDUOUS ORNAMENTAL TREE; broadly pyramidal heads to about 40' or more tall; shaggy tan exfoliating bark; golden fall foliage; bronze birch borer resistant; tolerates a wide soil range; fall dig hazard; locate in full sun or minimal shade &amp; moist acidic soil; somewhat drought tolerant; US native; Zones 4 - 9</i>	<b>CLUMP</b>	6 - 8'	7g	_____	<b>N</b>
<b>Betula nigra Heritage® ('Cully')</b>  River Birch <i>DECIDUOUS ORNAMENTAL TREE; insignificant flowers are brown (male) or green (female) catkins in spring; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of yellow in fall; broadly upright habit to about 45' tall by 30' wide; 3 or more main trunks; resists drought, leaf spot &amp; borers; tolerates wet soils; fall dig hazard; locate in full sun or minimal shade &amp; moist acidic soil; supposedly improved selection of original Heritage; US native (Cully) Zones 3 - 9</i>	<b>CLUMP</b>	7 - 8' 8 - 10' 10 - 12'	B&B B&B B&B	_____ _____ _____	<b>N</b>

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Buxus x Chicagoland Green ('Glencoe')</b> Spreading Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; compact spreading evergreen to 3' tall; 2 winter tests in Kansas (-13° &amp; -10°) indicates this has the best winter color retention; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. sempervirens x B. sinica var. insularis] Zones (4) 5 - 8</i>		15 - 18" spr 24 - 30" spr 30 - 36" spr	5g B&B B&B	_____ _____ _____
<b>Buxus x 'Green Mountain'</b> Pyramidal Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer &amp; winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; tops sheared to be about as tall as wide; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>	<b>BUSH</b>	30 - 36"	B&B	_____
<b>Buxus microphylla 'Green Beauty'</b> Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer foliage; minimal winter bronzing; compact globular mound to about 3' &amp; wide; suitable in all sun exposures; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones (5) 6 - 8 (9)</i>	<b>BUSH</b>	15 - 18" spr	5g	_____ <b>N</b>
<b>Buxus microphylla 'Winter Gem'</b> <i>see: Buxus sinica var. insularis 'Winter Gem'</i>				_____
<b>Buxus microphylla 'Wintergreen'</b> <i>see: Buxus sinica var. insularis 'Wintergreen'</i>				_____
<b>Buxus sempervirens 'Dee Runk'</b> Fastigiate Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; upright conical shrub to 10' tall by 3' wide; dark green foliage; adapts well to poor soils; tolerates all light conditions; stronger upright branching than 'Graham Blandly'; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal; native to Europe, Asia &amp; Africa; Zones (5) 6 - 8</i>		18 - 24" 36 - 42"	5g B&B	_____ _____
<b>Buxus sempervirens 'Elegantissima'</b> Variegated Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; foliage has creamy white edges surrounding dark green centers; slow upright rounded habit; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>	<b>BUSH</b>	10 - 12"	3g	_____
<b>Buxus sempervirens 'Graham Blandly'</b> Columnar Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage; very narrow upright habit to about 10' tall by 2' wide; narrower but more susceptible to disease &amp; insects than other columnar forms; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 7</i>		5 - 6'	B&B	_____

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Buxus sempervirens 'Suffruticosa'</b> Dwarf English Boxwood <i>BROADLEAF EVERGREEN SHRUB; medium to dark green foliage; very slow broadly upright habit to about 2' tall by 18" wide in 10 or more years; broadens with age; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>		24 - 30"	B&B	_____	
<b>Buxus sinica var. insularis 'Tide Hill'</b> Dwarf Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; medium green foliage will sunburn in summer without afternoon or filtered shade; slow growing broadly spreading habit to about 15" tall &amp; much wider; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones (5) 6 - 9</i>		15 - 18" spr	5g	_____	
<b>Buxus sinica var. insularis 'Winter Gem'</b> Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; new lime-green foliage matures to dark glossy green; compact spreading habit to about 4' tall &amp; wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones 5 - 9</i>		12 - 15" spr 15 - 18" spr	5g 5g	_____ _____	<b>N</b>
<b>Buxus sinica var. insularis 'Wintergreen'</b> Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage color is retained in most winters; compact rounded mounding habit to about 5' tall &amp; wide in 15 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones 4 - 9</i>	<b>BUSH</b>	30 - 36" spr 36 - 42" spr	B&B B&B	_____ _____	
<b>Callitropsis nootkatensis</b> <i>see: Chamaecyparis nootkatensis</i>				_____	
<b>Calocedrus decurrens (Longwood strain)</b> Incense Cedar <i>EVERGREEN CONIFER; columnar habit to about 50' in eastern US, much more out west; bright green foliage; locate in full sun or light shade with well-drained organic soils; quite drought &amp; heat tolerant when established; not tolerant of urban conditions; native to western US; Zones 5 - 10</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____	<b>N</b> <b>N</b>
<b>Carpinus betulus 'Franz Fontaine'</b> Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer foliage turns yellowish then tan by winter; narrower columnar habit that's supposed to stay that way when matures; Franz can't read so also gets about 40' tall &amp; about 30' wide; good for hedging as it takes shearing well &amp; the foliage is often retained through winter - especially in protected locations; branching normally starts at 5' above the ground; locate in full sun or part shade &amp; any soil with moderate drainage; native to Europe &amp; Asia Minor; Zones 5 - 8</i>	<b>BRANCHED @ 5'</b>	Spring Spring	2 - 2.5'c 2.5 - 3'c	_____ _____	<b>N</b> <b>N</b>
<b>Carpinus betulus 'Franz Fontaine'</b> Fastigiate European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer foliage turns yellowish then tan by winter; narrower columnar habit that's supposed to stay that way when matures; Franz can't read so also gets about 40' tall &amp; about 30' wide; good for hedging as it takes shearing well &amp; the foliage is often retained through winter - especially in protected locations; branching starts at or near the ground; locate in full sun or part shade &amp; any soil with moderate drainage; native to Europe &amp; Asia Minor; Zones 5 - 8</i>	<b>LOW BRANCHED</b>	Spring	7 - 8'	_____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Carpinus caroliniana</b> American Hornbeam; Ironwood; Musclewood <i>DECIDUOUS SHADE TREE; new foliage emerges with purplish tints before maturing to dark green by summer then variable shades of yellow orange or red in fall; smooth irregularly fluted gray bark; slow broadly upright habit to about 30' tall &amp; wide; tolerant of heavy shearing; branching starts about 4' above the ground; locate in full sun or full shade &amp; just about soil condition; US native; Zones 3 - 9</i>		6 - 7' stk 2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4 - 4.5" c	2g B&B B&B B&B B&B B&B	_____
<b>Carpinus caroliniana Wisconsin Red â„¢ ('My Select Strain')</b> American Hornbeam; Ironwood; Musclewood <i>DECIDUOUS SHADE TREE; inconspicuous white (female) or green (male) catkins in early spring; reddish-orange to brown nut in fall; dark green summer foliage becomes variable shades of red, orange &amp; yellow in fall; best fall color in full sun; smooth irregularly fluted gray bark; broadly upright heads to about 20' tall by 15' wide; locate in full sun or full shade &amp; well-drained moisture retentive neutral or acidic soil; US native (Yanny) Zones 3 - 9</i>		5 - 6'	2g	_____
<b>Catalpa speciosa</b> Northern Catalpa <i>DECIDUOUS SHADE TREE; 2" white flowers in large upright panicles in late May or early June; long narrow brown seed pods in fall; heart-shaped green summer foliage turns yellowish-green in fall; rapid growing upright habit to about 60' tall by 40' wide or more; locate in sun or partial shade &amp; just about any soil with reasonable drainage; native to central US; Zones 4 - 8 (9)</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4 - 5.5" c	B&B B&B B&B B&B B&B	_____ <b>N</b>
<b>Ceanothus Lemon Ice</b> Variegated California Lilac <i>EVERGREEN FLOWERING SHRUB; clusters of tiny fragrant medium blue flowers from late spring into summer; dark green summer foliage with gold margins; bushy upright habit to about 4' tall by 3' wide; tolerates drought; deep nitrogen fixing roots are good for erosion control; locate in full sun &amp; most well-drained soils (Hoogenrad) Zones 6 - 10</i>		18 - 21"	2g	_____
<b>Celtis occidentalis</b> Common Hackberry <i>DECIDUOUS SHADE TREE; pyramidal headed shade tree growing to 50' tall and about as wide; yellow fall foliage; tolerant of urban conditions, some salt exposure &amp; most pests; drought tolerant; locate in full sun &amp; just about any soil that isn't wet for extended periods; native to US &amp; Canada; Zones 3 - 7 (8)</i>		5 - 6' 2 - 2.5" c 2.5 - 3" c	3g B&B B&B	_____ <b>N</b>
<b>Cephalotaxus harringtonia 'Drupacea'</b> <i>see: Cephalotaxus harringtonia var. drupacea</i>				_____
<b>Cephalotaxus harringtonia 'Duke Gardens'</b> Spreading Plum Yew <i>EVERGREEN CONIFER; medium to dark green needles; fairly slow growing compact spreading mound, getting about as wide as high; resists deer browse; locate in full sun to moderate shade &amp; any soil with reasonable drainage; PHS Gold Metal winner; Asian native; Zones 6 - 8 (9)</i>		15 - 18" spr 30 - 36" spr	7g B&B	_____ <b>N</b>
<b>Cephalotaxus harringtonia 'Fastigiata'</b> Fastigiate Plum Yew <i>EVERGREEN CONIFER; narrow upright when young; gets much wider at maturity; new yellowish spring foliage turns dark green when mature; slow grower; resistant to deer browse; locate in full sun to moderate shade &amp; most soils with reasonable drainage; Asian native; Zones 6 - 9</i>		30 - 36"	B&B	_____
<b>Cephalotaxus harringtonia var. drupacea</b> Spreading Plum Yew <i>EVERGREEN CONIFER; a variable variety in many aspects from habit to foliage size; some plants are decidedly upright while others are prominently spreading; most needles are or approach 2" long; they take quite a bit of heat; slow grower; more growth in partial to full shade; most plants in the trade are slightly wider than tall and make great hedges; resistant to deer browse; locate in full sun to moderate shade &amp; most well-drained soils; Asian native; Zones (5) 6 - 9</i>		30 - 36" spr	B&B	_____ <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Cercis canadensis</b> Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching starts at the ground; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones (3) 4 - 9</i>	Spring Spring Spring	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
					<b>SHRUB FORM</b>
<b>Cercis canadensis</b> Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching usually starts about 3' to 5' above the ground from a single stem; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones (3) 4 - 9</i>	Spring Spring Spring	2 - 2.5'c 2.5 - 3'c 3 - 3.5'c	B&B B&B B&B	_____ _____ _____	
					<b>TREE FORM</b>
<b>Cercis canadensis Carolina Sweetheart™ (NCCC1)</b> Variegated Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; flowers are more pink than the species; new leaves unfurl bright pink &amp; soon add green &amp; white before maturing to mostly green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Star) Zones 4 - 9</i>	Spring	2'c	B&B	_____	<b>N</b>
<b>Cercis canadensis 'Merlot'</b> Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright pink self-cleaning flowers in April; low seed set; smaller thicker spring foliage emerges purple before turning dark green by late summer then variable shades of yellow in fall; compact spreading habit to about 20' tall by 25' wide; branching more horizontal than 'Forest Pansy'; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet soil; parentage makes it more heat &amp; drought tolerant; US native ['Texas White' x 'Forest Pansy'] (Werner / Plant Haven) Zones 4 - 9</i>	Spring Spring	2'c 2.5 - 3'c	B&B B&B	_____ _____	<b>N</b> <b>N</b>
<b>Cercis canadensis 'Pink Heartbreaker'</b> Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; profuse lavender-pink flowers in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; broadly weeping habit; height is determined by staking; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Eaton) Zones 4 - 9</i>	Spring Spring	2 - 2.5'c 2.5 - 3'c	B&B B&B	_____ _____	
<b>Chamaecyparis nootkatensis 'Pendula'</b> Weeping Alaskan Cedar <i>EVERGREEN ORNAMENTAL CONIFER; flatened sprays of medium green foliage; pronounced single leader; appears to be several forms with branches arching out &amp; downward from the trunk or weeping from horizontal secondary branches; irregular pyramidal habit to about 15' tall by 8' wide in 10 years; locate in full sun or partial shade &amp; deep organic well-drained moisture retentive soil; northwestern US native [Genus renamed: Cupressus] Zones 4 - 7 (8)</i>		7 - 8'	B&B	_____	<b>N</b>
<b>Chamaecyparis obtusa</b> Hinoki Cypress; Hinoki Falsecypress <i>EVERGREEN CONIFER; dark rich green foliage; variable upright habit to about 12" tall by 6' wide in 10 years; can be open when young if not sheared; timber tree in Japan; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		8 - 10' hvy 10 - 12' hvy 12 - 14' hvy	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b> <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com



# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Chamaecyparis obtusa 'Compacta'</b> Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright dark green foliage; compact (not dwarf) upright habit to about 3' tall by 2' wide in 10 years; ultimate size varies greatly with local conditions; also probably a lot of strains with various growth rates; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		36 - 42"	B&B	_____	
<b>Chamaecyparis obtusa 'Crippsii'</b> Golden Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright golden lacy foliage; best gold for the East Coast but burns on the West Coast; will be mostly green in shade; vigorous pyramidal habit to about 10' tall by 4' wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>	Spring Spring	6 - 7' 7 - 8'	B&B B&B	_____ _____	<b>N</b>
<b>Chamaecyparis obtusa 'Filicoides'</b> Fernspray Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; flat dark green fish bone-like foliage; open pyramidal habit with central leader to about 8' tall by 5' wide in 10 years; will be loosely pyramidal without shearing; with shearing can be spectacular; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		6 - 7' 7 - 8' 8 - 10' 10 - 12'	B&B B&B B&B B&B	_____ _____ _____ _____	
<b>Chamaecyparis obtusa 'Gracilis'</b> Slender Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright dark green foliage; bushy upright habit to about 6' tall by 2' wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>	Spring	6 - 7'	B&B	_____	
<b>Chamaecyparis obtusa 'Gracilis Compacta'</b> <i>see: Chamaecyparis obtusa 'Compacta'</i>				_____	
<b>Chamaecyparis obtusa 'Kosteri Fast Form'</b> Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; medium green horizontal foliage with lighter green or yellow highlights with some orange stems; it's a faster more upright habit to about 4' tall by 3' wide in 10 years; similar foliage to C. o. 'Kosteri'; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		6 - 7' 10 - 12' hvy	B&B B&B	_____ _____	<b>N</b>
<b>Chamaecyparis obtusa 'Magnifica'</b> Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; new spring growth has a golden cast which turns medium to dark green by summer; moderate bushy to pyramidal upright habit; locate in full to mostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8</i>		6 - 7'	B&B	_____	
<b>Chamaecyparis obtusa 'Nana Gracilis'</b> Dwarf Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark bright green foliage is mostly vertical; irregular broadly upright habit to about 2' tall &amp; wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		30 - 36" 36 - 42"	B&B B&B	_____ _____	
<b>Chamaecyparis obtusa 'Split Rock'</b> Blue Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; juvenile foliage is steel-blue &amp; mature foliage is more blue-green; broadly upright compact habit to about 4' tall by 3' wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		30 - 36" 36 - 42" 42 - 48" 4 - 5' 5 - 6'	B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Chamaecyparis obtusa 'Tetragona Aurea'</b> Golden Fernspray Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright gold fern-like foliage with a 3rd midrib on some branches (unlike 'Fernspray Gold' which are flat); broadly irregular pyramidal habit to about 5' tall by 3' wide; afternoon shade often prevents or reduces sunburn but too much makes them green; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native (Barron N) Zones 5 - 8</i>		10 - 12'	B&B	
<b>Chamaecyparis obtusa 'Torulosa'</b> Twisted Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; spreading mound; orange bark on new stems; narrow twisting foliage with variable amounts of cocks-combs; locate in full to mostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8</i>		36 - 42"	B&B	<b>N</b>
<b>Chamaecyparis obtusa 'Well's Special'</b> Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage; vigorous upright pyramidal habit with unique horizontal branching to about 8' tall by 5' wide in 10 years; can be quite open without pruning; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native (Wells N) Zones 5 - 8</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	
<b>Chamaecyparis pisifera 'Filifera'</b> Green Thread Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark green pendulous thread-like foliage; broadly pyramidal arching to weeping habit to about 5' tall &amp; wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		42 - 48"	B&B	<b>N</b>
<b>Chamaecyparis pisifera 'Golden Mop'</b> Bright Gold Threadleaf Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright gold thread-like foliage that gets a darker gold in winter; can take some shade but will be less gold; compact broadly mounding habit to about 2' tall &amp; slightly wider in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		15 - 18" spr	7g	<b>N</b>
<b>Chamaecyparis thyoides</b> Atlantic White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; green to blue-green spring &amp; summer foliage turns variable purplish in winter; bluish fruit in fall; variable upright habit to about 40' tall by 15' wide in time; locate in full sun &amp; moisture retentive to wet soils that are neutral to acidic; tolerates flooded soils; native to eastern coastal US; Zones 4 - 8 (9)</i>		6 - 7' 7 - 8' 10 - 12'	B&B B&B B&B	
<b>Chamaecyparis thyoides glauca</b> Blue Atlantic White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; lacy light blue somewhat pendulous foliage; upright somewhat pendulous form; locate in full sun &amp; moisture retentive to wet soils that are neutral to acidic; tolerates flooded soils; native to eastern coastal US; Zones 4 - 8 (9)</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	<b>N</b> <b>N</b>
<b>Chionanthus virginicus</b> White Fringetree <i>DECIDUOUS ORNAMENTAL TREE; fragrant creamy white fringe-like flowers in May; shrubby upright habit to about 20' tall &amp; wide; dark green summer foliage turns yellowish in fall; locate in full sun to partial shade &amp; any well drained soil; native to eastern US; Zones 4 - 9</i>	<b>BUSH</b>	5 - 6'	B&B	

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Chionanthus virginicus</b> <b>TREE FORM</b> White Fringetree <i>DECIDUOUS ORNAMENTAL TREE; fragrant creamy white fringe-like flowers in May; shrubby upright habit to about 20' tall &amp; wide; these plants are trained with a single trunk to about 3' or more; dark green summer foliage turns yellowish in fall; locate in full sun to partial shade &amp; any well drained soil; native to eastern US; Zones 4 - 9</i>		1.75 - 2"c	B&B	_____	
<b>Cladrastis kentukea</b> American Yellowwood <i>DECIDUOUS SHADE TREE; upright habit to 50' or more with a broader spread when mature; fragrant white panicles in late May that bloom heaviest on alternate years; bright yellowish-green summer foliage turns golden in fall; locate in full sun &amp; well-drained soil of any pH; PHS Gold Metal; US native (formerly C. lutea) Zones (3) 4 - 8</i>		2 - 2.5"c	B&B	_____	
<b>Clethra alnifolia</b> Summersweet <i>DECIDUOUS FLOWERING SHRUB; fragrant white flowers in summer; upright habit to about 10' &amp; almost as wide; locate in full sun to partial shade; likes moist to wet acidic soils &amp; coastal conditions; eastern US native; Zones 4 - 9</i>			1g	_____	<b>N</b>
<b>Clethra alnifolia 'Hummingbird'</b> Compact Summersweet <i>DECIDUOUS FLOWERING SHRUB; fragrant white flowers in July; compact upright form; locate in full sun to partial shade; likes moist to wet acidic soils &amp; coastal conditions; PHS Gold Metal; eastern US native; Zones 4 - 9</i>		18 - 24"	5g	_____	
<b>Clethra alnifolia 'Ruby Spice'</b> Pink Summersweet <i>DECIDUOUS FLOWERING SHRUB; fragrant non-fading pink flower in July; yellow fall foliage; locate in full sun to partial shade; likes moist to wet acidic soils &amp; coastal conditions; PHS Gold Metal; eastern US native; Zones 4 - 9</i>		24 - 30"	5g	_____	
<b>Cornus florida 'Appalachian Snow'</b> <b>BRANCHED @ 3-4'</b> White Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse large overlapping white bracts in May; reddish fruit in late summer loved by birds; large medium green foliage turns bright red in fall; layered spreading habit to about 25' tall &amp; wide; outstanding resistance to anthracnose; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9</i>		2"c	B&B	_____	
<b>Cornus florida 'Appalachian Snow'</b> <b>LOW BRANCHED</b> White Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse large overlapping white bracts in May; reddish fruit in late summer loved by birds; large medium green foliage turns bright red in fall; layered spreading habit to about 25' tall &amp; wide; outstanding resistance to anthracnose; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____	<b>N</b>
<b>Cornus florida Cherokee Brave™ ('Comco No. 1')</b> <b>BRANCHED @ 3-4'</b> Red Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark pink (light red) bracts in May are almost white in the center; red fruit in late summer loved by birds; bright red fall foliage; layered spreading habit to about 25' tall &amp; wide; more disease resistant; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (Nicholson) Zones (5) 6 - 9</i>		1.75 - 2"c	B&B	_____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Cornus florida Cherokee Brave™ ('Comco No. 1')</b> <b>LOW BRANCHED</b> Red Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark pink (light red) bracts in May are almost white in the center; red fruit in late summer loved by birds; bright red fall foliage; layered spreading habit to about 25' tall &amp; wide; more disease resistant; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (Nicholson) Zones (5) 6 - 9</i>		6 - 7' 7 - 8'	B&B B&B	_____	<b>N</b>
<b>Cornus florida 'Cherokee Chief'</b> <b>BRANCHED @ 3-4'</b> Red Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark pink (almost red) bracts; red fruit in late summer loved by birds; new foliage opens with a red tinge before turning dark green then bright red in fall; layered spreading habit to about 25' tall &amp; wide; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (Hawkersmith) Zones (5) 6 - 9</i>		1.75 - 2" c	B&B	_____	<b>N</b>
<b>Cornus florida 'Cherokee Chief'</b> <b>LOW BRANCHED</b> Red Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark pink (almost red) bracts; red fruit in late summer loved by birds; new foliage opens with a red tinge before turning dark green then bright red in fall; layered spreading habit to about 25' tall &amp; wide; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (Hawkersmith) Zones (5) 6 - 9</i>		6 - 7'	B&B	_____	<b>N</b>
<b>Cornus kousa</b> <b>BRANCHED @ 3-4'</b> Kousa Dogwood; Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; variable reddish-purple fall foliage; mottled gray &amp; tan exfoliating bark; short single trunk; tan &amp; gray exfoliating bark; vase shaped when young becomes as high &amp; wide at maturity - about 25'; branching starting at about 2-3'; locate in full sun to partial shade &amp; acidic organic well-drained moisture retentive soil; Asian native; Zones 4 - 8</i>		2" c	B&B	_____	<b>N</b>
<b>Cornus kousa</b> <b>BUSH</b> Kousa Dogwood; Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; variable reddish-purple fall foliage; mottled gray &amp; tan exfoliating bark; vase shaped when young becomes as high &amp; wide at maturity - about 25'; multiple branches from the ground up; locate in full sun to partial shade &amp; acidic organic well-drained moisture retentive soil; Asian native; Zones 5 - 8</i>		6 - 7' 7 - 8'	B&B B&B	_____	
<b>Cornus kousa 'Elizabeth Lustgarten'</b> Weeping Kousa Dogwood; Weeping Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse upright white bracts in late May; red ball-like fruit in summer; broadly weeping habit; height &amp; width will vary with staking but often gets about 15' tall &amp; wide; locate in full sun to partial shade with good organic well drained soil that's neutral to slightly acidic; Asian native; Zones 5 - 8</i>		6 - 7'	B&B	_____	<b>N</b>
<b>Cornus kousa 'Milky Way'</b> <b>BRANCHED @ 3-4'</b> Kousa Dogwood; Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; dark green summer foliage turns reddish-orange in fall; mottled gray &amp; tan exfoliating bark; more horizontal &amp; tree-form than the species to about 20' tall by 25 wide; locate in full sun to partial shade with good organic well drained soil that's neutral to slightly acidic; Asian native; Zones 5 - 8</i>		2" c	B&B	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Cornus kousa 'Summer Fun'</b> Variegated Kousa Dogwood; Variegated Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; creamy-white variegation surrounding the green centered foliage all summer; fall foliage exhibits shades of red &amp; orange with pink margins; mottled gray &amp; tan exfoliating bark; upright habit to about 20' tall by 15' wide in 20 years; locate in full sun to partial shade &amp; acidic organic well-drained moisture retentive soil; Asian native (Buchholz) Zones 5 - 8</i>		2" c	B&B	_____	<b>N</b>
<b>Cornus Scarlet Fire® ('Rutpink')</b> <b>BRANCHED @ 3-4'</b> Pink Rutgers Hybrid Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse narrowish dark pink bracts in late May occur at an early age; new foliage has purplish tinge which matures to dark green by summer &amp; turns shades of red in fall; 1" red balls of edible fruit in late summer; well-branched heads reach about 10' tall by 8' wide in 10 years; resistant to anthracnose &amp; borers; locate in full sun to partial shade &amp; good organic acidic well-drained moisture retentive soil [C. kousa x C. florida] (Molnar) Zones 5 - 7</i>		1.75 - 2" c 2 - 2.5" c	B&B B&B	_____ _____	<b>N</b>
<b>Cornus x Stellar Pink ('Rutgan')</b> <b>LOW BRANCHED</b> Pink Rutgers Hybrid Dogwood; Pink Stellar Dogwood <i>DECIDUOUS ORNAMENTAL TREE; variable light pink to almost white bracts in mid to late May; sterile; color intensity varies from year to year; dark green summer foliage turns reddish-purple in fall; fairly rapid upright habit to about 12' tall by 8' wide in 10 years; matures to about 25' tall &amp; wide; resistant to anthracnose &amp; borers; locate in full sun to partial shade &amp; organic well-drained moisture retentive acidic soil [C. kousa x C. florida] (Orton) Zones 5 - 7</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____	<b>N</b> <b>N</b>
<b>Cornus x Stellar Pink ('Rutgan')</b> <b>TREE FORM</b> Pink Stellar Dogwood <i>DECIDUOUS ORNAMENTAL TREE; variable light pink to almost white bracts in mid to late May; sterile; color intensity varies from year to year; dark green summer foliage turns reddish-purple in fall; fairly rapid upright habit to about 12' tall by 8' wide in 10 years; matures to about 25' tall &amp; wide; resistant to anthracnose &amp; borers; locate in full sun to partial shade &amp; organic well-drained moisture retentive acidic soil [C. kousa x C. florida] (Orton) Zones 5 - 7</i>		2" c	B&B	_____	<b>N</b>
<b>Corylopsis pauciflora</b> Buttercup Winterhazel <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant drooping soft yellow flowers are twice the size of most &amp; are effective from late March into early May before the foliage; new foliage emerges with a red edge before turning green in summer &amp; golden yellow in fall when given some shade; broadly upright habit to about 6' tall &amp; wide; locate in light to moderate shade &amp; moist well-drained acidic to neutral soils; Japanese native; Zones 6 - 8</i>		15 - 18"	7g	_____	
<b>Corylus avellana 'Raritan'</b> Hazelnut; Filbert <i>DECIDUOUS NUT TREE; fairly showy greenish-yellow male flowers; female flowers are inconspicuous; both bloom in late winter; nuts mature in early fall &amp; usually drop to the ground when ripe; increased nut production with pollinator; green summer foliage turns shades of yellow in fall; bushy upright habit to about 20' tall by 15' wide; pollen attracts bees; male &amp; female nuts attract many animals; increased disease resistance; locate in full to partial sun &amp; rich organic moisture retentive well-drained neutral to alkaline soil that doesn't dry out; native to Europe &amp; W. Asia; Zones 5 - 8</i>		3 - 4'	10g	_____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Corylus colurna</b> Turkish Filbert <i>ORNAMENTAL TREE; small statured columnar habit to 40' tall by 15' wide; good for urban situations; drought tolerant once established; locate in full sun &amp; any well-drained organic soil; native to southeast Europe &amp; western Asia; Zones 4 - 7</i>		4 - 5' stk 3 - 3.5" c 3.5 - 4" c	2g B&B B&B	_____ _____ _____	<b>N</b>
<b>Corylus x The Beast<sup>™</sup> (OSU-541.147)</b> Hybrid Hazelnut; Hybrid Filbert <i>DECIDUOUS NUT TREE; male &amp; female flowers; nuts prized by people &amp; wildlife; Grand Traverse or other variety is needed for nut production; bushy habit to about 20' tall by 15' wide with some trimming; highly resistant to Eastern Filbert Blight; locate in full sun &amp; rich organic moisture retentive soil with adequate drainage; European / American hybrid [C. avellana x C. americana] (OR St U) Zones (4) 5 - 8</i>		4 - 5'	10g	_____	<b>N</b>
<b>Cotinus coggygia 'Royal Purple'</b> Purple Smoketree <i>DECIDUOUS FLOWERING SHRUB; from insignificant small yellowish flowers on new wood come masses of puffy purplish-pink hairs in early summer giving a smoky appearance; purple spring &amp; summer foliage lightens to reddish-purple in fall; broadly upright to 12' by 12'; locate in full to mostly sunny locations &amp; virtually any soil with good to moderate drainage; drought resistant; native to southern Europe &amp; Asia; Zones (4) 5 - 8</i>		24 - 30"	10g	_____	<b>N</b>
<b>Crataegus viridis 'Winter King'</b> Green Hawthorn <i>DECIDUOUS ORNAMENTAL TREE; profuse white flowers in May; persistent red fruit from early fall through early winter; prominent thorns; smooth light gray bark; glossy dark green summer foliage turns scarlet in fall; spreading to rounded heads to about 20' tall by 25' wide in time; locate in full sun &amp; any well drained soil; PHS Gold Metal; US native (Simpson N) Zones 4 - 7</i>		2" c	B&B	_____	
<b>Cryptomeria japonica 'Black Dragon'</b> Dwarf Japanese Cedar <i>EVERGREEN ORNAMENTAL CONIFER; light green new growth matures to a very dark green; slow upright to irregular pyramidal habit to about 5' tall by 2-3' wide in 10 years; protect from winter winds in northern range; deer browse resistant; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soil; native to China &amp; Japan (Iseli) Zones (5) 6 - 8</i>		4 - 5' 8 - 10'	B&B B&B	_____ _____	<b>N</b> <b>N</b>
<b>Cryptomeria japonica 'Radicans'</b> Pyramidal Japanese Cedar <i>EVERGREEN ORNAMENTAL CONIFER; darker green to more gray-green foliage than 'Yoshino'; pyramidal habit to about 15' tall by 5' wide in 10 years; good for screening or specimen use; protect from winter winds in northern range; deer browse resistant; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soil; native to China &amp; Japan; Zones (5) 6 - 8</i>		8 - 10'	B&B	_____	
<b>Cryptomeria japonica 'Sekkan' / 'Sekkan sugi'</b> Golden Japanese Cedar <i>EVERGREEN ORNAMENTAL CONIFER; bright golden spring foliage that's retained through summer; columnar to narrowly pyramidal habit to about 15' tall by 4' wide in 10 years; protect from winter winds in northern range; deer browse resistant; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soil; native to China &amp; Japan (Hillside N) Zones (5) 6 - 8</i>		10 - 12'	B&B	_____	<b>N</b>
<b>Cryptomeria japonica 'Yoshino'</b> Pyramidal Japanese Cedar <i>EVERGREEN ORNAMENTAL CONIFER; bright green spring &amp; summer foliage can bronze a little in winter; rapid pyramid habit to about 15' tall by 5' wide in 10 years; lighter green foliage than 'Radicans'; good for screening or specimen use; protect from winter winds in northern range; deer browse resistant; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soil; PHS Gold Metal; native to China &amp; Japan; Zones (5) 6 - 8</i>	Spring Spring	7 - 8' 8 - 10'	B&B B&B	_____ _____	<b>N</b> <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Cupressocyparis leylandii</b> <i>see: Cupressus leylandii</i>					
<b>Cupressus leylandii Emerald Isle ('Moncal')</b> Compact Leyland Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright dark green foliage all year; compact pyramidal habit to about 30' tall by 10' wide in 15 years; exposed locations in winter subject to wind-burn in northern range; tolerant of saline soils &amp; urban conditions; locate in full sun or minimal shade &amp; any well-drained soil; native US cross; Genus recently changed to Cupressus [Cupressus macrocarpa x Cupressus nootkatensis] (Monrovia) Zones 5 - 9</i>		7 - 8' 8 - 10' 10 - 12' 12 - 14' 14 - 16' 18 - 20'	B&B B&B B&B B&B B&B B&B		<b>N</b> <b>N</b>
<b>Deutzia gracilis 'Nikko'</b> Dwarf Deutzia <i>DECIDUOUS FLOWERING SHRUB; profuse lightly fragrant bell-shaped white flowers in May for up to 2 weeks; low spreading habit to about 2' tall by 4' wide; blue-green summer foliage turns dark red in fall; locate in full sun to light shade &amp; any moisture retentive well-drained soil; Japanese native; PHS Gold Metal; Zones 4 - 8</i>		12 - 15" spr	5g		
<b>Deutzia x rosea 'Nikko Blush'</b> Pink Hybrid Deutzia <i>DECIDUOUS FLOWERING SHRUB; pink buds open to medium pink flowers with lighter edges in mid-May; narrow medium green summer foliage turns burgundy in fall; spreading mound to 3' tall by 4'+ wide in 5 years; locate in full sun to light shade &amp; any moist well-drained soil [D. gracilis 'Nikko' x D. x rosea 'Carminea'] (Dix / USNA) Zones (5) 6 - 7</i>		12 - 15"	5g		
<b>Diospyros virginiana</b> Persimmon <i>DECIDUOUS FRUIT TREE; fragrant white to greenish-yellow male &amp; female flowers on the same plants in late spring; persistent orange to reddish-purple fruit in fall; glossy green summer foliage turns yellowish in fall; upright grower to about 50' tall by 30' wide - although varies widely with location; locate in full sun or partial sunny locations &amp; most soil types with reasonable drainage; eastern US native; Zones 4 - 9</i>		4 - 5'	2g		<b>N</b>
<b>Eucommia ulmoides</b> Hardy Rubber Tree <i>DECIDUOUS SHADE TREE; broadly upright habit to 50' tall &amp; wide; very tolerant of a wide range of soils; very limited pest problems, although stem die-back has been noticed in some locations; locate in full sun &amp; any soil that drains; quite drought tolerant; native to China; Zones (4) 5 - 7</i>		2 - 2.5'c 2.5 - 3'c 3 - 3.5'c 3.5 - 4'c 4 - 4.5'c 4.5 - 5'c	B&B B&B B&B B&B B&B B&B		
<b>Fagus grandifolia</b> <b>LOW BRANCHED HEDGE</b> American Beech <i>DECIDUOUS SHADE TREE; dark green summer foliage turns golden bronze in fall and can stay on the tree through the winter; smooth silver-gray bark contrasts beautifully with the tan foliage all winter; edible nuts are an important wildlife food; large wide-spreading tree to about 70' tall &amp; wide (if given space); climax forest tree; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic slightly acidic soils; US native; Zones 4 - 9</i>		2 - 2.5'c	B&B		<b>N</b>
<b>Fagus grandifolia</b> <b>TREE FORM</b> American Beech <i>DECIDUOUS SHADE TREE; dark green summer foliage turns golden bronze in fall and can stay on the tree through the winter; smooth silver-gray bark contrasts beautifully with the tan foliage all winter; edible nuts are an important wildlife food; large wide-spreading tree to about 70' tall &amp; wide (if given space); climax forest tree; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic slightly acidic soils; US native; Zones 4 - 9</i>		2 - 2.5'c 2.5 - 3'c 4.5 - 5'c	B&B B&B B&B		<b>N</b>

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Fagus sylvatica</b> <b>LOW BRANCHED HEDGE</b> European Beech <i>DECIDUOUS SHADE TREE; dark glossy green foliage turns reddish-bronze in fall and is usually retained for much of the winter; smooth medium gray bark; large broadly pyramidal tree to about 60' tall by 45' wide at maturity; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones (4) 5 - 7</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4 - 4.5" c	B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____	   <b>N</b> <b>N</b>
<b>Fagus sylvatica 'Dawyck Purple'</b> Fartigiate Purple European Beech <i>DECIDUOUS ORNAMENTAL TREE; purple spring &amp; summer foliage turns coppery-tan in fall; smooth medium gray bark; very narrow profile to about 60' tall by 15' wide at maturity; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; selected seedling from Trompenburg Arboretum; European native (van Hoey Smith) Zones 4 - 7</i>		6 - 7' 7 - 8' 8 - 10' 5 - 6" c	B&B B&B B&B B&B	_____ _____ _____ _____	<b>N</b> <b>N</b> <b>N</b>
<b>Fagus sylvatica 'Pendula'</b> Weeping European Beech <i>DECIDUOUS ORNAMENTAL TREE; bright green summer foliage turns coppery in fall; rapid broadly upright habit that makes unique interesting irregular pyramids to about 50' tall &amp; usually wider at the base; no two are alike; smooth medium gray bark; branching starts at or near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones 4 - 7</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4 - 4.5" c 4.5 - 5" c	B&B B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____ _____	
<b>Fagus sylvatica 'Purple Fountain'</b> Purple Weeping European Beech <i>DECIDUOUS ORNAMENTAL TREE; dark purple spring foliage loses intensity in summer; upright pyramidal habit that usually has a dominant single leader; some narrowly irregular pyramids &amp; others broader at the base; smooth medium gray bark; large broadly pyramidal tree to about 60' tall by 45' wide at maturity; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native (Grootendorst) Zones 4 - 7</i>		2 - 2.5" c 2.5 - 3" c	B&B B&B	_____ _____	
<b>Fagus sylvatica 'Purpurea Pendula'</b> Weeping Purple European Beech <i>DECIDUOUS ORNAMENTAL TREE; purple foliage all summer; compact wide-spreading habit to about 10' or more tall &amp; usually quite a bit wider; smooth medium gray bark; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones 4 - 7</i>		4 - 4.5" c 4.5 - 5" c 6 - 7" c	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b> <b>N</b>
<b>Fagus sylvatica 'Riversii'</b> Purple European Beech <i>DECIDUOUS ORNAMENTAL TREE; dark purple spring foliage turns greenish-purple by mid summer; upright somewhat open habit when young matures to about 50' tall by 40' wide when mature; smooth medium gray bark; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones 4 - 7</i>		2 - 2.5" c	B&B	_____	
<b>Fothergilla major 'Mount Airy'</b> Large Fothergilla <i>DECIDUOUS FLOWERING SHRUB; large fragrant white flower in May; orange-red fall foliage; locate in full sun to 1/2 shade &amp; well-drained acidic soil; US native; Zones (4) 5 - 7</i>		18 - 21"	5g	_____	

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Franklinia altamaha</b> <p style="text-align: right;"><b>BUSH</b></p> Franklin Tree; Franklinia <i>DECIDUOUS ORNAMENTAL TREE; bushy upright habit to 20'; fragrant 3" diameter white flowers with prominent golden stamens from late July into August; glossy dark green summer foliage turns mostly shades of bright red and orange in the late fall; somewhat sparse root system make transplanting tricky; locate in moist, acidic, well-drained soil and full sun or light shade; Zones 5 - 8</i>		7 - 8'	B&B	_____
<b>Ginkgo biloba 'Magyar'</b> Columnar Ginkgo; Columnar Maidenhair Tree <i>DECIDUOUS CONIFER; male clone; narrow pyramidal habit to 50' and half as wide; bright yellow fall foliage; highly resistant to pests &amp; diseases; locate in full sun &amp; any soil that drains; very tolerant of urban &amp; coastal conditions; Chinese native; Zones 4 - 8 (9)</i>		2 - 2.5'c	B&B	_____
<b>Gleditsia triacanthos f. inermis Skyline ('Skycole')</b> Thornless Honeylocust <i>DECIDUOUS SHADE TREE; small dark green compound summer foliage turns bright golden in fall; provides light dappled shade; virtually seedless; upright pyramidal habit to about 20' tall by 15' wide in 10 years; very tolerant of urban conditions including soil compaction &amp; salt; locate in full sun &amp; moisture retentive neutral to alkaline soils; US native (Cole Ns) Zones 4 - 8 (9)</i>		2 - 2.5'c 2.5 - 3'c	B&B B&B	_____ _____
<b>Gymnocladus dioicus Decaf® ('McKBranded')</b> Male Kentucky Coffeetree <i>DECIDUOUS SHADE TREE; insignificant greenish-white flower; male cultivar; seedless; new large doubly compound foliage emerges with a caramel color for a brief time before turning blue-green in summer then non-descript yellow in fall; upright arching habit is more twiggy yielding fuller heads to about 50' tall by 40' wide; open structure in winter but more uniform than the species; tolerates high pH, drought &amp; urban conditions; locate in full sun &amp; moist organic soil; US native; Zones 4 - 8</i>		2 - 2.5'c 2.5 - 3'c	B&B B&B	_____ _____ <b>N</b>
<b>Gymnocladus dioicus Espressoâ„¢ ('Espresso-JFS')</b> Male Kentucky Coffeetree <i>DECIDUOUS SHADE TREE; seedless; large doubly compound blue-green summer foliage turns yellow in fall; upright arching habit to about 50' tall by 35' wide; dramatic open structure in winter with each tree looking different; tolerates high pH, drought &amp; urban conditions; locate in full sun &amp; moist organic soil; US native (Schmidt) Zones 4 - 8</i>		2 - 2.5'c 2.5 - 3'c	B&B B&B	_____ _____ <b>N</b>
<b>Hamamelis x intermedia 'Angelly'</b> Yellow Hybrid Witchhazel <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant soft yellow flowers in late February and March; yellow fall foliage; vigorous upright habit that spreads when mature at about 15' or so; tolerant of deer browse, clay soils &amp; urban situations; locate in full sun to light shade &amp; rich organic well-drained neutral to acidic soil; Asian cross [H. japonica x H. mollis] Zones 5 - 8</i>		4 - 5'	B&B	_____ <b>N</b>
<b>Hamamelis x intermedia 'Diane'</b> Red Hybrid Witchhazel <i>DECIDUOUS FLOWERING SHRUB; mildly fragrant dark red flowers in late February &amp; early March; fall foliage can be a mix of yellow, orange &amp; red; broad spreading habit to about 10' tall by 12' wide; tolerant of deer browse, clay soils &amp; urban situations; locate in full sun to light shade &amp; rich organic well-drained neutral to acidic soil; PHS Gold Metal; Asian cross [H. japonica x H. mollis] Zones 5 - 8</i>		4 - 5'	B&B	_____ <b>N</b>
<b>Hamamelis x intermedia 'Primavera'</b> Yellow Intermediate Witchhazel <i>DECIDUOUS FLOWERING SHRUB; very floriferous fragrant soft yellow flowers from late January into February; bright green summer foliage turns shades of yellow &amp; orange in fall; broadly upright habit to about 12' tall &amp; wide; tolerant of deer browse, clay soils &amp; urban situations; locate in full sun to light shade &amp; rich organic well-drained neutral to acidic soil; Asian cross [H. japonica x H. mollis] Zones 5 - 8</i>		4 - 5'	B&B	_____ <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Hamamelis virginiana 'Harvest Moon'</b> Common Witchhazel <i>DECIDUOUS FLOWERING SHRUB; very fragrant profuse strap-like lemon-yellow flowers in late fall after most of the leaves have dropped; new foliage opens coppery before maturing to dark green; upright spreading habit to 20' or more; fall foliage turns shades of yellow before turning brown; some foliage may remain through winter but less than the species; tolerant of deer browse, salt &amp; clay soils; locate in full sun to partial shade &amp; moist well-drained neutral to acidic soil; US native (Jaynes) Zones (3) 4 - 8</i>		4 - 5' 6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B B&B	_____ _____ _____ _____	<b>N</b>   <b>N</b>
<b>Hydrangea paniculata 'Limelight'</b>  Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark green summer foliage; spreading habit to about 8' tall &amp; wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asian native (PW) Zones 4 - 9</i>		2" c / 6-7'	B&B	_____	<b>TREE FORM</b>   <b>N</b>
<b>Hydrangea paniculata 'Phantom'</b>  Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; huge white ball-like panicle clusters on stiff branches in late summer on new wood; dark green foliage; spreading habit to about 10' tall &amp; wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>		5 - 6'	B&B	_____	<b>SHRUB FORM</b>   <b>N</b>
<b>Hydrangea quercifolia 'Pee Wee'</b> Dwarf Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white pyramidal blooms in June &amp; July on old wood; burgundy-red fall foliage; tan exfoliating bark; compact spreading habit to 4' tall by 6' wide even in full shade; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native; Zones 5 - 9</i>		18 - 24"	10g	_____	
<b>Hydrangea quercifolia Snow Queen® ('Flemygea')</b> Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; masses of 6" to 8" fragrant white pyramidal flowers in late June on old wood turn pinkish by late summer; dark green summer foliage turns burgundy to scarlet in fall; tan exfoliating bark; broadly upright habit to about 5' tall &amp; wide; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native; PHS Gold Metal (Flemer) Zones 5 - 9</i>		24 - 30"	10g	_____	<b>N</b>
<b>Ilex x altaclerensis 'James G. Esson'</b> Altaclera Holly <i>BROADLEAF EVERGREEN TREE; small inconspicuous flowers in spring; bright red fruit from early to mid-fall; glossy spiny dark green foliage on purple stems resists deer browse; locate in full sun to partial shade &amp; well-drained acidic organic soil; Zones (6) 7 - 8</i>		5 - 6' 6 - 7'	B&B B&B	_____ _____	<b>N</b>  <b>N</b>
<b>Ilex x aquipernyi Dragon Lady ('Meschick')</b> Pyramidal Holly <i>EVERGREEN TREE; narrow green pyramid with spiny dark green foliage that resists deer browse; somewhat self-fruitful; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Zones 6 - 9</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
<b>Ilex 'Centennial Girl'</b> Hybrid Pyramidal Holly <i>EVERGREEN TREE; persistent red fruit from fall through winter when near male pollinator (I. aquifolium or I. meserveae work); narrow upright pyramid to about 15' tall by 8' wide; mite resistant; dark glossy green foliage with spiny edges; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil [I. centrochinensis x I. aquifolium] (C-P) Zones (5) 6 - 9</i>		5 - 6'	B&B	_____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Ilex x 'Coronet'</b> Pyramidal Hybrid Holly <i>EVERGREEN TREE; compact columnar habit to 10'; red fruit without a pollinator; narrow spiny dark green foliage with excellent retention in winter; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil (USNA) Zones (6) 7 - 9</i>		4 - 5' 5 - 6' 6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____	
<b>Ilex crenata 'Hoogendorn'</b> Spreading Japanese Holly <i>EVERGREEN SHRUB; low spreading habit; gets a little bigger than 'Helleri'; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Asian native; Zones 5 - 7 (8)</i>		12 - 15" spr	5g	_____	<b>N</b>
<b>Ilex crenata 'Schwoebel Upright'</b> Upright Japanese Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous male or female flowers in late spring; black fruit on female plants; glossy flat green leaf all year; narrowly pyramidal habit to about 8' tall by 4' wide; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Asian native ['Convessa' x 'Microphylla'] Zones (5) 6 - 7 (8)</i>		4 - 5' 5 - 6'	B&B B&B	_____ _____	<b>N</b> <b>N</b>
<b>Ilex crenata 'Sky Pencil'</b> Fastigiate Japanese Holly <i>EVERGREEN SHRUB; very narrow upright habit; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Asian native; Zones (5) 6 - 7 (8)</i>		18 - 21"	5g	_____	<b>N</b>
<b>Ilex x meserveae Blue Girl</b> Female Blue Holly; Female Meserve Holly <i>EVERGREEN SHRUB; dark blue-green foliage; red fruit; hardiest female in Kansas tests; broadly upright; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Zones 5 - 9</i>		42 - 48" 4 - 5' 5 - 6'	B&B B&B B&B	_____ _____ _____	
<b>Ilex x meserveae Blue Maid ('Mesid')</b> Upright Female Blue Holly; Upright Female Meserve Holly <i>EVERGREEN SHRUB; dark blue-green foliage; upright columnar habit to 15'; red fruit; excellent hedge or specimen plant; sheared for hedging; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; PHS Gold Metal; Zones 5 - 8</i>		42 - 48" 4 - 5' 5 - 6'	B&B B&B B&B	_____ _____ _____	
<b>Ilex x 'Nellie R. Stevens'</b> Pyramidal Hybrid Holly <i>EVERGREEN TREE; broadly pyramidal with glossy dark green foliage; red fruit; somewhat self-fruitful; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil [I. aquifolium x I. cornuta] Zones 6 - 9</i>		6 - 7' 7 - 8' 10 - 12'	B&B B&B B&B	_____ _____ _____	
<b>Ilex opaca 'Arlene Leach'</b> American Holly <i>EVERGREEN TREE; spiny deer browse &amp; disease resistant green foliage; compact pyramidal habit; persistent orange-red fruit; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; Zones (6) 7 - 9</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____	<b>N</b>
<b>Ilex opaca 'Dan Fenton'</b> American Holly <i>BROADLEAF EVERGREEN TREE; lightly fragrant white flowers in May; bright red fruit clusters appear in October &amp; persist into or through winter; dark spiny glossy green foliage; broadly pyramidal habit to about 25' tall by 15' wide; bright red fruit; tolerates deer browse as well as urban &amp; coastal conditions; protect from windy sites in northern range; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; PHS Gold Metal (Orton) Zones (5) 6 - 9</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____	

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Ilex opaca 'Dan Fenton'</b>		6 - 7'	B&B	_____	<b>N</b>
	<b>B-GRADE</b>	7 - 8'	B&B	_____	<b>N</b>
Amercian Holly		8 - 10'	B&B	_____	<b>N</b>
<i>BROADLEAF EVERGREEN TREE; lightly fragrant white flowers in May; bright red fruit clusters appear in October &amp; persist into or through winter; dark spiny glossy green foliage; broadly pyramidal habit to about 25' tall by 15' wide; bright red fruit; tolerates deer browse as well as urban &amp; coastal conditions; protect from windy sites in northern range; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; PHS Gold Metal (Orton) Zones (5) 6 - 9</i>		10 - 12'	B&B	_____	<b>N</b>
		12 - 14'	B&B	_____	<b>N</b>
<b>Ilex opaca 'Hedge Holly'</b>		8 - 10'	B&B	_____	<b>N</b>
	<b>B-GRADE</b>	10 - 12'	B&B	_____	<b>N</b>
Amercian Holly					
<i>BROADLEAF EVERGREEN TREE; lightly fragrant white flowers in May; bright red fruit clusters appear in October &amp; persist into or through winter; small dark olive-green foliage that's much smaller than average; broad bushy pyramidal habit to about 20' tall by 10' wide; tolerates deer browse as well as urban &amp; coastal conditions; protect from windy sites in northern range; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>					
<b>Ilex opaca 'Jersey Princess'</b>		6 - 7'	B&B	_____	
American Holly		7 - 8'	B&B	_____	<b>N</b>
<i>EVERGREEN TREE; very dark, glossy, spiny green foliage; profuse bright red fruit; deer browse resistant; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native (Orton) Zones (5) 6 - 9</i>					
<b>Ilex opaca ~ ~ male</b>		5 - 6'	B&B	_____	
American Holly		6 - 7'	B&B	_____	
<i>EVERGREEN TREE; medium to dark spiny green foliage that's resistant to deer browse; slow to moderate grower; pollinator for all female American Hollies; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; rooted cutting of unnamed male; northeastern US native; Zones 5 - 9</i>		8 - 10'	B&B	_____	
<b>Ilex opaca 'Old Heavy Berry'</b>		6 - 7'	B&B	_____	
American Holly		7 - 8'	B&B	_____	
<i>EVERGREEN TREE; dark, spiny green foliage; large, profuse, bright red fruit; deer browse resistant; vigorous grower; considered one of the best cultivars; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>		8 - 10'	B&B	_____	<b>N</b>
<b>Ilex opaca 'Portia Orton'</b>		6 - 7'	B&B	_____	
American Holly		7 - 8'	B&B	_____	
<i>EVERGREEN TREE; excellent green foliage; bright red fruit; introduced by E. Orton of Rutgers U. and named for his wife; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>		8 - 10'	B&B	_____	<b>N</b>
<b>Ilex opaca 'Saytr Hill'</b>		6 - 7'	B&B	_____	
American Holly					
<i>EVERGREEN TREE; dark olive-green foliage; bright red fruit from fall into winter; deer browse resistant; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>					
<b>Ilex opaca var. xanthocarpa</b>		6 - 7'	B&B	_____	
Golden American Holly		7 - 8'	B&B	_____	
<i>EVERGREEN TREE; medium green spiny green foliage; yellow fruit; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>		8 - 10'	B&B	_____	<b>N</b>

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Ilex pedunculosa ~ female</b> Longstalk Holly <i>EVERGREEN SHRUB; medium green foliage; bright red rounded drupe in October; upright bushy habit to 15' or more; broadens with age; not heat tolerant; deer browse resistant; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Asian native; Zones 5 - 6 (7)</i>		5 - 6' 6 - 7'	B&B B&B	_____	<b>N</b>
<b>Ilex x Red Beauty ('Rutzan')</b> Compact Pyramidal Hybrid Holly <i>EVERGREEN SHRUB; compact pyramidal habit; the original plant was 7' tall by 4' wide at the base in 10 years; small to medium spiny dark green foliage doesn't lighten from winter weather or fruit production; abundant bright red fruit lasts into winter when eaten by birds; resists deer browse; locate in full sun to partial shade &amp; well-drained acidic organic moisture retentive soil [I. x meserveae x I. pernyi] (Rutgers - Orton) Zones 6 - 10</i>		4 - 5'	B&B	_____	
<b>Ilex verticillata 'Red Sprite'</b> Dwarf Female Winterberry Holly <i>DECIDUOUS ORNAMENTAL SHRUB; inconspicuous small white flowers in profusion in early summer on new wood; persistent profuse bright red fruit from early fall into or through winter; use 'Jim Dandy' &amp; 'Apollo' to pollinate; compact bushy habit to about 4' high &amp; wide; locate in full sun to partial shade &amp; neutral to acidic moisture retentive soil; native to areas with persistently moist to wet soils; native to US &amp; Canada; Zones 3 - 9</i>		30 - 36"	15g	_____	
<b>Ilex x Winter Bounty ('H635-13')</b> Hybrid Upright Holly <i>EVERGREEN SHRUB; insignificant flowers lead to masses of bright red berries in late fall with a male pollinator nearby (I. meserveae will pollinate); long smooth dark glossy green foliage; upright habit to 14' tall by 6' wide; reported deer browse resistance; locate in full sun or partial shade &amp; most neutral to acidic well-drained soils [I. ciliospinosa &amp; I. latifolia] (Orton / Manor View) Zones 6 - 8</i>		5 - 6' 6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B B&B	_____	
<b>Juniperus chinensis 'Blue Point'</b> Blue Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; usually separate male &amp; female flowers; female cones usually light blue &amp; male cones tannish; gray-blue scale-like needles; compact pyramidal habit to about 5' tall by 3' wide in 10 years; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native (Monrovia) Zones 4 - 9</i>		6 - 7'	B&B	_____	
<b>Juniperus chinensis 'Hetzi Columnaris' / 'Fairview'</b> Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; narrow pyramidal habit to 25'; somewhat loose branching; prominent light blue fruit; mature green and bluish juvenile foliage; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 5 - 9</i>		7 - 8' 8 - 10'	B&B B&B	_____	
<b>Juniperus chinensis 'Iowa'</b> Fastigiate Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; fairly slow growing columnar evergreen with gray-green needles; matures about 15' tall by 10' wide; showy silvery-blue fruit in fall; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 3 - 9</i>		6 - 7'	B&B	_____	
<b>Juniperus chinensis 'Keteleeri'</b> Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; broadly pyramidal habit to 15'; medium evergreen scale-like foliage; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>		7 - 8' 8 - 10'	B&B B&B	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Juniperus chinensis 'Robusta Green'</b> Upright Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; irregular upright habit to 15' or more tall with blue-green foliage; with varies with shearing; salt tolerant; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 5 - 9</i>		5 - 6' 6 - 7'	B&B B&B	_____ _____
<b>Juniperus chinensis 'Torulosa' / 'Kaizuka'</b> Hollywood Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright evergreen foliage; irregular upright habit to 30'; heat &amp; salt tolerant; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones (5) 6 - 9</i>		5 - 6' 6 - 7'	B&B B&B	_____ _____ <b>N</b>
<b>Juniperus virginiana</b> Eastern Red Cedar <i>EVERGREEN CONIFER; variably columnar to pyramid habit reaching about 40' tall by 15-25' wide; medium green summer foliage bronzes in winter; tolerant of drought, air pollution, sterile soil &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern North &amp; Central America; Zones (3) 4 - 9</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____ <b>N</b>
<b>Juniperus virginiana Emerald Sentinel ('Corcorcor')</b> Eastern Red Cedar <i>EVERGREEN ORNAMENTAL CONIFER; rapid growing columnar pyramid to 30' tall by 12' wide; dark green scale-like foliage bronzes a little in winter; tolerant of drought, air pollution, sterile soil &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern North &amp; Central America; PHS Gold Metal (Conard-Pyle) Zones (3) 4 - 9</i>		6 - 7'	B&B	_____ <b>N</b>
<b>Juniperus virginiana 'Hillspire'</b> Eastern Red Cedar <i>EVERGREEN ORNAMENTAL CONIFER; conical pyramid with bright green foliage through the winter; dark green summer foliage shows almost no bronzing in winter; formerly named 'Cupressifolia'; tolerant of drought, air pollution, sterile soil &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern North &amp; Central America (D. Hill N) Zones (3) 4 - 9</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____ <b>N</b>
<b>Koelreuteria paniculata</b> Golden Raintree <i>DECIDUOUS ORNAMENTAL TREE; golden yellow flowers in mid July; sparse irregular branching; compound leaves make the tree look full when in leaf; irregular yellow to orange fall foliage; locate in full sun &amp; any well-drained soil that is moisture retentive; tolerates most urban conditions; Zones 4 - 8</i>		2 - 2.5'c 3 - 3.5'c 4 - 4.5'c	B&B B&B B&B	_____ _____ _____ <b>N</b> <b>N</b>
<b>Leucothoe axillaris</b> Coast Leucothoe; Dog-hobble <i>EVERGREEN FLOWERING SHRUB; drooping white flowers in late April &amp; early May; compact spreading mound to 3' tall by 5' wide; resists deer browse; locate in partial to full shade &amp; well-drained moisture retentive acidic soil; US native; Zones (4) 5 - 7</i>		18 - 24" spr	5g	_____ <b>N</b>
<b>Ligustrum ovalifolium</b> California Privet <i>DECIDUOUS FLOWERING SHRUB; very fragrant white flowers in June &amp; early July; glossy semi-evergreen foliage; may be evergreen in southern range; rapid growing bushy shrub to 20' tall &amp; wide, however, can be pruned to almost any size &amp; shape; locate in sun or shade &amp; any soil that doesn't remain wet; fairly tolerant of coastal conditions &amp; salt spray; Japanese native; Zones (4) 5 - 8</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____
<b>Lindera benzoin</b> Spicebush <i>DECIDUOUS FLOWERING SHRUB; small fragrant yellow flower clusters appear in mass before the foliage emerges; fruit appears on female plants in fall as a bright red 1/2" drupe that's favored by birds; bright green leaves are lighter on the bottom and turn golden yellow in fall; small tree or large shrub to 15' tall &amp; wide; locate in full sun or shade &amp; organic well-drained moisture retentive acidic soils; native to eastern US along waterways or bottom lands; Zones 4 - 9</i>		15 - 18"	2g	_____

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Lindera glauca var. salicifolia</b> Asian Spicebush <i>DECIDUOUS FLOWERING SHRUB; small fragrant yellow flower clusters appear in mass before the foliage emerges in mid to late March; fruit appears on female plants in fall as a black 1/2" drupe that's favored by birds; semi-evergreen narrow willow-like blue-green summer foliage turns brilliant shades of red, purple or orange in fall then persist as pinkish-tan through winter; small tree or large shrub to about 10' tall by 6' wide; locate in full sun to partial shade &amp; organic well-drained moisture retentive acidic soils; Asian native; Zones 5 - 8</i>		18 - 24"	7g	
<b>Liquidambar styraciflua</b> American Sweetgum <i>DECIDUOUS SHADE TREE; distinct pyramidal habit in youth evolves to a more rounded form when mature at 70' tall by 50' wide; dark glossy green summer foliage turns variable shades of burgundy, red, yellow &amp; deep purple in fall; locate in full sun &amp; moist to partially wet organic soils; native to eastern of US &amp; Mexico; Zones 5 - 9</i>		6 - 8'	2g	<b>N</b>
<b>Liquidambar styraciflua Jubillee™ (‘Happidaze’)</b> Seedless American Sweetgum <i>DECIDUOUS SHADE TREE; rapid growing pyramid when young to 45' tall; seedless cultivar; dark green summer foliage turns maroon in the fall; locate in full sun &amp; moist to partially wet organic soils; tolerant of compacted urban soils; native to eastern of US &amp; Mexico; Zones (5) 6 - 9</i>		2 - 2.5" 2.5 - 3" 3 - 3.5" 3.5 - 4"	B&B B&B B&B B&B	<b>N</b>
<b>Liriodendron tulipifera</b> Tuliptree; Tulip Poplar <i>DECIDUOUS SHADE TREE; rapid narrow upright habit to 100' or more; somewhat weak wooded; light orange-green flowers in early June; green summer foliage turns variable yellow in fall; locate in full sun or light shade &amp; deep organic soil that retains moisture &amp; is somewhat acidic; US native; Zones 4 - 9</i>		2 - 2.5"	B&B	<b>N</b>
<b>Maackia amurensis</b> Amur Maackia <i>DECIDUOUS ORNAMENTAL TREE; 4 - 6" white racemes in July; coppery bark exfoliates with age; grows to about 25' tall with similar or wider spread; few pests; drought resistant; dark green summer foliage turns brown in fall; locate in full sun &amp; acidic or alkaline well-drained soil; PHS Gold Metal; Asian native; Zones (3) 4 - 7 (8)</i>		2 - 2.5" 2.5 - 3"	B&B B&B	<b>N</b>
<b>Magnolia x acuminata 'Butterflies'</b> Yellow Cucumbertree Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant deep yellow flower in early April before the foliage opens; rarely produces seed; upright pyramidal habit to about 20' tall by 15' wide; multiple main branches reach upward from the ground; locate in full sun to partial shade &amp; well-drained organic moisture retentive soil of varying pH; US / Asian cross [M. acuminata x M. denudata] (Savage) Zones (3) 4 - 8</i>	<b>BUSH</b>	6 - 7'	B&B	<b>N</b>
<b>Magnolia x brooklynensis 'Lois'</b> Yellow Hybrid Cucumbertree Magnolia <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant creamy yellow cup-shaped flowers for about 3 weeks just before bud break in late April; glossy green summer foliage turns coppery-bronze in fall; vigorous upright habit to about 20' tall by 15' wide; locate in full sun or light shade &amp; moisture retentive well-drained organic soils of varying acidity (Koerting / BBG) Zones 5 - 8 (9)</i>		6 - 7'	B&B	<b>N</b>
<b>Magnolia glauca</b> see: <i>Magnolia virginiana</i>				

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Magnolia grandiflora 'Bracken's Brown Beauty'</b> Southern Magnolia <i>EVERGREEN FLOWERING TREE; fragrant white flowers in June; dark green leathery foliage is quite smaller than the species with dark brown indumentum; showy red seeds in late summer; broadly upright habit to about 30' by 20' wide; locate in full sun to partial shade &amp; acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Bracken) Zones (5) 6 - 9 (10)</i>		7 - 8'	B&B	_____	
<b>Magnolia x 'Judy Zuk'</b> Yellow Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant bright yellow sterile flower with some purple at the base in early April as the new foliage emerges &amp; are subject to damage by late freezes; large green summer leaves turn coppery-bronze in fall; upright habit up to about 30' tall by 10' wide in 10 or more years; locate in full sun to partial shade &amp; well-drained organic moisture retentive soil of varying pH; US / Asian cross [M. acuminata x M. liliiflora x M. stellata] (BBG) Zones (4) 5 - 9</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____	<b>N</b> <b>N</b>
<b>Magnolia x liliiflora 'Ann'</b> USDA Hybrid Lily Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fuzzy light gray buds open to lightly fragrant deep purple-red flowers in mid/late April as the foliage emerges; sporadic summer flowers; medium green summer foliage turns yellowish in fall; compact bushy upright habit to 10' high &amp; wide; smooth gray bark; locate in full sun or light shade &amp; moist organic well-drained soils of varying acidity; tolerates limited excessive moisture; native Asian cross [M. liliiflora 'Nigra' x stellata 'Rosea'] (Kosar &amp; deVos / USNA) Zones (3) 4 - 8</i>		15 - 18" 5 - 6' 6 - 7'	3g B&B B&B	_____ _____ _____	
<b>Magnolia x liliiflora 'Jane'</b> USDA Hybrid Lily Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fuzzy light gray buds open to reddish-purple flowers with white centers in mid/late April as the foliage emerges; sporadic summer flowers; medium green summer foliage turns yellowish in fall; compact bushy upright habit to about 15' tall by 12' wide; smooth gray bark; locate in full sun or light shade &amp; moist organic well-drained soils of varying acidity; tolerates limited excessive moisture; native Asian cross [M. liliiflora 'Reflorescens' x stellata 'Waterlily'] (Kosar &amp; deVos / USNA) Zones 3 - 8</i>		6 - 7'	B&B	_____	<b>N</b>
<b>Magnolia x soulangeana</b> Saucer Magnolia <i>DECIDUOUS ORNAMENTAL TREE; flowers are whitish inside &amp; dark pink outside in early April before the foliage; broadly upright habit to 30' tall &amp; wider with age; locate in full sun to light or dappled shade &amp; deep well-drained moisture retentive acidic soil [M. denudata x M. liliiflora] (Soulange-Bodin) Zones 4 - 9</i>		15 - 18"	3g	_____	<b>N</b>
<b>Magnolia stellata 'Royal Star'</b> Star Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant white 3" star-like flowers in late March before the foliage; broad bushy habit to about 15' tall &amp; usually wider; locate in full sun to light or dappled shade &amp; deep well-drained acidic soil with good moisture retention; Japanese native (Vermeulen N) Zones 5 - 8</i>		15 - 18" 5 - 6' 6 - 7'	3g B&B B&B	_____ _____ _____	<b>N</b>
<b>Magnolia virginiana</b> Sweetbay Magnolia; Swamp Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant lemon-scented creamy-white flowers in late spring among the foliage; bright red seeds emerge from large tan seed-pods in late summer; medium green summer foliage is silvery below &amp; turns yellowish in fall; loose upright habit to about 25' tall &amp; as wide in time; tolerant of air pollution; locate in full sun or shade &amp; moist to wet acidic soils; some salt tolerance; eastern US native; Zones 5 - 9</i>	<b>BUSH</b>	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Mahonia bealei</b> Leatherleaf Oregon Grape; Leatherleaf Mahonia <i>EVERGREEN ORNAMENTAL SHRUB; very fragrant yellow flowers in late March or early April; fruit has varying shades of blue as it matures; spiny bluish-green foliage; coarse upright habit to 6'; deer browse resistant; locate in full to partial shade &amp; organic acidic moist well-drained moisture retentive soil; protect from desiccating winter winds; PHS Gold Metal; Chinese native; Zones (6) 7 - 9</i>		18 - 24"	7g		<b>N</b>
<b>Malus domestica 'Gala'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers in May; fruit usually follows in early fall; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained soil; native to western Asia; Zones 3 - 8</i>		1.75 - 2"c	B&B		<b>N</b>
<b>Malus domestica 'Granny Smith'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; light pink to white flowers in May; green fruit in late summer; grows to about 20' tall and wide; attracts hummingbirds &amp; butterflies; used mostly for baking &amp; sauces; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; chance seedling from Australia that might be M. pumila x M. sylvestris; native to western Asia; Zones 3 - 8</i>		1.75 - 2"c	B&B		<b>N</b>
<b>Malus domestica 'McIntosh'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; sweet red fruit follows in early fall; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; will not cross-pollinate with 'Macoun'; native to western Asia; Zones 4 - 6</i>		2"c	B&B		<b>N</b>
<b>Malus domestica 'Red Delicious'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; large slightly tart dark red fruit follows in early fall; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with at least 1 other variety; native to western Asia; Zones 5 - 8</i>		1.75 - 2"c	B&B		<b>N</b>
<b>Malus domestica Red Fuji ('Nagafu 6')</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; large slightly tart dark red fruit follows in early height varies with root-stock but tends to be about 15' high &amp; wide; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; native to western Asia; Zones 5 - 8</i>		2"c	B&B		<b>N</b>
<b>Malus domestica 'Yellow Delicious'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers in May; fruit usually follows in early fall; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; excellent pollinator; self fruitful; native to western Asia; Zones 4 - 8</i>		2 - 2.5"c	B&B		<b>N</b>
<b>Metasequoia glyptostroboides</b>  Dawn Redwood <i>DECIDUOUS CONIFER; bright green summer needles turn reddish-bronze in fall; large pyramidal habit to 100' or more tall by 25' or more wide; branching usually starts about 4-5' above the ground unless specified otherwise; tolerates somewhat wet soils; locate in full sun &amp; moisture retentive neutral to acidic organic soil, tolerant of a wider range soil types except highly alkaline; PHS Gold Metal; Chinese native; Zones 5 - 8</i>		8 - 10' 10 - 12'	B&B B&B		
		<b>BRANCHED AT 2.5'</b>			

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Morrella pensylvanica</b> <i>see: Myrica pensylvanica</i>				
<b>Myrica pensylvanica</b> Northern Bayberry <i>EVERGREEN ORNAMENTAL SHRUB; non-ornamental male or female flowers in early spring; female plants have profuse amounts of grayish-white fruit; bushy suckering habit to 10' tall &amp; wide; very useful in coastal landscapes for its extreme salt tolerance; can be semi-evergreen to evergreen in southern hardiness range; fruit used to make candles, etc.; resists deer browse; locate in full to partial sun &amp; just about any soil; performs very well in sterile sandy soils with high salinity; Genus recently renamed Morella; eastern US native; Zones 3 - 7</i>		24 - 30"	7g	
<b>Nyssa sylvatica</b> Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; glossy dark green summer foliage turns brilliant shades of red, orange &amp;/or yellow in fall; young distinctly pyramidal plants mature upright or wide-spreading at maturity reaching 50' tall by 30' wide; taproot; fall transplanting hazard; locate in full sun to partial shade; prefers moist organic well-drained acidic soils, but tolerates a wide soil range if soil is not alkaline; US native; Zones 4 - 9</i>		2.5 - 3" 3 - 3.5" 3.5 - 4" 4 - 4.5"	B&B B&B B&B B&B	<b>N</b>
<b>Nyssa sylvatica Green Gableâ„¢ ('NSUHH')</b> Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; very glossy green summer foliage turns bright orange-red to dark red in fall; dense upright pyramidal heads to about 50' tall &amp; half as wide; superior resistance to leaf spot; taproot; fall transplanting hazard; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native (Hidden Hollow N) Zones 5 - 9</i>		2 - 2.5"	B&B	<b>N</b>
<b>Osmanthus heterophyllus 'Goshiki'</b> Compact Variegated False-holly <i>BROADLEAF EVERGREEN SHRUB; new foliage emerges gold &amp; cream with green flecks which mature to mostly gold with green; best foliage color in dappled or afternoon shade, but plant grows in full sun; compact bushy grower to 6' tall &amp; wide; deer browse resistant; locate in full sun to partial shade; prefers moist organic well-drained acidic soil, but is tolerant of slight alkalinity; native to Japan; Zones 6 - 9</i>		18 - 21"	5g	<b>N</b>
<b>Osmanthus heterophyllus 'Gulftide'</b> Hardy False-holly <i>BROADLEAF EVERGREEN SHRUB; compact upright habit to 15'; spiny holly-like foliage; highly resistant to deer browse; locate in full sun to partial shade; prefers moist organic well-drained acidic soil, but is tolerant of slight alkalinity; native to Japan; Zones 6 - 9</i>	Spring	4 - 5'	B&B	
<b>Ostrya virginiana</b> American Hop Hornbeam; American Ironwood <i>SHADE TREE; bright dark green summer foliage turns yellowish in fall; fall transplanting hazard; locate in full sun to partial shade; tolerates a wide soil range if acidic and drains well; drought tolerant; native to eastern &amp; central North America; Zones 4 - 9</i>		2 - 2.5"	B&B	
<b>Oxydendrum arboreum</b> Sourwood <i>ORNAMENTAL TREE; creamy cascading flower panicles in August; pendulous light green seed capsules contrast against the brilliant red fall foliage which appear at the same time; variable narrow upright grower to 35' or more; locate in full sun to partial shade &amp; deep organic well-drained acidic soils; withstands limited drought; not for urban areas; Zones (4) 5 - 9</i>		5 - 6' 6-7' / 1"	2g B&B	<b>N</b>

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Parrotia persica</b> Persian Ironwood; Persian Witchhazel <i>DECIDUOUS ORNAMENTAL TREE; small crimson flowers appear before the foliage in early spring; individually they aren't significant, however in mass they help welcome spring; emerging spring foliage is glossy green with a maroon margin; glossy green summer foliage turns shades of red, orange and gold in fall &amp; is persistent; exfoliating bark appears on thicker branches; grows to 30' or more tall &amp; wide; locate in full sun or partial shade and most well-drained soils; PHS Gold Metal; native of Asia Minor; Zones (4) 5 - 8</i>		2" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c	B&B B&B B&B B&B	_____ _____ _____ _____	<b>N</b>
<b>Phellodendron lavalley Eye Stopper ('Longenecker')</b> Lavalley Cork Tree <i>DECIDUOUS SHADE TREE; compound dark green summer foliage turns brilliant yellow in fall; usually seedless; young upright plants become wide-spreading at maturity reaching about 40' tall by 35' wide; locate in full sun to partial shade; prefers moist organic well-drained acidic soils, but tolerates a wide soil range if soil is not alkaline; native of Asia; Zones 4 - 7</i>		2 - 2.5" c	B&B	_____	
<b>Picea abies</b> Norway Spruce <i>EVERGREEN CONIFER; pyramidal habit to about 60' tall by 30' wide at maturity; dark green needles persist for several years; plants sheared for fullness; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 3 - 7</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
<b>Picea abies 'Cupressina'</b> Fastigiate Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER; narrow pyramidal to columnar habit to about 6' tall by 2' wide in 10 years; dark green summer needles become bluish-green in winter; heavy snow or ice in winter can spread branches; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i>		6 - 7' 16 - 18'	B&B B&B	_____ _____	<b>N</b>
<b>Picea abies 'Maxwellii'</b> Dwarf Spreading Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER; dark green needles; slow irregular spreading mound to about 4' high by 10' wide after many years; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i>		24 - 30" spr 30 - 36" spr	B&B B&B	_____ _____	<b>N</b>
<b>Picea omorika</b> Serbian Spruce <i>EVERGREEN CONIFER; narrow pyramidal habit to 60' tall &amp; half as wide; blue &amp; green needles; locate in full sun or partial shade &amp; moisture retentive well drained soil that's either acidic or alkaline; protect from winter wind in northern range; adapts to poor air quality; native to southern Europe; Zones 4 - 7</i>		6 - 7'	B&B	_____	
<b>Picea omorika 'Globosa'</b> Dwarf Serbian Spruce <i>EVERGREEN ORNAMENTAL CONIFER; compact rounded habit; locate in full sun or partial shade &amp; moisture retentive well drained soil that's either acidic or alkaline; protect from winter wind in northern range; adapts to poor air quality; native to southern Europe; Zones 4 - 7</i>		42 - 48" spr	B&B	_____	<b>N</b>
<b>Picea orientalis 'Gowdy'</b> Compact Oriental Spruce <i>EVERGREEN ORNAMENTAL CONIFER; typical glossy dark green needles; compact pyramidal habit that resembles the species, but grows about half as fast; locate in full sun or very light shade &amp; moisture retentive well drained soil that's either acidic or alkaline; protect from winter wind in northern range; native to Asia Minor; Zones (4) 5 - 7</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Picea pungens 'Baby Blue'</b> Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; bright blue needles; compact pyramidal habit to about 8' tall by 3' wide in 10 years; grown from a select seed source; tolerant of deer browse, drought &amp; coastal conditions; subject to needle cast in warmer zones; locate in full sun &amp; just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US (W Montrose Fm) Zones 3 - 7 (8)</i>	Spring Spring	6 - 7' 7 - 8'	B&B B&B	_____ _____ _____	<b>N</b>
<b>Picea pungens 'Fastigiata' / 'Iseli Fastigiata'</b> Columnar Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit when young; widens with age (like we do); gray-blue needles; highly deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn region of US (Iseli) Zones 3 - 7 (8)</i>		6 - 7' 7 - 8'	B&B B&B	_____ _____ _____	
<b>Picea pungens 'Fat Albert'</b> Select Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; uniform broadly compact pyramidal habit; good blue color; highly deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn. region of US (Iseli) Zones 3 - 7 (8)</i>	Spring Spring Spring	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____ _____	
<b>Picea pungens 'Glauca Globosa'</b> Dwarf Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; dwarf mounding globe; silvery-blue needles; highly deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn region of US; Zones 3 - 7 (8)</i>		24 - 30" spr	B&B	_____ _____	
<b>Picea pungens 'Glauca Pendula'</b> Weeping Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; irregular upright or spreading habit depending on staking; each plants grows differently; bright blue needles; highly deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn region of US; Zones 3 - 7 (8)</i>	<b>STAKED</b>	6 - 7' 7 - 8'	B&B B&B	_____ _____ _____	<b>N</b>
<b>Pieris japonica 'Katsura'</b> Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; pendulous rosy-pink racemes from late March into early April; wine-red new foliage turns dark glossy green by summer; broadly upright habit to 5' tall by 4' wide in 10 years; highly deer browse resistant; subject to lace bug &amp; phytophthora; plant high; locate in dappled or afternoon shade &amp; moisture retentive well-drained organic neutral to acidic soil; native to Japan &amp; eastern China (Hirose / PlantHaven) Zones 5 - 7 (8)</i>		18 - 24"	7g	_____ _____	<b>N</b>
<b>Pieris japonica 'Mountain Fire'</b> Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; very limited quantity of pendulous white racemes from late March into early April; bright red new growth appears for a long time; highly deer browse resistant; locate in dappled or afternoon shade &amp; moist acidic well-drained organic soil; native to Japan &amp; eastern China; Zones 5 - 7</i>		18 - 24"	7g	_____ _____	
<b>Pinus flexilis 'Vanderwolf's Pyramid'</b> Blue Pyramidal Limber Pine <i>EVERGREEN ORNAMENTAL CONIFER; pyramidal habit; steel-blue needles in groups of 5; moderate to rapid grower; locate in full sun &amp; well-drained organic moisture retentive soil; native to western North America; Zones 4 - 7</i>	Spring	6 - 7' 8 - 10'	B&B B&B	_____ _____ _____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Pinus heldreichii var. leucodermis</b> Bosnian Pine <i>EVERGREEN CONIFER; pyramidal habit to about 10' &amp; half as wide in 10 years; dark bluish-purple cones appear in spring before turning brown at maturity; dark green needles in groups of 2; high salt tolerance for coastal areas &amp; along roads; locate in full sun &amp; most well-drained soils including alkaline; native to the mountains of southeastern Europe; Zones 5 - 7</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b>
<b>Pinus koraiensis</b> Korean Pine <i>EVERGREEN CONIFER; pyramidal habit with horizontal lateral limbs; distinctive layered look when young; green needles in groups of 5; locate in full sun to moderate shade &amp; just about any soil that drains; native to Korea; Zones 4 - 7</i>		8 - 10'	B&B	_____	
<b>Pinus parviflora 'Baldwin'</b> Japanese White Pine <i>EVERGREEN ORNAMENTAL CONIFER; open grower; heavy cone set; blue-green needles in groups of 5; locate in full sun &amp; very well-drained soils of varying pH; salt tolerant; Japanese native; Zones 4 - 7</i>		6 - 7' 7 - 8' 8 - 10' 10 - 12' 12 - 14'	B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____	
<b>Pinus parviflora 'Glauca'</b> Blue Japanese White Pine <i>EVERGREEN ORNAMENTAL CONIFER; dark blue needles in groups of 5; narrow open upright habit when young; matures to a wide spreading flat-topped habit around 40' tall; tolerant of roadside salt &amp; coastal conditions; locate in full sun &amp; very well-drained soils of varying pH; reclassified as (Glauca Group) from 'Glauca'; Japanese native; Zones 4 - 7</i>		6 - 7' 12 - 14' 14 - 16'	B&B B&B B&B	_____ _____ _____	
<b>Pinus parviflora 'Petersen'</b> <i>see: Pinus parviflora 'Baldwin'</i>				_____	
<b>Pinus rigida</b> Pitch Pine; Northern Pitch Pine <i>EVERGREEN ORNAMENTAL CONIFER; open irregular upright habit to 40' or more; 3 dark green needles per bundle; not particularly ornamental; locate in full sun &amp; acidic soils with reasonable drainage; very tolerant of sterile sandy soil; native to eastern US &amp; Canada; Zones 4 - 7</i>		6 - 7'	B&B	_____	<b>UPRIGHT FORM</b>
<b>Pinus strobus</b> Eastern White Pine <i>EVERGREEN CONIFER; long medium green needles in groups of 5; pyramidal habit in youth becomes dramatic open irregular specimens with maturity; sheared heavily, but have loose new growth on the outer branches; locate in full sun or very light shade &amp; acidic well-drained soil; native to eastern US &amp; Canada; Zones 3 - 7 (8)</i>		6 - 7' 7 - 8' 8 - 10' 10 - 12'	B&B B&B B&B B&B	_____ _____ _____ _____	<b>SEMI SHEARED</b>
<b>Pinus strobus 'Fastigiata'</b> Fastigate Eastern White Pine <i>EVERGREEN ORNAMENTAL CONIFER; fairly narrow upright habit becomes broadly columnar when mature; soft green needles in groups of 5; locate in full sun &amp; well drained acidic soil; protect from wind in colder locations; PHS Gold Metal; native to eastern US &amp; Canada; Zones 3 - 7 (8)</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
<b>Pinus strobus 'Macopin'</b> Dwarf Eastern White Pine <i>EVERGREEN ORNAMENTAL CONIFER; compact globe; green needles in groups of 5; locate in full sun &amp; well drained acidic soil; protect from wind in colder locations; native to eastern US &amp; Canada; Zones 3 - 7 (8)</i>		30" - 36" spr 5 - 6'	B&B B&B	_____ _____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Pinus thunbergii</b> Japanese Black Pine <i>EVERGREEN CONIFER; irregular broad upright habit; dark green needles in bundles of 2; very resistant to salt; locate in full sun &amp; well-drained neutral to acidic soil; perhaps the best ornamental evergreen for coastal areas; native to Japan &amp; Korea; Zones (5) 6 - 8</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
<b>Platanus x acerifolia</b> London Planetree <i>DECIDUOUS SHADE TREE; rounded tan ball in pairs appear in late fall through winter; showy exfoliating bark with patches of off-white, tan &amp; light green; pyramidal to oval heads to about 80' tall by 65' wide; tolerates moist soils &amp; urban conditions; subject to anthracnose &amp; other diseases; locate in full sun &amp; a wide range of moisture retentive soils [P. orientalis x P. occidentalis] Zones 5 - 8 (9)</i>		2 - 2.5" 2.5 - 3"	B&B B&B	_____ _____	<b>N</b> <b>N</b>
<b>Platanus x acerifolia 'Bloodgood'</b> London Planetree <i>DECIDUOUS SHADE TREE; large spreading shade tree to 80' tall &amp; nearly as wide; exfoliating bark reveals patches of off-white &amp; tan; high resistance to anthracnose; locate in full sun &amp; a wide range of moisture retentive soils; good in wet soils and urban conditions [P. orientalis x P. occidentalis] Zones (4) 5 - 8 (9)</i>		2 - 2.5"	B&B	_____	
<b>Platanus x acerifolia 'Columbia'</b> London Planetree <i>DECIDUOUS SHADE TREE; rounded tan ball in pairs appear in late fall through winter; showy exfoliating bark with patches of off-white, tan &amp; light green; more deeply cut foliage than 'Bloodgood'; pyramidal to oval heads to about 80' tall by 65' wide; high resistance to mildew &amp; anthracnose; tolerates moist soils &amp; urban conditions; subject to anthracnose &amp; other diseases; locate in full sun &amp; a wide range of moisture retentive soils [P. orientalis x P. occidentalis] (Santamour / USNA) Zones 5 - 8 (9)</i>		4 - 4.5"	B&B	_____	
<b>Platanus x acerifolia Exclamationâ„¢ ('Morton Circle')</b> London Plane <i>DECIDUOUS SHADE TREE; reduced quantities of rounded tan ball in pairs appear in late fall through winter; showy exfoliating bark with patches of off-white, tan &amp; light green; pyramidal to oval heads to about 80' tall by 65' wide; high resistance to mildew &amp; anthracnose; tolerates moist soils &amp; urban conditions; locate in full sun &amp; a wide range of moisture retentive soils [P. orientalis x P. occidentalis] (Ware / Morton Arb.) Zones (5) 6 - 8 (9)</i>		6 - 8' stk 2 - 2.5" 2.5 - 3" 3 - 3.5"	2g B&B B&B B&B	_____ _____ _____ _____	<b>N</b>
<b>Platanus x acerifolia 'Suttneri'</b> Variegated London Planetree <i>DECIDUOUS SHADE TREE; rounded tan ball in pairs appear in late fall through winter; white streaks &amp; spotting throughout the green foliage; exfoliating bark reveals striking inner white bark; pyramidal heads to about 80' tall by 30' wide at maturity; high resistance to mildew &amp; anthracnose; tolerates moist soils &amp; urban conditions; subject to other diseases; locate in full sun &amp; a wide range of moisture retentive soils [P. orientalis x P. occidentalis] Zones 5 - 8 (9)</i>		2 - 2.5" 2.5 - 3" 3 - 3.5"	B&B B&B B&B	_____ _____ _____	
<b>Platanus occidentalis</b> American Sycamore <i>DECIDUOUS SHADE TREE; large growing broadly headed tree to as much as 100' tall; vivid white patches on the bark of older trees; locate in full sun &amp; a wide range of moisture retentive soils; good in wet soils; native from the Midwest through coastal Canada, US &amp; Mexico; Zones 4 - 9</i>		2 - 2.5"	B&B	_____	<b>N</b>
<b>Prunus domestica 'Stanley'</b> European Plum; Prune Plum <i>DECIDUOUS FRUIT TREE; fragrant showy white flowers in April before the foliage; bluish-purple fruit in Sept; prune plums have firmer flesh &amp; higher sugar content which allows them to be dried into prunes; good for eating, canning &amp; jelly; rounded heads to 15' tall by 12' wide - depending on rootstock; self-fertile but bears more heavily with other plum trees near by; locate in full sun &amp; well-drained moisture retentive soil; European native (NY Experimental Sta.) Zones 5 - 7</i>		2 - 2.5" 2.5 - 3"	B&B B&B	_____ _____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Prunus x 'Okame'</b> Pink Bell-flowered Cherry <i>DECIDUOUS ORNAMENTAL TREE; bright rosy-pink flowers in late March or early April for an extended period if not freeze damaged; dark green summer foliage turns shades of red &amp; orange in fall; glossy reddish-brown bark; upright oval heads to about 30' tall &amp; wide at maturity; locate in full sun &amp; any well-drained soil; PHS Gold Metal [P. campanulata x P. incisa] Zones 6 - 8</i>		2.5 - 3" c 3 - 3.5" c 3.5 - 4" c	B&B B&B B&B	_____ _____ _____	<b>N</b>
<b>Prunus sargentii Pink Flair® ("JFS-KW58")</b>  Sargent Cherry <i>DECIDUOUS ORNAMENTAL TREE; fragrant bright pink flowers in early May; dark green disease resistant summer foliage turns brilliant shades of orange-red in fall; upright habit to 25' by 15' wide; glossy reddish-brown bark; heat &amp; drought tolerant; locate in full sun &amp; any well-drained soil; Japanese native (Schmidt) Zones (3) 4 - 8</i>	<b>4' GRAFT</b>	2 - 2.5" c	B&B	_____	
<b>Prunus sargentii 'Rancho'</b>  Columnar Sargent Cherry <i>DECIDUOUS ORNAMENTAL TREE; deep pink flowers in late April before the foliage; shiny dark green summer foliage turns reddish-bronze in the fall; glossy reddish-brown bark; very narrow upright to narrowly vase-shaped habit to about 35' tall by 10' wide at maturity; locate in full sun &amp; any well-drained soil; Japanese native (Scanlon) Zones 4 - 6 (7)</i>	<b>4' GRAFT</b>	2 - 2.5" c 2.5 - 3" c	B&B B&B	_____ _____	
<b>Prunus serotina</b> Black Cherry <i>DECIDUOUS ORNAMENTAL TREE; fragrant white flowers in 6" racemes from late April to early May; bitter red fruit appears in late summer maturing to black; shiny dark green summer foliage turns shades of yellow &amp; rose in the fall; upright habit to 50' or more tall by 30' or more wide; fruit attracts wildlife; tolerant of Black Locust; locate in full sun to light shade &amp; well-drained moisture retentive soil of varying acidity; North American native; Zones 3 - 9</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c	B&B B&B B&B	_____ _____ _____	<b>N</b>
<b>Prunus serrulata 'Kanzan'</b> <i>see: Prunus serrulata 'Kwanzan' / 'Kanzan' / 'Sekiyama'</i>				_____	
<b>Prunus serrulata 'Kwanzan'</b> Japanese Flowering Cherry; Oriental Cherry <i>DECIDUOUS ORNAMENTAL TREE; profuse dark double pink flowers in late April or early May are sterile; vase shaped heads to about 30' tall &amp; wide; brilliant reddish-orange fall foliage; shiny dark brown bark; tolerant of salt &amp; urban locations; locate in full sun &amp; any well-drained soil; Asian native; Zones 4 - 7</i>		2 - 2.5" c	B&B	_____	
<b>Prunus serrulata 'Sekiyama'</b> <i>see: Prunus serrulata 'Kwanzan' / 'Kanzan' / 'Sekiyama'</i>				_____	
<b>Prunus subhirtella 'Autumnalis' / var. autumnalis</b> Pink Fall-flowering Cherry <i>DECIDUOUS ORNAMENTAL TREE; semi-double light pink flowers in early April fade to white; sporadic fall flowers during warmer weather; spreading upright habit to 30' and almost as wide; locate in full sun &amp; any well-drained soil; Asian native; Zones (5) 6 - 8</i>		2 - 2.5" c 4.5 - 5" c 5 - 6" c	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b>
<b>Prunus x yedoensis</b> Yoshino Cherry <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant white flower in early to mid spring; upright spreading habit to about 30' high &amp; wide; locate in full or mostly sunny areas &amp; any moisture retentive well-drained soil; Japanese native; Zones 5 - 8</i>		2.5 - 3" c 3 - 3.5" c 5 - 6" c 6 - 7" c	B&B B&B B&B B&B	_____ _____ _____ _____	<b>N</b> <b>N</b> <b>N</b> <b>N</b>

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Prunus x yedoensis 'Akebono'</b> Pink Yoshino Cherry <i>DECIDUOUS ORNAMENTAL TREE; soft pink flowers in early April that fade to white; rapid grower with spreading heads to about 25' high &amp; wide; locate in full or mostly sunny areas &amp; any moisture retentive well-drained soil; Japanese native; Zones 5 - 8</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c	B&B B&B B&B	_____ _____ _____	
<b>Pyrus x triploida Chastity® ('NCPX2')</b> Flowering Pear <i>DECIDUOUS ORNAMENTAL TREE; pink buds open to profuse white flowers in mid April; dark glossy green summer foliage turns orange to red in fall with purple highlights; broadly upright habit to about 35' tall by 25' wide; very resistant to fire blight; triploid; fruit is highly infertile; locate in full sun or light shade &amp; just about any soil with reasonable drainage; tolerant of drought &amp; urban conditions; Chinese native (Ranney) Zones 5 - 8</i>		2 - 2.5" c	B&B	_____	
<b>Quercus alba</b> White Oak <i>DECIDUOUS SHADE TREE; large spreading long-lived shade tree to about 60' tall with greater width; dark green summer foliage turns variable shades of brown to red; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; acidic well-drained soil; PHS Gold Metal; US native; Zones (3) 4 - 9</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c	B&B B&B B&B B&B	_____ _____ _____ _____	<b>N</b>
<b>Quercus bicolor</b> Swamp White Oak <i>DECIDUOUS SHADE TREE; broad rounded heads to about 50' or more tall with similar width; deeply furrowed &amp; flaking bark; fall foliage is usually a good yellow, but can also be reddish-purple; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun to part shade &amp; moist to well-drained acidic soil; cannot take constantly wet soils; drought tolerant; native to US &amp; Canada; Zones 4 - 8</i>		5 - 6' stk 2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4 - 4.5" c 4.5 - 5" c 5 - 6" c	3g B&B B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____ _____ _____ _____	
<b>Quercus coccinea</b> Scarlet Oak <i>DECIDUOUS SHADE TREE; pyramidal habit to about 70' tall by 40' wide; deeply cut dark glossy green summer foliage turns dark red in late fall; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; acidic well-drained soil; native to US &amp; Canada; Zones 4 - 9</i>		2.5 - 3" c 3 - 3.5" c 4 - 4.5" c	B&B B&B B&B	_____ _____ _____	
<b>Quercus macrocarpa</b> Burr Oak; Mossycup Oak <i>DECIDUOUS SHADE TREE; irregular open broadly spreading heads to about 70' tall &amp; often wider; bright green summer foliage turns variable shades of yellow-brown in fall; fall transplant hazard; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; moist to well-drained alkaline to acidic soil; tolerant of some urban conditions; native to US &amp; Canada; Zones 3 - 8</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4 - 4.5" c 4.5 - 5" c	B&B B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____ _____	<b>N</b> <b>N</b>
<b>Quercus montana</b> American Chestnut Oak; Basket Oak <i>DECIDUOUS SHADE TREE; broad irregular spreading heads to about 70' tall &amp; wide; light green summer foliage turns yellowish to golden brown in fall; easy to transplant; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full &amp; most well-drained soils; does well in poor soils; eastern US native [formerly Q. prinus] Zones 4 - 8</i>		2 - 2.5" c 3 - 3.5" c 4 - 4.5" c	B&B B&B B&B	_____ _____ _____	

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Quercus muehlenbergii</b> Chinkapin Oak; Yellow Chestnut Oak <i>DECIDUOUS SHADE TREE; wide spreading habit to about 50' tall with greater spread; glossy light green summer fairly narrow lobed foliage turns shades from yellow to orange to brown in fall; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; alkaline soil with adequate moisture; eastern &amp; central US native; Zones (4) 5 - 7</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c	B&B B&B B&B	_____	N
<b>Quercus palustris</b> Pin Oak <i>DECIDUOUS SHADE TREE; pyramidal habit to about 50' or more tall by 35' wide with lower branches hanging downward at a 45° angle; dark green summer foliage turns brown to russet in fall; important wildlife food source; not as much of a fall transplant hazard as other oaks however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; moist acidic soil; not tolerant of alkaline soils; US native; Zones 4 - 8</i>		5 - 6' staked 2 - 2.5" c 3 - 3.5" c	2g B&B B&B	_____	N
<b>Quercus phellos</b> Willow Oak <i>DECIDUOUS SHADE TREE; narrow willow-like foliage turns orange to russet in fall; pyramidal heads; grows to about 50' or more; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; moist acidic soil; somewhat drought tolerant; US native; Zones (6) 7 - 9</i>		4 - 6' 2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4 - 4.5" c 4.5 - 5" c 5 - 6" c 6 - 7" c	3g B&B B&B B&B B&B B&B B&B B&B B&B	_____	N
<b>Quercus prinus</b> <i>see: Quercus montana</i>				_____	
<b>Quercus rubra</b> Red Oak <i>DECIDUOUS SHADE TREE; large grower to about 70' tall &amp; wide; dark green summer foliage turns russet to bright red in fall; fall transplant hazard; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; well-drained neutral to acidic soil; some success to coastal areas; native to US &amp; Canada; Zones (3) 4 - 7</i>		5 - 6' 2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4 - 4.5" c 5 - 6" c 6 7" c	2g B&B B&B B&B B&B B&B B&B B&B	_____	N
<b>Rhododendron 'Anah Krushke'</b> Purple Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; reddish-purple flowers in late May; 6'; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light or partial shade &amp; deep organic well-drained moisture retentive acidic soil (Kruschke) - 15° F</i>		24 - 30" spr	7g	_____	N
<b>Rhododendron arborescens</b> Sweet Azalea <i>DECIDUOUS FLOWERING SHRUB; Elepidote; fragrant white to light pink flowers with showy reddish stamens in June; glossy 4" long dark green summer foliage turns reddish in fall; loose broadly upright habit to 5' tall &amp; wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained moisture retentive acidic soils; eastern US native; - 25° F</i>		15 - 18"	5g	_____	
<b>Rhododendron austrinum</b> Florida Azalea; Florida Flame Azalea <i>DECIDUOUS FLOWERING SHRUB; Elepidote; reddish buds open to large clusters of fragrant yellow to orange or red flowers in late April or early May as the leaves appear; upright open habit to 8'; very heat tolerant; attracts butterflies &amp; hummingbirds; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained acidic soils; eastern US native; SE US native; ROY 2008 Zones 6 - 9</i>		24 - 30"	7g	_____	N

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Rhododendron 'Camilla's Blush'</b> Pink Piedmont Azalea; Pink Florida Pinxter <i>DECIDUOUS FLOWERING SHRUB; fragrant soft pink flowers in late April just before foliage break; grows to 8' tall &amp; wide; suckering roots; attracts butterflies; resists rabbit browse; all parts poisonous if ingested; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to filtered shade and deep organic well-drained moisture retentive acidic soil; native of eastern US [R. canescens] Zones 5 - 7 (8)</i>		18 - 21"	5g	
<b>Rhododendron 'Cherokee'</b> Flame Azalea <i>DECIDUOUS FLOWERING SHRUB; 2" yellow, orange &amp; red flowers in clusters at the same time from late May into early June; fall foliage is variable yellow to orange; broadly upright habit to about 10' tall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; eastern US native [R. calendulaceum] Zones 5 - 7</i>		15 - 18"	5g	
<b>Rhododendron 'Choice Cream'</b> White Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; very fragrant creamy white flower with yellow flares from late May into June; bushy upright habit to 8' tall by 6' wide at maturity; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. austrinum x R. atlanticum] (Galle) - 15Å, ° F</i>		15 - 18"	5g	<b>N</b>
<b>Rhododendron 'Choptank Rose'</b> Pink Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; pink buds open to fragrant pale pink flowers with a yellow flare in late May; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; can take more soil moisture than most; found along the banks of Choptank Creek in MD [R. atlanticum x R. periclymenoides] (Hill) - 25Å, ° F</i>		18 - 21"	5g	<b>N</b>
<b>Rhododendron 'Cynosure'</b> Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; lightly fragrant blend of light &amp; dark pink petals in trusses of 10 in late season; narrowly oloptical foliage; dense spreading habit to about 3' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. 'Essex Scarlet' x R. fortunei] (Shapiro) - 15° F</i>		18 - 24"	7g	<b>N</b>
<b>Rhododendron 'Garden Rainbow'</b> Pink Deciduous Azalea <i>DECIDUOUS FLOWERING SHRUB; flowers open bright yellow, slowly maturing to shades of orange &amp; pink in late May to early June; all three colors appear at the same time; bushy upright habit to 5' tall by 3' wide; glaucous mildew resistant foliage; must be planted high with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soil (Mezitt) Zones 5 - 8</i>		15 - 18"	5g	
<b>Rhododendron 'Ken Janeck'</b> Pink Hybrid Yak Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; strong pink flowers fade to off white in compact trusses of 13-17 flowers in mid season; recurved dark green heavily indumented foliage; spreading habit to about 4' tall by 5' wide in 10 yrs.; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. yak. seedling] (Janeck) Zones (4) 5 - 7</i>		12 - 15" spr	5g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Rhododendron 'Landmark'</b> Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Lepidote; wavy, purplish-red flowers in May as the flowers from 'Olga Mezitt' begin to fade; small semi-glossy dark green foliage becomes a nice purple-brown through the winter; upright, somewhat open habit, to 4' tall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; ROY 2008 (Mezitt) - 15° F</i>		18 - 24"	5g	_____	<b>N</b>
<b>Rhododendron 'Marydel'</b> Pink Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; fragrant pink; early May; US native cross; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. atlanticum x R. periclymenoides] - 15° F</i>		15 - 18" 18 - 21"	5g 5g	_____ _____	<b>N</b>
<b>Rhododendron maximum</b> Rosebay Rhododendron <i>EVERGREEN FLOWERING SHRUB; light pink to white flowers in early July; leggy upright habit to 15' or more depending on the site; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic moisture retentive well-drained acidic soils; native to eastern US &amp; Canada; Zones 3 - 7</i>		12 - 15"	3g	_____	<b>NURSEY GROWN</b>
<b>Rhododendron 'Maximum Roseum'</b> Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; pinkish-lilac flower in June; bushy grower to 6' in 10 years; dark green sun tolerant foliage; also known as 'Pontic Roseum; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. ponticum x R. maximum] (Pride) - 25° F</i>		24 - 30"	7g	_____	
<b>Rhododendron 'Millennium'</b> Red Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; fragrant red or dark pink flowers with pale orange dorsal flare in late June; bluish-green mildew resistant summer foliage is silvery underneath, bushy upright habit to 5' in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil (Mezitt) Zones (4) 5 - 7</i>		15 - 18"	5g	_____	<b>N</b>
<b>Rhododendron 'Millie Mac'</b> Yellow Florida Azalea Cultivar <i>DECIDUOUS FLOWERING SHRUB; reddish buds open to large clusters of fragrant vivid yellow flowers bordered with a white margin in late April to early May as the leaves appear, foliage turns yellowish in fall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; US native [R. austrinum] Zones (6) 7 - 9</i>		18 - 24"	5g	_____	
<b>Rhododendron 'Mr. Bluestem'</b> Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; pinkish-lilac flower in early June in lax trusses; narrow matte-green sun tolerant foliage; new stems are dark reddish-brown; bushy habit to about 6' tall &amp; wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. 'Maximum Roseum' seedling] (Shannon) Zones 4 - 8</i>		24 - 30"	7g	_____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Rhododendron mucronulatum 'Cornell Pink'</b> Pink Royal Azalea <i>DECIDUOUS FLOWERING SHRUB; Lepidote; clear pink flower in March before the foliage; upright grower to about 5' tall; fall foliage is shades of yellow, orange &amp; red persists until Thanksgiving; technically NOT an Azalea; best located in partial or afternoon shade so it won't bloom too early and be ruined by late freezes; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; Zones 4 - 6 (7)</i>		18 - 21"	5g	_____	<b>N</b>
<b>Rhododendron 'My Mary'</b> Yellow Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; fragrant trusses of up to 25 2 1/2" yellow flowers with orange tubes from late April into May; stoloniferous bushy upright rounded habit to 4' tall &amp; wide in 10 yrs; dark green summer foliage; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; US native cross [R. austrinum x (R. atlanticum x R. periclymenoides)] (Beasley) Zones 5 - 8</i>		18 - 24"	5g	_____	
<b>Rhododendron 'Nova Zembla'</b> Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; wine red flower in May; grows to 6' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (Koster) - 25° F</i>		15 - 18" spr 18 - 24" spr	5g 7g	_____ _____	
<b>Rhododendron nudiflorum</b> <i>see: Rhododendron periclymenoides</i>				_____	
<b>Rhododendron 'Pennsylvania'</b> Pink Native Azalea Cross <i>DECIDUOUS FLOWERING SHRUB; fragrant pink flowers with orange eye from mid July into early August; apple-green summer foliage turns coppery-yellow in fall; compact upright to spreading habit when mature; can grow to 8' tall &amp; similarly wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; may be able to handle more than average soil moisture; native US cross [R. viscosum x R. prunifolium] - 15° F</i>		18 - 24"	5g	_____	<b>N</b>
<b>Rhododendron periclymenoides</b> Pinxterbloom Azalea <i>DECIDUOUS FLOWERING SHRUB; profuse lightly fragrant light pink to medium pink to violet flowers in May just before or with the leaves; compact spreading habit to 5'; stoloniferous; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light or filtered shade and well-drained acidic soils; eastern US native; formerly R. nudiflorum; Zones 4 - 8 (9)</i>		18 - 21"	5g	_____	
<b>Rhododendron prunifolium</b> Plumleaf Azalea <i>DECIDUOUS FLOWERING SHRUB; varying shades of orange to red flowers in July; upright spreading somewhat open habit to 6' in 10 yrs.; 6" long medium green foliage is not particularly showy in fall; found along streams in wooded or semi-wooded areas; locate in light or filtered shade and moisture retentive highly organic well-drained acidic soils; tolerates more soil moisture than most; southeast US native; Zones 5 - 8 (9)</i>		15 - 18" 24 - 30"	5g 7g	_____ _____	
<b>Rhododendron 'Ribbon Candy'</b> Pink Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; large fragrant pink flowers with white tubes appear in mid June; dark green summer foliage is mildly subject to mildew before turning shades of burgundy, red &amp; orange in fall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [(R. cumberlandense x R. arborescens) x R. mollis] Zones 6 - 7</i>		18 - 24" 24 - 30"	5g 7g	_____ _____	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Rhododendron 'Silver Sovereign'</b> White Hybrid Yak Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; compact white trusses in early-mid May; upright habit to 4' tall by 3' wide in 10 years; dark green foliage with tan indumentum; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. yakushmanum x R. smirnowii] (Morris / Schannen) - 20° F</i>		12 - 15" spr	5g	
<b>Rhododendron 'Snowbird'</b> White Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; masses of fragrant white flowers with a pink flush in late spring; glaucous foliage turns shades of orange in fall; resistant to powdery mildew; compact bushy habit to about 5' tall &amp; wide; attracts pollinators; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to filtered shade &amp; deep organic well-drained moisture retentive acidic soil (Biltmore) [R. atlanticum x R. canadense] Zones 6 - 8</i>		15 - 18"	5g	<b>N</b>
<b>Rhododendron 'Solidarity'</b> Pink Hybrid Yak Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; large dome trusses of 12-13 wavy pink flowers in mid-season; 5" dull green foliage with light tan indumentum; heat &amp; sun tolerant; grows to about 4' in 10 years with a compact habit; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or moderate shade and deep organic well-drained moisture retentive acidic soil (Schannen) - 15° F</i>		18 - 24" spr	5g	<b>N</b>
<b>Rhododendron 'Split Rock'</b> Pink Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; pink flowers in early May; red winter stems; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; US native [R. racemosum] - 15° F</i>		15 - 18"	5g	
<b>Rhododendron 'Tangerine Delight'</b> Orange Deciduous Azalea <i>DECIDUOUS FLOWERING SHRUB; fragrant bright orange flower clusters in mid-spring; upright habit to 10' tall by 6'+ wide; new foliage emerges with burgundy tones, maturing to a medium green through fall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; native US hybrid [R. calendulaceum x R. Knapp Hill] Zones 5 - 9</i>		15 - 18"	5g	<b>N</b>
<b>Rhododendron vaseyi</b> Pinkshell Azalea <i>DECIDUOUS FLOWERING SHRUB; white to rose to deep pink flower clusters of 4 to 8 with green throat &amp; orange spots in April before the foliage; dark green foliage turns variable shades of orange to red in fall; open, upright habit to 5' in 10 yrs.; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light or filtered shade and moisture retentive highly organic well-drained acidic soils; US native to the Blue Ridge Mountains of NC; Zones 4 - 7</i>		18 - 21"	5g	<b>N</b>
<b>Rhododendron viscosum</b> Swamp Azalea <i>DECIDUOUS FLOWERING SHRUB; very fragrant white to creamy flowers in early July; loose broadly upright habit to 5'; hairy stems distinguishes this species from R. arborescens (smooth stems); locate in partial or filtered shade &amp; moist to wet acidic soils; eastern US native; Zones 4 - 9</i>		18 - 24" 30 - 36"	5g 7g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Rhododendron 'Weston's Innocense'</b> White Hybrid Azalea Cross <i>DECIDUOUS FLOWERING SHRUB; small profuse fragrant white blooms in late June; compact upright habit to 5' tall &amp; wide in 10 years; summer foliage is somewhat glossy with a bronze tinge &amp; fairly mildew resistant; fall foliage is burgundy-red; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. viscosum x R. arborescens] (Mezitt) - 20° F</i>		18 - 21"	5g	_____	<b>N</b>
<b>Rhododendron 'Weston's Lemon Drop'</b> Yellow Swamp Azalea <i>DECIDUOUS FLOWERING SHRUB; peachy buds open to lightly lemon scented yellow flowers for 2 weeks or more in July; compact upright habit ; small blue-green mildew resistant summer foliage turns pinkish-red on exterior leaves &amp; more yellow on interior leaves; grows at half the rate of the species; winter stems are reddish-brown; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; chosen from a block of R. viscosum hybrids in 1975 (Mezitt) - 25° F</i>		18 - 24"	5g	_____	<b>N</b>
<b>Rhododendron yakushmanum (Fernbrook selection)</b> Yak Rhododendron <i>EVERGREEN FLOWERING SHRUB; light pink to white flower in early May; compact spreading habit to about 3' high by 4' wide; glossy foliage with prominent light tan to buff indumentum; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or filtered shade and deep organic well-drained acidic soils (Fernbrook N) Zones (4) 5 à€" 7</i>		12 - 15" spr	5g	_____	<b>N</b>
<b>Rhododendron yedoense var. poukhanense</b> Korean Azalea <i>EVERGREEN FLOWERING SHRUB; small clusters of 2" single lightly fragrant soft lavender trusses of 2-4 flowers with a reddish blotch in May; dark green summer foliage turns orange to reddish-purple in fall &amp; is deciduous in northern-most range; grows to about 4-5' tall &amp; twice as wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; correct name is Rhododendron yedoense var. poukhanense; Korean native; Zones 4 - 8</i>		15 - 18"	5g	_____	
<b>Ribes rubrum 'Rovada'</b> Red Currant <i>DECIDUOUS FRUITING SHRUB; inconspicuous yellowish-green pendulous spring flower clusters; clusters of bright red fruit appear in late summer are eaten fresh, used in drinks or in cooking; bushy habit to about 5' tall; attracts birds &amp; butterflies; resists rabbit browse; locate in full sun or minimal shade &amp; moisture retentive well-drained soils with neutral acidity; European native; Zones 3 - 7</i>			3g	_____	
<b>Rubus fruticosus 'Ouachita'</b> Blackberry <i>DECIDUOUS FRUITING SHRUB; white flowers from late spring into mid-summer; sweet black fruit follow in mid to late summer; thornless; needs support; attracts pollinators; locate in full sun &amp; well-drained moisture retentive soil; European native (U of AR) Zones 5 - 9</i>			3g	_____	
<b>Rubus idaeus 'Carolina'</b> Everbearing Red Raspberry <i>FRUITING SHRUB; non-showy early to mid-spring flower; self-fruitful bright red fruit in early to mid-fall for about 8 weeks; thorny stems; broadly upright habit to about 4' tall &amp; wide; attracts birds &amp; butterflies; somewhat disease resistant; locate in full to mostly sunny areas &amp; moisture retentive well-drained neutral to acidic soil (U of MD) Zones 4 - 7</i>			3g	_____	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
[www.phintuthill.com](http://www.phintuthill.com)

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: [Phin@RPTuthill.com](mailto:Phin@RPTuthill.com)



# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Rubus idaeus var. strigosus 'Heritage'</b> American Red Raspberry <i>FRUITING SHRUB; small light pink flower in late spring to early summer; self-fruitful large bright red fruit in early summer &amp; a heavier crop in fall; thorny stems; broadly upright habit to about 6' tall by 4' wide &amp; perhaps larger; attracts birds &amp; butterflies; somewhat resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive well-drained neutral to acidic soil; Zones 4 - 8</i>			3g	
<b>Sassafras albidum</b> Sassafras <i>DECIDUOUS SHADE TREE; eastern US native seldom seen in retail environments; common in hedgerows in the greater mid-Atlantic area; main ornamental feature is fall leaf color - shades of yellow orange &amp;/or red; locate in full sun or light shade &amp; moist acidic well-drained soil; very adaptable; Zones 4 - 9</i>		18 - 24"	2g	<b>N</b>
<b>Schizophragma hydrangeoides</b> Japanese Hydrangea-vine <i>DECIDUOUS CLINGING VINE; white flower from late June into early July; bluish-green foliage; attaches to structures by hold-fasts; very interesting texture contrast when combined with Hydrangea anomala petiolaris; locate in sun or shade &amp; any well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)</i>	<b>3' TRELLIS</b>	30 - 36"	7g	<b>N</b>
<b>Sciadopitys verticillata</b> Japanese Umbrella Pine <i>EVERGREEN ORNAMENTAL CONIFER; long thick shiny dark green needles; pyramidal upright conifer to 50' give or take; locate in full sun or moderate shade &amp; very well drained rich organic moisture retentive soil; PHS Gold Metal; native of Japan; Zones 5 - 6 (7)</i>		6 - 7'	B&B	
<b>Sorbus aucuparia Cardinal Royal® ('Michred')</b> European Mountain Ash <i>DECIDUOUS SHADE TREE; white flowers in May; brilliant red fruit; dark green summer foliage is silvery below &amp; turns reddish in fall; vigorous upright oval habit to 35' tall by 20' wide; does not perform well in climates with hot summer nights; locate in full sun &amp; organic well-drained acidic soil; native to northern Europe &amp; Asia; Zone 3 - 6 (7)</i>		2.5 - 3'c	B&B	<b>N</b>
<b>Stewartia pseudocamellia</b> Japanese Stewartia <i>ORNAMENTAL TREE; 3" diameter white flowers with prominent yellow centers in July; variable fall foliage from yellow through shades of red; very ornamental exfoliating bark in shades of gray to orange-brown; small upright grower to about 30'; very similar to S. koreana; locate in partial to filtered shade &amp; rich organic well-drained moisture retentive acidic soil; Japanese native; Zones (4) 5 - 7</i>	<b>LOW BRANCHED</b>	6 - 7' 7 - 8'	B&B B&B	
<b>Stewartia pseudocamellia</b> Japanese Stewartia <i>ORNAMENTAL TREE; 3" diameter white flowers with prominent yellow centers in July; variable fall foliage from yellow through shades of red; very ornamental exfoliating bark in shades of gray to orange-brown; small upright grower to about 30'; very similar to S. koreana; locate in partial to filtered shade &amp; rich organic well-drained moisture retentive acidic soil; Japanese native; Zones (4) 5 - 7</i>	<b>TREE FORM</b>	2 - 2.5'c	B&B	<b>N</b>
<b>Styrax japonicus</b> Japanese Snowbell <i>DECIDUOUS ORNAMENTAL TREE; white bell-like flowers in early June; creamy white berry clusters in August &amp; September; upright or spreading heads to 25' tall &amp; nearly as wide; branching starts above a single stem 3' to 5' above the ground; locate in full sun or partial shade (best) &amp; deep organic well-drained moisture retentive acidic soil; eastern Asian native; Zones 5 - 7 (8)</i>	<b>TREE FORM</b>	2 - 2.5'c	B&B	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Styrax japonicus Marleys Pink Parasolâ„¢ ('JLWeeping')</b> Weeping Pink Japanese Snowbell <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant pink flowers in May &amp; June; darker green summer foliage than the species turns lemon-yellow in fall &amp; is persistent; compact weeping to about 10' tall by 5' wide, but varies with staking; locate in full sun or partial shade (best) &amp; deep organic well-drained moisture retentive acidic soil; eastern Asian native (Lewis / UpShoot) Zones 5 - 7 (8)</i>		2'c	B&B	_____	<b>N</b>
<b>Syringa reticulata 'Ivory Silk'</b> Japanese Tree Lilac <i>DECIDUOUS ORNAMENTAL TREE; profuse fragrant creamy-white flowers in June occur at a young age; upright oval heads to 25'; branching starts from a single trunk at about 5' above the ground; locate in full sun or light shade &amp; well-drained organic soil of any pH; Japanese native; PHS Gold Metal (Sheridan N) Zones 3 - 7</i>		5 - 6' stk 2 - 2.5"c 2.5 - 3"c 3 - 3.5"c 4 - 4.5"c	2g B&B B&B B&B B&B	_____ _____ _____ _____ _____	<b>N</b>
<b>Syringa vulgaris 'Beauty of Moscow'</b> <i>see: Syringa vulgaris 'Krasavista Moskvj'</i>				_____	
<b>Syringa vulgaris 'Krasavista Moskvj'</b> White French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; double white flower; upright vase-shaped habit to 10'; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>		4 - 5'	B&B	_____	<b>N</b>
<b>Syringa vulgaris 'Monge'</b> Red French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; single reddish-purple flower; upright vase-shaped habit to 10'; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>		4 - 5'	B&B	_____	<b>N</b>
<b>Thuja occidentalis 'Elegantissima'</b> Variegated Eastern Arborvitae; Variegated White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; gold tipped summer foliage turns bronze in winter; broadly pyramidal habit to 15'; tolerant of air pollution, Black Walnut &amp; deer browse; locate in full sun (for best color) or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones 3 - 7</i>		6 - 7'	B&B	_____	
<b>Thuja occidentalis 'Emerald Green'</b> <i>see: Thuja occidentalis 'Smaragd'</i>				_____	
<b>Thuja occidentalis 'Smaragd'</b> Emerald Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones (4) 5 - 7</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
<b>Thuja occidentalis 'Techney'</b> Mission Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; broadly columnar habit; dark green foliage all year; interior foliage stays green; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones 3 - 7</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	_____ _____ _____	
<b>Thuja plicata</b> Western Arborvitae; Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; rapid pyramidal grower to 50' or more; bright dark green foliage; somewhat deer browse resistant; locate in full sun or light shade &amp; moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US &amp; Canada; Zones (4) 5 - 8</i>		7 - 8' 8 - 10' 10 - 12'	B&B B&B B&B	_____ _____ _____	<b>N</b> <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Thuja x 'Steeplechase'</b> Compact Hybrid Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; branch sport of Thuja x 'Green Giant' which is slightly slower growing; pyramidal habit with slightly brighter green foliage; leader is less aggressive with more branching; somewhat deer browse resistant; locate in full sun or light shade &amp; moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; US &amp; Canadian native cross [T. plicata x T. standishii] (Manor View) Zones 5 - 8</i>		7 - 8' 8 - 10'	B&B B&B	_____ _____ _____	
<b>Tilia cordata</b> Littleleaf Linden <i>DECIDUOUS SHADE TREE; very fragrant yellowish flowers in late June attract bees in profusion; small dark green heart-shaped foliage turns yellow in fall; foliage liked by Japanese Beetles; distinct pyramidal heads with dominant central leader reaching about 50' tall by 30' wide; very tolerant of urban conditions; locate in full sun &amp; most soils; native to Europe; Zones 4 - 8</i>		2 - 2.5'c	B&B	_____	<b>N</b>
<b>Tilia cordata 'Greenspire'</b> Littleleaf Linden <i>DECIDUOUS SHADE TREE; very fragrant yellowish flowers in late June; dark green foliage turns yellow in fall; distinct pyramidal heads reaching 60' tall &amp; half or more as wide; liked by Japanese Beetles; locate in full sun &amp; most soils; very tolerant of urban conditions; native to Europe; Zones (3) 4 - 7</i>		6 - 7' 2 - 2.5'c 2.5 - 3'c	2g B&B B&B	_____ _____ _____	<b>N</b>  <b>N</b>
<b>Tilia tomentosa Green Mountain® ('PNI 6051')</b> Silver Linden <i>DECIDUOUS SHADE TREE; fragrant flowers in late spring are not showy; vigorous grower with a broadly pyramidal head to 50' or more tall by 40' wide; green summer foliage has a generous amount of tomentose below, making it especially ornamental in the wind &amp; resistant to Japanese Beetles; variable golden fall foliage; locate in full sun with moist well drained soils; heat &amp; drought tolerant; native to Europe &amp; western Asia (Flemer) Zones 4 - 8</i>		2 - 2.5'c	B&B	_____	
<b>Tilia tomentosa 'Sterling'</b> Silver Linden <i>DECIDUOUS SHADE TREE; fragrant flowers in late June are not showy; vigorous grower with pyramidal head to 50' tall &amp; half or more as wide; green summer foliage has a generous amount of tomentose below, making it especially ornamental in the wind &amp; resistant to Japanese Beetles; variable golden fall foliage; locate in full sun with moist well drained soils; heat &amp; drought tolerant; native to Europe &amp; western Asia (Wandell) Zones 4 - 8</i>		4 - 5' stk	2g	_____	
<b>Tsuga canadensis</b> Canadian Hemlock <i>EVERGREEN CONIFER; short medium green needles; large pyramidal habit to 50' or more; excellent screen for shady locations; adelgid can be controlled by reducing stress with adequate moisture &amp; is almost a non-factor on intermediate to dwarf cultivars; protect from winter winds in colder areas; locate in full sun or full shade &amp; moist well-drained acidic soils; native to US &amp; Canada; Zones (3) 4 - 7</i>		6 - 7'	B&B	_____	
<b>Tsuga canadensis 'Albo-spica'</b> Variegated Canadian Hemlock <i>EVERGREEN ORNAMENTAL CONIFER; creamy white needles on new growth; upright mound to 10'; adelgid can be controlled by reducing stress with adequate moisture &amp; is almost a non-factor on intermediate to dwarf cultivars; protect from winter winds in colder areas; locate in full sun or full shade (partial shade for best foliage color) &amp; moist well-drained acidic soils; native to US &amp; Canada; Zones (3) 4 - 7</i>		14 - 16' 16 - 18'	B&B B&B	_____ _____	<b>N</b> <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Tsuga canadensis 'Aurea' / 'Golden Splendor'</b> Golden Canadian Hemlock <i>EVERGREEN ORNAMENTAL CONIFER; golden foliage; other than that, it's similar to the species, except it will grow a little slower; adelgid can be controlled by reducing stress with adequate moisture &amp; is almost a non-factor on intermediate to dwarf cultivars; protect from winter winds in colder areas; locate in full sun or full shade (partial shade for best foliage color) &amp; moist well-drained acidic soils; native to US &amp; Canada; Zones 5 - 7</i>		20 - 22'	B&B	_____	<b>N</b>
<b>Tsuga canadensis 'Pendula'</b> Sargent Weeping Hemlock <i>EVERGREEN ORNAMENTAL CONIFER; graceful wide-spreading evergreen; small foliage; adelgid can be controlled by reducing stress with adequate moisture &amp; is almost a non-factor on intermediate to dwarf cultivars; protect from winter winds in colder areas; locate in full sun or full shade &amp; moist well-drained acidic soils; native to US &amp; Canada; Zones (3) 4 - 7</i>	<b>STAKED</b>	7 - 8'	B&B	_____	<b>N</b>
<b>Ulmus americana 'Jefferson'</b> American Elm <i>DECIDUOUS SHADE TREE; dark green persistent summer foliage turns yellow in fall; original plant on National Mall (DC) is broadly upright with arching branches to 70' tall by 50' wide at 70 years; tolerates drought, air pollution &amp; black walnuts; highly resistant to Dutch elm disease; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant; native to US &amp; Canada (Townsend / NPS &amp; USNA) Zones 4 - 7</i>		2 - 2.5" 3 - 3.5" 3.5 - 4"	B&B B&B B&B	_____ _____ _____	<b>N</b>
<b>Ulmus americana 'New Harmony'</b> American Elm <i>DECIDUOUS SHADE TREE; upright habit with arching branches to 70' tall &amp; wide at maturity; yellow fall foliage; highly resistant to Dutch Elm disease, but not most other problems; tolerates drought, air pollution &amp; black walnuts; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH, salt &amp; urban tolerant; native to US &amp; Canada (Townsend &amp; Schreiber / USNA) Zones 5 - 10</i>		3 - 3.5" 4.5 - 5" 5 - 6"	B&B B&B B&B	_____ _____ _____	
<b>Ulmus americana Prairie Expedition® ('Lewis &amp; Clark')</b> American Elm <i>DECIDUOUS SHADE TREE; dark green summer foliage turns yellow in fall; upright arching habit to about 60' tall by 40' wide; excellent lawn or shade tree; highly resistant to Dutch Elm disease &amp; Elm aphid; tolerates air pollution &amp; Black Walnut; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt adaptable; native to US &amp; Canada (NDSU) Zones 3 - 9</i>		5 - 6' stk	2g	_____	
<b>Ulmus americana 'Princeton'</b> American Elm <i>DECIDUOUS SHADE TREE; upright habit with arching branches to 60' tall &amp; wide; yellow fall foliage; excellent lawn or shade tree; highly resistant to Dutch Elm disease, but not most other problems; tolerates drought, air pollution &amp; black walnuts; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant; native to US &amp; Canada (Princeton N) Zones 3 - 9</i>		6 - 7' 2 - 2.5" 2.5 - 3" 3 - 3.5" 3.5 - 4" 4 - 4.5" 4.5 - 5" 5 - 6"	2g B&B B&B B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____ _____ _____ _____	<b>N</b>
<b>Ulmus americana 'Valley Forge'</b> American Elm <i>DECIDUOUS SHADE TREE; upright habit with arching branches to 25' tall by 30' wide at 12 years; yellow fall foliage; excellent lawn or shade tree; highly resistant to Dutch Elm disease, but not most other problems; tolerates drought, air pollution &amp; black walnuts; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant; native to US &amp; Canada (Townsend &amp; Schreiber / USNA) Zones (4) 5 - 9</i>		2 - 2.5" 2.5 - 3" 3 - 3.5" 3.5 - 4" 4 - 4.5" 4.5 - 5"	B&B B&B B&B B&B B&B B&B	_____ _____ _____ _____ _____ _____	

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Vaccinium angustifolium</b> Lowbush Blueberry <i>DECIDUOUS FRUITING SHRUB; white flower in April; highly nutritious blue berries in mid-summer; blue-green summer foliage turns shades of red in fall; low spreading shrub to 2' tall; locate in full sun or partial shade &amp; well-drained to dry acidic soil; adaptable to sterile coastal landscapes; Zones 2 - 5 (6)</i>		10 - 12" spr	3g	_____	
<b>Vaccinium corymbosum 'Blue Crop'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; midseason crop; 4-6' tall; bright red to purplish fall foliage; locate in full or partial sun &amp; well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones 3 - 7 (8)</i>		18 - 24"	7g	_____	
<b>Vaccinium corymbosum 'Jersey'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; late to midseason crop; 4-6' tall; bright red to purplish fall foliage; locate in full to mostly sunny location (for best fruit production) &amp; organic well-drained moisture retentive slightly acidic soil [V. corymbosum] Zones 3 - 7 (8)</i>		18 - 24"	7g	_____	<b>N</b>
<b>Viburnum x carlcephalum</b> Fragrant Viburnum <i>DECIDUOUS FLOWERING SHRUB; fragrant white flowers in early May; large bushy habit with large foliage that turns reddish in fall; locate in full to partial sun &amp; neutral to acidic well-drained moisture retentive soil; Zones 5 - 7</i>		30 - 36"	10g	_____	<b>N</b>
<b>Viburnum dentatum</b> Arrowwood Viburnum <i>DECIDUOUS FLOWERING SHRUB; white flower in June; black fruit in fall; variable fall foliage of yellows &amp; reds; upright to broadly upright habit to 15' tall; locate in full sun or moderate shade; prefers well-drained soil but is very adaptable including coastal locations; native to US &amp; Canada; Zones (2) 3 - 8</i>		24 - 30" 30 - 36" 4 - 5' 5 - 6'	5g 10g B&B B&B	_____ _____ _____ _____	<b>N</b> <b>N</b>
<b>Viburnum nudum 'Winterthur'</b> Smooth Witherod <i>DECIDUOUS FLOWERING SHRUB; dark glossy foliage turns brilliant reddish-purple in fall; creamy white flowers in late May; fruit emerges white before turning pink, then red, then blue; locate in full sun to partial shade with moist well drained soil; drought tolerant; PHS Gold Metal; eastern US native; Zones 5 - 9</i>		24 - 30" 30 - 36"	7g 15g	_____ _____	<b>N</b> <b>N</b>
<b>Viburnum plicatum f. tomentosum 'Mariesii'</b> Doublefile Viburnum <i>DECIDUOUS FLOWERING SHRUB; horizontal spreading branches are covered by white flowers in May, followed by red fruit in summer that turns to black; grows to 8' tall by 12' wide; locate in full sun to light shade &amp; well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)</i>		30 - 36" 4 - 5' 5 - 6' 6 - 7'	15g B&B B&B B&B	_____ _____ _____ _____	<b>N</b>
<b>Viburnum plicatum f. tomentosum 'Summer Snowflake'</b> Compact Reblooming Double-file Viburnum <i>DECIDUOUS FLOWERING SHRUB; sterile white flowers sporadically all summer; fall foliage is purplish-red; compact habit to 5'; may be the same plant as 'Watanabei'; locate in full sun to light shade &amp; well-drained moisture retentive soil; native to eastern Asia; Zone 5 - 7 (8)</i>		24 - 30"	10g	_____	
<b>Viburnum plicatum f. tomentosum 'Watanabei'</b> Compact Reblooming Double-file Viburnum <i>DECIDUOUS FLOWERING SHRUB; white lace-cap flowers from late spring into fall; fruit appears red before turning black; red fall foliage; compact upright habit to about 5' high &amp; ultimately as wide; more compact than 'Summer Snowflake'; locate in full sun to light shade &amp; well-drained moisture retentive soil; native to Japan; Zone 5 - 7 (8)</i>		30 - 36"	15g	_____	

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com



# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Viburnum x pragense</b> Prague Viburnum <i>EVERGREEN FLOWERING SHRUB; small narrow glossy leathery evergreen foliage; pink flower buds open white; bushy upright habit to 10' tall &amp; nearly as wide; locate in full sun to light shade &amp; well-drained moisture retentive acidic soil; Zones 5 - 8</i>		4 - 5' 5 - 6'	B&B B&B	_____ _____ _____	<b>N</b>
<b>Viburnum rhytidophyllum</b> Leatherleaf Viburnum <i>EVERGREEN FLOWERING SHRUB; yellowish-white flowers in mid May; fruit opens red before maturing to black in fall; long narrow foliage is semi-evergreen in northern range - especially dependent on winter wind exposure; upright bushy habit to 15' tall &amp; slightly narrower; locate in light to medium shade &amp; well-drained moisture retentive acidic soil; native to China; Zones 5 - 7</i>		4 - 5' 5 - 6'	B&B B&B	_____ _____ _____	
<b>Viburnum rhytidophyllum 'Cree'</b> Compact Leatherleaf Viburnum <i>EVERGREEN FLOWERING SHRUB; yellowish-white flowers in mid May; fruit opens red before turning black; narrow foliage is semi-evergreen in northern range - especially dependent on winter wind exposure; compact habit to 8' high &amp; wide; possibly more cold hardy than the species; locate in light to medium shade &amp; well-drained moisture retentive acidic soil; native to China; Zones (4) 5 - 7</i>		18 - 21"	5g	_____ _____ _____	<b>N</b>
<b>Zelkova serrata 'Burgundy Vase'</b> Japanese Zelkova <i>DECIDUOUS SHADE TREE; dark green summer foliage turns burgundy in fall; upright arching heads to about 50' tall by 35' wide; tolerant of urban conditions; locate in full sun or light shade &amp; moist well-drained soil of varying pH; PHS Gold Metal; Asian native; Zones (4) 5 - 8</i>		2.5 - 3" 3 - 3.5" 3.5 - 4"	B&B B&B B&B	_____ _____ _____	
<b>Zelkova serrata 'Green Vase'</b> Japanese Zelkova <i>SHADE TREE; vigorous upright spreading branches; orange to bronze fall foliage; locate in full sun or light shade &amp; moist well-drained soil of varying pH; tolerant of urban conditions; PHS Gold Metal; Asian native; Zones (4) 5 - 8</i>		2 - 2.5" 5 - 6"	B&B B&B	_____ _____ _____	<b>N</b>

# Fernbrook Nursery Plant List: Fall 2023 / Spring 2024

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY

## Delivery Instructions

Company Name: \_\_\_\_\_

Delivery Address: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

Contact(s): \_\_\_\_\_

Phone Numbers: OFFICE: \_\_\_\_\_ MOBILE: \_\_\_\_\_

ALTERNATE: \_\_\_\_\_ FAX: \_\_\_\_\_

Email Address: \_\_\_\_\_

Requested Delivery Weeks(s): \_\_\_\_\_

Delivery Days / Time: MON  TUE  WED  THU  FRI  SAT  SUN  FROM \_\_\_\_\_ am / pm TO \_\_\_\_\_ am / pm

Special Instructions: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com