

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Abies cephalonica</b> Greek Fir; Grecian Fir <i>EVERGREEN CONIFER; bright glossy dark green pointed needles; breaks bud early in season which can be damaged by late frosts; large pyramidal to 100' or more in its' native range; intolerant of atmospheric pollution; does not transplant well at larger sizes; deer browse resistant; locate in full sun or partial shade &amp; well-drained moisture retentive soils; tolerant of most soil acidity; native to Greece; Zones 5 - 7</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B		N N
<b>Abies nordmanniana</b> Nordmann Fir; Caucasian Fir <i>EVERGREEN CONIFER; flat grossy dark green needles notched &amp; rounded at the tip; pyramidal habit to about 50' tall &amp; half as wide at the base; 6" by 2" cylindrical cones mature to reddish-brown; deer browse resistant; locate in full to partial sun &amp; very well-drained slightly acidic moisture retentive soil; one of the most heat tolerant species; southwestern Asian native; Zones (4) 5 - 6 (7)</i>		6 - 7'	B&B		
<b>Acer campestre Metro GoldÅ,® ('Panacek')</b> Hedge Maple <i>DECIDUOUS SHADE TREE; inconspicuous yellowish-green flowers in late April or May; minimal fruit set; larger darker green leaves that turn bright yellow in fall; tight upright habit to about 35' by 20' wide; good street tree under wires; tolerates urban conditions &amp; heavy shearing for hedging; locate in full sun to partial shade &amp; about any well-drained soil; native of Europe &amp; Africa (Panacek / Schmidt) Zones 6 - 8</i>		2 - 2.5" 2.5 - 3" 3 - 3.5"	B&B B&B B&B		N N
<b>Acer campestre Queen ElizabethĀĀĀĀ ('Evelyn')</b> Hedge Maple <i>DECIDUOUS SHADE TREE; inconspicuous yellowish-green flowers in late April or May; larger darker green leaves than the species turn yellowish in fall; short bushy habit to about 35' tall by 30' wide; more vigorous than the species; good street tree under wires; tolerates urban conditions &amp; heavy shearing for hedging; locate in full sun to partial shade &amp; about any well-drained soil; native to Europe &amp; western Asia (Schmidt) Zones (4) 5 - 8</i>		2 - 2.5"	B&B		
<b>Acer x freemanii 'Armstrong'</b> Columnar Freeman Maple <i>DECIDUOUS SHADE TREE; small reddish-green flowers before the foliage; variable reddish to reddish-orange fall foliage; silvery-gray bark; columnar habit to about 60' tall by 20' wide; locate in full sun &amp; most any soil regardless of acidity or moisture but not wet; native US cross [A. rubrum x A. saccharinum] Zones 3 - 9</i>		2 - 2.5"	B&B		
<b>Acer griseum</b> Paperbark Maple <i>DECIDUOUS ORNAMENTAL TREE; variable exfoliating cinnamon bark; green foliage turns to shades of red in the fall; variable growth &amp; branching reaching to about 25' tall &amp; wide or larger; branching starts at the ground - usually with multiple main trunks; locate in full sun to partial shade; tolerates most soils with good to moderate drainage; PHS Gold Metal; native of China; Zones 5 - 7</i>	V Ltd	7 - 8' 8 - 10' 10 - 12'	B&B B&B B&B		N N
<b>Acer griseum</b> Paperbark Maple <i>DECIDUOUS ORNAMENTAL TREE; variable exfoliating cinnamon bark; green foliage turns to shades of red in the fall; variable growth &amp; branching reaching to about 25' tall &amp; wide or larger; there is a single trunk for 3' to 6' or possibly more; locate in full sun to partial shade; tolerates most soils with good to moderate drainage; PHS Gold Metal; native of China; Zones 5 - 7</i>		2 - 2.5" 2.5 - 3"	B&B B&B		N

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Acer rubrum</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; dark green summer foliage turns variable shades of yellow to bright red in fall; large broadly upright habit to about 50' or more tall with heads close to that width; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native; Zones 3 - 9</i>		2 - 2.5'c 2.5 - 3'c	B&B B&B	<b>N</b> <b>N</b>
<b>Acer rubrum 'Brandywine'</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; profuse small dark red male flowers in early spring; seedless; medium green summer foliage turns red before becoming purple-red &amp; is resistant to leafhoppers; oval to pyramidal habit to about 35' tall by 20' wide; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native (Townsend / USNA) Zones 4 - 9</i>		2 - 2.5'c	B&B	<b>N</b>
<b>Acer rubrum 'Karpick'</b> Fastigiate Red Maple; Fastigiate Swamp Maple <i>DECIDUOUS SHADE TREE; small red flowers appear in early spring before the foliage &amp; presents a reddish cast; male/seedless; compact upright pyramidal habit to about 50' tall by 20' wide; dark green summer foliage turns shades of yellow &amp;/or red in mid-fall; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native (Schichtel) Zones 4 - 9</i>		2 - 2.5'c	B&B	
<b>Acer rubrum 'October Glory'</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; broad oval head to about 50' tall &amp; about as wide; brilliant orange-red to red fall foliage; the last A. rubrum to color in fall; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; not as cold hardy as Red Sunset; US native (Flemer) Zone 5 - 9</i>		2 - 2.5'c	B&B	<b>N</b>
<b>Acer rubrum Red Sunset<sup>™</sup>,<sup>®</sup> ('Franksred')</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; pyramidal to rounded head; grows to 50' tall; showy orange to red fall foliage; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native; not as drought tolerant as most other cultivars (Schmidt) Zones 4 - 9</i>		2 - 2.5'c 2.5 - 3'c 3 - 3.5'c	B&B B&B B&B	
<b>Acer rubrum 'Sun Valley'</b> Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; upright oval crown to about 20' tall &amp; 10' wide at 10 years; smaller than normal medium green summer leafhopper resistant foliage turns brilliant bright red in fall; seedless; locate in full sun &amp; moisture retentive well-drained slightly acidic soil; US native (Townsend / USNA) Zones 4 - 7</i>		2 - 2.5'c 2.5 - 3'c 3 - 3.5'c	B&B B&B B&B	<b>N</b>
<b>Acer saccharum 'Commemoration'</b> Sugar Maple <i>DECIDUOUS SHADE TREE; fast grower with oval to rounded head gets about 50' tall by 35' wide; dense thick dark green foliage resists leaf tatter &amp; turns brilliant orange &amp; yellow in fall; locate in full sun or partial shade &amp; well-drained organic soil; not tolerant of compacted soils deicing salt reflected heat or restricted root zones; US native (Wandell) Zones 4 - 8</i>		2 - 2.5'c 2.5 - 3'c 3 - 3.5'c	B&B B&B B&B	<b>N</b> <b>N</b>
<b>Acer saccharum 'Green Mountain'</b> Sugar Maple <i>DECIDUOUS SHADE TREE; thick matt-green foliage resists scorch &amp; leaf tatter; variable yellow to orange fall foliage; oval to rounded head reaching about 70' tall by 50' wide; heat resistant cultivar; locate in full sun or partial shade &amp; well-drained organic soil; not tolerant of compacted soils deicing salt reflected heat or restricted root zones; may be a cross with A. nigrum; US native (Flemer) Zones 4 - 8</i>		3.5 - 4'c	B&B	

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Aesculus x carnea 'Ft. McNair'</b> Pink Buckeye; Pink Horsechestnut <i>DECIDUOUS ORNAMENTAL TREE; 6-8" dark pink panicles with yellow throats in late spring; slightly more resistant to leaf blotch; rounded habit to about 40' tall &amp; wide; locate in full sun to partial shade &amp; well drained organic soil of about any pH [A. pavia x A. hippocastanum] Zones 4 - 7</i>		2 - 2.5" c	B&B		<b>N</b>
<b>Aesculus flava</b> Yellow Buckeye <i>DECIDUOUS SHADE TREE; 7" long yellowish-green flowers in May; large growing tree to about 75' tall by 40' wide; tolerant of urban conditions; resistant to foliar diseases; locate in full sun &amp; rich organic slightly acidic well-drained soil; eastern US native (formerly: A. octandra) Zones 4 - 8</i>	A: 12-2	4 - 5' 2 - 2.5" c 2.5 - 3" c	7g bag B&B B&B		<b>N</b> <b>N</b>
<b>Aesculus parviflora</b> Bottlebrush Buckeye <i>DECIDUOUS FLOWERING SHRUB; upright white panicles to 12" tall in early summer; shrubby wide-spreading habit to 10' high; suckering shrub that can get as wide as allowed; locate in full sun to light shade &amp; rich organic slightly acidic well-drained moisture retentive soil; PHS Gold Metal; southeast US native; Zones 4 - 8 (9)</i>		24 - 30" 30 - 36"	10g B&B		<b>N</b> <b>N</b>
<b>Amelanchier x grandiflora 'Autumn Brilliance'</b> <b>SHRUB FORM</b> Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot &amp; turns showy shades of orange &amp; red in fall; bushy broadly upright habit to about 25' tall &amp; wide; stoloniferous; locate in full sun to partial shade &amp; moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>	A: 12-2	5 - 6' 6 - 7'	7g bag B&B		<b>N</b>
<b>Amelanchier laevis</b> <b>TREE FORM</b> Alleghany Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant white flower in April; sweet black edible fruit in June; new foliage opens bronzy-purple before turning dark green then reddish-orange in fall; bushy upright habit to about 25' tall &amp; wide; staked to have a single trunk; locate in full sun or light shade &amp; pH adaptable well-drained soil; US native; Zones 4 - 8</i>		2 - 2.5" c	B&B		
<b>Aronia arbutifolia 'Brilliantissima'</b> Red Chokeberry <i>DECIDUOUS FLOWERING SHRUB; upright suckering shrub to 10'; white flowers in May; brilliant red fall foliage; persistent red fruit; glossy dark green summer foliage; locate in full sun to part shade; tolerant of most soils that don't stay wet; eastern US native; PHS Gold Metal; Zones 4 - 9</i>	A: 12-2	3 - 4'	7g		<b>N</b>
<b>Aronia melanocarpa 'Viking'</b> Black Chokeberry <i>DECIDUOUS FLOWERING SHRUB; masses of small white flowers in May; large persistent black fruit into winter; glossy dark green summer foliage turns brilliant reddish-orange in the fall; bushy grower to about 5' tall; locate in full sun to part shade; tolerant of most soils that don't stay wet; eastern US native; Zones 3 - 8 (9)</i>	A: 12-2	18 - 24" 30 - 36"	3g 7g		<b>N</b>
<b>Azalea 'Golden Comet'</b> <i>see: Rhododendron 'Golden Comet'</i>					
<b>Azalea 'Klondyke'</b> Orange Exbury Azalea <i>DECIDUOUS FLOWERING SHRUB; fragrant dark yellow trusses w/ orange-yellow blotch in mid-season; dense broadly upright habit to 5' in 10 yrs.; brownish-red new foliage is mildew resistant green in summer &amp; deep bronze in fall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; (de Rothschild) Zones 6 - 8</i>		15 - 18"	5g		<b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Azalea 'Poukhanense'</b> <i>see: Rhododendron yedoense var. poukhanense</i>					
<b>Betula nigra Dura Heat ('BNMFT')</b>  River Birch <i>DECIDUOUS ORNAMENTAL TREE; whitish bark exfoliates at an early age; darker summer foliage than Heritage turns good yellow in fall &amp; is held longer; improved leaf spot resistance; broadly upright habit to about 35' tall by 30' wide; 3 or more main trunks; fall dig hazard; locate in full sun or minimal shade &amp; moist acidic soil; somewhat drought tolerant; US native; Zones 3 - 9</i>	<b>CLUMP</b>	7 - 8' 8 - 10'	B&B B&B		<b>N</b> <b>N</b>
<b>Betula nigra Heritage<sup>®</sup> ('Cully')</b>  River Birch <i>DECIDUOUS ORNAMENTAL TREE; insignificant flowers are brown (male) or green (female) catkins in spring; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of yellow in fall; broadly upright habit to about 45' tall by 30' wide; 3 or more main trunks; resists drought, leaf spot &amp; borers; tolerates wet soils; fall dig hazard; locate in full sun or minimal shade &amp; moist acidic soil; supposedly improved selection of original Heritage; US native (Cully) Zones 3 - 9</i>	<b>CLUMP</b>	7 - 8' 8 - 10' 12 - 14'	B&B B&B B&B		<b>N</b>
<b>Betula populifolia</b>  Gray Birch <i>DECIDUOUS ORNAMENTAL TREE; small monoecious Male &amp; female flowers aren't ornamental; long triangular dark green summer foliage turns yellowish in fall; reddish young bark becomes chalky white at maturity &amp; is non-exfoliating; upright habit to as much as 40' tall by 20' wide at maturity; trunks are seldom straight &amp; often appear in clumps; fall dig hazard; short lived; somewhat resistant to bronze Birch borer; tolerates more than average moisture; intolerant of fall digging &amp; high summer temps; locate in full sun to partial shade &amp; well-drained moisture retentive soil; native to northeastern US; Zones 3 - 6</i>	<b>CLUMP</b>	7 - 8'	B&B		<b>N</b>
<b>Boutelous gracilis 'Blonde Ambition'</b> Blue Grama Grass <i>ORNAMENTAL GRASS; unique horizontal chartreuse flowers that mature to light tan from June to August; narrow blueish-gray summer foliage turns golden in fall - sometimes with shades orange &amp; red; upright arching habit to about 30" tall by 18" wide; attracts birds - especially in winter for seeds; resists deer browse; tolerates Black Walnut, air pollution, erosion &amp; drought; locate in full sun &amp; most soils that drain well; US native (Am Bty) Zones 3 - 10</i>			1g		<b>N</b>
<b>Buxus x Chicagoland Green ('Glencoe')</b> Spreading Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; compact spreading evergreen to 3' tall; 2 winter tests in Kansas (-13<sup>°</sup> &amp; -10<sup>°</sup>) indicates this has the best winter color retention; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. sempervirens x B. sinica var. insularis] Zones (4) 5 - 8</i>		30 - 36" spr 36 - 42" spr	B&B B&B		<b>N</b>
<b>Buxus x 'Green Mountain'</b>  Pyramidal Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer &amp; winter foliage; broadly pyramidal habit to about 5' tall by 4' wide in 10 years; tops sheared to be about as tall as wide; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>	<b>SHRUB FORM</b>	18 - 24" 24 - 30" 30 - 36" 36 - 42" 42 - 48" 4 - 5'	5g B&B B&B B&B B&B B&B		<b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Buxus microphylla 'Green Beauty'</b> Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer foliage; minimal winter bronzing; compact globular mound to about 3' &amp; wide; suitable in all sun exposures; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones (5) 6 - 8 (9)</i>		24 - 30" spr	B&B		<b>N</b>
<b>Buxus microphylla 'Julia Jane'</b> Japanese Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; new lime-green foliage contrasts with the mature dark green leaves which can turn coppery in colder winters or windy exposure; compact bushy upright habit to about 5' tall &amp; wide; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones 5 - 9</i>		24 - 30"	B&B		<b>N</b>
<b>Buxus microphylla 'Wintergreen'</b> <i>see: Buxus sinica var. insularis 'Wintergreen'</i>					
<b>Buxus sempervirens 'Dee Runk'</b> Fastigiate Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; upright conical shrub to 10' tall by 3' wide; dark green foliage; adapts well to poor soils; tolerates all light conditions; stronger upright branching than 'Graham Blandy'; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal; native to Europe, Asia &amp; Africa; Zones (5) 6 - 8</i>		18 - 24" 36 - 42" 42 - 48"	5g B&B B&B		<b>N</b>
<b>Buxus sempervirens 'Elegantissima'</b> Variegated Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; foliage has creamy white edges surrounding dark green centers; slow upright rounded habit; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>		10 - 12"	3g		
<b>Buxus sempervirens 'Graham Blandy'</b> Columnar Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage; very narrow upright habit to about 10' tall by 2' wide; narrower but more susceptible to disease &amp; insects than other columnar forms; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 7</i>		4 - 5' 5 - 6' 6 - 7'	B&B B&B B&B		<b>N</b> <b>N</b> <b>N</b>
<b>Buxus sempervirens 'Rotundifolia'</b> Roundleaf Common Boxwood <i>BROADLEAF EVERGREEN SHRUB; large round dark green convex foliage usually retains good winter color; broadly upright habit to about 5' ball by 4' wide in 10 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; native to Europe, Asia &amp; Africa; Zones 5 - 8</i>	V Ltd V Ltd	30 - 36" 36 - 42" 42 - 48"	B&B B&B B&B		<b>N</b> <b>N</b> <b>N</b>
<b>Buxus sinica var. insularis 'Tide Hill'</b> Dwarf Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; medium green foliage will sunburn in summer without afternoon or filtered shade; slow growing broadly spreading habit to about 15" tall &amp; much wider; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones (5) 6 - 9</i>		18 - 21" spr	5g		<b>N</b>

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Buxus sinica var. insularis 'Wintergreen'</b> Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green foliage color is retained in most winters; compact rounded mounding habit to about 5' tall &amp; wide in 15 years; resists deer &amp; rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade &amp; moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Korean native; Zones 4 - 9</i>		24 - 30" spr 30 - 36" spr 36 - 42" spr 42 - 48" spr	B&B B&B B&B B&B	<b>N</b>
<b>Callitropsis nootkatensis</b> <i>see: Chamaecyparis nootkatensis</i>				
<b>Calocedrus decurrens (Longwood strain)</b> Incense Cedar <i>EVERGREEN CONIFER; columnar habit to about 50' in eastern US, much more out west; bright green foliage; locate in full sun or light shade with well-drained organic soils; quite drought &amp; heat tolerant when established; not tolerant of urban conditions; native to western US; Zones 5 - 10</i>		7 - 8' 10 - 12'	B&B B&B	<b>N</b>
<b>Carpinus betulus 'Franz Fontaine'</b> Fastigiate European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer foliage turns yellowish then tan by winter; narrower columnar habit that's supposed to stay that way when matures; Franz can't read so also gets about 40' tall &amp; about 30' wide; good for hedging as it takes shearing well &amp; the foliage is often retained through winter - especially in protected locations; branching starts at or near the ground; locate in full sun or part shade &amp; any soil with moderate drainage; native to Europe &amp; Asia Minor; Zones 5 - 8</i>	<b>LOW BRANCHED</b>	2 - 2.5" 2.5 - 3"	B&B B&B	<b>N</b> <b>N</b>
<b>Carpinus caroliniana</b> American Hornbeam; Ironwood; Musclewood <i>DECIDUOUS SHADE TREE; new foliage emerges with purplish tints before maturing to dark green by summer then variable shades of yellow orange or red in fall; smooth irregularly fluted gray bark; slow broadly upright habit to about 30' tall &amp; wide; tolerant of heavy shearing; branching starts about 4' above the ground; locate in full sun or full shade &amp; just about soil condition; US native; Zones 3 - 9</i>	V Ltd V Ltd V Ltd	2 - 2.5" 2.5 - 3" 3 - 3.5" 3.5 - 4" 4 - 4.5" 4.5 - 5"	B&B B&B B&B B&B B&B B&B	<b>N</b> <b>N</b> <b>N</b>
<b>Catalpa speciosa</b> Northern Catalpa <i>DECIDUOUS SHADE TREE; 2" white flowers in large upright panicles in late May or early June; long narrow brown seed pods in fall; heart-shaped green summer foliage turns yellowish-green in fall; rapid growing upright habit to about 60' tall by 40' wide or more; locate in sun or partial shade &amp; just about any soil with reasonable drainage; native to central US; Zones 4 - 8 (9)</i>	V Ltd V Ltd V Ltd	4 - 4.5" 4.5 - 5" 5 - 6"	B&B B&B B&B	<b>N</b> <b>N</b> <b>N</b>
<b>Ceanothus americanus</b> New Jersey Tea <i>DECIDUOUS FLOWERING SHRUB; clusters of tiny fragrant white flowers in late spring; yellow twigs are prominent in winter; compact upright spreading habit to 3' tall &amp; wide; leaves were used to make tea in colonial times, however without caffeine; attracts butterflies &amp; hummingbirds; nitrogen fixing roots; locate in full sun to partial shade &amp; most well-drained soils; drought tolerant; US native; Zones 4 - 8</i>	V Ltd	15 - 18"	3g	<b>N</b>
<b>Cedrus deodara Blue Velvet (Sander's Blue)</b> Blue Deodara Cedar <i>EVERGREEN ORNAMENTAL CONIFER; bright blue new needles mature to more gray-blue; somewhat open pyramidal habit with relaxed lateral branches to about 50' tall by 20' wide; may be the same as 'Blue Velvet'; somewhat deer browse resistant &amp; drought tolerant; locate in full to mostly sunny locations &amp; organic well-drained moisture retentive soil; protect from winter winds in northern range; native to western Himalaya; Zones (6) 7 - 9</i>		7 - 8'	B&B	<b>N</b>

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Celtis occidentalis</b> Common Hackberry <i>DECIDUOUS SHADE TREE; pyramidal headed shade tree growing to 50' tall and about as wide; yellow fall foliage; tolerant of urban conditions, some salt exposure &amp; most pests; drought tolerant; locate in full sun &amp; just about any soil that isn't wet for extended periods; native to US &amp; Canada; Zones 3 - 7 (8)</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c	B&B B&B B&B B&B	_____ _____ _____ _____
<b>Cephalotaxus harringtonia 'Drupacea'</b> <i>see: Cephalotaxus harringtonia var. drupacea</i>				_____ _____
<b>Cephalotaxus harringtonia 'Duke Gardens'</b> Spreading Plum Yew <i>EVERGREEN CONIFER; medium to dark green needles; fairly slow growing compact spreading mound, getting about as wide as high; resists deer browse; locate in full sun to moderate shade &amp; any soil with reasonable drainage; PHS Gold Metal winner; Asian native; Zones 6 - 8 (9)</i>	Ltd	18 - 21" spr 30 - 36" spr 36 - 42" spr	7g B&B B&B	_____ _____ _____
<b>Cephalotaxus harringtonia 'Fastigiata'</b> Fastigiata Plum Yew <i>EVERGREEN CONIFER; narrow upright when young; gets much wider at maturity; new yellowish spring foliage turns dark green when mature; slow grower; resistant to deer browse; locate in full sun to moderate shade &amp; most soils with reasonable drainage; Asian native; Zones 6 - 9</i>		18 - 24" 30 - 36"	7g B&B	_____ _____
<b>Cephalotaxus harringtonia var. drupacea</b> Spreading Plum Yew <i>EVERGREEN CONIFER; a variable variety in many aspects from habit to foliage size; some plants are decidedly upright while others are prominently spreading; most needles are or approach 2" long; they take quite a bit of heat; slow grower; more growth in partial to full shade; most plants in the trade are slightly wider than tall and make great hedges; resistant to deer browse; locate in full sun to moderate shade &amp; most well-drained soils; Asian native; Zones (5) 6 - 9</i>		18 - 21" spr 30 - 36" spr 36 - 42" spr	7g B&B B&B	_____ _____ _____
<b>Cercis canadensis Flame Thrower® ('NC2016-2')</b> Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; pink blooms in April before foliage; spring foliage emerges burgundy-red then adds yellow &amp; green before turning dark green by summer then variable shades of yellow in fall; wide-spreading habit to about 25' tall by 35' wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Werner / Star) Zones 4 - 9</i>		5 - 6'	7g bag	_____ <b>N</b>
<b>Cercis canadensis Hearts A'Fire™ ('JN100')</b> Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; rows lavender-pink blooms along all branches in April before foliage; spring foliage emerges burgundy then slowly transitions to red then orange &amp; finally yellow before turning dark green by summer; fall brings variable shades of yellow; wide-spreading habit to about 15' tall &amp; wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; US native (Jackson) Zones (4) 5 - 9</i>		4 - 5'	7g bag	_____ <b>N</b>
<b>Cercis canadensis 'Pink Heartbreaker'</b> Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; profuse lavender-pink flowers in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; broadly weeping habit; height is determined by staking; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Eaton) Zones 4 - 9</i>		5 - 6'	7g bag	_____ <b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Cercis canadensis 'Ruby Falls'</b> Purpleleaf Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; lavender-pink flowers in mid to late April; spring foliage emerges reddish-purple before turning dark green by late summer then variable shades of yellow in fall; narrow weeping habit like Lavender Twist; size is determined by staking, resistant to Black Walnut; locate in full sun or partial shade with any well-drained soil; not tolerant of very wet or dry soils; US native ['Covey' x 'Forest Pansy'] (Werner / Plant Haven) Zones 5 - 9</i>		4 - 5'	7g bag	<b>N</b>
<b>Cercis canadensis The Rising Sun ('JN2')</b> Golden Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; profuse rosy-lavender flowers appear in spring before the leaves; spring foliage break is a wow as the new leaves unfurl bright orange-pink before turning chartreuse &amp; finally lime green by summer; fall reintroduces the bright gold to orange tones; rounded habit to about 25' tall &amp; 4' wide; resistant to Black Walnut; locate in full sun or partial shade &amp; any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Jackson) Zones (5) 6 - 9</i>		4 - 5'	7g bag	<b>N</b>
<b>Chamaecyparis nootkatensis 'Pendula'</b> Weeping Alaskan Cedar <i>EVERGREEN ORNAMENTAL CONIFER; flatened sprays of medium green foliage; pronounced single leader; appears to be several forms with branches arching out &amp; downward from the trunk or weeping from horizontal secondary branches; irregular pyramidal habit to about 15' tall by 8' wide in 10 years; locate in full sun or partial shade &amp; deep organic well-drained moisture retentive soil; northwestern US native [Genus renamed: Cupressus] Zones 4 - 7 (8)</i>	V Ltd V Ltd	7 - 8' 8 - 10'	B&B B&B	<b>N</b>
<b>Chamaecyparis obtusa 'Aurea'</b> Compact Golden Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright gold foliage; afternoon shade can prevent sunburn; too much shade will make it mostly green; pyramidal habit to about 5' tall by 3' wide; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>	Ltd	5 - 6'	B&B	<b>N</b>
<b>Chamaecyparis obtusa 'Compacta'</b> Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright dark green foliage; compact (not dwarf) upright habit to about 3' tall by 2' wide in 10 years; ultimate size varies greatly with local conditions; also probably a lot of strains with various growth rates; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>	V Ltd V Ltd	36 - 42" 42 - 48"	B&B B&B	<b>N</b>
<b>Chamaecyparis obtusa 'Crippsii'</b> Golden Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright golden lacy foliage; best gold for the East Coast but burns on the West Coast; will be mostly green in shade; vigorous pyramidal habit to about 10' tall by 4' wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>	Ltd V Ltd	6 - 7' 7 - 8'	B&B B&B	
<b>Chamaecyparis obtusa 'Filicoides'</b> Fernspray Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; flat dark green fish bone-like foliage; open pyramidal habit with central leader to about 8' tall by 5' wide in 10 years; will be loosely pyramidal without shearing; with shearing can be spectacular; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>	Ltd Ltd Ltd	5 - 6' 6 - 7' 7 - 8' 8 - 10' 10 - 12'	B&B B&B B&B B&B B&B	<b>N</b>
<b>Chamaecyparis obtusa 'Gracilis'</b> Slender Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright dark green foliage; bushy upright habit to about 6' tall by 2' wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>	Ltd	6 - 7' 7 - 8'	B&B B&B	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
[www.phintuthill.com](http://www.phintuthill.com)

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: [Phin@RPTuthill.com](mailto:Phin@RPTuthill.com)



# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Chamaecyparis obtusa 'Gracilis Compacta'</b> <i>see: Chamaecyparis obtusa 'Compacta'</i>					
<b>Chamaecyparis obtusa 'Kosteri'</b> Dwarf Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; medium green horizontal foliage with lighter green or yellow highlights; compact bushy broadly pyramidal habit to about 2' tall &amp; wide in 10 years; horizontal branching; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native (Koster N) Zones 5 - 8</i>	V Ltd V Ltd	30 - 36" spr 42 - 48" spr	B&B B&B		<b>N</b> <b>N</b>
<b>Chamaecyparis obtusa 'Kosteri Fast Form'</b> Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; medium green horizontal foliage with lighter green or yellow highlights with some orange stems; it's a faster more upright habit to about 4' tall by 3' wide in 10 years; similar foliage to C. o. 'Kosteri'; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>	V Ltd	6 - 7' 7 - 8'	B&B B&B		<b>N</b>
<b>Chamaecyparis obtusa 'Magnifica'</b> Compact Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; new spring growth has a golden cast which turns medium to dark green by summer; moderate bushy to pyramidal upright habit; locate in full to mostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8</i>	V Ltd	6 - 7' 7 - 8'	B&B B&B		<b>N</b>
<b>Chamaecyparis obtusa 'Nana'</b> True Dwarf Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage is mostly vertical; slow broadly maounding to upright habit to about 2' tall &amp; wide in 10 years; often broader than tall at maturity; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>	V Ltd	24 - 30" spr 30 - 36" spr 36 - 42" spr	B&B B&B B&B		<b>N</b> <b>N</b> <b>N</b>
<b>Chamaecyparis obtusa 'Nana Gracilis'</b> Dwarf Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark bright green foliage is mostly vertical; irregular broadly upright habit to about 2' tall &amp; wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>	Ltd V Ltd	30 - 36" 36 - 42"	B&B B&B		
<b>Chamaecyparis obtusa 'Split Rock'</b> Blue Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; juvenile foliage is steel-blue &amp; mature foliage is more blue-green; broadly upright compact habit to about 4' tall by 3' wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>	Ltd Ltd V Ltd V Ltd	30 - 36" 36 - 42" 42 - 48" 4 - 5'	B&B B&B B&B B&B		
<b>Chamaecyparis obtusa 'Tetragona Aurea'</b> Golden Fernspray Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright gold fern-like foliage with a 3rd midrib on some branches (unlike 'Fernspray Gold' which are flat); broadly irregular pyramidal habit to about 5' tall by 3' wide; afternoon shade often prevents or reduces sunburn but too much makes them green; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native (Barron N) Zones 5 - 8</i>	Ltd	10 - 12'	B&B		
<b>Chamaecyparis obtusa 'Torulosa'</b> Twisted Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; spreading mound; orange bark on new stems; narrow twisting foliage with variable amounts of cocks-combs; locate in full to mostly sunny location with organic moisture retentive soil that drains well; native to Japan; Zones 5 - 8</i>		36 - 42" 4 - 5'	B&B B&B		<b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Chamaecyparis obtusa 'Well's Special'</b> Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage; vigorous upright pyramidal habit with unique horizontal branching to about 8' tall by 5' wide in 10 years; can be quite open without pruning; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native (Wells N) Zones 5 - 8</i>	V Ltd	6 - 7' 8 - 10'	B&B B&B	
<b>Chamaecyparis pisifera 'Filifera'</b> Green Thread Cypress <i>EVERGREEN ORNAMENTAL CONIFER; dark green pendulous thread-like foliage; broadly pyramidal arching to weeping habit to about 5' tall &amp; wide in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>	Ltd V Ltd	42 - 48" 4 - 5'	B&B B&B	<b>N</b>
<b>Chamaecyparis pisifera 'Golden Mop'</b> Bright Gold Threadleaf Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright gold thread-like foliage that gets a darker gold in winter; can take some shade but will be less gold; compact broadly mounding habit to about 2' tall &amp; slightly wider in 10 years; locate in full to mostly sunny location &amp; organic well-drained moisture retentive soil; Japanese native; Zones 5 - 8</i>		18 - 21" spr	7g	<b>N</b>
<b>Chamaecyparis thyoides</b> Atlantic White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; green to blue-green spring &amp; summer foliage turns variable purplish in winter; bluish fruit in fall; variable upright habit to about 40' tall by 15' wide in time; locate in full sun &amp; moisture retentive to wet soils that are neutral to acidic; tolerates flooded soils; native to eastern coastal US; Zones 4 - 8 (9)</i>	Ltd V Ltd V Ltd	6 - 7' 8 - 10' 10 - 12'	B&B B&B B&B	<b>N</b>
<b>Chamaecyparis thyoides glauca</b> Blue Atlantic White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; lacey light blue somewhat pendulous foliage; upright somewhat pendulous form; locate in full sun &amp; moisture retentive to wet soils that are neutral to acidic; tolerates flooded soils; native to eastern coastal US; Zones 4 - 8 (9)</i>		6 - 7'	B&B	
<b>Chionanthus virginicus</b> White Fringetree <i>DECIDUOUS ORNAMENTAL TREE; fragrant creamy white fringe-like flowers in May; shrubby upright habit to about 20' tall &amp; wide; dark green summer foliage turns yellowish in fall; locate in full sun to partial shade &amp; any well drained soil; native to eastern US; Zones 4 - 9</i>	<b>SHRUB FORM</b> Ltd V Ltd V Ltd	5 - 6' 6 - 7' 7 - 8'	B&B B&B B&B	<b>N</b> <b>N</b>
<b>Chionanthus virginicus</b> White Fringetree <i>DECIDUOUS ORNAMENTAL TREE; fragrant creamy white fringe-like flowers in May; shrubby upright habit to about 20' tall &amp; wide; these plants are trained with a single trunk to about 3' or more; dark green summer foliage turns yellowish in fall; locate in full sun to partial shade &amp; any well drained soil; native to eastern US; Zones 4 - 9</i>	<b>TREE FORM</b> V Ltd	1.75 - 2" c 2 - 2.5" c	B&B B&B	<b>N</b>
<b>Cladrastis kentukea</b> American Yellowwood <i>DECIDUOUS SHADE TREE; upright habit to 50' or more with a broader spread when mature; fragrant white panicles in late May that bloom heaviest on alternate years; bright yellowish-green summer foliage turns golden in fall; locate in full sun &amp; well-drained soil of any pH; PHS Gold Metal; US native (formerly C. lutea) Zones (3) 4 - 8</i>	V Ltd V Ltd	2 - 2.5" c 2.5 - 3" c 3 - 3.5" c	B&B B&B B&B	<b>N</b> <b>N</b>

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Clethra alnifolia 'Hummingbird'</b> Compact Summersweet <i>DECIDUOUS FLOWERING SHRUB; fragrant white flowers in July; compact upright form; locate in full sun to partial shade; likes moist to wet acidic soils &amp; coastal conditions; PHS Gold Metal; eastern US native; Zones 4 - 9</i>		18 - 24"	5g	
<b>Coreopsis verticillata 'Zagreb'</b> Yellow Threadleaf Tickseed <i>PERENNIAL; golden yellow flowers from June to frost; lacy dark green foliage; bushy habit to about 12" tall &amp; wide; spreads by rhizomes &amp; self-seeding; attracts bees &amp; butterflies; resists mildew, drought, deer &amp; rabbit browse; locate in full sun or minimal shade &amp; dry to moist well-drained soil; eastern US native (Am Bty) Zones (4) 5 - 8</i>			1g	<b>N</b>
<b>Cornus x Celestial Shadow</b> (Michael Steinhardt) Variegated Rutgers Hybrid Dogwood; Variegated Stellar Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy white bracts in mid to late May; yellow &amp; green variegated spring &amp; summer foliage turns shades of pink orange &amp; red in fall; broadly upright habit to 20' tall &amp; 20' wide; locate in full sun to partial shade with good organic well-drained soil that's neutral to slightly acidic; US / Asian cross; sport of 'Celestial' (Shadow) Zones 5 - 7</i>	V Ltd	1.5" c	B&B	<b>N</b>
<b>Cornus florida 'Appalachian Snow'</b> <b>TREE FORM</b> White Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse, large overlapping, white, bracts in May; reddish fruit in late summer loved by birds; large medium green foliage turns bright red in fall; layered spreading habit to about 25' tall &amp; wide; outstanding resistance to anthracnose; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9</i>	V Ltd	6 - 7' (1.5" c)	B&B	<b>N</b>
<b>Cornus florida Cherokee Brave</b> (Comco No. 1) <b>BRANCHED @ 3-4'</b> Red Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark pink (light red) bracts in May are almost white in the center; red fruit in late summer loved by birds; bright red fall foliage; layered spreading habit to about 25' tall &amp; wide; more disease resistant; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (Nicholson) Zones (5) 6 - 9</i>	V Ltd	2 - 2.5" c	B&B	<b>N</b>
<b>Cornus florida Cherokee Brave</b> (Comco No. 1) <b>LOW BRANCHED</b> Red Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark pink (light red) bracts in May are almost white in the center; red fruit in late summer loved by birds; bright red fall foliage; layered spreading habit to about 25' tall &amp; wide; more disease resistant; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (Nicholson) Zones (5) 6 - 9</i>		6 - 7' 7 - 8'	B&B B&B	
<b>Cornus florida 'Cherokee Chief'</b> <b>BRANCHED @ 3-4'</b> Red Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark pink (almost red) bracts; red fruit in late summer loved by birds; new foliage opens with a red tinge before turning dark green then bright red in fall; layered spreading habit to about 25' tall &amp; wide; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (Hawkersmith) Zones (5) 6 - 9</i>	V Ltd	2 - 2.5" c	B&B	<b>N</b>
<b>Cornus florida 'Cherokee Chief'</b> <b>LOW BRANCHED</b> Red Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark pink (almost red) bracts; red fruit in late summer loved by birds; new foliage opens with a red tinge before turning dark green then bright red in fall; layered spreading habit to about 25' tall &amp; wide; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (Hawkersmith) Zones (5) 6 - 9</i>	V Ltd V Ltd	6 - 7' 7 - 8'	B&B B&B	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Cornus florida 'Cherokee Chief'</b> <b>TREE FORM</b> Pink Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark pink (almost red) bracts; red fruit in late summer loved by birds; new foliage opens with a red tinge before turning dark green then bright red in fall; layered spreading habit to about 25' tall &amp; wide; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (Hawkersmith) Zones (5) 6 - 9</i>	Ltd	6 - 7' (1.5"c)	B&B	<b>N</b>
<b>Cornus kousa</b> <b>BRANCHED @ 3-4'</b> Kousa Dogwood; Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; variable reddish-purple fall foliage; mottled gray &amp; tan exfoliating bark; short single trunk; tan &amp; gray exfoliating bark; vase shaped when young becomes as high &amp; wide at maturity - about 25'; branching starting at about 2-3'; locate in full sun to partial shade &amp; acidic organic well-drained moisture retentive soil; Asian native; Zones 4 - 8</i>		2"c	B&B	
<b>Cornus kousa</b> <b>SHRUB FORM</b> Kousa Dogwood; Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; variable reddish-purple fall foliage; mottled gray &amp; tan exfoliating bark; vase shaped when young becomes as high &amp; wide at maturity - about 25'; multiple branches from the ground up; locate in full sun to partial shade &amp; acidic organic well-drained moisture retentive soil; Asian native; Zones 5 - 8</i>		6 - 7' 7 - 8'	B&B B&B	
<b>Cornus kousa</b> <b>TREE FORM</b> Kousa Dogwood; Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; variable reddish-purple fall foliage; mottled gray &amp; tan exfoliating bark; short single trunk; tan &amp; gray exfoliating bark; vase shaped when young becomes as high &amp; wide at maturity - about 25'; branching starting at about 2-3'; locate in full sun to partial shade &amp; acidic organic well-drained moisture retentive soil; Asian native; Zones 4 - 8</i>	V Ltd	2"c 6 - 7' (1.5"c)	B&B B&B	<b>N</b> <b>N</b>
<b>Cornus kousa 'Elizabeth Lustgarten'</b> Weeping Kousa Dogwood; Weeping Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse upright white bracts in late May; red ball-like fruit in summer; broadly weeping habit; height &amp; width will vary with staking but often gets about 15' tall &amp; wide; locate in full sun to partial shade with good organic well drained soil that's neutral to slightly acidic; Asian native; Zones 5 - 8</i>	Ltd	6 - 7'	B&B	
<b>Cornus kousa 'Milky Way'</b> <b>BRANCHED @ 3-4'</b> Kousa Dogwood; Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; dark green summer foliage turns reddish-orange in fall; mottled gray &amp; tan exfoliating bark; more horizontal &amp; tree-form than the species to about 20' tall by 25 wide; locate in full sun to partial shade with good organic well drained soil that's neutral to slightly acidic; Asian native; Zones 5 - 8</i>		6 - 7' (1.75"c)	B&B	<b>N</b>
<b>Cornus kousa 'Summer Fun'</b> <b>BRANCHED @ 3-4'</b> Variegated Kousa Dogwood; Variegated Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; creamy-white variegation surrounding the green centered foliage all summer; fall foliage exhibits shades of red &amp; orange with pink margins; mottled gray &amp; tan exfoliating bark; upright habit to about 20' tall by 15' wide in 20 years; locate in full sun to partial shade &amp; acidic organic well-drained moisture retentive soil; Asian native (Buchholz) Zones 5 - 8</i>		2 - 2.5"c	B&B	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Cornus kousa 'Summer Fun'</b> <p style="text-align: right;"><b>LOW BRANCHED</b></p> Variegated Kousa Dogwood; Variegated Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; creamy-white variegation surrounding the green centered foliage all summer; fall foliage exhibits shades of red &amp; orange with pink margins; mottled gray &amp; tan exfoliating bark; upright habit to about 20' tall by 15' wide in 20 years; locate in full sun to partial shade &amp; acidic organic well-drained moisture retentive soil; Asian native (Buchholz) Zones 5 - 8</i>		6 - 7'	B&B		<b>N</b>
<b>Cornus kousa 'Summer Fun'</b> <p style="text-align: right;"><b>TREE FORM</b></p> Variegated Kousa Dogwood; Variegated Japanese Dogwood <i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; creamy-white variegation surrounding the green centered foliage all summer; fall foliage exhibits shades of red &amp; orange with pink margins; mottled gray &amp; tan exfoliating bark; upright habit to about 20' tall by 15' wide in 20 years; locate in full sun to partial shade &amp; acidic organic well-drained moisture retentive soil; Asian native (Buchholz) Zones 5 - 8</i>		6 - 7' (1.5" c)	B&B		<b>N</b>
<b>Cornus Scarlet Fire ã,® ('Rutpink')</b> <p style="text-align: right;"><b>TREE FORM</b></p> Pink Rutgers Hybrid Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse narrowish dark pink bracts in late May occur at an early age; new foliage has purplish tinge which matures to dark green by summer &amp; turns shades of red in fall; 1" red balls of edible fruit in late summer; well-branched heads reach about 10' tall by 8' wide in 10 years; resistant to anthracnose &amp; borers; locate in full sun to partial shade &amp; good organic acidic well-drained moisture retentive soil [C. kousa x C. florida] (Molnar) Zones 5 - 7</i>		2 - 2.5" c 6 - 7' (1.75" c)	B&B B&B		<b>N</b>
<b>Cornus x Stellar Pinkã,® ('Rutgan')</b> <p style="text-align: right;"><b>BRANCHED @ 3-4'</b></p> Pink Stellar Dogwood <i>DECIDUOUS ORNAMENTAL TREE; variable light pink to almost white bracts in mid to late May; sterile; color intensity varies from year to year; dark green summer foliage turns reddish-purple in fall; fairly rapid upright habit to about 12' tall by 8' wide in 10 years; matures to about 25' tall &amp; wide; resistant to anthracnose &amp; borers; locate in full sun to partial shade &amp; organic well-drained moisture retentive acidic soil [C. kousa x C. florida] (Orton) Zones 5 - 7</i>		6 - 7' (1.75" c)	B&B		<b>N</b>
<b>Cornus x Stellar Pinkã,® ('Rutgan')</b> <p style="text-align: right;"><b>LOW BRANCHED</b></p> Pink Rutgers Hybrid Dogwood; Pink Stellar Dogwood <i>DECIDUOUS ORNAMENTAL TREE; variable light pink to almost white bracts in mid to late May; sterile; color intensity varies from year to year; dark green summer foliage turns reddish-purple in fall; fairly rapid upright habit to about 12' tall by 8' wide in 10 years; matures to about 25' tall &amp; wide; resistant to anthracnose &amp; borers; locate in full sun to partial shade &amp; organic well-drained moisture retentive acidic soil [C. kousa x C. florida] (Orton) Zones 5 - 7</i>	V Ltd	7 - 8'	B&B		
<b>Cornus x Stellar Pinkã,® ('Rutgan')</b> <p style="text-align: right;"><b>TREE FORM</b></p> Pink Stellar Dogwood <i>DECIDUOUS ORNAMENTAL TREE; variable light pink to almost white bracts in mid to late May; sterile; color intensity varies from year to year; dark green summer foliage turns reddish-purple in fall; fairly rapid upright habit to about 12' tall by 8' wide in 10 years; matures to about 25' tall &amp; wide; resistant to anthracnose &amp; borers; locate in full sun to partial shade &amp; organic well-drained moisture retentive acidic soil [C. kousa x C. florida] (Orton) Zones 5 - 7</i>	V Ltd	2 - 2.5" c 2.5 - 3" c	B&B B&B		<b>N</b> <b>N</b>

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Corylus colurna</b> Turkish Filbert <i>ORNAMENTAL TREE; small statured columnar habit to 40' tall by 15' wide; good for urban situations; drought tolerant once established; locate in full sun &amp; any well-drained organic soil; native to southeast Europe &amp; western Asia; Zones 4 - 7</i>	Ltd V Ltd Ltd V Ltd	2 - 2.5" c 2.5 - 3" c 3.5 - 4" c 4 - 4.5" c 4.5 - 5" c	B&B B&B B&B B&B B&B		<b>N</b> <b>N</b> <b>N</b> <b>N</b>
<b>Cotinus coggygia 'Royal Purple'</b> Purple Smoketree <i>DECIDUOUS FLOWERING SHRUB; from insignificant small yellowish flowers on new wood come masses of puffy purplish-pink hairs in early summer giving a smoky appearance; purple spring &amp; summer foliage lightens to reddish-purple in fall; broadly upright to 12' by 12'; locate in full to mostly sunny locations &amp; virtually any soil with good to moderate drainage; drought resistant; native to southern Europe &amp; Asia; Zones (4) 5 - 8</i>	Ltd	30 - 36"	10g		<b>N</b>
<b>Crataegus viridis 'Winter King'</b> Green Hawthorn <i>DECIDUOUS ORNAMENTAL TREE; profuse white flowers in May; persistent red fruit from early fall through early winter; prominent thorns; smooth light gray bark; glossy dark green summer foliage turns scarlet in fall; spreading to rounded heads to about 20' tall by 25' wide in time; locate in full sun &amp; any well drained soil; PHS Gold Metal; US native (Simpson N) Zones 4 - 7</i>		2 - 2.5" c	B&B		
<b>Cryptomeria japonica 'Yoshino'</b> Pyramidal Japanese Cedar <i>EVERGREEN ORNAMENTAL CONIFER; bright green spring &amp; summer foliage can bronze a little in winter; rapid pyramid habit to about 15' tall by 5' wide in 10 years; lighter green foliage than 'Radicans'; good for screening or specimen use; protect from winter winds in northern range; deer browse resistant; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soil; PHS Gold Metal; native to China &amp; Japan; Zones (5) 6 - 8</i>	V Ltd Ltd V Ltd V Ltd	7 - 8' 8 - 10' 10 - 12' 12 - 14'	B&B B&B B&B B&B		<b>N</b> <b>N</b>
<b>Cupressocyparis leylandii</b> <i>see: Cupressus leylandii</i>					
<b>Cupressus leylandii Emerald Isle<sup>™</sup>,<sup>®</sup> ('Moncal')</b> Compact Leyland Cypress <i>EVERGREEN ORNAMENTAL CONIFER; bright dark green foliage all year; compact pyramidal habit to about 30' tall by 10' wide in 15 years; exposed locations in winter subject to wind-burn in northern range; tolerant of saline soils &amp; urban conditions; locate in full sun or minimal shade &amp; any well-drained soil; native US cross; Genus recently changed to Cupressus [Cupressus macrocarpa x Cupressus nootkatensis] (Monrovia) Zones 5 - 9</i>	V Ltd	7 - 8' 8 - 10' 10 - 12' 12 - 14'	B&B B&B B&B B&B		
<b>Deutzia gracilis 'Nikko'</b> Dwarf Deutzia <i>DECIDUOUS FLOWERING SHRUB; profuse lightly fragrant bell-shaped white flowers in May for up to 2 weeks; low spreading habit to about 2' tall by 4' wide; blue-green summer foliage turns dark red in fall; locate in full sun to light shade &amp; any moisture retentive well-drained soil; Japanese native; PHS Gold Metal; Zones 4 - 8</i>		12 - 15" spr	5g		
<b>Deutzia x rosea 'Nikko Blush'</b> Pink Hybrid Deutzia <i>DECIDUOUS FLOWERING SHRUB; pink buds open to medium pink flowers with lighter edges in mid-May; narrow medium green summer foliage turns burgundy in fall; spreading mound to 3' tall by 4'+ wide in 5 years; locate in full sun to light shade &amp; any moist well-drained soil [D. gracilis 'Nikko' x D. x rosea 'Carminea'] (Dix / USNA) Zones (5) 6 - 7</i>	V Ltd	12 - 15"	5g		

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Echinacea purpurea</b> Eastern Purple Coneflower <i>PERENNIAL; light purple to lavender petals hang from a golden brown seed head from mid-summer into early fall; upright habit to as much as 5' tall by 2' wide; seed heads are prized by goldfinches in winter; good cut flower; attracts bees &amp; butterflies; resists drought &amp; deer browse; locate in full sun to light shade &amp; well-drained soil; eastern US native (Am Bty) Zones 3 - 8</i>			1g		<b>N</b>
<b>Eucommia ulmoides</b> Hardy Rubber Tree <i>DECIDUOUS SHADE TREE; broadly upright habit to 50' tall &amp; wide; very tolerant of a wide range of soils; very limited pest problems, although stem die-back has been noticed in some locations; locate in full sun &amp; any soil that drains; quite drought tolerant; native to China; Zones (4) 5 - 7</i>		2 - 2.5" 2.5 - 3" 3 - 3.5" 3.5 - 4" 4 - 4.5" 4.5 - 5" 5 - 6"	B&B B&B B&B B&B B&B B&B B&B		<b>N</b>
<b>Fagus grandifolia</b> American Beech <i>DECIDUOUS SHADE TREE; dark green summer foliage turns golden bronze in fall and can stay on the tree through the winter; smooth silver-gray bark contrasts beautifully with the tan foliage all winter; edible nuts are an important wildlife food; large wide-spreading tree to about 70' tall &amp; wide (if given space); climax forest tree; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic slightly acidic soils; US native; Zones 4 - 9</i>	<b>LOW BRANCHED HEDGE</b> V Ltd V Ltd	2 - 2.5" 2.5 - 3" 3 - 3.5"	B&B B&B B&B		<b>N</b> <b>N</b>
<b>Fagus grandifolia</b> American Beech <i>DECIDUOUS SHADE TREE; dark green summer foliage turns golden bronze in fall and can stay on the tree through the winter; smooth silver-gray bark contrasts beautifully with the tan foliage all winter; edible nuts are an important wildlife food; large wide-spreading tree to about 70' tall &amp; wide (if given space); climax forest tree; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic slightly acidic soils; US native; Zones 4 - 9</i>	<b>TREE FORM</b> Ltd	2 - 2.5"	B&B		
<b>Fagus sylvatica</b> European Beech <i>DECIDUOUS SHADE TREE; dark glossy green foliage turns reddish-bronze in fall and is usually retained for much of the winter; smooth medium gray bark; large broadly pyramidal tree to about 60' tall by 45' wide at maturity; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones (4) 5 - 7</i>	<b>LOW BRANCHED HEDGE</b>	2 - 2.5" 2.5 - 3" 3 - 3.5"	B&B B&B B&B		
<b>Fagus sylvatica 'Dawyck Purple'</b> Fartigate Purple European Beech <i>DECIDUOUS ORNAMENTAL TREE; purple spring &amp; summer foliage turns coppery-tan in fall; smooth medium gray bark; very narrow profile to about 60' tall by 15' wide at maturity; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; selected seedling from Trompenburg Arboretum; European native (van Hoey Smith) Zones 4 - 7</i>	V Ltd V Ltd	8 - 10' 2 - 2.5" 2.5 - 3"	B&B B&B B&B		<b>N</b> <b>N</b>
<b>Fagus sylvatica 'Pendula'</b> Weeping European Beech <i>DECIDUOUS ORNAMENTAL TREE; bright green summer foliage turns coppery in fall; rapid broadly upright habit that makes unique interesting irregular pyramids to about 50' tall &amp; usually wider at the base; no two are alike; smooth medium gray bark; branching starts at or near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones 4 - 7</i>	V Ltd V Ltd V Ltd V Ltd V Ltd	2 - 2.5" 3 - 3.5" 3.5 - 4" 4 - 4.5" 4.5 - 5"	B&B B&B B&B B&B B&B		

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Fagus sylvatica 'Purple Fountain'</b> Purple Weeping European Beech <i>DECIDUOUS ORNAMENTAL TREE; dark purple spring foliage loses intensity in summer; upright pyramidal habit that usually has a dominant single leader; some narrowly irregular pyramids &amp; others broader at the base; smooth medium gray bark; large broadly pyramidal tree to about 60' tall by 45' wide at maturity; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native (Grootendorst) Zones 4 - 7</i>	V Ltd	2 - 2.5" c	B&B	
<b>Fagus sylvatica 'Riversii'</b> Purple European Beech <i>DECIDUOUS ORNAMENTAL TREE; dark purple spring foliage turns greenish-purple by mid summer; upright somewhat open habit when young matures to about 50' tall by 40' wide when mature; smooth medium gray bark; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones 4 - 7</i>	V Ltd V Ltd V Ltd	2 - 2.5" c 2.5 - 3" c 3 - 3.5" c	B&B B&B B&B	 N N
<b>Fothergilla major 'Mount Airy'</b> Large Fothergilla <i>DECIDUOUS FLOWERING SHRUB; large fragrant white flower in May; orange-red fall foliage; locate in full sun to 1/2 shade &amp; well-drained acidic soil; US native; Zones (4) 5 - 7</i>		24 - 30"	10g	N
<b>Ginkgo biloba 'Magyar'</b> Columnar Ginkgo; Columnar Maidenhair Tree <i>DECIDUOUS CONIFER; male clone; narrow pyramidal habit to 50' and half as wide; bright yellow fall foliage; highly resistant to pests &amp; diseases; locate in full sun &amp; any soil that drains; very tolerant of urban &amp; coastal conditions; Chinese native; Zones 4 - 8 (9)</i>		1.5 - 2" c	B&B	N
<b>Ginkgo biloba Princeton Sentry<sup>™</sup>,<sup>®</sup> ('PNI2720')</b> Columnar Ginkgo; Columnar Maidenhair Tree <i>DECIDUOUS CONIFER; male clone; medium green summer foliage turns bright yellow in fall; columnar habit to about 60' tall by 25' wide; highly resistant to pests &amp; diseases; very tolerant of urban &amp; coastal conditions; locate in full sun &amp; any soil that drains; Chinese native (Flemer) Zones 4 - 8 (9)</i>	V Ltd	2 - 2.5" c	B&B	N
<b>Gleditsia triacanthos f. inermis Skyline ('Skycole')</b> Thornless Honeylocust <i>DECIDUOUS SHADE TREE; small dark green compound summer foliage turns bright golden in fall; provides light dappled shade; virtually seedless; upright pyramidal habit to about 20' tall by 15' wide in 10 years; very tolerant of urban conditions including soil compaction &amp; salt; locate in full sun &amp; moisture retentive neutral to alkaline soils; US native (Cole Ns) Zones 4 - 8 (9)</i>		2 - 2.5" c 2.5 - 3" c 3 - 3.5" c	B&B B&B B&B	  N
<b>Gymnocladus dioicus Decaf<sup>™</sup>,<sup>®</sup> ('McK Branched')</b> Male Kentucky Coffeetree <i>DECIDUOUS SHADE TREE; insignificant greenish-white flower; male cultivar; seedless; new large doubly compound foliage emerges with a caramel color for a brief time before turning blue-green in summer then non-descript yellow in fall; upright arching habit is more twiggy yielding fuller heads to about 50' tall by 40' wide; open structure in winter but more uniform than the species; tolerates high pH, drought &amp; urban conditions; locate in full sun &amp; moist organic soil; US native; Zones 4 - 8</i>		2 - 2.5" c 2.5 - 3" c	B&B B&B	 
<b>Gymnocladus dioicus Espresso<sup>™</sup> ('Espresso-JFS')</b> Male Kentucky Coffeetree <i>DECIDUOUS SHADE TREE; seedless; large doubly compound blue-green summer foliage turns yellow in fall; upright arching habit to about 50' tall by 35' wide; dramatic open structure in winter with each tree looking different; tolerates high pH, drought &amp; urban conditions; locate in full sun &amp; moist organic soil; US native (Schmidt) Zones 4 - 8</i>	V Ltd V Ltd V Ltd	2.5 - 3" c 3 - 3.5" c 3.5 - 4" c	B&B B&B B&B	 N N

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com



# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Hamamelis x intermedia 'Angelly'</b> Yellow Hybrid Witchhazel <i>DECIDUOUS FLOWERING SHRUB; lightly fragrant soft yellow flowers in late February and March; yellow fall foliage; vigorous upright habit that spreads when mature at about 15' or so; tolerant of deer browse, clay soils &amp; urban situations; locate in full sun to light shade &amp; rich organic well-drained neutral to acidic soil; Asian cross [H. japonica x H. mollis] Zones 5 - 8</i>	Ltd	4 - 5' 5 - 6'	B&B B&B	N
<b>Hamamelis x intermedia 'Diane'</b> Red Hybrid Witchhazel <i>DECIDUOUS FLOWERING SHRUB; mildly fragrant dark red flowers in late February &amp; early March; fall foliage can be a mix of yellow, orange &amp; red; broad spreading habit to about 10' tall by 12' wide; tolerant of deer browse, clay soils &amp; urban situations; locate in full sun to light shade &amp; rich organic well-drained neutral to acidic soil; PHS Gold Metal; Asian cross [H. japonica x H. mollis] Zones 5 - 8</i>	V Ltd	4 - 5'	B&B	
<b>Hamamelis x intermedia 'Jelena' / 'Copper Beauty'</b> Copper Hybrid Witchhazel <i>DECIDUOUS FLOWERING SHRUB; faintly fragrant reddish-coppery ribbon-like flower with red calyx from February into early March; fall foliage is orange-red; broadly upright habit to about 10' tall &amp; wide; tolerant of deer browse, clay soils &amp; urban situations; locate in full sun to light shade &amp; rich organic well-drained neutral to acidic soil; Asian cross [H. japonica x H. mollis] (Kalmthout) Zones 5 - 8</i>	Ltd	4 - 5'	B&B	N
	Ltd	5 - 6'	B&B	N
	V Ltd	6 - 7'	B&B	N
<b>Hamamelis x intermedia 'Primavera'</b> Yellow Intermediate Witchhazel <i>DECIDUOUS FLOWERING SHRUB; very floriferous fragrant soft yellow flowers from late January into February; bright green summer foliage turns shades of yellow &amp; orange in fall; broadly upright habit to about 12' tall &amp; wide; tolerant of deer browse, clay soils &amp; urban situations; locate in full sun to light shade &amp; rich organic well-drained neutral to acidic soil; Asian cross [H. japonica x H. mollis] Zones 5 - 8</i>		4 - 5'	B&B	
<b>Hamamelis virginiana 'Harvest Moon'</b> Common Witchhazel <i>DECIDUOUS FLOWERING SHRUB; very fragrant profuse strap-like lemon-yellow flowers in late fall after most of the leaves have dropped; new foliage opens coppery before maturing to dark green; upright spreading habit to 20' or more; fall foliage turns shades of yellow before turning brown; some foliage may remain through winter but less than the species; tolerant of deer browse, salt &amp; clay soils; locate in full sun to partial shade &amp; moist well-drained neutral to acidic soil; US native (Jaynes) Zones (3) 4 - 8</i>	V Ltd	4 - 5'	B&B	
	V Ltd	5 - 6'	B&B	N
<b>Heuchera 'Palace Purple'</b> Purple Coral Bells <i>PERENNIAL; small creamy bell-like flowers on 20" slender dark red stems from late spring into mid-summer; spring foliage is deep purple above &amp; bright red below &amp; can become greenish-purple in summer sun &amp; heat; mounding habit to about 12" tall by 24" wide; attracts butterflies; variable deer browse resistance; tolerates dry shade; locate in dappled to partial shade &amp; rich organic well-drained neutral to slightly acidic soil; North American native [H. macrantha var. diversifolia] (Am Bty) Zones (4) 5 - 8 (9)</i>			1g	N
<b>Hibiscus syriacus 'Aphrodite'</b> Pink Rose-of-Sharon; Pink Althea <i>DECIDUOUS FLOWERING SHRUB; single rose-pink flower with red eye; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall &amp; almost as wide; locate in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; Asian native (Egolf) Zones 5 - 8 (9)</i>	Ltd	4 - 5'	B&B	N
	<b>SHRUB FORM</b>			

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Hibiscus syriacus 'Blue Bird'</b> <b>SHRUB FORM</b> Blue Rose-of-Sharon; Blue Althea <i>DECIDUOUS FLOWERING SHRUB; single sky-blue flower; blooms well in hot weather; medium green summer foliage turns a nondescript yellow in fall; upright habit to about 10' tall &amp; almost as wide; tolerates heat, drought, salt &amp; wide pH range; locate in full sun to light shade &amp; rich organic well-drained soils; Asian native (Egolf) Zones 5 - 8</i>	Ltd	4 - 5'	B&B	<b>N</b>
<b>Hibiscus syriacus 'Diana'</b> <b>SHRUB FORM</b> White Rose-of-Sharon; White Althea <i>DECIDUOUS FLOWERING SHRUB; triploid; large single pure white flowers all summer &amp; remain open at night; low seed set; blooms well in hot weather; yellowish fall foliage; upright habit to about 10' tall &amp; almost as wide; locate in full sun to light shade &amp; rich organic well drained soils; not fussy about pH; Asian native; PHS Gold Metal (Egolf) Zones 5 - 8 (9)</i>	Ltd	4 - 5'	B&B	<b>N</b>
<b>Hydrangea paniculata 'Phantom'</b> <b>TREE FORM</b> Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; huge white ball-like panicle clusters on stiff branches in late summer on new wood; dark green summer foliage; spreading habit to about 10' tall &amp; wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>		5 - 6'	B&B	<b>N</b>
<b>Hydrangea quercifolia Snow Queen<sup>Å</sup>,® ('Flemygea')</b> Oakleaf Hydrangea <i>DECIDUOUS FLOWERING SHRUB; masses of 6" to 8" fragrant white pyramidal flowers in late June on old wood turn pinkish by late summer; dark green summer foliage turns burgundy to scarlet in fall; tan exfoliating bark; broadly upright habit to about 5' tall &amp; wide; locate in partial or filtered shade with rich organic well-drained moisture retentive soil; US native; PHS Gold Metal (Flemer) Zones 5 - 9</i>		24 - 30"	10g	
<b>Ilex x aquipernyi Dragon Lady ('Meschick')</b> Pyramidal Holly <i>EVERGREEN TREE; narrow green pyramid with spiny dark green foliage that resists deer browse; somewhat self-fruitful; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Zones 6 - 9</i>	Ltd V Ltd	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	
<b>Ilex 'Centennial Girl'</b> Hybrid Pyramidal Holly <i>EVERGREEN TREE; persistent red fruit from fall through winter when near male pollinator (I. aquifolium or I. meserveae work); narrow upright pyramid to about 15' tall by 8' wide; mite resistant; dark glossy green foliage with spiny edges; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil [I. centrochinensis x I. aquifolium] (C-P) Zones (5) 6 - 9</i>	V Ltd	5 - 6'	B&B	
<b>Ilex x 'Coronet'</b> Pyramidal Hybrid Holly <i>EVERGREEN TREE; compact columnar habit to 10'; red fruit without a pollinator; narrow spiny dark green foliage with excellent retention in winter; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil (USNA) Zones (6) 7 - 9</i>	V Ltd Ltd V Ltd V Ltd	5 - 6' 6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B B&B	
<b>Ilex crenata 'Hoogendorn'</b> Spreading Japanese Holly <i>EVERGREEN SHRUB; low spreading habit; gets a little bigger than 'Helleri; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Asian native; Zones 5 - 7 (8)</i>		15 - 18" spr	5g	<b>N</b>

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Ilex crenata 'Schworbel's Upright'</b> Upright Japanese Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous male or female flowers in late spring; black fruit on female plants; glossy flat green leaf all year; narrowly pyramidal habit to about 8' tall by 4' wide; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Asian native [seedling of: I. Convesa' x 'I. Microphylla'] Zones (5) 6 - 7 (8)</i>	V Ltd V Ltd	3 - 4' 4 - 5' 5 - 6'	15g B&B B&B	N
<b>Ilex crenata 'Sky Pencil'</b> Fastigiate Japanese Holly <i>EVERGREEN SHRUB; very narrow upright habit; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Asian native; Zones (5) 6 - 7 (8)</i>		24 - 30"	5g	N
<b>Ilex 'Ebony Magic'</b> Pyramidal Hybrid Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; profuse dark orange-red fruit persists from late fall through winter; large glossy dark green foliage on purple-blue stems; fast growing pyramidal habit to about 15' tall in 10 years; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil [I. aquifolium x I. ? (male)] (Demaline) Zones 5 - 9</i>	V Ltd V Ltd	42 - 48" 4 - 5'	B&B B&B	N N
<b>Ilex glabra 'Shamrock'</b> Compact Inkberry <i>EVERGREEN SHRUB; compact form with pointed foliage; more compact than most other forms; deer browse resistant; locate in full sun to partial shade &amp; neutral to acidic moist organic soil; excellent in wet sites; Zones (4) 5 - 9</i>		18 - 24"	7g	N
<b>Ilex x meserveae Blue Maid<sup>®</sup> ('Mesid')</b> Upright Female Blue Holly; Upright Female Meserve Holly <i>EVERGREEN SHRUB; dark blue-green foliage; upright columnar habit to 15'; red fruit; excellent hedge or specimen plant; sheared for hedging; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; PHS Gold Metal; Zones 5 - 8</i>	Blue Mai	42 - 48" 4 - 5' 5 - 6'	B&B B&B B&B	
<b>Ilex x 'Nellie R. Stevens'</b> Pyramidal Hybrid Holly <i>EVERGREEN TREE; broadly pyramidal with glossy dark green foliage; red fruit; somewhat self-fruitful; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil [I. aquifolium x I. cornuta] Zones 6 - 9</i>	V Ltd	6 - 7'	B&B	
<b>Ilex opaca</b> American Holly <i>EVERGREEN TREE; seedling, making features variable; dull, medium to dark, spiny green foliage that's resistant to deer browse; slow to moderate grower; bright red, persistent fruit on female plants in October; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; Zones 5 - 9</i>	Ltd	8 - 10'	B&B	N
<b>Ilex opaca 'Arlene Leach'</b> American Holly <i>EVERGREEN TREE; spiny deer browse &amp; disease resistant green foliage; compact pyramidal habit; persistent orange-red fruit; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; Zones (6) 7 - 9</i>	V Ltd	6 - 7'	B&B	
<b>Ilex opaca 'Dan Fenton'</b> American Holly <i>BROADLEAF EVERGREEN TREE; lightly fragrant white flowers in May; bright red fruit clusters appear in October &amp; persist into or through winter; dark spiny glossy green foliage; broadly pyramidal habit to about 25' tall by 15' wide; bright red fruit; tolerates deer browse as well as urban &amp; coastal conditions; protect from windy sites in northern range; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; PHS Gold Metal (Orton) Zones (5) 6 - 9</i>	V Ltd	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	N

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Ilex opaca 'Dan Fenton'</b> Amercian Holly <i>BROADLEAF EVERGREEN TREE; lightly fragrant white flowers in May; bright red fruit clusters appear in October &amp; persist into or through winter; dark spiny glossy green foliage; broadly pyramidal habit to about 25' tall by 15' wide; bright red fruit; tolerates deer browse as well as urban &amp; coastal conditions; protect from windy sites in northern range; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; PHS Gold Metal (Orton) Zones (5) 6 - 9</i>	<b>B-GRADE</b>	7 - 8' 10 - 12'	B&B B&B	
<b>Ilex opaca 'Hedge Holly'</b> American Holly <i>BROADLEAF EVERGREEN TREE; lightly fragrant white flowers in May; bright red fruit clusters appear in October &amp; persist into or through winter; small dark olive-green foliage that's much smaller than average; broad bushy pyramidal habit to about 20' tall by 10' wide; tolerates deer browse as well as urban &amp; coastal conditions; protect from windy sites in northern range; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>		5 - 6' 6 - 7'	B&B B&B	<b>N</b> <b>N</b>
<b>Ilex opaca 'Jersey Princess'</b> American Holly <i>EVERGREEN TREE; very dark, glossy, spiny green foliage; profuse bright red fruit; deer browse resistant; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native (Orton) Zones (5) 6 - 9</i>	V Ltd	6 - 7' 7 - 8'	B&B B&B	
<b>Ilex opaca ~ ~ male</b> American Holly <i>EVERGREEN TREE; medium to dark spiny green foliage that's resistant to deer browse; slow to moderate grower; pollinator for all female American Hollies; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; rooted cutting of unnamed male; northeastern US native; Zones 5 - 9</i>	V Ltd	5 - 6' 6 - 7' 7 - 8'	B&B B&B B&B	<b>N</b>
<b>Ilex opaca 'Maryland Spreader'</b> Prostrate American Holly <i>GROUND COVER; low spreading habit; red fruit; makes a thick ground cover to about 24" tall; does very well in fairly dense high shade; dark green foliage; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>		18 - 21" spr 18 - 24" spr	5g 7g	<b>N</b> <b>N</b>
<b>Ilex opaca 'Old Heavy Berry'</b> American Holly <i>EVERGREEN TREE; dark, spiny green foliage; large, profuse, bright red fruit; deer browse resistant; vigorous grower; considered one of the best cultivars; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>		5 - 6' 6 - 7'	B&B B&B	<b>N</b>
<b>Ilex opaca 'Portia Orton'</b> American Holly <i>EVERGREEN TREE; excellent green foliage; bright red fruit; introduced by E. Orton of Rutgers U. and named for his wife; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>	Ltd V Ltd V Ltd	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	
<b>Ilex opaca 'Saytr Hill'</b> American Holly <i>EVERGREEN TREE; dark olive-green foliage; bright red fruit from fall into winter; deer browse resistant; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>	Ltd	6 - 7'	B&B	

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Ilex pedunculosa ~ female</b> Longstalk Holly <i>EVERGREEN SHRUB; medium green foliage; bright red rounded drupe in October; upright bushy habit to 15' or more; broadens with age; not heat tolerant; deer browse resistant; locate in full sun to partial shade &amp; neutral to acidic well-drained organic soil; Asian native; Zones 5 - 6 (7)</i>	V Ltd	5 - 6' 6 - 7'	B&B B&B	
<b>Ilex x Red Beauty ('Rutzan')</b> Compact Pyramidal Hybrid Holly <i>EVERGREEN SHRUB; compact pyramidal habit; the original plant was 7' tall by 4' wide at the base in 10 years; small to medium spiny dark green foliage doesn't lighten from winter weather or fruit production; abundant bright red fruit lasts into winter when eaten by birds; resists deer browse; locate in full sun to partial shade &amp; well-drained acidic organic moisture retentive soil [I. x meserveae x I. pernyi] (Rutgers - Orton) Zones 6 - 10</i>	V Ltd	4 - 5'	B&B	<b>N</b>
<b>Ilex verticillata 'Red Sprite'</b> Dwarf Female Winterberry Holly <i>DECIDUOUS ORNAMENTAL SHRUB; inconspicuous small white flowers in profusion in early summer on new wood; persistent profuse bright red fruit from early fall into or through winter; use 'Jim Dandy' &amp; 'Apollo' to pollinate; compact bushy habit to about 4' high &amp; wide; locate in full sun to partial shade &amp; neutral to acidic moisture retentive soil; native to areas with persistently moist to wet soils; native to US &amp; Canada; Zones 3 - 9</i>		30 - 36"	15g	
<b>Ilex verticillata 'Winter Red'</b> Female Winterberry Holly <i>DECIDUOUS ORNAMENTAL SHRUB; upright rounded habit to 8'; large persistent profuse bright red fruit; pollinated by 'Southern Gentleman'; locate in full sun to partial shade &amp; neutral to acidic moisture retentive soil; native to areas with persistently moist to wet soils; native to US &amp; Canada; PHS Gold Metal; Zones 3 - 9</i>		30 - 36"	10g	<b>N</b>
<b>Ilex x Winter Bounty ('H635-13')</b> Hybrid Upright Holly <i>EVERGREEN SHRUB; insignificant flowers lead to masses of bright red berries in late fall with a male pollinator nearby (I. meserveae will pollinate); long smooth dark glossy green foliage; upright habit to 14' tall by 6' wide; reported deer browse resistance; locate in full sun or partial shade &amp; most neutral to acidic well-drained soils [I. ciliospinosa &amp; I. latifolia] (Orton / Manor View) Zones 6 - 8</i>	Ltd Ltd Ltd V Ltd V Ltd	5 - 6' 6 - 7' 7 - 8' 8 - 10' 10 - 12'	B&B B&B B&B B&B B&B	<b>N</b>
<b>Itea virginica 'Henry's Garnet'</b> Virginia Sweetspire <i>DECIDUOUS FLOWERING SHRUB; mildly fragrant white flowers in late May or early June; bushy upright habit to 6'; persistent burgundy foliage in fall; locate in full sun or shade &amp; moist or well-drained acidic moisture retentive soils; not drought tolerant; PHS Gold Metal plant; US native; Zones 5 - 9</i>		18 - 24"	5g	<b>N</b>
<b>Itea virginica 'Merlot'</b> Dwarf Virginiana Sweetspire <i>DECIDUOUS FLOWERING SHRUB; fragrant white racemes in June; burgundy fall foliage; dense twiggy habit; locate in full sun or shade &amp; moist or well-drained acidic moisture retentive soils; not drought tolerant; US native; Zones 5 - 9</i>		18 - 21"	5g	<b>N</b>
<b>Juniperus chinensis 'Hetzi Columnaris' / 'Fairview'</b> Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; narrow pyramidal habit to 25'; somewhat loose branching; prominent light blue fruit; mature green and bluish juvenile foliage; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 5 - 9</i>		7 - 8' 8 - 10'	B&B B&B	

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Juniperus chinensis 'Keteleeri'</b> Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; broadly pyramidal habit to 15'; medium evergreen scale-like foliage; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 4 - 9</i>	V Ltd	7 - 8' 8 - 10'	B&B B&B	
<b>Juniperus chinensis 'Robusta Green'</b> Upright Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; irregular upright habit to 15' or more tall with blue-green foliage; with varies with shearing; salt tolerant; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones 5 - 9</i>	Ltd	5 - 6' 6 - 7' 7 - 8'	B&B B&B B&B	<b>N</b>
<b>Juniperus chinensis 'Torulosa' / 'Kaizuka'</b> Hollywood Juniper <i>EVERGREEN ORNAMENTAL CONIFER; bright evergreen foliage; irregular upright habit to 30'; heat &amp; salt tolerant; locate in full sun &amp; most well-drained soils; drought tolerant when established; Asian native; Zones (5) 6 - 9</i>		5 - 6' 6 - 7'	B&B B&B	
<b>Juniperus virginiana</b> Eastern Red Cedar <i>EVERGREEN CONIFER; variably columnar to pyramid habit reaching about 40' tall by 15-25' wide; medium green summer foliage bronzes in winter; tolerant of drought, air pollution, sterile soil &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern North &amp; Central America; Zones (3) 4 - 9</i>	Ltd	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	
<b>Juniperus virginiana Emerald Sentinel (Corcorcor)</b> Eastern Red Cedar <i>EVERGREEN ORNAMENTAL CONIFER; rapid growing columnar pyramid to 30' tall by 12' wide; dark green scale-like foliage bronzes a little in winter; tolerant of drought, air pollution, sterile soil &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern North &amp; Central America; PHS Gold Metal (Conard-Pyle) Zones (3) 4 - 9</i>		6 - 7'	B&B	
<b>Juniperus virginiana 'Hillspire'</b> Eastern Red Cedar <i>EVERGREEN ORNAMENTAL CONIFER; conical pyramid with bright green foliage through the winter; dark green summer foliage shows almost no bronzing in winter; formerly named 'Cupressifolia'; tolerant of drought, air pollution, sterile soil &amp; Black Walnut; locate in full sun &amp; well-drained soil of any pH; native to eastern North &amp; Central America (D. Hill N) Zones (3) 4 - 9</i>	Ltd	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	
<b>Kalmia latifolia 'Bullseye'</b> White Mountain Laurel <i>EVERGREEN FLOWERING SHRUB; white flowers with a cinnamon band surrounding the center of the flower; grows to 4.5' by 4.5'; bronze-red new foliage; locate in light to full shade &amp; cool moist well-drained acidic soil; native to US &amp; Canada; Zones 4 - 9</i>	V Ltd	15 - 18"	5g	<b>N</b>
<b>Kalmia latifolia 'Carol'</b> Compact White Mountain Laurel <i>EVERGREEN FLOWERING SHRUB; bright red buds; white flowers darken to pink with age in early June; compact grower to 3.5' by 3.5'; the dense glossy foliage is leaf spot resistant; locate in light to full shade &amp; cool moist well-drained acidic soil; native to US &amp; Canada; Zones 4 - 9</i>	V Ltd	15 - 18"	5g	<b>N</b>
<b>Kalmia latifolia 'Elf'</b> Dwarf White Mountain Laurel <i>EVERGREEN FLOWERING SHRUB; light pink buds; white flower; vigorous when young, but becomes very compact, maturing at 3' by 3'; locate in light to full shade &amp; cool moist well-drained acidic soil; native to US &amp; Canada; Zones 4 - 9</i>	V Ltd	15 - 18"	5g	<b>N</b>

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Kalmia latifolia 'Pink Charm'</b> Pink Mountain Laurel <i>EVERGREEN FLOWERING SHRUB; dark pink buds proceed medium pink flowers; leaf spot resistant foliage; grows to 3.5' high &amp; wide; locate in light to full shade &amp; cool moist well-drained acidic soil; native to US &amp; Canada; Zones 4 - 9</i>	Ltd	15 - 18"	5g		<b>N</b>
<b>Kalmia latifolia 'Sarah'</b> Pink Mountain Laurel <i>EVERGREEN FLOWERING SHRUB; intense red buds open to reddish-pink flowers; dark green foliage is susceptible to leaf spot; locate in light to full shade &amp; cool moist well-drained acidic soil; native to US &amp; Canada; Zones 4 - 9</i>		15 - 18"	5g		<b>N</b>
<b>Kalmia latifolia 'Tiddlywinks'</b> Compact Pink Mountain Laurel <i>EVERGREEN FLOWERING SHRUB; medium pink buds; soft pink flowers; very compact spreading mound to 2.5' high by 3' wide; small dark green foliage; locate in light to full shade &amp; cool moist well-drained organic acidic soil; native to US &amp; Canada; Zones 4 - 9</i>	Ltd	15 - 18"	5g		<b>N</b>
<b>Koelreuteria paniculata</b> Golden Raintree <i>DECIDUOUS ORNAMENTAL TREE; golden yellow flowers in mid July; sparse irregular branching; compound leaves make the tree look full when in leaf; irregular yellow to orange fall foliage; locate in full sun &amp; any well-drained soil that is moisture retentive; tolerates most urban conditions; Zones 4 - 8</i>	Ltd V Ltd V Ltd V Ltd	2 - 2.5" 2.5 - 3" 3 - 3.5" 4 - 4.5"	B&B B&B B&B B&B		<b>N</b>
<b>Leucothoe axillaris</b> Coast Leucothoe; Dog-hobble <i>EVERGREEN FLOWERING SHRUB; drooping white flowers in late April &amp; early May; compact spreading mound to 3' tall by 5' wide; resists deer browse; locate in partial to full shade &amp; well-drained moisture retentive acidic soil; US native; Zones (4) 5 - 7</i>		18 - 24" spr	5g		
<b>Leucothoe fontansiana 'Girard's Rainbow' / 'Rainbow'</b> Variegated Drooping Leucothoe; Variegated Fetterbush <i>EVERGREEN FLOWERING SHRUB; red, white &amp; green evergreen foliage; spreading mound to 6' or taller; resists deer browse; locate in full to partial shade &amp; well-drained moisture retentive acidic soil; eastern US native; Zones (4) 5 - 8</i>		18 - 21" spr	5g		<b>N</b>
<b>Ligustrum ovalifolium</b> California Privet <i>DECIDUOUS FLOWERING SHRUB; very fragrant white flowers in June &amp; early July; glossy semi-evergreen foliage; may be evergreen in southern range; rapid growing bushy shrub to 20' tall &amp; wide, however, can be pruned to almost any size &amp; shape; locate in sun or shade &amp; any soil that doesn't remain wet; fairly tolerant of coastal conditions &amp; salt spray; Japanese native; Zones (4) 5 - 8</i>		3 - 4'	B&B		<b>N</b>
<b>Lindera benzoin</b> Spicebush <i>DECIDUOUS FLOWERING SHRUB; small fragrant yellow flower clusters appear in mass before the foliage emerges; fruit appears on female plants in fall as a bright red 1/2" drupe that's favored by birds; bright green leaves are lighter on the bottom and turn golden yellow in fall; small tree or large shrub to 15' tall &amp; wide; locate in full sun or shade &amp; organic well-drained moisture retentive acidic soils; native to eastern US along waterways or bottom lands; Zones 4 - 9</i>		18 - 24"	7g		<b>N</b>
<b>Lindera glauca var. salicifolia</b> Asian Spicebush <i>DECIDUOUS FLOWERING SHRUB; small fragrant yellow flower clusters appear in mass before the foliage emerges in mid to late March; fruit appears on female plants in fall as a black 1/2" drupe that's favored by birds; semi-evergreen narrow willow-like blue-green summer foliage turns brilliant shades of red, purple or orange in fall then persist as pinkish-tan through winter; small tree or large shrub to about 10' tall by 6' wide; locate in full sun to partial shade &amp; organic well-drained moisture retentive acidic soils; Asian native; Zones 5 - 8</i>		18 - 24"	7g		

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Liquidambar styraciflua Jubilee</b> ('Happidaze') Seedless American Sweetgum <i>DECIDUOUS SHADE TREE; rapid growing pyramid when young to 45' tall; seedless cultivar; dark green summer foliage turns maroon in the fall; locate in full sun &amp; moist to partially wet organic soils; tolerant of compacted urban soils; native to eastern of US &amp; Mexico; Zones (5) 6 - 9</i>	Ltd V Ltd V Ltd V Ltd V Ltd V Ltd	2 - 2.5" c 3 - 3.5" c 3.5 - 4" c 4 - 4.5" c 4.5 - 5" c 5 - 6" c	B&B B&B B&B B&B B&B B&B	      <b>N</b> <b>N</b> <b>N</b>
<b>Lobelia cardinalis</b> Cardinal Flower <i>PERENNIAL; scarlet-red flowers (occasionally rose or white) from late July to early September; new foliage emerges maroon before maturing to bright green; upright habit to 3' tall by 30" wide; attracts hummingbirds &amp; butterflies; resists wet soil, deer &amp; rabbit browse; poisonous if eaten; long lived; locate in full to partial sun &amp; any moisture retentive soil with reasonable drainage; eastern US native (Am Bty) Zones (3) 4 - 8 (9)</i>			1g	<b>N</b>
<b>Maackia amurensis</b> Amur Maackia <i>DECIDUOUS ORNAMENTAL TREE; 4 - 6" white racemes in July; coppery bark exfoliates with age; grows to about 25' tall with similar or wider spread; few pests; drought resistant; dark green summer foliage turns brown in fall; locate in full sun &amp; acidic or alkaline well-drained soil; PHS Gold Metal; Asian native; Zones (3) 4 - 7 (8)</i>	V Ltd	2 - 2.5" c 2.5 - 3" c	B&B B&B	
<b>Magnolia x brooklynensis 'Judy Zuk'</b> Yellow Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant bright yellow sterile flower with some purple at the base in early April as the new foliage emerges &amp; are subject to damage by late freezes; large green summer leaves turn coppery-bronze in fall; upright habit up to about 30' tall by 10' wide in 10 or more years; locate in full sun to partial shade &amp; well-drained organic moisture retentive soil of varying pH; US / Asian cross [M. acuminata x M. liliiflora x M. stellata] (BBG) Zones (4) 5 - 9</i>	V Ltd V Ltd V Ltd	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	  <b>N</b>
<b>Magnolia x brooklynensis 'Lois'</b> <b>BRANCHED @ 3'</b> Yellow Hybrid Cucumbertree Magnolia <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant creamy yellow cup-shaped flowers for about 3 weeks just before bud break in late April; glossy green summer foliage turns coppery-bronze in fall; vigorous upright habit to about 20' tall by 15' wide; locate in full sun or light shade &amp; moisture retentive well-drained organic soils of varying acidity (Koerting / BBG) Zones 5 - 8 (9)</i>	V Ltd V Ltd	2 - 2.5" c 2.5 - 3" c	B&B B&B	<b>N</b> <b>N</b>
<b>Magnolia x brooklynensis 'Yellow Bird'</b> <b>LOW BRANCHED</b> Yellow Hybrid Cucumbertree Magnolia <i>DECIDUOUS ORNAMENTAL TREE; bright yellow flower with slight greenish tint as the foliage opens in spring; bushy upright habit up to about 40' tall by 25' wide in time; locate in full sun to partial shade &amp; well-drained organic moisture retentive soil of varying pH; US / Asian cross [M. acuminata var. subcordata x M x brooklynensis 'Evamaria'] (Stone / BBG) Zones (3) 4 - 8</i>	V Ltd V Ltd	6 - 7' 7 - 8'	B&B B&B	<b>N</b> <b>N</b>
<b>Magnolia x brooklynensis 'Yellow Bird'</b> <b>TREE FORM</b> Yellow Hybrid Cucumbertree Magnolia <i>DECIDUOUS ORNAMENTAL TREE; bright yellow flower with slight greenish tint as the foliage opens in spring; bushy upright habit up to about 40' tall by 25' wide in time; locate in full sun to partial shade &amp; well-drained organic moisture retentive soil of varying pH; US / Asian cross [M. acuminata var. subcordata x M x brooklynensis 'Evamaria'] (Stone / BBG) Zones (3) 4 - 8</i>	V Ltd	2 - 2.5" c	B&B	<b>N</b>



# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Magnolia x 'Daybreak'</b> <p style="text-align: right;"><b>LOW BRANCHED</b></p> Pink Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; highly fragrant light pink 9" diameter flowers in late April to early May; upright grower to about 30' tall &amp; half as wide; medium green foliage is resistant to mildew and other maladies; tolerant of pollution &amp; urban situations; locate in full sun or light shade &amp; moist organic well-drained soils of varying acidity; PHS Gold Metal; M. acuminata cross; US native (Kehr) Zones 5 - 8</i>	Ltd	6 - 7'	B&B		<b>N</b>
<b>Magnolia x 'Galaxy'</b> <p style="text-align: right;"><b>TREE FORM</b></p> USDA Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; profuse 9" lightly fragrant reddish-purple to pink flowers in mid-April; narrowly pyramidal to columnar habit to about 30' tall by 15' wide; usually single stem with branching starting 3' to 5' above the ground; locate in full sun to light shade &amp; well-drained organic slightly acidic soil; PHS Gold Metal [M. kobus var. stellata x M. sprengeri 'Diva'] (Kosar / USNA) Zones 5 - 9</i>	V Ltd	2 - 2.5'c	B&B		<b>N</b>
<b>Magnolia glauca</b> <i>see: Magnolia virginiana</i>					
<b>Magnolia grandiflora 'Bracken's Brown Beauty'</b> Southern Magnolia <i>EVERGREEN FLOWERING TREE; fragrant white flowers in June; dark green leathery foliage is quite smaller than the species with dark brown indumentum; showy red seeds in late summer; broadly upright habit to about 30' by 20' wide; locate in full sun to partial shade &amp; acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Bracken) Zones (5) 6 - 9 (10)</i>	V Ltd	6 - 7'	B&B		<b>N</b>
<b>Magnolia grandiflora 'Edith Bogue'</b> Southern Magnolia <i>EVERGREEN FLOWERING TREE; large white fragrant flowers from May into summer; medium green foliage with very light indumentum below the leaf; hardy strain from NJ that tolerates snow loads better than most; upright habit to about 50' tall by 35' wide; locate in full sun to partial shade &amp; acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native; PHS Gold Metal; Zones 6 - 9</i>	V Ltd	6 - 7'	B&B		<b>N</b>
<b>Magnolia x liliiflora 'Ann'</b> USDA Hybrid Lily Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fuzzy light gray buds open to lightly fragrant deep purple-red flowers in mid/late April as the foliage emerges; sporadic summer flowers; medium green summer foliage turns yellowish in fall; compact bushy upright habit to 10' high &amp; wide; smooth gray bark; locate in full sun or light shade &amp; moist organic well-drained soils of varying acidity; tolerates limited excessive moisture; native Asian cross [M. liliiflora 'Nigra' x stellata 'Rosea'] (Kosar &amp; deVos / USNA) Zones (3) 4 - 8</i>		5 - 6'	B&B		
<b>Magnolia x liliiflora 'Jane'</b> USDA Hybrid Lily Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fuzzy light gray buds open to reddish-purple flowers with white centers in mid/late April as the foliage emerges; sporadic summer flowers; medium green summer foliage turns yellowish in fall; compact bushy upright habit to about 15' tall by 12' wide; smooth gray bark; locate in full sun or light shade &amp; moist organic well-drained soils of varying acidity; tolerates limited excessive moisture; native Asian cross [M. liliiflora 'Reflorescens' x stellata 'Waterlily'] (Kosar &amp; deVos / USNA) Zones 3 - 8</i>	V Ltd	6 - 7'	B&B		

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Magnolia x soulangeana</b> Saucer Magnolia <i>DECIDUOUS ORNAMENTAL TREE; flowers are whitish inside &amp; dark pink outside in early April before the foliage; broadly upright habit to 30' tall &amp; wider with age; locate in full sun to light or dappled shade &amp; deep well-drained moisture retentive acidic soil [M. denudata x M. liliiflora] (Soulange-Bodin) Zones 4 - 9</i>	V Ltd	6 - 7'	B&B	<b>N</b>
<b>Magnolia stellata 'Royal Star'</b> Star Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant white 3" star-like flowers in late March before the foliage; broad bushy habit to about 15' tall &amp; usually wider; locate in full sun to light or dappled shade &amp; deep well-drained acidic soil with good moisture retention; Japanese native (Vermeulen N) Zones 5 - 8</i>	V Ltd V Ltd	5 - 6' 6 - 7'	B&B B&B	
<b>Magnolia virginiana</b> Sweetbay Magnolia; Swamp Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant lemon-scented creamy-white flowers in late spring among the foliage; bright red seeds emerge from large tan seed-pods in late summer; medium green summer foliage is silvery below &amp; turns yellowish in fall; loose upright habit to about 25' tall &amp; as wide in time; tolerant of air pollution; locate in full sun or shade &amp; moist to wet acidic soils; some salt tolerance; eastern US native; Zones 5 - 9</i>	<b>SHRUB FORM</b> V Ltd	6 - 7' 7 - 8'	B&B B&B	
<b>Mahonia bealei</b> Leatherleaf Oregon Grape; Leatherleaf Mahonia <i>EVERGREEN ORNAMENTAL SHRUB; very fragrant yellow flowers in late March or early April; fruit has varying shades of blue as it matures; spiny bluish-green foliage; coarse upright habit to 6'; deer browse resistant; locate in full to partial shade &amp; organic acidic moist well-drained moisture retentive soil; protect from desiccating winter winds; PHS Gold Metal; Chinese native; Zones (6) 7 - 9</i>		18 - 24"	7g	
<b>Malus domestica 'Granny Smith'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; light pink to white flowers in May; green fruit in late summer; grows to about 20' tall and wide; attracts hummingbirds &amp; butterflies; used mostly for baking &amp; sauces; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; chance seedling from Australia that might be M. pumila x M. sylvestris; native to western Asia; Zones 3 - 8</i>	Ltd	1.75 - 2" c	B&B	
<b>Malus domestica 'Honeycrisp'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; very juicy &amp; sweet large red fruit with yellowish stripping follows in early fall; this root-stock is the most dwarf; it's susceptible to cedar-apple rust; it resists suckers as well as crown &amp; root rots; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with at least 1 other variety; native to western Asia (U of MN) Zones 3 - 8</i>	Ltd	1.75 - 2" c	B&B	<b>N</b>
<b>Malus domestica 'McIntosh'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; sweet red fruit follows in early fall; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; will not cross-pollinate with 'Macoun'; native to western Asia; Zones 4 - 6</i>	Ltd	1.75 - 2" c	B&B	<b>N</b>

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Malus domestica 'Red Delicious'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; large slightly tart dark red fruit follows in early fall; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with at least 1 other variety; native to western Asia; Zones 5 - 8</i>		2 - 2.5'c	B&B		<b>N</b>
<b>Malus domestica Red Fuji ('Nagafu 6')</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to fragrant white flowers in May; large slightly tart dark red fruit follows in early height varies with root-stock but tends to be about 15' high &amp; wide; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; native to western Asia; Zones 5 - 8</i>	Ltd	2 - 2.5'c	B&B		
<b>Malus domestica Triumphã,® ('MN80')</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers for an extended period in mid to late spring; normally alternate bearer; good pollinator for other cultivars; scarlet fruit with yellow blush has sweet-tart flavor &amp; ripens in early Sept; habit varies with root-stock but tends to be about 15' tall &amp; wide; attracts hummingbirds &amp; butterflies; resists diseases; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; best pollination with multiple varieties; native to western Asia [Honeycrisp x Liberty] (U of MN) Zones 4 - 9</i>	Ltd	1.75 - 2'c	B&B		<b>N</b>
<b>Malus domestica 'Yellow Delicious'</b> Fruiting Apple <i>DECIDUOUS FRUIT TREE; pink buds open to white flowers in May; fruit usually follows in early fall; habit varies with root-stock but tends to be as high as wide; attracts hummingbirds &amp; butterflies; locate in full sun (for best fruit production) or light shade &amp; organic moisture retentive well-drained slightly acidic soil; excellent pollinator; self fruitful; native to western Asia; Zones 4 - 8</i>		1.75 - 2'c	B&B		<b>N</b>
<b>Metasequoia glyptostroboides</b> Dawn Redwood <i>DECIDUOUS CONIFER; bright green summer needles turn reddish-bronze in fall; large pyramidal habit to 100' or more tall by 25' or more wide; branching usually starts about 4-5' above the ground unless specified otherwise; tolerates somewhat wet soils; locate in full sun &amp; moisture retentive neutral to acidic organic soil, tolerant of a wider range soil types except highly alkaline; PHS Gold Metal; Chinese native; Zones 5 - 8</i>	V Ltd V Ltd Ltd V Ltd	6 - 7' 7 - 8' 8 - 10' 16 - 18'	B&B B&B B&B B&B		<b>N</b> <b>N</b>
<b>Mirobiota decussata Celtic Prideã€œã€ž ('Prides')</b> Siberian Cypress; Russian Arborvitae <i>EVERGREEN GROUNDCOVER; compact spreading mound to 15" tall by 5' or more wide; bright green summer foliage turns plum in late fall through winter; improved disease resistance; resists deer browse; locate in full sun or filtered shade &amp; loamy well-drained soils that don't totally dry out; will not tolerate wet soils; Russian native; Zones 3 - 8</i>			5g		<b>N</b>
<b>Monarda didyma 'Jacob Cline'</b> Red Bee Balm <i>PERENNIAL; vibrant red flowers from late June into August; aromatic medium green foliage; upright habit to about 4' tall by 2' wide; needs good air circulation for best performance; resists powdery mildew; spreads by rhizomes; attracts butterflies, hummingbirds &amp; other pollinators; resists deer &amp; rabbit browse; locate in full to partial sun &amp; well-drained moisture retentive soil of any pH; US native (Am Bty) Zones (3) 4 - 8 (9)</i>			1g		<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Nyssa sylvatica</b> Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; glossy dark green summer foliage turns brilliant shades of red, orange &amp;/or yellow in fall; young distinctly pyramidal plants mature upright or wide-spreading at maturity reaching 50' tall by 30' wide; taproot; fall transplanting hazard; locate in full sun to partial shade; prefers moist organic well-drained acidic soils, but tolerates a wide soil range if soil is not alkaline; US native; Zones 4 - 9</i>	V Ltd V Ltd V Ltd V Ltd	3 - 3.5" c 3.5 - 4" c 4 - 4.5" c 4.5 - 5" c	B&B B&B B&B B&B	<b>N</b>
<b>Nyssa sylvatica Green Gable</b> (NSUHH) Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; very glossy green summer foliage turns bright orange-red to dark red in fall; dense upright pyramidal heads to about 50' tall &amp; half as wide; superior resistance to leaf spot; taproot; fall transplanting hazard; locate in full sun to partial shade &amp; moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native (Hidden Hollow N) Zones 5 - 9</i>	V Ltd	2 - 2.5" c 2.5 - 3" c	B&B B&B	<b>N</b>
<b>Nyssa sylvatica Northern Splendor</b> (NSMTF) Black Gum <i>DECIDUOUS SHADE TREE; insignificant white spring flowers; black fruit in fall; glossy dark green summer foliage turns brilliant shades of red &amp; orange in fall; pyramidal heads in youth usually become wide-spreading to about 40' tall by 25' wide at maturity; attracts birds; tolerates wet soil; intolerant of fall transplanting; taproot; locate in full sun to partial shade &amp; moisture retentive acidic soils that don't stay wet; selection from FL seedlings; US native (Moon) Zones 4 - 9</i>	Ltd	2 - 2.5" c	B&B	<b>N</b>
<b>Osmanthus heterophyllus 'Goshiki'</b> Compact Variegated False-holly <i>BROADLEAF EVERGREEN SHRUB; new foliage emerges gold &amp; cream with green flecks which mature to mostly gold with green; best foliage color in dappled or afternoon shade, but plant grows in full sun; compact bushy grower to 6' tall &amp; wide; deer browse resistant; locate in full sun to partial shade; prefers moist organic well-drained acidic soil, but is tolerant of slight alkalinity; native to Japan; Zones 6 - 9</i>		18 - 24"	5g	
<b>Osmanthus heterophyllus 'Gulftide'</b> Hardy False-holly <i>BROADLEAF EVERGREEN SHRUB; compact upright habit to 15'; spiny holly-like foliage; highly resistant to deer browse; locate in full sun to partial shade; prefers moist organic well-drained acidic soil, but is tolerant of slight alkalinity; native to Japan; Zones 6 - 9</i>		4 - 5'	B&B	
<b>Ostrya virginiana</b> American Hop Hornbeam; American Ironwood <i>SHADE TREE; bright dark green summer foliage turns yellowish in fall; fall transplanting hazard; locate in full sun to partial shade; tolerates a wide soil range if acidic and drains well; drought tolerant; native to eastern &amp; central North America; Zones 4 - 9</i>	V Ltd	2 - 2.5" c	B&B	
<b>Pachysandra procumbens</b> Allegheny Spurge <i>PERENNIAL; fragrant white flower spikes in early spring before the new foliage; new semi-evergreen blue-green foliage (in Zones 7-9) matures with silvery mottling; slowly spreading ground cover to about 12" tall by 24" wide; spreads by rhizomes; resists drought, disease &amp; deer browse; locate in partial to full shade &amp; moisture retentive well-drained acidic soil; US native (Am Bty) Zones (4) 5 - 9</i>			1g	<b>N</b>
<b>Panicum virgatum 'Shenandoah'</b> Red Switch Grass <i>ORNAMENTAL GRASS; lacy reddish-pink inflorescence to about 4' tall appear in late summer; spring foliage emerges blue-green before turning burgundy by summer then yellow in the fall &amp; beige in winter; columnar clumping habit to about 3' tall by 2' wide; seeds eaten by birds in winter; resists deer browse; tolerates salt spray, drought, Black Walnut, wet &amp; sterile soils; locate in full sun or partial shade &amp; just about any soil if not too fertile; North American native (Simon) Zones (4) 5 - 9</i>			1g	<b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Parrotia persica</b> Persian Ironwood; Persian Witchhazel <i>DECIDUOUS ORNAMENTAL TREE; small crimson flowers appear before the foliage in early spring; individually they aren't significant, however in mass they help welcome spring; emerging spring foliage is glossy green with a maroon margin; glossy green summer foliage turns shades of red, orange and gold in fall &amp; is persistent; exfoliating bark appears on thicker branches; grows to 30' or more tall &amp; wide; locate in full sun or partial shade and most well-drained soils; PHS Gold Metal; native of Asia Minor; Zones (4) 5 - 8</i>	<b>TREE FORM</b>	2 - 2.5'c 2.5 - 3'c	B&B B&B	
<b>Penstemon digitalis 'Dark Towers'</b> Tall Beardtongue <i>PERENNIAL; masses of tubular pink flowers from late spring into summer on rigid stems; dark wine-red foliage is usually retained through summer; bushy upright habit to as much as 3' tall by 2' wide; good cut flower; attracts hummingbirds &amp; butterflies; tolerates heat, humidity deer &amp; rabbit browse; locate in full sun &amp; well-drained soil; US native (Lindgren) Zones 3 - 8 (9)</i>			1g	<b>N</b>
<b>Phellodendron lavalley Eye Stopper ('Longenecker')</b> Lavalley Cork Tree <i>DECIDUOUS SHADE TREE; compound dark green summer foliage turns brilliant yellow in fall; usually seedless; young upright plants become wide-spreading at maturity reaching about 40' tall by 35' wide; locate in full sun to partial shade; prefers moist organic well-drained acidic soils, but tolerates a wide soil range if soil is not alkaline; native of Asia; Zones 4 - 7</i>	V Ltd V Ltd	2 - 2.5'c 2.5 - 3'c	B&B B&B	<b>N</b>
<b>Picea abies</b> Norway Spruce <i>EVERGREEN CONIFER; pyramidal habit to about 60' tall by 30' wide at maturity; dark green needles persist for several years; plants sheared for fullness; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 3 - 7</i>	<b>SEMI SHEARED</b> V Ltd V Ltd	6 - 7' 8 - 10'	B&B B&B	
<b>Picea abies 'Cupressina'</b> Fastigiate Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER; narrow pyramidal to columnar habit to about 6' tall by 2' wide in 10 years; dark green summer needles become bluish-green in winter; heavy snow or ice in winter can spread branches; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i>	V Ltd	6 - 7' 7 - 8'	B&B B&B	<b>N</b>
<b>Picea abies 'Maxwellii'</b> Dwarf Spreading Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER; dark green needles; slow irregular spreading mound to about 4' high by 10' wide after many years; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i>	V Ltd	24 - 30" spr 30 - 36" spr 36 - 42" spr	B&B B&B B&B	<b>N</b>
<b>Picea abies 'Pendula'</b> Weeping Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER; dark green needles; leader staked upright; can develop a broad skirt in time; height &amp; shape varies with staking &amp; source; resists deer browse; locate in full sun to partial shade &amp; well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7</i>	<b>STAKED UPRIGHT</b> Ltd V Ltd	6 - 7' 8 - 10'	B&B B&B	<b>N</b> <b>N</b>
<b>Picea glauca</b> White Spruce <i>EVERGREEN CONIFER; gray-green needles; narrowly pyramidal habit to 60' or more tall by 20' wide; tolerant of coastal situations; resists deer browse; locate in full sun or minimal shade &amp; moist organic soils, although tolerant of many soil conditions; native to northern US &amp; Canada; Zones 2 - 6 (7)</i>	Ltd	6 - 7'	B&B	<b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Picea omorika</b> Serbian Spruce <i>EVERGREEN CONIFER; narrow pyramidal habit to 60' tall &amp; half as wide; blue &amp; green needles; locate in full sun or partial shade &amp; moisture retentive well drained soil that's either acidic or alkaline; protect from winter wind in northern range; adapts to poor air quality; native to southern Europe; Zones 4 - 7</i>	Ltd V Ltd	6 - 7' 7 - 8'	B&B B&B	<b>N</b>
<b>Picea omorika 'Globosa'</b> Dwarf Serbian Spruce <i>EVERGREEN ORNAMENTAL CONIFER; compact rounded habit; locate in full sun or partial shade &amp; moisture retentive well drained soil that's either acidic or alkaline; protect from winter wind in northern range; adapts to poor air quality; native to southern Europe; Zones 4 - 7</i>	V Ltd	42 - 48" spr	B&B	
<b>Picea orientalis 'Gowdy'</b> Compact Oriental Spruce <i>EVERGREEN ORNAMENTAL CONIFER; typical glossy dark green needles; compact pyramidal habit that resembles the species, but grows about half as fast; locate in full sun or very light shade &amp; moisture retentive well drained soil that's either acidic or alkaline; protect from winter wind in northern range; native to Asia Minor; Zones (4) 5 - 7</i>	Ltd V Ltd	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	
<b>Picea orientalis 'Nigra Compacta'</b> Compact Oriental Spruce <i>EVERGREEN ORNAMENTAL CONIFER; very broad compact pyramidal habit; leader is cut to make a broadly upright mound; male cones are red &amp; female cones are purple before turning brown; short glossy dark green needles lay against the branches; locate in full sun or very light shade &amp; moisture retentive well-drained soil that's either acidic or alkaline; protect from winter wind in northern range; native to Asia Minor; Zones (4) 5 - 7</i>	V Ltd	5 - 6'	B&B	<b>N</b>
<b>Picea pungens 'Baby Blue'</b> Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; bright blue needles; compact pyramidal habit to about 8' tall by 3' wide in 10 years; grown from a select seed source; tolerant of deer browse, drought &amp; coastal conditions; subject to needle cast in warmer zones; locate in full sun &amp; just about any neutral to acidic well-drained soil; native to Rocky Mtns. of US (W Montrose Fm) Zones 3 - 7 (8)</i>	V Ltd V Ltd V Ltd	5 - 6' 6 - 7' 8 - 10'	B&B B&B B&B	<b>N</b> <b>N</b>
<b>Picea pungens 'Fat Albert'</b> Select Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; uniform broadly compact pyramidal habit; good blue color; highly deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn. region of US (Iseli) Zones 3 - 7 (8)</i>	V Ltd V Ltd V Ltd	5 - 6' 6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B B&B	<b>N</b>
<b>Picea pungens 'Glauca Globosa'</b> Dwarf Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; dwarf mounding globe; silvery-blue needles; highly deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn region of US; Zones 3 - 7 (8)</i>	V Ltd V Ltd	24 - 30" spr 30 - 36" spr	B&B B&B	<b>N</b>
<b>Picea pungens 'Glauca Pendula'</b> Weeping Blue Colorado Spruce <i>EVERGREEN ORNAMENTAL CONIFER; irregular upright or spreading habit depending on staking; each plants grows differently; bright blue needles; highly deer browse resistant; locate in full sun &amp; just about any well-drained soil; tolerant of drought &amp; coastal conditions; native to Rocky Mtn region of US; Zones 3 - 7 (8)</i>	V Ltd	5 - 6'	B&B	<b>N</b>

**STAKED**

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Pieris japonica 'Dorothy Wycoff'</b> Pink Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; deep red flower buds all winter; pendulous light pink racemes from late March into early April; dark green foliage; highly deer browse resistant; locate in dappled or afternoon shade &amp; moist acidic well-drained organic soil; native to Japan &amp; eastern China; Zones 5 - 7</i>		18 - 24"	5g		<b>N</b>
	V Ltd	18 - 24"	7g		<b>N</b>
	Ltd	24 - 30"	10g		<b>N</b>
<b>Pieris japonica 'Katsura'</b> Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; pendulous rosy-pink racemes from late March into early April; wine-red new foliage turns dark glossy green by summer; broadly upright habit to 5' tall by 4' wide in 10 years; highly deer browse resistant; subject to lace bug &amp; phytophthora; plant high; locate in dappled or afternoon shade &amp; moisture retentive well-drained organic neutral to acidic soil; native to Japan &amp; eastern China (Hirose / PlantHaven) Zones 5 - 7 (8)</i>		18 - 24"	7g		
		18 - 24"	10g		<b>N</b>
<b>Pieris japonica 'Mountain Fire'</b> Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; very limited quantity of pendulous white racemes from late March into early April; bright red new growth appears for a long time; highly deer browse resistant; locate in dappled or afternoon shade &amp; moist acidic well-drained organic soil; native to Japan &amp; eastern China; Zones 5 - 7</i>	Ltd	18 - 24"	5g		<b>N</b>
<b>Pieris japonica 'Valley Valentine'</b> Pink Japanese Andromeda <i>EVERGREEN FLOWERING SHRUB; deep red buds open to light pink pendulous racemes from late March into early April; dark glossy green foliage; compact upright habit; highly deer browse resistant; locate in dappled or afternoon shade &amp; moist acidic well-drained organic soil; native to Japan &amp; eastern China (Tichnor) Zones 5 - 7</i>		18 - 24"	5g		<b>N</b>
<b>Pinus bungeana</b> Lacebark Pine <i>EVERGREEN ORNAMENTAL CONIFER; magnificent exfoliating bark exhibits patches of lime green to nearly white; glossy dark green needles in groups of 3; pyramidal habit to 50'; locate in full sun &amp; most well-drained soils; native to China; Zones (4) 5 - 7</i>	V Ltd	6 - 7'	B&B		<b>N</b>
<b>Pinus cembra</b> Swiss Stone Pine <i>EVERGREEN ORNAMENTAL CONIFER; slow to moderate growing pyramid to 40' tall &amp; half as wide; greenish-blue needles; locate in full sun &amp; well-drained organic soil on the acidic side; European native; Zones (2) 3 - 7</i>	V Ltd	4 - 5' 5 - 6'	B&B B&B		<b>N</b> <b>N</b>
<b>Pinus flexilis 'Vanderwolf's Pyramid'</b> Blue Pyramidal Limber Pine <i>EVERGREEN ORNAMENTAL CONIFER; pyramidal habit; steel-blue needles in groups of 5; moderate to rapid grower; locate in full sun &amp; well-drained organic moisture retentive soil; native to western North America; Zones 4 - 7</i>	Ltd	6 - 7' 7 - 8'	B&B B&B		<b>N</b> <b>N</b>
	V Ltd	12 - 14'	B&B		<b>N</b>
<b>Pinus heldreichii var. leucodermis</b> Bosnian Pine <i>EVERGREEN CONIFER; pyramidal habit to about 10' &amp; half as wide in 10 years; dark bluish-purple cones appear in spring before turning brown at maturity; dark green needles in groups of 2; high salt tolerance for coastal areas &amp; along roads; locate in full sun &amp; most well-drained soils including alkaline; native to the mountains of southeastern Europe; Zones 5 - 7</i>	V Ltd	6 - 7'	B&B		
	V Ltd	7 - 8'	B&B		
	V Ltd	8 - 10'	B&B		

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Pinus koraiensis</b> Korean Pine <i>EVERGREEN CONIFER; pyramidal habit with horizontal lateral limbs; distinctive layered look when young; green needles in groups of 5; locate in full sun to moderate shade &amp; just about any soil that drains; native to Korea; Zones 4 - 7</i>	V Ltd	8 - 10'	B&B	
<b>Pinus koraiensis 'Morris Blue'</b> Blue Korean Pine <i>EVERGREEN ORNAMENTAL CONIFER; silvery-blue needles in groups of 5 on this compact pyramid; very similar to 'Silveray' which is treasured throughout Europe; locate in full sun to moderate shade &amp; just about any soil that drains; native to Korea (Morris Arb.) Zones 4 - 7</i>	Ltd V Ltd	6 - 7' 7 - 8'	B&B B&B	<b>N</b> <b>N</b>
<b>Pinus parviflora 'Baldwin'</b> Japanese White Pine <i>EVERGREEN ORNAMENTAL CONIFER; open grower; heavy cone set; blue-green needles in groups of 5; locate in full sun &amp; very well-drained soils of varying pH; salt tolerant; Japanese native; Zones 4 - 7</i>	V Ltd V Ltd	6 - 7' 7 - 8'	B&B B&B	
<b>Pinus parviflora 'Glauca'</b> Blue Japanese White Pine <i>EVERGREEN ORNAMENTAL CONIFER; dark blue needles in groups of 5; narrow open upright habit when young; matures to a wide spreading flat-topped habit around 40' tall; tolerant of roadside salt &amp; coastal conditions; locate in full sun &amp; very well-drained soils of varying pH; reclassified as (Glauca Group) from 'Glauca'; Japanese native; Zones 4 - 7</i>	V Ltd	6 - 7' 7 - 8'	B&B B&B	<b>N</b>
<b>Pinus parviflora 'Petersen'</b> <i>see: Pinus parviflora 'Baldwin'</i>				
<b>Pinus rigida</b> Pitch Pine; Northern Pitch Pine <i>EVERGREEN ORNAMENTAL CONIFER; open irregular upright habit to 40' or more; 3 dark green needles per bundle; not particularly ornamental; locate in full sun &amp; acidic soils with reasonable drainage; very tolerant of sterile sandy soil; native to eastern US &amp; Canada; Zones 4 - 7</i>		6 - 7'	B&B	
		<b>UPRIGHT FORM</b>		
<b>Pinus strobus</b> Eastern White Pine <i>EVERGREEN CONIFER; long medium green needles in groups of 5; pyramidal habit in youth becomes dramatic open irregular specimens with maturity; sheared heavily, but have loose new growth on the outer branches; locate in full sun or very light shade &amp; acidic well-drained soil; native to eastern US &amp; Canada; Zones 3 - 7 (8)</i>	V Ltd V Ltd	8 - 10' 10 - 12'	B&B B&B	
		<b>SEMI SHEARED</b>		
<b>Pinus strobus 'Fastigiata'</b> Fastigate Eastern White Pine <i>EVERGREEN ORNAMENTAL CONIFER; fairly narrow upright habit becomes broadly columnar when mature; soft green needles in groups of 5; locate in full sun &amp; well drained acidic soil; protect from wind in colder locations; PHS Gold Metal; native to eastern US &amp; Canada; Zones 3 - 7 (8)</i>	V Ltd	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	
<b>Pinus strobus 'Macopin'</b> Dwarf Eastern White Pine <i>EVERGREEN ORNAMENTAL CONIFER; compact globe; green needles in groups of 5; locate in full sun &amp; well drained acidic soil; protect from wind in colder locations; native to eastern US &amp; Canada; Zones 3 - 7 (8)</i>	V Ltd V Ltd	36 - 42" spr 42 - 48" spr	B&B B&B	<b>N</b> <b>N</b>



# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Pinus thunbergii</b> Japanese Black Pine <i>EVERGREEN CONIFER; irregular broad upright habit; dark green needles in bundles of 2; very resistant to salt; locate in full sun &amp; well-drained neutral to acidic soil; perhaps the best ornamental evergreen for coastal areas; native to Japan &amp; Korea; Zones (5) 6 - 8</i>	V Ltd V Ltd	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	
<b>Platanus x acerifolia 'Bloodgood'</b> London Planetree <i>DECIDUOUS SHADE TREE; large spreading shade tree to 80' tall &amp; nearly as wide; exfoliating bark reveals patches of off-white &amp; tan; high resistance to anthracnose; locate in full sun &amp; a wide range of moisture retentive soils; good in wet soils and urban conditions [P. orientalis x P. occidentalis] Zones (4) 5 - 8 (9)</i>	Ltd	2 - 2.5' 2.5 - 3"	B&B B&B	
<b>Platanus x acerifolia Exclamation Point ('Morton Circle')</b> London Plane <i>DECIDUOUS SHADE TREE; reduced quantities of rounded tan ball in pairs appear in late fall through winter; showy exfoliating bark with patches of off-white, tan &amp; light green; pyramidal to oval heads to about 80' tall by 65' wide; high resistance to mildew &amp; anthracnose; tolerates moist soils &amp; urban conditions; locate in full sun &amp; a wide range of moisture retentive soils [P. orientalis x P. occidentalis] (Ware / Morton Arb.) Zones (5) 6 - 8 (9)</i>		2 - 2.5' 2.5 - 3" 3 - 3.5" 3.5 - 4"	B&B B&B B&B B&B	<b>N</b>
<b>Platanus x acerifolia 'Suttneri'</b> Variegated London Planetree <i>DECIDUOUS SHADE TREE; rounded tan ball in pairs appear in late fall through winter; white streaks &amp; spotting throughout the green foliage; exfoliating bark reveals striking inner white bark; pyramidal heads to about 80' tall by 30' wide at maturity; high resistance to mildew &amp; anthracnose; tolerates moist soils &amp; urban conditions; subject to other diseases; locate in full sun &amp; a wide range of moisture retentive soils [P. orientalis x P. occidentalis] Zones 5 - 8 (9)</i>	Ltd Ltd V Ltd V Ltd	2 - 2.5' 2.5 - 3" 3 - 3.5" 3.5 - 4"	B&B B&B B&B B&B	<b>N</b>
<b>Platanus occidentalis</b> American Sycamore <i>DECIDUOUS SHADE TREE; large growing broadly headed tree to as much as 100' tall; vivid white patches on the bark of older trees; locate in full sun &amp; a wide range of moisture retentive soils; good in wet soils; native from the Midwest through coastal Canada, US &amp; Mexico; Zones 4 - 9</i>	Ltd V Ltd V Ltd	2 - 2.5' 2.5 - 3" 3 - 3.5"	B&B B&B B&B	<b>N</b> <b>N</b>
<b>Prunus avium 'Lapins'</b> Black Cherry; Sweet Cherry <i>DECIDUOUS FRUIT TREE; fragrant pinkish-white flowers in mid-spring; large sweet dark red fruit in mid-summer; long glossy dark green foliage turns beautiful shades of red, orange &amp; yellow in fall; upright spreading habit to about 18' tall by 15' wide but varies with rootstock; good for eating or cooking; self-pollinates; fruit attracts birds so netting can help protect crop; consider good pollinator for other cultivars; locate in full sun with good air flow &amp; organic well-drained moisture retentive soil; native to Europe &amp; Asia; Zones 5 - 7</i>		2 - 2.5'	B&B	<b>N</b>
<b>Prunus domestica 'Stanley'</b> European Plum; Prune Plum <i>DECIDUOUS FRUIT TREE; fragrant showy white flowers in April before the foliage; bluish-purple fruit in Sept; prune plums have firmer flesh &amp; higher sugar content which allows them to be dried into prunes; good for eating, canning &amp; jelly; rounded heads to 15' tall by 12' wide - depending on rootstock; self-fertile but bears more heavily with other plum trees near by; locate in full sun &amp; well-drained moisture retentive soil; European native (NY Experimental Sta.) Zones 5 - 7</i>	Ltd	2 - 2.5'	B&B	
<b>Prunus x 'Okame'</b> Pink Bell-flowered Cherry <i>DECIDUOUS ORNAMENTAL TREE; bright rosy-pink flowers in late March or early April for an extended period if not freeze damaged; dark green summer foliage turns shades of red &amp; orange in fall; glossy reddish-brown bark; upright oval heads to about 30' tall &amp; wide at maturity; locate in full sun &amp; any well-drained soil; PHS Gold Metal [P. campanulata x P. incisa] Zones 6 - 8</i>	V Ltd	2 - 2.5' 2.5 - 3" 3 - 3.5" 3.5 - 4"	B&B B&B B&B B&B	<b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Prunus sargentii Pink Flair<sup>™</sup>,<sup>®</sup> ('JFS-KW58')</b>	Ltd	2 - 2.5'c	B&B	
<b>4' GRAFT</b>	V Ltd	2.5 - 3'c	B&B	<b>N</b>
Sargent Cherry <i>DECIDUOUS ORNAMENTAL TREE; fragrant bright pink flowers in early May; dark green disease resistant summer foliage turns brilliant shades of orange-red in fall; upright habit to 25' by 15' wide; glossy reddish-brown bark; heat &amp; drought tolerant; locate in full sun &amp; any well-drained soil; Japanese native (Schmidt) Zones (3) 4 - 8</i>				
<b>Prunus sargentii 'Rancho'</b>		2 - 2.5'c	B&B	
<b>4' GRAFT</b>	V Ltd	2.5 - 3'c	B&B	
Columnar Sargent Cherry <i>DECIDUOUS ORNAMENTAL TREE; deep pink flowers in late April before the foliage; shiny dark green summer foliage turns reddish-bronze in the fall; glossy reddish-brown bark; very narrow upright to narrowly vase-shaped habit to about 35' tall by 10' wide at maturity; locate in full sun &amp; any well-drained soil; Japanese native (Scanlon) Zones 4 - 6 (7)</i>				
<b>Prunus serotina</b>	V Ltd	2 - 2.5'c	B&B	
<b>Black Cherry</b>	V Ltd	2.5 - 3'c	B&B	
	V Ltd	3 - 3.5'c	B&B	
	V Ltd	3.5 - 4'c	B&B	<b>N</b>
<i>DECIDUOUS ORNAMENTAL TREE; fragrant white flowers in 6" racemes from late April to early May; bitter red fruit appears in late summer maturing to black; shiny dark green summer foliage turns shades of yellow &amp; rose in the fall; upright habit to 50' or more tall by 30' or more wide; fruit attracts wildlife; tolerant of Black Locust; locate in full sun to light shade &amp; well-drained moisture retentive soil of varying acidity; North American native; Zones 3 - 9</i>				
<b>Prunus serrulata 'Kanzan'</b>				
<i>see: Prunus serrulata 'Kwanzan' / 'Kanzan' / 'Sekiyama'</i>				
<b>Prunus serrulata 'Kwanzan'</b>		2 - 2.5'c	B&B	
	V Ltd	2.5 - 3'c	B&B	<b>N</b>
Japanese Flowering Cherry; Oriental Cherry <i>DECIDUOUS ORNAMENTAL TREE; profuse dark double pink flowers in late April or early May are sterile; vase shaped heads to about 30' tall &amp; wide; brilliant reddish-orange fall foliage; shiny dark brown bark; tolerant of salt &amp; urban locations; locate in full sun &amp; any well-drained soil; Asian native; Zones 4 - 7</i>				
<b>Prunus serrulata 'Sekiyama'</b>				
<i>see: Prunus serrulata 'Kwanzan' / 'Kanzan' / 'Sekiyama'</i>				
<b>Prunus x 'Snow Goose'</b>		2 - 2.5'c	B&B	<b>N</b>
		2.5 - 3'c	B&B	<b>N</b>
White Flowering Cherry <i>DECIDUOUS ORNAMENTAL TREE; profuse white flowers in mid spring; upright to rounded heads to about 20' tall &amp; wide; dark green summer foliage turns shades of orange &amp; red in fall; reddish-brown slightly exfoliating bark; drought tolerant; locate in full sun &amp; any well-drained soil [P. incisa x P. speciosa] (Doorenbos) Zones 6 - 9</i>				
<b>Prunus subhirtella 'Autumnalis' / var. autumnalis</b>		2 - 2.5'c	B&B	
Pink Fall-flowering Cherry <i>DECIDUOUS ORNAMENTAL TREE; semi-double light pink flowers in early April fade to white; sporadic fall flowers during warmer weather; spreading upright habit to 30' and almost as wide; locate in full sun &amp; any well-drained soil; Asian native; Zones (5) 6 - 8</i>				
<b>Prunus x yedoensis</b>		2 - 2.5'c	B&B	<b>N</b>
		2.5 - 3'c	B&B	
	V Ltd	4 - 4.5'c	B&B	<b>N</b>
Yoshino Cherry <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant white flower in early to mid spring; upright spreading habit to about 30' high &amp; wide; locate in full or mostly sunny areas &amp; any moisture retentive well-drained soil; Japanese native; Zones 5 - 8</i>				

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Prunus x yedoensis 'Akebono'</b> Pink Yoshino Cherry <i>DECIDUOUS ORNAMENTAL TREE; soft pink flowers in early April that fade to white; rapid grower with spreading heads to about 25' high &amp; wide; locate in full or mostly sunny areas &amp; any moisture retentive well-drained soil; Japanese native; Zones 5 - 8</i>		2 - 2.5'c	B&B	
<b>Quercus acutissima</b> Sawtooth Oak <i>DECIDUOUS SHADE TREE; pyramidal habit when young, but usually becomes spreading with age to about 50' tall &amp; variably wide; narrow serrated foliage opens yellow in spring before turning dark green by summer then yellow to golden brown in fall; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; acidic well-drained soil; Asian native; Zones (5) 6 - 9</i>	Ltd	2 - 2.5'c 2.5 - 3'c	B&B B&B	<b>N</b> <b>N</b>
<b>Quercus alba</b> White Oak <i>DECIDUOUS SHADE TREE; large spreading long-lived shade tree to about 60' tall with greater width; dark green summer foliage turns variable shades of brown to red; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; acidic well-drained soil; PHS Gold Metal; US native; Zones (3) 4 - 9</i>	V Ltd	2 - 2.5'c 4.5 - 5'c	B&B B&B	<b>N</b>
<b>Quercus bicolor</b> Swamp White Oak <i>DECIDUOUS SHADE TREE; broad rounded heads to about 50' or more tall with similar width; deeply furrowed &amp; flaking bark; fall foliage is usually a good yellow, but can also be reddish-purple; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun to part shade &amp; moist to well-drained acidic soil; cannot take constantly wet soils; drought tolerant; native to US &amp; Canada; Zones 4 - 8</i>	V Ltd V Ltd V Ltd	2 - 2.5'c 2.5 - 3'c 3 - 3.5'c 4.5 - 5'c 5 - 6'c	B&B B&B B&B B&B B&B	
<b>Quercus coccinea</b> Scarlet Oak <i>DECIDUOUS SHADE TREE; pyramidal habit to about 70' tall by 40' wide; deeply cut dark glossy green summer foliage turns dark red in late fall; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; acidic well-drained soil; native to US &amp; Canada; Zones 4 - 9</i>	V Ltd V Ltd	2.5 - 3'c 3 - 3.5'c	B&B B&B	
<b>Quercus macrocarpa</b> Burr Oak; Mossycup Oak <i>DECIDUOUS SHADE TREE; irregular open broadly spreading heads to about 70' tall &amp; often wider; bright green summer foliage turns variable shades of yellow-brown in fall; fall transplant hazard; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; moist to well-drained alkaline to acidic soil; tolerant of some urban conditions; native to US &amp; Canada; Zones 3 - 8</i>	V Ltd V Ltd V Ltd V Ltd V Ltd	2.5 - 3'c 3 - 3.5'c 3.5 - 4'c 4 - 4.5'c 4.5 - 5'c	B&B B&B B&B B&B B&B	
<b>Quercus montana</b> American Chestnut Oak; Basket Oak <i>DECIDUOUS SHADE TREE; broad irregular spreading heads to about 70' tall &amp; wide; light green summer foliage turns yellowish to golden brown in fall; easy to transplant; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full &amp; most well-drained soils; does well in poor soils; eastern US native [formerly Q. prinus] Zones 4 - 8</i>	V Ltd V Ltd V Ltd V Ltd V Ltd	2 - 2.5'c 2.5 - 3'c 3 - 3.5'c 3.5 - 4'c 4 - 4.5'c 5 - 6'c	B&B B&B B&B B&B B&B B&B	<b>N</b> <b>N</b> <b>N</b> <b>N</b>
<b>Quercus muehlenbergii</b> Chinkapin Oak; Yellow Chestnut Oak <i>DECIDUOUS SHADE TREE; wide spreading habit to about 50' tall with greater spread; glossy light green summer fairly narrow lobed foliage turns shades from yellow to orange to brown in fall; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; alkaline soil with adequate moisture; eastern &amp; central US native; Zones (4) 5 - 7</i>	V Ltd Ltd V Ltd V Ltd V Ltd	2 - 2.5'c 2.5 - 3'c 3 - 3.5'c 3.5 - 4'c 4 - 4.5'c	B&B B&B B&B B&B B&B	<b>N</b> <b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Quercus palustris</b> Pin Oak <i>DECIDUOUS SHADE TREE; pyramidal habit to about 50' or more tall by 35' wide with lower branches hanging downward at a 45° angle; dark green summer foliage turns brown to russet in fall; important wildlife food source; not as much of a fall transplant hazard as other oaks however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; moist acidic soil; not tolerant of alkaline soils; US native; Zones 4 - 8</i>	V Ltd V Ltd V Ltd	2 - 2.5" 2.5 - 3" 3 - 3.5"	B&B B&B B&B	  <b>N</b>
<b>Quercus palustris Green Pillar<sup>™</sup>,® ('Pringreen')</b> Columnar Pin Oak <i>DECIDUOUS ORNAMENTAL TREE; semi-conspicuous yellowish catkins in May; glossy summer foliage turns red to maroon in the fall; narrow pyramidal habit to about 50' tall by 15' wide; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; moist acidic soil; not tolerant of alkaline soils; US native (Flemer) Zones 4 - 8</i>	V Ltd	2 - 2.5"	B&B	<b>N</b>
<b>Quercus phellos</b> Willow Oak <i>DECIDUOUS SHADE TREE; narrow willow-like foliage turns orange to russet in fall; pyramidal heads; grows to about 50' or more; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; moist acidic soil; somewhat drought tolerant; US native; Zones (6) 7 - 9</i>	Ltd V Ltd v Ltd Ltd	2 - 2.5" 2.5 - 3" 3 - 3.5" 3.5 - 4" 4 - 4.5" 5 - 6" 6 - 7"	B&B B&B B&B B&B B&B B&B B&B	       
<b>Quercus prinus</b> <i>see: Quercus montana</i>				
<b>Quercus rubra</b> Red Oak <i>DECIDUOUS SHADE TREE; large grower to about 70' tall &amp; wide; dark green summer foliage turns russet to bright red in fall; fall transplant hazard; important wildlife food source; fall transplant hazard, however, if dug before leaf drop &amp; thoroughly hydrated it has better survival results; locate in full sun &amp; well-drained neutral to acidic soil; some success to coastal areas; native to US &amp; Canada; Zones (3) 4 - 7</i>	V Ltd V Ltd V Ltd V Ltd V Ltd	2 - 2.5" 2.5 - 3" 3 - 3.5" 3.5 - 4" 4 - 4.5" 4.5 - 5" 5 - 6"	B&B B&B B&B B&B B&B B&B B&B	     <b>N</b>
<b>Rhododendron 'Anah Krushke'</b> Purple Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; reddish-purple flowers in late May; 6'; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light or partial shade &amp; deep organic well-drained moisture retentive acidic soil (Kruschke) - 15°, F</i>		24 - 30" spr	7g	
<b>Rhododendron arborescens</b> Sweet Azalea <i>DECIDUOUS FLOWERING SHRUB; Elepidote; fragrant white to light pink flowers with showy reddish stamens in June; glossy 4" long dark green summer foliage turns reddish in fall; loose broadly upright habit to 5' tall &amp; wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained moisture retentive acidic soils; eastern US native; - 25°, F</i>		18 - 24"	5g	<b>N</b>
<b>Rhododendron atlanticum</b> Coast Azalea <i>DECIDUOUS FLOWERING SHRUB; Elepidote; very fragrant white to light pink flowers from late April into May; 2" bluish-green summer foliage; stoloniferous roots; broadly upright habit to about 5' tall by 4' wide; attracts pollinators; many parts are poisonous; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or partial shade &amp; organic moisture retentive well-drained acidic soils; eastern US native; ROY 2008; Zones 6 - 8</i>		18 - 21"	5g	<b>N</b>

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Rhododendron austrinum</b> Florida Azalea; Florida Flame Azalea <i>DECIDUOUS FLOWERING SHRUB; Elepidote; reddish buds open to large clusters of fragrant yellow to orange or red flowers in late April or early May as the leaves appear; upright open habit to 8'; very heat tolerant; attracts butterflies &amp; hummingbirds; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained acidic soils; eastern US native; SE US native; ROY 2008 Zones 6 - 9</i>		18 - 24" 24 - 30"	5g 7g		<b>N</b>
<b>Rhododendron 'Betty Cummins'</b> Pink Swamp Azalea <i>DECIDUOUS FLOWERING SHRUB; fragrant deep pink flowers in mid to late June; upright habit to 5' tall by 3' wide in 10 years; locate in partial or filtered shade &amp; moist to wet acidic soils; eastern US native [R. viscosum] (Lewis) - 25Å,° F</i>		18 - 21"	5g		<b>N</b>
<b>Rhododendron calendulaceum</b> Flame Azalea <i>DECIDUOUS FLOWERING SHRUB; 2" funnel shaped flowers in shades of red, orange &amp;/or yellow in clusters for close to 2 weeks in late May or early June; slow growing broadly upright habit to 6' or more in 10 years; medium green summer foliage turns yellowish to reddish in fall; not very heat tolerant; attracts butterflies &amp; hummingbirds; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soils; somewhat drought tolerant; normally found in open woods and along stream banks; eastern US native; Zones 5 - 7</i>		15 - 18"	5g		<b>N</b>
<b>Rhododendron 'Catawbiense Album'</b> White Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; pure white flowers with yellow blush in late May; grows to about 6' in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; level; locate in light or partial shade &amp; deep organic well-drained moisture retentive acidic soil (Waterer) - 25Åfâ€šÅ,° F</i>	Ltd	24 - 30" spr	7g		<b>N</b>
<b>Rhododendron 'Chionoides'</b> White Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; white flowers with yellow throat in May; compact spreading habit to 4' in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to light shade and deep organic well-drained acidic soils (Waterer) - 10Åfâ€šÅ,° F</i>		18 - 24" spr	7g		<b>N</b>
<b>Rhododendron 'Choice Cream'</b> White Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; very fragrant creamy white flower with yellow flares from late May into June; bushy upright habit to 8' tall by 6' wide at maturity; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. austrinum x R. atlanticum] (Galle) - 15Åfâ€šÅ,° F</i>		18 - 21"	5g		
<b>Rhododendron 'Cornell Pink'</b> Pink Royal Azalea <i>DECIDUOUS FLOWERING SHRUB; Lepidote; clear pink flower in March before the foliage; medium green pointed foliage turns shades of yellow, orange &amp; red in fall &amp; persists until Thanksgiving; broadly upright habit to about 5' tall &amp; wide; attracts butterflies &amp; hummingbirds; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in partial or afternoon shade so it won't bloom too early and be ruined by late freezes; needs deep organic well-drained moisture retentive acidic soil [R. mucronulatum] Zones 4 - 6 (7)</i>		18 - 24"	5g		<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Rhododendron 'Cunningham's White'</b> White Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; white flowers in late May; grows to about 4' tall in 10 years; compact; will often throw some flowers in the fall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (Cunningham) - 15</i>	V Ltd	15 - 18" spr	5g	<b>N</b>
<b>Rhododendron 'Cynosure'</b> Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; lightly fragrant blend of light &amp; dark pink petals in trusses of 10 in late season; narrowly elliptical foliage; dense spreading habit to about 3' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. 'Essex Scarlet' x R. fortunei] (Shapiro) - 15</i>	V Ltd	18 - 24"	7g	
<b>Rhododendron 'Fragrant Star'</b> White Native Azalea Cross <i>DECIDUOUS FLOWERING SHRUB; very fragrant large bright white flowers in late April to early May; blue-green foliage; bushy upright habit to about 4' tall &amp; wide in 10 years; attracts pollinators; resists rebbit browse; tolerates heat &amp; cold; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to moderate shade &amp; deep organic well-drained moisture retentive acidic soils [R. 'Snowbird' sport] (Briggs) Zones 5 - 9</i>	V Ltd	18 - 21"	5g	<b>N</b>
<b>Rhododendron 'Golden Comet'</b> Yellow Pontic Azalea <i>DECIDUOUS FLOWERING SHRUB; large very fragrant bright yellow trusses of up to 30 flowers with a darker throat for an extended time in mid-spring; yellowish-green summer foliage turns bright red to purplish in fall &amp; resists powdery mildew; broadly upright habit to about 4' tall &amp; wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to partial shade &amp; well-drained moisture retentive acidic soil; European native [R. luteum] (Robbins / R. Species F.) (- 20) - 15</i>		15 - 18"	5g	
<b>Rhododendron 'Golden Showers'</b> Yellow Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; peachy-orange buds open yellow to pale peach with a vanilla fragrance in early July; glossy green summer foliage turns bronze in fall before dropping; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; native cross [R. viscosum x R. cumberlandense] (Mezitt) - 25</i>		18 - 21" 24 - 30"	5g 7g	<b>N</b> <b>N</b>
<b>Rhododendron 'Ken Janeck'</b> Pink Hybrid Yak Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; strong pink flowers fade to off white in compact trusses of 13-17 flowers in mid season; recurved dark green heavily indumented foliage; spreading habit to about 4' tall by 5' wide in 10 yrs.; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. yak. seedling] (Janeck) Zones (4) 5 - 7</i>	V Ltd	15 - 18" spr	5g	<b>N</b>
<b>Rhododendron 'Landmark'</b> Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Lepidote; wavy, purplish-red flowers in May as the flowers from 'Olga Mezitt' begin to fade; small semi-glossy dark green foliage becomes a nice purple-brown through the winter; upright, somewhat open habit, to 4' tall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; ROY 2008 (Mezitt) - 15</i>		18 - 24"	5g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Rhododendron 'Lemon Drop'</b> <i>see: Rhododendron 'Weston's Lemon Drop'</i>				
<b>Rhododendron 'Lollipop'</b> <i>see: Rhododendron 'Weston's Lollipop'</i>				
<b>Rhododendron 'Marydel'</b> Pink Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; fragrant pink; early May; US native cross; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. atlanticum x R. periclymenoides] - 15Å, ° F</i>		18 - 21"	5g	
<b>Rhododendron maximum</b> Rosebay Rhododendron <i>EVERGREEN FLOWERING SHRUB; light pink to white flowers in early July; leggy upright habit to 15' or more depending on the site; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic moisture retentive well-drained acidic soils; native to eastern US &amp; Canada; Zones 3 - 7</i>	Ltd	15 - 18" 18 - 24"	3g 5g	<b>N</b> <b>N</b>
<b>Rhododendron 'Maximum Roseum'</b> Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; pinkish-lilac flower in June; bushy grower to 6' in 10 years; dark green sun tolerant foliage; also known as 'Pontic Roseum; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. ponticum x R. maximum] (Pride) - 25Å, ° F</i>		24 - 30" 30 - 36"	7g 10g	<b>N</b>
<b>Rhododendron 'Millennium'</b> Red Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; fragrant red or dark pink flowers with pale orange dorsal flare in late June; bluish-green mildew resistant summer foliage is silvery underneath, bushy upright habit to 5' in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil (Mezitt) Zones (4) 5 - 7</i>		24 - 30"	7g	<b>N</b>
<b>Rhododendron 'Millie Mac'</b> Yellow Florida Azalea Cultivar <i>DECIDUOUS FLOWERING SHRUB; reddish buds open to large clusters of fragrant vivid yellow flowers bordered with a white margin in late April to early May as the leaves appear, foliage turns yellowish in fall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; US native [R. austrinum] Zones (6) 7 - 9</i>		18 - 24"	5g	
<b>Rhododendron 'Mr. Bluestem'</b> Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; pinkish-lilac flower in early June in lax trusses; narrow matte-green sun tolerant foliage; new stems are dark reddish-brown; bushy habit to about 6' tall &amp; wide in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. 'Maximum Roseum' seedling] (Shannon) Zones 4 - 8</i>		24 - 30" 30 - 36"	7g 10g	<b>N</b>
<b>Rhododendron 'My Mary'</b> Yellow Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; fragrant trusses of up to 25 2 1/2" yellow flowers with orange tubes from late April into May; stoloniferous bushy upright rounded habit to 4' tall &amp; wide in 10 yrs; dark green summer foliage; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; US native cross [R. austrinum x (R. atlanticum x R. periclymenoides)] (Beasley) Zones 5 - 8</i>		18 - 24" 24 - 30"	5g 7g	<b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Rhododendron 'Nova Zembla'</b> Red Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; wine red flower in May; grows to 6' tall in 10 years; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light shade and deep organic well-drained acidic soils (Koster) - 25Å, ° F</i>		18 - 21" spr	5g		<b>N</b>
<b>Rhododendron nudiflorum</b> <i>see: Rhododendron periclymenoides</i>					
<b>Rhododendron 'Pennsylvania'</b> Pink Native Azalea Cross <i>DECIDUOUS FLOWERING SHRUB; fragrant pink flowers with orange eye from mid July into early August; apple-green summer foliage turns coppery-yellow in fall; compact upright to spreading habit when mature; can grow to 8' tall &amp; similarly wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; may be able to handle more than average soil moisture; native US cross [R. viscosum x R. prunifolium] - 15Å, ° F</i>		18 - 24"	5g		
<b>Rhododendron periclymenoides</b> Pinxterbloom Azalea <i>DECIDUOUS FLOWERING SHRUB; profuse lightly fragrant light pink to medium pink to violet flowers in May just before or with the leaves; compact spreading habit to 5'; stoloniferous; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light or filtered shade and well-drained acidic soils; eastern US native; formerly R. nudiflorum; Zones 4 - 8 (9)</i>		15 - 18"	5g		<b>N</b>
<b>Rhododendron 'Pink and Sweet'</b> Pink Sweet Azalea <i>DECIDUOUS FLOWERING SHRUB; profuse fragrant deep purplish-pink flower with a purple stripe &amp; yellow flare in mid to late June; dense upright habit to about 4' by 4' in 10 years; glossy mildew resistant summer foliage turns purple-red with orange &amp; yellow highlights in the fall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; eastern US native cross [R. arborescens x R. arborescens hybrid] (Mezitt) - 20Å, ° F</i>		18 - 21"	5g		<b>N</b>
<b>Rhododendron prunifolium</b> Plumleaf Azalea <i>DECIDUOUS FLOWERING SHRUB; varying shades of orange to red flowers in July; upright spreading somewhat open habit to 6' in 10 yrs.; 6" long medium green foliage is not particularly showy in fall; found along streams in wooded or semi-wooded areas; locate in light or filtered shade and moisture retentive highly organic well-drained acidic soils; tolerates more soil moisture than most; southeast US native; Zones 5 - 8 (9)</i>		15 - 18"	5g		
<b>Rhododendron 'Ribbon Candy'</b> Pink Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; large fragrant pink flowers with white tubes appear in mid June; dark green summer foliage is mildly subject to mildew before turning shades of burgundy, red &amp; orange in fall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [(R. cumberlandense x R. arborescens) x R. mollis] Zones 6 - 7</i>		18 - 21" 24 - 30"	5g 7g		
<b>Rhododendron 'Roseum Pink'</b> Pink Hybrid Rhododendron <i>EVERGREEN FLOWERING SHRUB; soft rosy-lavender flowers in mid-late May; grows to about 6' in 10 years; good grower in full sun; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or light shade and deep organic well-drained acidic soils (Waterer) - 25Å, ° F</i>		24 - 30" spr	7g		<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Rhododendron 'Silver Sovereign'</b> White Hybrid Yak Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; compact white trusses in early-mid May; upright habit to 4' tall by 3' wide in 10 years; dark green foliage with tan indumentum; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. yakushmanum x R. smirnowii] (Morris / Schannen) - 20Å, ° F</i>		12 - 15" spr	5g	
<b>Rhododendron 'Snowbird'</b> White Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; masses of fragrant white flowers with a pink flush in late spring; glaucous foliage turns shades of orange in fall; resistant to powdery mildew; compact bushy habit to about 5' tall &amp; wide; attracts pollinators; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun to filtered shade &amp; deep organic well-drained moisture retentive acidic soil (Biltmore) [R. atlanticum x R. canadense] Zones 6 - 8</i>		24 - 30"	7g	<b>N</b>
<b>Rhododendron 'Solidarity'</b> Pink Hybrid Yak Rhododendron <i>EVERGREEN FLOWERING SHRUB; Elepidote; large dome trusses of 12-13 wavy pink flowers in mid-season; 5" dull green foliage with light tan indumentum; heat &amp; sun tolerant; grows to about 4' in 10 years with a compact habit; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in full sun or moderate shade and deep organic well-drained moisture retentive acidic soil (Schannen) - 15Å, ° F</i>		18 - 24" spr	5g	
<b>Rhododendron 'Split Rock'</b> Pink Native Hybrid Azalea <i>DECIDUOUS FLOWERING SHRUB; pink flowers in early May; red winter stems; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; US native [R. racemosum] - 15Å, ° F</i>	Ltd	18 - 21"	5g	<b>N</b>
<b>Rhododendron 'Tangerine Delight'</b> Orange Deciduous Azalea <i>DECIDUOUS FLOWERING SHRUB; fragrant bright orange to peach flower clusters in mid-spring; new foliage emerges with burgundy tones maturing to a medium green through fall; upright habit to about 10' tall by 6'+ wide; attracts pollinators; tolerates heat &amp; humidity; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade &amp; deep organic well-drained moisture retentive acidic soils; native US hybrid [R. calendulaceum x R. Knapp Hill] (Beasley) Zones 5 - 7 (8)</i>		15 - 18"	5g	
<b>Rhododendron vaseyi</b> Pinkshell Azalea <i>DECIDUOUS FLOWERING SHRUB; white to rose to deep pink flower clusters of 4 to 8 with green throat &amp; orange spots in April before the foliage; dark green foliage turns variable shades of orange to red in fall; open, upright habit to 5' in 10 yrs.; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light or filtered shade and moisture retentive highly organic well-drained acidic soils; US native to the Blue Ridge Mountains of NC; Zones 4 - 7</i>		18 - 21"	5g	
<b>Rhododendron viscosum</b> Swamp Azalea <i>DECIDUOUS FLOWERING SHRUB; very fragrant white to creamy flowers in early July; loose broadly upright habit to 5'; hairy stems distinguishes this species from R. arborescens (smooth stems); locate in partial or filtered shade &amp; moist to wet acidic soils; eastern US native; Zones 4 - 9</i>		30 - 36"	7g	

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Rhododendron 'Weston's Innocense'</b> White Hybrid Azalea Cross <i>DECIDUOUS FLOWERING SHRUB; small profuse fragrant white blooms in late June; compact upright habit to 5' tall &amp; wide in 10 years; summer foliage is somewhat glossy with a bronze tinge &amp; fairly mildew resistant; fall foliage is burgundy-red; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [R. viscosum x R. arborescens] (Mezitt) - 20Å, ° F</i>		18 - 21"	5g	
<b>Rhododendron 'Weston's Lemon Drop'</b> Yellow Swamp Azalea <i>DECIDUOUS FLOWERING SHRUB; peachy buds open to lightly lemon scented yellow flowers for 2 weeks or more in July; compact upright habit ; small blue-green mildew resistant summer foliage turns pinkish-red on exterior leaves &amp; more yellow on interior leaves; grows at half the rate of the species; winter stems are reddish-brown; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; chosen from a block of R. viscosum hybrids in 1975 (Mezitt) - 25Å, ° F</i>		24 - 30"	7g	<b>N</b>
<b>Rhododendron 'Weston's Lollipop'</b> Pink Native Azalea Cross <i>DECIDUOUS FLOWERING SHRUB; bright pink buds open to very fragrant pink flowers with a light pink &amp; yellow flare in mid to late June; flowers become silvery-pink with age; medium green summer mildew resistant foliage turns shades of red &amp; orange in late September through October; slow growing broadly upright habit eventually reaches 10' tall; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil [(R. viscosum x R. bakeri) x R. arborescens] - 25Å, ° F</i>		18 - 24"	5g	<b>N</b>
<b>Rhododendron 'Weston's Popsicle'</b> Pink Hybrid Azalea <i>EVERGREEN FLOWERING SHRUB; fragrant dark pink flowers with an orange flare in late June; glossy dark green summer foliage turns burgundy-red in fall; upright habit to about 5' tall by 3' wide; must be planted high, with the top of the root mass at least 10% of its' height above the adjacent soil level; locate in light to moderate shade and deep organic well-drained moisture retentive acidic soil; R. arborescens hybrid (Mezitt) - 20Å, ° F</i>	Ltd	24 - 30"	7g	<b>N</b>
<b>Ribes rubrum 'Champagne Pink'</b> Red Currant <i>DECIDUOUS FRUITING SHRUB; inconspicuous yellowish-green pendulous flower clusters in late April or early May; clusters of tannish-pink fruit in late July can be eaten fresh, used in drinks or in cooking &amp; are less tart than the species; bushy habit to about 5' tall &amp; wide; fruit attracts birds; locate in full sun or partial shade (especially in hot climates) &amp; moisture retentive well-drained soils with neutral acidity; European native; Zones 3 - 7</i>			3g	<b>N</b>
<b>Rubus fruticosus 'Ouachita'</b> Blackberry <i>DECIDUOUS FRUITING SHRUB; white flowers from late spring into mid-summer; sweet black fruit follow in mid to late summer; thornless; needs support; attracts pollinators; locate in full sun &amp; well-drained moisture retentive soil; European native (U of AR) Zones 5 - 9</i>	Ltd		3g	
<b>Rubus idaeus 'Carolina'</b> Everbearing Red Raspberry <i>FRUITING SHRUB; non-showy early to mid-spring flower; self-fruitful bright red fruit in early to mid-fall for about 8 weeks; thorny stems; broadly upright habit to about 4' tall &amp; wide; attracts birds &amp; butterflies; somewhat disease resistant; locate in full to mostly sunny areas &amp; moisture retentive well-drained neutral to acidic soil (U of MD) Zones 4 - 7</i>			3g	

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Rubus idaeus var. strigosus 'Heritage'</b> American Red Raspberry <i>FRUITING SHRUB; small light pink flower in late spring to early summer; self-fruitful large bright red fruit in early summer &amp; a heavier crop in fall; thorny stems; broadly upright habit to about 6' tall by 4' wide &amp; perhaps larger; attracts birds &amp; butterflies; somewhat resistant to deer browse; locate in full to mostly sunny areas &amp; moisture retentive well-drained neutral to acidic soil; Zones 4 - 8</i>			3g	
<b>Rudbeckia fulgida var. fulgida</b> Black-eyed Susan <i>PERENNIAL; golden yellow petals with dark brown centers from July to Oct; blooms later with smaller flowers &amp; longer bloom period than 'Goldstrum'; brown centers provide seeds for birds in winter; shiny green foliage; upright bushy habit to about 30" tall by 24" wide; self-seeds &amp; spreads by rhizomes; good cut flower; attracts birds &amp; butterflies; resists deer browse; tolerates heat, humidity &amp; some drought; locate in full to mostly sunny areas &amp; most well-drained soils; US native; Zones 5 - 7</i>			1g	<b>N</b>
<b>Sambucus nigra 'Samdal'</b> Black Elder <i>DECIDUOUS FLOWERING SHRUB; aromatic white lace-cap flowers in June; somewhat self-fruitful edible glossy black fruit in late summer but heavier crop with 2 or more plants; fruit attracts birds &amp; other animals; compound dark green leaves have unpleasant odor when crushed; bushy habit to about 8' tall &amp; wide; spreads by root suckers; can be invasive in some areas; locate in full to mostly sunny areas &amp; most moderately moist to well-drained soils; cultivar from Denmark; native to Europe; Zones 5 - 8</i>			3g	<b>N</b>
<b>Sambucus nigra 'Samyl'</b> Black Elder <i>DECIDUOUS FLOWERING SHRUB; aromatic white lace-cap flowers in June; somewhat self-fruitful edible glossy black fruit in late summer but heavier crop with 2 or more plants; fruit attracts birds &amp; other animals; compound dark green leaves have unpleasant odor when crushed; bushy habit to about 8' tall &amp; wide; spreads by root suckers; can be invasive in some areas; locate in full to mostly sunny areas &amp; most moderately moist to well-drained soils; cultivar from Denmark; native to Europe; Zones 5 - 8</i>	V Ltd		3g	<b>N</b>
<b>Schizachyrium scoparium 'Standing Ovation'</b> Little Bluestem <i>ORNAMENTAL GRASS; silvery seed heads on 4' stems appear from late summer into fall; broader blue foliage with red tips becomes purplish at the base in fall before turning shades of orange, red &amp; maroon by winter; upright habit to about 3' tall by 18" wide; self-seeds; attracts songbirds &amp; butterflies; resists deer browse; tolerates drought, salt &amp; heavy soil; locate in full sun &amp; any well-drained soil; US native; thought to be a seedling of 'Prairie Blues' (North Creek N) Zones 3 - 8</i>			1g	<b>N</b>
<b>Schizophragma hydrangeoides</b> Japanese Hydrangea-vine <i>DECIDUOUS CLINGING VINE; white flower from late June into early July; bluish-green foliage; attaches to structures by hold-fasts; very interesting texture contrast when combined with Hydrangea anomala petiolaris; locate in sun or shade &amp; any well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)</i>		3' TRELLIS	7g	
<b>Sciadopitys verticillata</b> Japanese Umbrella Pine <i>EVERGREEN ORNAMENTAL CONIFER; long thick shiny dark green needles; pyramidal upright conifer to 50' give or take; locate in full sun or moderate shade &amp; very well drained rich organic moisture retentive soil; PHS Gold Metal; native of Japan; Zones 5 - 6 (7)</i>	V Ltd V Ltd	4 - 5' 5 - 6'	B&B B&B	<b>N</b> <b>N</b>

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Solidago rugosa 'Fireworks'</b> Rough Goldenrod; Wrinkled Goldenrod <i>PERENNIAL; sprays of bright yellow flowers on arching branches from late August into Oct; small semi-evergreen heart-shaped foliage emerges burgundy in spring before turning dark blue-green by summer; upright arching clumps to about 4' tall by 3' wide; spreads by rhizomes &amp; self-seeds; attracts many pollinators including songbirds; resists deer browse; tolerates drought &amp; wet soils; locate in full to mostly sunny areas &amp; moisture retentive well-drained neutral to slightly acidic soil; US native (Moore / Niche Gdns) (Am Bty) Zones 4 - 9</i>			1g	<b>N</b>
<b>Stewartia pseudocamellia</b> Japanese Stewartia <i>ORNAMENTAL TREE; 3" diameter white flowers with prominent yellow centers in July; variable fall foliage from yellow through shades of red; very ornamental exfoliating bark in shades of gray to orange-brown; small upright grower to about 30'; very similar to S. koreana; locate in partial to filtered shade &amp; rich organic well-drained moisture retentive acidic soil; Japanese native; Zones (4) 5 - 7</i>		6 - 7' 7 - 8' <b>LOW BRANCHED</b>	B&B B&B	
<b>Styrax japonicus</b> Japanese Snowbell <i>DECIDUOUS ORNAMENTAL TREE; white bell-like flowers in early June; creamy white berry clusters in August &amp; September; upright or spreading heads to 25' tall &amp; nearly as wide; branching starts above a single stem 3' to 5' above the ground; locate in full sun or partial shade (best) &amp; deep organic well-drained moisture retentive acidic soil; eastern Asian native; Zones 5 - 7 (8)</i>	V Ltd V Ltd	1.75 - 2"c 2 - 2.5"c <b>TREE FORM</b>	B&B B&B	<b>N</b>
<b>Styrax obassia</b> Fragrant Snowbell <i>DECIDUOUS ORNAMENTAL TREE; large fragrant white bell-like flower in late May; upright habit to 30'; longitudinal exfoliating bark; locate in full sun or partial shade (best) &amp; deep organic well-drained moisture retentive acidic soil; eastern Asian native; Zones 5 - 8</i>	V Ltd	6 - 7'	B&B	<b>N</b>
<b>Syringa x hyacinthiflora 'Declaration'</b> Purple Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; large fragrant reddish-purple flowers in early spring; medium green foliage turns burgundy in fall; upright somewhat open habit to about 8' tall by 6' wide in 20 years; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil (Egolf &amp; Pooler / USNA) Zones 5 - 7</i>		30 - 36"	15g	<b>N</b>
<b>Syringa meyeri 'Palibin'</b> Dwarf Korean Lilac <i>DECIDUOUS FLOWERING SHRUB; purplish-pink buds open to profuse light pink flowers in May; compact spreading mound to 4' high by 6' wide; branching starts 3-4' above the ground on a single stem; locate in full sun or light shade &amp; well-drained organic soil of any pH; native to northeastern Asia; PHS Gold Metal; Zones 3 - 7</i>		24 - 30" spr	15g	<b>N</b>
<b>Syringa pubescens subsp. patula 'Miss Kim'</b> Manchurian Lilac <i>DECIDUOUS FLOWERING SHRUB; very fragrant light lavender blooms; compact upright habit to 6' tall by 5' wide; locate in full sun or light shade &amp; well-drained organic soil of any pH; native to northeastern Asia; Zones 4 - 7</i>		24 - 30"	15g	<b>N</b>

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Syringa reticulata 'Ivory Silk'</b> Japanese Tree Lilac <i>DECIDUOUS ORNAMENTAL TREE; profuse fragrant creamy-white flowers in June occur at a young age; upright oval heads to 25'; branching starts from a single trunk at about 5' above the ground; locate in full sun or light shade &amp; well-drained organic soil of any pH; Japanese native; PHS Gold Metal (Sheridan N) Zones 3 - 7</i>	V Ltd	2 - 2.5'c 2.5 - 3'c 3 - 3.5'c 3.5 - 4'c	B&B B&B B&B B&B		N
<b>Syringa vulgaris</b> Common Lilac <i>DECIDUOUS FLOWERING SHRUB; fragrant lavender flower in early May; upright vase-shaped habit to 15'; habit; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe Zones 2 - 7</i>		4 - 5'	B&B		N
<b>Syringa vulgaris 'Monge'</b> Red French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; single reddish-purple flower; upright vase-shaped habit to 10'; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>		4 - 5' 5 - 6'	B&B B&B		N
<b>Syringa vulgaris 'President Grevy'</b> Blue French Hybrid Lilac <i>DECIDUOUS FLOWERING SHRUB; very fragrant double lilac-blue flower; upright vase-shaped habit to 10'; locate in full to mostly sunny areas with good air circulation &amp; well-drained slightly acidic to alkaline organic soil; withstands coastal conditions; native to southern Europe; Zones 3 - 7</i>		30 - 36"	15g		N
<b>Thuja x 'Green Giant'</b> Hybrid Western Arborvitae; Hybrid Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; vigorous narrowly pyramidal habit to 60' tall by 15' wide; bright evergreen foliage; minimal pest or disease problems; somewhat deer browse resistant; locate in full sun or light shade &amp; moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal; US / Asian cross [T. plicata x T. standishii] Zones 5 - 8</i>		4 - 5' 7 - 8' 8 - 10'	7g B&B B&B		N N N
<b>Thuja occidentalis 'Elegantissima'</b> Variegated Eastern Arborvitae; Variegated White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; gold tipped summer foliage turns bronze in winter; broadly pyramidal habit to 15'; tolerant of air pollution, Black Walnut &amp; deer browse; locate in full sun (for best color) or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones 3 - 7</i>	Ltd	6 - 7' 7 - 8'	B&B B&B		N
<b>Thuja occidentalis 'Emerald Green'</b> <i>see: Thuja occidentalis 'Smaragd'</i>					
<b>Thuja occidentalis 'Smaragd'</b> Emerald Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones (4) 5 - 7</i>	Ltd V Ltd	5 - 6' 6 - 7'	B&B B&B		N N
<b>Thuja occidentalis 'Techney'</b> Mission Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; broadly columnar habit; dark green foliage all year; interior foliage stays green; tolerant of air pollution &amp; Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity &amp; moisture - except extremes of either; native to eastern US &amp; Canada; Zones 3 - 7</i>		6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B		

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Thuja plicata</b> Western Arborvitae; Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; rapid pyramidal grower to 50' or more; bright dark green foliage; somewhat deer browse resistant; locate in full sun or light shade &amp; moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; native to northwestern US &amp; Canada; Zones (4) 5 - 8</i>	V Ltd	7 - 8'	B&B	
<b>Thuja x 'Steeplechase'</b> Compact Hybrid Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; branch sport of Thuja x 'Green Giant' which is slightly slower growing; pyramidal habit with slightly brighter green foliage; leader is less aggressive with more branching; somewhat deer browse resistant; locate in full sun or light shade &amp; moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; US &amp; Canadian native cross [T. plicata x T. standishii] (Manor View) Zones 5 - 8</i>		7 - 8' 8 - 10'	B&B B&B	
<b>Tilia cordata</b> Littleleaf Linden <i>DECIDUOUS SHADE TREE; very fragrant yellowish flowers in late June attract bees in profusion; small dark green heart-shaped foliage turns yellow in fall; foliage liked by Japanese Beetles; distinct pyramidal heads with dominant central leader reaching about 50' tall by 30' wide; very tolerant of urban conditions; locate in full sun &amp; most soils; native to Europe; Zones 4 - 8</i>	V Ltd V Ltd	2.5 - 3" 3 - 3.5"	B&B B&B	<b>N</b> <b>N</b>
<b>Tilia cordata 'Greenspire'</b> Littleleaf Linden <i>DECIDUOUS SHADE TREE; very fragrant yellowish flowers in late June; dark green foliage turns yellow in fall; distinct pyramidal heads reaching 60' tall &amp; half or more as wide; liked by Japanese Beetles; locate in full sun &amp; most soils; very tolerant of urban conditions; native to Europe; Zones (3) 4 - 7</i>	V Ltd V Ltd	2 - 2.5" 2.5 - 3" 3 - 3.5" 3.5 - 4"	B&B B&B B&B B&B	<b>N</b> <b>N</b>
<b>Tilia tomentosa Green Mountain<sup>™</sup>,<sup>®</sup> ('PNI 6051')</b> Silver Linden <i>DECIDUOUS SHADE TREE; fragrant flowers in late spring are not showy; vigorous grower with a broadly pyramidal head to 50' or more tall by 40' wide; green summer foliage has a generous amount of tomentose below, making it especially ornamental in the wind &amp; resistant to Japanese Beetles; variable golden fall foliage; locate in full sun with moist well drained soils; heat &amp; drought tolerant; native to Europe &amp; western Asia (Flemer) Zones 4 - 8</i>	V Ltd V Ltd V Ltd	2 - 2.5" 2.5 - 3" 3 - 3.5"	B&B B&B B&B	<b>N</b> <b>N</b>
<b>Tsuga canadensis</b> Canadian Hemlock <i>EVERGREEN CONIFER; short medium green needles; large pyramidal habit to 50' or more; excellent screen for shady locations; adelgid can be controlled by reducing stress with adequate moisture &amp; is almost a non-factor on intermediate to dwarf cultivars; protect from winter winds in colder areas; locate in full sun or full shade &amp; moist well-drained acidic soils; native to US &amp; Canada; Zones (3) 4 - 7</i>	V Ltd	6 - 7' 7 - 8'	B&B B&B	<b>N</b>
<b>Tsuga canadensis 'Pendula'</b> Sargent Weeping Hemlock <i>EVERGREEN ORNAMENTAL CONIFER; graceful wide-spreading evergreen; small foliage; adelgid can be controlled by reducing stress with adequate moisture &amp; is almost a non-factor on intermediate to dwarf cultivars; protect from winter winds in colder areas; locate in full sun or full shade &amp; moist well-drained acidic soils; native to US &amp; Canada; Zones (3) 4 - 7</i>	V Ltd	5 - 6'	B&B	<b>N</b>
<b>Ulmus americana 'Jefferson'</b> American Elm <i>DECIDUOUS SHADE TREE; dark green persistent summer foliage turns yellow in fall; original plant on National Mall (DC) is broadly upright with arching branches to 70' tall by 50' wide at 70 years; tolerates drought, air pollution &amp; black walnuts; highly resistant to Dutch elm disease; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant; native to US &amp; Canada (Townsend / NPS &amp; USNA) Zones 4 - 7</i>	Ltd V Ltd V Ltd	2 - 2.5" 2.5 - 3" 3 - 3.5" 3.5 - 4"	B&B B&B B&B B&B	<b>N</b>

13 Decision Way West  
Washington Crossing, PA 18977-1125  
www.phintuthill.com

represented by:

phone: (215) 321-4545  
fax: (267) 397-2076  
email: Phin@RPTuthill.com

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Ulmus americana 'New Harmony'</b> American Elm <i>DECIDUOUS SHADE TREE; upright habit with arching branches to 70' tall &amp; wide at maturity; yellow fall foliage; highly resistant to Dutch Elm disease, but not most other problems; tolerates drought, air pollution &amp; black walnuts; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH, salt &amp; urban tolerant; native to US &amp; Canada (Townsend &amp; Schreiber / USNA) Zones 5 - 10</i>	V Ltd V Ltd V Ltd V Ltd	4 - 4.5" c 4.5 - 5" c 5 - 6" c 6 - 7" c	B&B B&B B&B B&B		<b>N</b>
<b>Ulmus americana Prairie Expedition<sup>™</sup>,<sup>®</sup> ('Lewis &amp; Clark')</b> American Elm <i>DECIDUOUS SHADE TREE; dark green summer foliage turns yellow in fall; upright arching habit to about 60' tall by 40' wide; excellent lawn or shade tree; highly resistant to Dutch Elm disease &amp; Elm aphid; tolerates air pollution &amp; Black Walnut; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt adaptable; native to US &amp; Canada (NDSU) Zones 3 - 9</i>	Ltd	2 - 2.5" c	B&B		<b>N</b>
<b>Ulmus americana 'Princeton'</b> American Elm <i>DECIDUOUS SHADE TREE; upright habit with arching branches to 60' tall &amp; wide; yellow fall foliage; excellent lawn or shade tree; highly resistant to Dutch Elm disease, but not most other problems; tolerates drought, air pollution &amp; black walnuts; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant; native to US &amp; Canada (Princeton N) Zones 3 - 9</i>	Ltd V Ltd V Ltd V Ltd	2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4.5 - 5" c 5 - 6" c 6 - 7" c	B&B B&B B&B B&B B&B B&B B&B		<b>N</b>
<b>Ulmus americana 'Valley Forge'</b> American Elm <i>DECIDUOUS SHADE TREE; upright habit with arching branches to 25' tall by 30' wide at 12 years; yellow fall foliage; excellent lawn or shade tree; highly resistant to Dutch Elm disease, but not most other problems; tolerates drought, air pollution &amp; black walnuts; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant; native to US &amp; Canada (Townsend &amp; Schreiber / USNA) Zones (4) 5 - 9</i>	V Ltd V Ltd V Ltd V Ltd V Ltd	2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4 - 4.5" c 4.5 - 5" c 5 - 6" c 6 - 7" c	B&B B&B B&B B&B B&B B&B B&B B&B		<b>N</b> <b>N</b>
<b>Ulmus parvifolia Allee<sup>™</sup>,<sup>®</sup> ('Emer II'; 'Emerald Vase')</b> Chinese Elm; Lacebark Elm <i>DECIDUOUS SHADE TREE; upright spreading head similar to the American Elm; grows to 50' or more with a similar spread; exfoliating bark; resistant to drought, Dutch Elm disease &amp; elm leaf beetle; locate in full sun or light shade &amp; moist or wet to well-drained soil that's widely pH &amp; salt tolerant; Asian native; Zones (5) 6 - 9</i>		2 - 2.5" c 2.5 - 3" c 4.5 - 5" c	B&B B&B B&B		<b>N</b> <b>N</b> <b>N</b>
<b>Vaccinium angustifolium</b> Lowbush Blueberry <i>DECIDUOUS FRUITING SHRUB; white flower in April; highly nutritious blue berries in mid-summer; blue-green summer foliage turns shades of red in fall; low spreading shrub to 2' tall; locate in full sun or partial shade &amp; well-drained to dry acidic soil; adaptable to sterile coastal landscapes; Zones 2 - 5 (6)</i>		10 - 12" spr	3g		
<b>Vaccinium corymbosum 'Blue Crop'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; midseason crop; 4-6' tall; bright red to purplish fall foliage; locate in full or partial sun &amp; well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones 3 - 7 (8)</i>		18 - 24"	7g		
<b>Vaccinium corymbosum 'Blue Ray'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; large slightly tart fruit on a compact plant that grows to 5' tall; glossy summer foliage turns bright red in fall; stems are red in the winter; locate in full or partial sun &amp; moist to well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones (3) 4 - 7 (8)</i>	Ltd	18 - 24"	7g		<b>N</b>

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Vaccinium corymbosum 'Duke'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; early crop; 4-6' tall; bright red to purplish fall foliage; locate in full or partial sun &amp; moist to well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones 3 - 7 (8)</i>	V Ltd	18 - 24"	7g	N
<b>Vaccinium corymbosum 'Elliot'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; late season; 5-7' tall; bright red to purplish fall foliage; locate in full or partial sun &amp; moist to well-drained organic soil in the 5.0 acidic range with good moisture retention [V. corymbosum] Zones 4 - 7</i>		18 - 24"	7g	
<b>Vaccinium corymbosum 'Jersey'</b> Highbush Blueberry <i>DECIDUOUS FRUITING SHRUB; late to midseason crop; 4-6' tall; bright red to purplish fall foliage; locate in full to mostly sunny location (for best fruit production) &amp; organic well-drained moisture retentive slightly acidic soil [V. corymbosum] Zones 3 - 7 (8)</i>		18 - 24"	7g	
<b>Viburnum x burkwoodii 'Conoy'</b> Hybrid Service Viburnum <i>EVERGREEN FLOWERING SHRUB; dark pink buds open to lightly fragrant white flowers in late April to early May; clusters of bright red fruit in late Aug turn black in Oct; small dark glossy evergreen foliage (semi-evergreen in northern range); very compact spreading mound to about 5' high by 8' wide at maturity; locate in full sun or partial shade &amp; moisture retentive well-drained neutral to acidic soil; PHS Gold Metal (Egolf / USNA) Zones (5) 6 - 8</i>			10g	N
<b>Viburnum x carlcephalum</b> Fragrant Viburnum <i>DECIDUOUS FLOWERING SHRUB; fragrant white flowers in early May; large bushy habit with large foliage that turns reddish in fall; locate in full to partial sun &amp; neutral to acidic well-drained moisture retentive soil; Zones 5 - 7</i>		30 - 36"	10g	
<b>Viburnum dentatum</b> Arrowwood Viburnum <i>DECIDUOUS FLOWERING SHRUB; white flower in June; black fruit in fall; variable fall foliage of yellows &amp; reds; upright to broadly upright habit to 15' tall; locate in full sun or moderate shade; prefers well-drained soil but is very adaptable including coastal locations; native to US &amp; Canada; Zones (2) 3 - 8</i>		30 - 36" 4 - 5' 5 - 6'	7g B&B B&B	N
<b>Viburnum nudum Brandywine</b> (Bulk) Smooth Witherod; Possumhaw Viburnum <i>DECIDUOUS FLOWERING SHRUB; dark glossy foliage turns brilliant reddish-purple in fall; creamy white flowers in late May; very showy fruit clusters start greenish then pink before turning blue with both colors visible in early fall; bushy grower to 5' high &amp; wide; locate in full sun to partial shade with moist well drained soil; drought tolerant; eastern US native (Bulk) Zones 5 - 9</i>		24 - 30" 24 - 30"	7g 10g	N N
<b>Viburnum nudum 'Winterthur'</b> Smooth Witherod <i>DECIDUOUS FLOWERING SHRUB; dark glossy foliage turns brilliant reddish-purple in fall; creamy white flowers in late May; fruit emerges white before turning pink, then red, then blue; locate in full sun to partial shade with moist well drained soil; drought tolerant; PHS Gold Metal; eastern US native; Zones 5 - 9</i>		30 - 36"	7g	N

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com



# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
<b>Viburnum opulus subsp. americanum 'Wentworth'</b> American Cranberrybush Viburnum <i>DECIDUOUS FLOWERING SHRUB; white spring lacecap flower in mid to late May; fruit changes from yellow-red to bright red in mid to late fall and is larger and more persistent than the species; reddish fall foliage; intermediate grower to 12' tall and almost as wide; locate in full sun to partial shade &amp; moist to well-drained acidic soil; native to US &amp; Canada [newly named: V. opulus subsp. americanum] Zones 4 - 7</i>		24 - 30" 30 - 36"	7g 10g	<b>N</b>
<b>Viburnum plicatum f. tomentosum 'Mariesii'</b> Doublefile Viburnum <i>DECIDUOUS FLOWERING SHRUB; horizontal spreading branches are covered by white flowers in May, followed by red fruit in summer that turns to black; grows to 8' tall by 12' wide; locate in full sun to light shade &amp; well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)</i>	Ltd	30 - 36" 3 - 4' 4 - 5' 5 - 6' 6 - 7'	15g B&B B&B B&B B&B	<b>N</b>
<b>Viburnum plicatum f. tomentosum 'Summer Snowflake'</b> Compact Reblooming Double-file Viburnum <i>DECIDUOUS FLOWERING SHRUB; sterile white flowers sporadically all summer; fall foliage is purplish-red; compact habit to 5'; may be the same plant as 'Watanabei'; locate in full sun to light shade &amp; well-drained moisture retentive soil; native to eastern Asia; Zone 5 - 7 (8)</i>	V Ltd	24 - 30"	10g	
<b>Viburnum x pragense</b> Prague Viburnum <i>EVERGREEN FLOWERING SHRUB; small narrow glossy leathery evergreen foliage; pink flower buds open white; bushy upright habit to 10' tall &amp; nearly as wide; locate in full sun to light shade &amp; well-drained moisture retentive acidic soil; Zones 5 - 8</i>		4 - 5' 5 - 6'	B&B B&B	
<b>Viburnum prunifolium</b> Blackhaw Viburnum <i>DECIDUOUS FLOWERING SHRUB; small white flower clusters in May are a little malodorous; black fruit in September; purple-red fall foliage; upright habit to 15'; locate in full sun or shade &amp; well-drained soil; drought tolerant; US native; Zones 3 - 9</i>		30 - 36"	10g	<b>N</b>
<b>Viburnum rhytidophyllum</b> Leatherleaf Viburnum <i>EVERGREEN FLOWERING SHRUB; yellowish-white flowers in mid May; fruit opens red before maturing to black in fall; long narrow foliage is semi-evergreen in northern range - especially dependent on winter wind exposure; upright bushy habit to 15' tall &amp; slightly narrower; locate in light to medium shade &amp; well-drained moisture retentive acidic soil; native to China; Zones 5 - 7</i>	Ltd V Ltd	4 - 5' 5 - 6' 6 - 7' 7 - 8'	B&B B&B B&B B&B	
<b>Viburnum trilobum 'Wentworth'</b> <i>see: Viburnum opulus subsp. americanum 'Wentworth'</i>				
<b>Zelkova serrata 'Burgundy Vase'</b> Japanese Zelkova <i>DECIDUOUS SHADE TREE; dark green summer foliage turns burgundy in fall; upright arching heads to about 50' tall by 35' wide; tolerant of urban conditions; locate in full sun or light shade &amp; moist well-drained soil of varying pH; PHS Gold Metal; Asian native; Zones (4) 5 - 8</i>	V Ltd V Ltd V Ltd	3 - 3.5" 3.5 - 4" 4 - 4.5"	B&B B&B B&B	<b>N</b>
<b>Zelkova serrata 'Green Vase'</b> Japanese Zelkova <i>SHADE TREE; vigorous upright spreading branches; orange to bronze fall foliage; locate in full sun or light shade &amp; moist well-drained soil of varying pH; tolerant of urban conditions; PHS Gold Metal; Asian native; Zones (4) 5 - 8</i>	Ltd V Ltd	3 - 3.5" 3.5 - 4" 4 - 4.5"	B&B B&B B&B	<b>N</b> <b>N</b> <b>N</b>

# Fernbrook Nursery Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
<b>Zelkova serrata 'Musashino'</b> Fastiate Japanese Zelkova <i>SHADE TREE; very narrow upright vase-shaped heads; great for tight spaces; yellow fall foliage; locate in full sun or light shade &amp; moist well-drained soil of varying pH; tolerant of urban conditions; Asian native; Zones (4) 5 - 8</i>		2 - 2.5" c 2.5 - 3" c	B&B B&B		N N

13 Decision Way West  
 Washington Crossing, PA 18977-1125  
 www.phintuthill.com

represented by:

phone: (215) 321-4545  
 fax: (267) 397-2076  
 email: Phin@RPTuthill.com

