

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Acer x freemanii Armstrong Goldã€žç ('JFS-KW78') LOW BRANCHED Columnar Freeman Maple <i>DECIDUOUS SHADE TREE; narrow upright habit to about 40' by 12' in 30 years; finer textured foliage & greater branch density than 'Armstrong'; rich green summer foliage turns gold to golden orange in fall; locate in full sun & most any soil regardless of acidity or moisture but not wet; US native (Schmidt / Warren) Zones 4 - 9</i>	H	2 - 2.5'c	B&B	N
Acer x freemanii Armstrong Goldã€žç ('JFS-KW78') TREE FORM Columnar Freeman Maple <i>DECIDUOUS SHADE TREE; narrow upright habit to about 40' by 12' in 30 years; finer textured foliage & greater branch density than 'Armstrong'; rich green summer foliage turns gold to golden orange in fall; locate in full sun & most any soil regardless of acidity or moisture but not wet; US native (Schmidt / Warren) Zones 4 - 9</i>	H/L	2 - 2.5'c	B&B	
Acer griseum SHRUB FORM Paperbark Maple <i>DECIDUOUS ORNAMENTAL TREE; inconspicuous yellowish spring flower yields approx. 2" long samaras; showy exfoliating bark is usually cinnamon to orange; green summer foliage usually turns shades of red in the fall; variable growth & branching reaching to about 25' tall & wide; branching starts at the ground sometimes with multiple main trunks; tolerates alkaline & clay soil; not drought tolerant; locate in full sun to partial shade (preferred) & most soils with good to moderate drainage; PHS Gold Metal; Chinese native; Zones 4 - 8</i>	H H H	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	
Acer griseum TREE FORM Paperbark Maple <i>DECIDUOUS ORNAMENTAL TREE; inconspicuous yellowish spring flower yields approx. 2" long samaras; showy exfoliating bark is usually cinnamon to orange; green summer foliage usually turns shades of red in the fall; variable growth & branching reaching to about 25' tall & wide; usually a single trunk for 3' to 6'; tolerates alkaline & clay soil; not drought tolerant; locate in full sun to partial shade (preferred) & most soils with good to moderate drainage; PHS Gold Metal; Chinese native; Zones 4 - 8</i>	H/L H/L L	2 - 2.5'c 2.5 - 3'c 3 - 3.5'c	B&B B&B B&B	
Acer palmatum 'Bloodgood' Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red spring & summer foliage turns bright crimson in fall; broadly upright habit to 25' or more in 25 years; branching starts about 3' or more above grade; locate in full sun to partial shade & well-drained moisture retentive organic soil; afternoon shade helps retain best foliage colors; Japanese native; Zones 5 - 7</i>	H H H	6 - 7' 7 - 8' 8 - 9'	B&B B&B B&B	N
Acer palmatum Emperor 1ã€ž,® ('Wolff') Red Japanese Maple <i>DECIDUOUS ORNAMENTAL TREE; dark red foliage from spring through summer; bud-break a little later than 'Bloodgood' in spring; more upright and darker red foliage in late summer than 'Red Emperor'; afternoon shade helps retain best foliage colors; locate in full sun to partial shade & well-drained moisture retentive organic soil; Japanese native (Wolff) Zones 5 - 7</i>	L	6 - 7'	B&B	N
Acer platanoides 'Royal Red' Redleaf Norway Maple <i>DECIDUOUS SHADE TREE; masses of non-ornamental yellowish flowers before the foliage; profuse 2" light green samaras in early summer; dark burgundy-red foliage all spring and summer; compact rounded head reaching about 40' tall & wide; attracts pollinators; tolerates drought & air pollution; shallow root system & dense shade makes under-planting of most plants difficult; considered invasive in many areas; locate in full sun to partial shade & any soil with adequate drainage; European native; Zones (3) 4 - 7</i>	L L	2 - 2.5'c 2.5 - 3'c	B&B B&B	N N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Acer rubrum 'October Glory' Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; brilliant orange-red to red fall foliage; the last A. rubrum to color in fall; broad oval head to about 50' tall & about as wide; locate in full sun & moisture retentive well-drained slightly acidic soil; not as cold hardy as Red Sunset; US native (Flemer) Zone 5 - 9</i>	L L L	2 - 2.5'c 2.5 - 3'c 3 - 3.5'c	B&B B&B B&B		N N N
Acer rubrum Red Sunset[™],[®] ('Franksred') Red Maple; Swamp Maple <i>DECIDUOUS SHADE TREE; small dark red flowers in early spring; pyramidal to rounded head to about 50' tall; showy orange to red fall foliage; locate in full sun & moisture retentive well-drained slightly acidic soil; US native; not as drought tolerant as most other cultivars (Schmidt) Zones 4 - 9</i>	L L T	2 - 2.5'c 2.5 - 3'c 3.5 - 4'c	B&B B&B B&B		
Acer saccharum Fall Fiesta[™],[®] ('Bailsta') Sugar Maple <i>DECIDUOUS SHADE TREE; thick glossy green summer foliage resists leaf tatter & leafhopper damage; fall foliage is more red & orange than most other cultivars; rapid upright grower to about 60' tall by 50' wide; locate in full sun or partial shade & well-drained organic soil; not tolerant of compacted soils deicing salt reflected heat or restricted root zones; US native (Bailey) Zones 4 - 7</i>	L L	2 - 2.5'c 2.5 - 3'c	B&B B&B		N N
Acer saccharum 'Green Mountain' Sugar Maple <i>DECIDUOUS SHADE TREE; thick matt-green foliage resists scorch & leaf tatter; variable yellow to orange fall foliage; oval to rounded head reaching about 70' tall by 50' wide; heat resistant cultivar; locate in full sun or partial shade & well-drained organic soil; not tolerant of compacted soils deicing salt reflected heat or restricted root zones; may be a cross with A. nigrum; US native (Flemer) Zones 4 - 8</i>	L/T L L	2 - 2.5'c 2.5 - 3'c 3 - 3.5'c	B&B B&B B&B		N
Aesculus x arnoldiana 'Autumn Splendor' Hybrid Buckeye <i>DECIDUOUS SHADE TREE; large creamy-white pyramidal flower panicles in spring; fruit is ornamentally insignificant; glossy dark green summer foliage turns beautiful orange-crimson in fall; upright oval habit to about 35' tall by 30' wide; locate in full or partial sun & well-drained moisture retentive soil [(A. glabra x A. flava) x A. pavia] (U of MN) Zones (3) 4 - 8</i>	H	2.5 - 3'c	B&B		N
Aesculus x carnea 'Fort McNair' Pink Buckeye; Pink Horse Chestnut <i>DECIDUOUS ORNAMENTAL TREE; 6-8" dark pink panicles with yellow throats in late spring; slightly more resistant to leaf blotch; rounded habit to about 40' tall & wide; locate in full sun to partial shade & well drained organic soil of about any pH [A. pavia x A. hippocastanum] Zones 4 - 7</i>	H	2 - 2.5'c	B&B		
Aesculus parviflora SHRUB FORM Bottlebrush Buckeye <i>DECIDUOUS FLOWERING SHRUB; upright white panicles to 12" tall in early summer; shrubby wide-spreading habit to about 15' tall; suckering shrub that can get as wide as allowed; locate in full sun to light shade & rich organic slightly acidic well-drained moisture retentive soil; PHS Gold Metal; southeast US native; Zones 4 - 8 (9)</i>	T	5 - 6'	B&B		N
Amelanchier x grandiflora 'Autumn Brilliance' SHRUB FORM Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly upright upright habit to about 25' tall & wide; stoloniferous; locate in full sun to partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>	H/L H/L/T H/L/T H/T H/T	5 - 6' 6 - 7' 7 - 8' 8 - 10' 10 - 12'	B&B B&B B&B B&B B&B		N

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Amelanchier x grandiflora 'Autumn Brilliance'	L	1.75 - 2" c	B&B	
	TREE FORM H/T	2 - 2.5" c	B&B	
<p>Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun to partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell)</i> Zones 4 - 9</p>				
Amelanchier x grandiflora 'Robin Hill'	L	2 - 2.5" c	B&B	N
	TREE FORM			
<p>Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; pink buds open soft pink and quickly fade to white in April; edible blue-black fruit matures in June; foliage resists leaf spot & turns shades of yellow & red in fall; bushy upright habit to about 25' tall by 15' wide; locate in full sun to partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] Zones 4 - 8</i></p>				
Amelanchier lamarckii	H	5 - 6'	B&B	N
	SHRUB FORM H	6 - 7'	B&B	
	H	8 - 10'		N
<p>Juneberry; Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; mildly fragrant white flowers in April before the foliage emerges; sweet black edible fruit appears in June; foliage emerges purplish (with silky hairs on new stems & foliage), turns dark green through summer & becomes shades of orange & red in fall; bushy upright habit to about 20' high & wide; very similar to A. laevis (smooth new stems & foliage); locate in full sun or part shade & neutral well-drained soil; N. American native; Zones 4 - 8</i></p>				
Aronia arbutifolia 'Brilliantissima'	T	6 - 7'	B&B	
	T	7 - 8'	B&B	
<p>Red Chokeberry <i>DECIDUOUS FLOWERING SHRUB; upright suckering shrub to 10'; white flowers in May; brilliant red fall foliage; persistent red fruit; glossy dark green summer foliage; locate in full sun to part shade; tolerant of most soils that don't stay wet; eastern US native; PHS Gold Metal; Zones 4 - 9</i></p>				
Betula nigra Dura Heat Tolerant 1/2 (BNMFT)	T	8 - 10'	B&B	
	CLUMP T	10 - 12'	B&B	
	T	12 - 14'	B&B	
	T	14 - 16'	B&B	N
	T	16 - 18'	B&B	N
	<p>River Birch <i>DECIDUOUS ORNAMENTAL TREE; non-ornamental brownish-green catkins in early spring; exfoliating creamy bark with tanish-pink interior exfoliates at an early age; darker green summer foliage than Heritage turns good yellow in fall & is held longer; improved leaf spot resistance; broadly upright habit to about 40' tall by 35' wide; tolerates wet soil, air pollution & limited drought; fall dig hazard; locate in full sun or minimal shade & moist acidic soil; US native; Zones 3 - 9</i></p>			
Betula nigra Dura Heat Tolerant 1/2 (BNMFT)	T	2 - 2.5" c	B&B	
	TREE FORM T	3 - 3.5" c	B&B	N
	T	3.5 - 4" c	B&B	N
<p>River Birch <i>DECIDUOUS ORNAMENTAL TREE; non-ornamental brownish-green catkins in early spring; exfoliating creamy bark with tanish-pink interior exfoliates at an early age; darker green summer foliage than Heritage turns good yellow in fall & is held longer; improved leaf spot resistance; broadly upright habit to about 40' tall by 35' wide; tolerates wet soil, air pollution & limited drought; fall dig hazard; locate in full sun or minimal shade & moist acidic soil; US native; Zones 3 - 9</i></p>				
Betula nigra Fox Valley / Little King	H	3 - 4'	B&B	
	CLUMP H	4 - 5'	B&B	
	H	5 - 6'	B&B	
<p>Dwarf River Birch <i>DECIDUOUS ORNAMENTAL TREE; insignificant flowers are brown (male) or green (female) catkins in spring; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of yellow in fall; very compact bushy habit to about 10' tall & wide in 10 years; resists leaf spot & borers; tolerates drought & wet soils; fall dig hazard; locate in full sun or minimal shade & moist acidic soil; US native (Jacobson / King N) Zones (3) 4 - 9</i></p>				

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Betula nigra Fox Valley <i>ƒâ€šƒ,® / Little King</i>	H	3 - 4'	B&B	
	SHRUB FORM H	4 - 5'	B&B	
<p>Dwarf River Birch <i>DECIDUOUS ORNAMENTAL TREE; insignificant flowers are brown (male) or green (female) catkins in spring; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of yellow in fall; very compact bushy habit to about 10' tall & wide in 10 years; resists leaf spot & borers; tolerates drought & wet soils; fall ig hazard; locate in full sun or minimal shade & moist acidic soil; US native (Jacobson / King N) Zones (3) 4 - 9</i></p>				
Betula nigra Heritage <i>ƒâ€šƒ,® ('Cully')</i>	H	8 - 10'	B&B	
	CLUMP H	10 - 12'	B&B	
	H	12 - 14'	B&B	
<p>River Birch <i>DECIDUOUS ORNAMENTAL TREE; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of yellow in fall; leaf spot resistance; broadly upright habit to about 45' tall by 30' wide; 3 or more main trunks; fall dig hazard; locate in full sun or minimal shade & moist acidic soil; somewhat drought tolerant; supposedly improved selection of original Heritage; US native (Cully) Zones 3 - 9</i></p>				
Betula populifolia	H	8 - 10'	B&B	
	CLUMP H	10 - 12'	B&B	
<p>Gray Birch <i>DECIDUOUS ORNAMENTAL TREE; small monoecious Male & female flowers aren't ornamental; long triangular dark green summer foliage turns yellowish in fall; reddish young bark becomes chalky white at maturity & is non-exfoliating; upright habit to as much as 40' tall by 20' wide at maturity; trunks are seldom straight & often appear in clumps; fall dig hazard; short lived; somewhat resistant to bronze Birch borer; tolerates more than average moisture; intolerant of fall digging & high summer temps; locate in full sun to partial shade & well-drained moisture retentive soil; native to northeastern US; Zones 3 - 6</i></p>				
Betula populifolia	H	2 - 2.5'c	B&B	N
	TREE FORM			
<p>Gray Birch <i>DECIDUOUS ORNAMENTAL TREE; small monoecious Male & female flowers aren't ornamental; long triangular dark green summer foliage turns yellowish in fall; reddish young bark becomes chalky white at maturity & is non-exfoliating; upright habit to as much as 40' tall by 20' wide at maturity; trunks are seldom straight & often appear in clumps; fall dig hazard; short lived; somewhat resistant to bronze Birch borer; tolerates more than average moisture; intolerant of fall digging & high summer temps; locate in full sun to partial shade & well-drained moisture retentive soil; native to northeastern US; Zones 3 - 6</i></p>				
Buxus sinica var. insularis 'Winter Gem'	T	30 - 36" spr	B&B	
<p>Korean Littleleaf Boxwood <i>BROADLEAF EVERGREEN SHRUB; new lime-green foliage matures to dark glossy green; compact spreading habit to about 4' tall & wide in 10 years; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; Japan native; Zones 5 - 9</i></p>				
Callitropsis nootkatensis				
<p><i>see: Chamaecyparis nootkatensis 'Pendula'</i></p>				
Carpinus betulus	H	6 - 7'	B&B	
	LOW BRANCHED HEDGE H	7 - 8'	B&B	
	H	8 - 9'	B&B	
	H	9 - 10'	B&B	
	H	10 - 12'	B&B	N
	<p>European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; dark green summer foliage turns yellowish then tan by winter; columnar habit when young matures to about 40' tall & about 30' wide; good for hedging as it takes shearing well & the foliage is often retained through winter - especially in protected locations; branching usually starts about 5' above the ground on a single trunk & the heads are sheared into square columns; often used for tall screening; locate in full sun or part shade & any soil with moderate drainage; native to Europe & Asia Minor; Zones 5 - 8</i></p>			

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Carpinus betulus 'Fastigiata' Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer foliage turns yellowish then tan by winter; columnar habit when young matures to about 40' tall & about 30' wide; good for hedging as it takes shearing well & the foliage is often retained through winter - especially in protected locations; branching normally starts about 4' above the ground; locate in full sun or part shade & any soil with moderate drainage; native to Europe & Asia Minor; Zones 5 - 8</i>		2 - 2.5'c	B&B		
BRANCHED @ 2'					
Carpinus betulus 'Fastigiata' Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer foliage turns yellowish then tan by winter; columnar habit when young matures to about 40' tall & about 30' wide; good for hedging as it takes shearing well & the foliage is often retained through winter - especially in protected locations; branching normally starts about 5' above the ground; locate in full sun or part shade & any soil with moderate drainage; native to Europe & Asia Minor; Zones 5 - 8</i>	L/T	2 - 2.5'c	B&B		N
TREE FORM	T	6.5 - 7'c	B&B		N
	T	7 - 7.5'c	B&B		N
	T	7.5 - 8'c	B&B		N
	T	8 - 8.5'c	B&B		N
	T	8.5 - 9'c	B&B		
	T	9 - 9.5'c	B&B		
	T	9.5 - 10'c	B&B		N
	T	10 - 10.5'c	B&B		N
	T	10.5 - 11'c	B&B		
Carpinus caroliniana American Hornbeam; Ironwood; Musclewood <i>DECIDUOUS SHADE TREE; inconspicuous white (female) or green (male) catkins in early spring; new foliage emerges with purplish tints before maturing to dark green by summer then variable shades of yellow orange or red in fall; smooth irregularly fluted gray bark; slow broadly upright habit to about 30' tall & wide; tolerant of heavy shearing & Black Walnut; branching starts about 4' above the ground; locate in full sun or full shade & just about soil condition; US native; Zones 3 - 9</i>	H/T	2 - 2.5'c	B&B		
	H/T	2.5 - 3'c	B&B		N
	T	3 - 3.5'c	B&B		N
	T	3.5 - 4'c	B&B		N
Carpinus caroliniana Wisconsin Red ĀcāĒçĳ ('My Select Strain') American Hornbeam; Ironwood; Musclewood <i>DECIDUOUS SHADE TREE; inconspicuous white (female) or green (male) catkins in early spring; reddish-orange to brown nut in fall; dark green summer foliage becomes variable shades of red, orange & yellow in fall; best fall color in full sun; smooth irregularly fluted gray bark; broadly upright heads to about 20' tall by 15' wide; locate in full sun or full shade & well-drained moisture retentive neutral or acidic soil; US native (Yanny) Zones 3 - 9</i>	H	2 - 2.5'c	B&B		
	H	2.5 - 3'c	B&B		
Cedrus atlantica 'Glauca' Blue Atlas Cedar <i>EVERGREEN ORNAMENTAL CONIFER; dark blue needles; somewhat open & upright when young; matures to a large pyramid or irregular flat-topped to about 60'+ tall by 40' wide; somewhat drought tolerant; protect from winter winds in northern range; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; north African native; Zones (5) 6 - 9</i>	H	10 - 12'	B&B		
Cedrus atlantica 'Glauca Pendula' Weeping Blue Atlas Cedar <i>EVERGREEN ORNAMENTAL CONIFER; blue-green needles; trunks are staked in an undulating shape to resemble a multi-curved S; ultimate shape and undulation will vary with staking; somewhat drought tolerant; protect from winter winds in northern range; locate in full to mostly sunny locations & well-drained organic moisture retentive soil; north African native; Zones (5) 6 - 9</i>	H	6 - 7'	B&B		
SERPENTINE	H	7 - 8'	B&B		
Cedrus deodara Deodara Cedar; Himalayan Cedar <i>EVERGREEN CONIFER; medium green pointed needles; densely pyramidal habit when young maturing to about 60' or more tall by 40' wide at the base; somewhat deer browse resistant & drought tolerant; locate in full to mostly sunny locations & organic well-drained moisture retentive soil; protect from winter winds in northern range; native to western Himalaya; Zones (6) 7 - 9</i>	H	6 - 7'	B&B		
	H	7 - 8'	B&B		
	H	8 - 9'	B&B		
	H	9 - 10'	B&B		
	H	10 - 12'	B&B		
	H	12 - 14'	B&B		N

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cercidiphyllum japonicum Katsura Tree <i>DECIDUOUS SHADE TREE; foliage emerges reddish-purple before maturing to blue-green by summer then turns yellow to soft orange in fall; fallen fall foliage has a sweet smell; upright habit when young to about 50' or more tall becomes as wide as tall at maturity; locate in full sun or partial shade & well-drained moisture retentive soil; not drought tolerant; native to Japan & China; Zones 4 - 8</i>	L/T	2 - 2.5" c	B&B	
	T	3 - 3.5" c	B&B	
Cercidiphyllum japonicum 'Pendulum' Weeping Katsura <i>DECIDUOUS ORNAMENTAL TREE; non-ornamental red (male) or green (female) flowers appear just before the foliage; 3/4" long green pods appear on pollinated female trees; foliage emerges reddish-purple before maturing to blue-green by summer then turns yellow to soft orange in fall; fallen fall foliage has a sweet smell; typical blue-green foliage is yellow to soft orange in fall; broadly very graceful arching heads; attracts birds; resists verticillium wilt; not drought tolerant; locate in full sun or partial shade & well-drained moisture retentive soil; native to Japan & China; Zones 4 - 8</i>	T	6 - 6.5" c	B&B	
	T	6.5 - 7" c	B&B	
	T	7 - 7.5" c	B&B	
	T	7.5 - 8" c	B&B	
	T	8 - 8.5" c	B&B	
	T	9 - 9.5" c	B&B	
Cercidiphyllum japonicum 'Pendulum' MULTI-STEM Weeping Katsura <i>DECIDUOUS ORNAMENTAL TREE; non-ornamental red (male) or green (female) flowers appear just before the foliage; 3/4" long green pods appear on pollinated female trees; foliage emerges reddish-purple before maturing to blue-green by summer then turns yellow to soft orange in fall; fallen fall foliage has a sweet smell; typical blue-green foliage is yellow to soft orange in fall; broadly very graceful arching heads; attracts birds; resists verticillium wilt; not drought tolerant; locate in full sun or partial shade & well-drained moisture retentive soil; native to Japan & China; Zones 4 - 8</i>	T	18 - 20'	B&B	
Cercidiphyllum japonicum 'Red Fox' / 'Rotfuchs' TREE FORM Red Katsura <i>DECIDUOUS SHADE TREE; non-ornamental red (male) or green (female) flowers appear just before the foliage; 3/4" long green pods appear on pollinated female trees; foliage emerges reddish-purple before maturing to blue-green by summer then turns yellow to soft orange in fall; fallen fall foliage has a sweet smell; foliage emerges reddish-purple before maturing to blue-green by summer then turns yellow to soft orange in fall; fallen fall foliage has a sweet smell; upright habit when young to about 50' or more tall becomes as wide as tall at maturity; attracts birds; resists verticillium wilt; not drought tolerant; locate in full sun or partial shade & well-drained moisture retentive soil; native to Japan & China; Zones 4 - 8</i>	T	3.5 - 4" c	B&B	N
Cercis canadensis SHRUB FORM Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching starts at the ground; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones (3) 4 - 9</i>	H	6 - 7'	B&B	
	H	7 - 8'	B&B	
	H	8 - 10'	B&B	
	H/L	10 - 12'	B&B	
	T	16 - 18'	B&B	
Cercis canadensis TREE FORM Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching usually starts about 3' to 5' above the ground from a single stem; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones (3) 4 - 9</i>	H	2 - 2.5" c	B&B	

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cercis canadensis 'Appalachian Red' Pink Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; reddish-purple buds open to bright pink flowers in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Byrkit) Zones 4 - 9</i>	L	1.75 - 2" c	B&B	N
Cercis canadensis 'Forest Pansy' Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges purple before becoming dark purplish-green by mid-summer then variable shades of yellow in fall; wide-spreading multi-stemmed bush to as much as 25' tall by 35' wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil; US native (Forest N) Zones (4) 5 - 9</i>	T	6 - 7'	B&B	N
LOW BRANCHED				
Cercis canadensis 'Forest Pansy' Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges purple before becoming dark purplish-green by mid-summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil; US native (Forest N) Zones (4) 5 - 9</i>	H/T	2 - 2.5" c	B&B	
TREE FORM				
Cercis canadensis Lavender Twist (Covey) Weeping Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink flowers in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; strictly weeping habit; height determined by staking; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil; US native (Brotzman) Zones 4 - 9</i>	T T	5 - 6' 6 - 7'	B&B B&B	
Cercis canadensis 'Merlot' Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright pink self-cleaning flowers in April; low seed set; smaller thicker spring foliage emerges purple before turning dark green by late summer then variable shades of yellow in fall; compact spreading habit to about 20' tall by 25' wide; branching more horizontal than 'Forest Pansy'; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet soil; parentage makes it more heat & drought tolerant; US native ['Texas White' x 'Forest Pansy'] (Werner / Plant Haven) Zones 4 - 9</i>	H	2 - 2.5" c	B&B	
Cercis canadensis Midnight Express (RNI-RCC3) Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright pink pea-shaped flowers in April; velvety purple foliage; upright oval heads to about 30" tall by 20" wide; attracts hummingbirds; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil; US native (Robinson / PW) Zones 4 - 9</i>	H	2 - 2.5" c	B&B	
Cercis canadensis 'Ruby Falls' Weeping Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; reddish-purple buds open to bright pink flowers in April; spring foliage emerges purple then becomes purplish-green by summer & variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native [C.c. 'Covey' x C.c. 'Forest Pansy'] (Byrkit / Werner) Zones 4 - 9</i>	H H H	4 - 5' 6 - 7' 7 - 8'	B&B B&B B&B	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Chamaecyparis nootkatensis Alaskan Cedar <i>EVERGREEN ORNAMENTAL CONIFER; flat sprays of green foliage; large columnar habit to about 50' tall by 25' wide in time; locate in full sun or partial shade & deep organic well-drained moisture retentive soil; northwestern US native [Genus renamed: Callitropsis] Zones 4 - 7 (8)</i>	H	6 - 7'	B&B	
Chamaecyparis nootkatensis 'Pendula' Weeping Alaskan Cedar <i>EVERGREEN ORNAMENTAL CONIFER; flatened sprays of medium green foliage; pronounced single leader; appears to be several forms with branches arching out & downward from the trunk or weeping from horizontal secondary branches; irregular pyramidal habit to about 15' tall by 8' wide in 10 years; locate in full sun or partial shade & deep organic well-drained moisture retentive soil; northwestern US native [Genus renamed: Callitropsis] Zones 4 - 7 (8)</i>	H H H	5 - 6' 6 - 7' 7 - 8'	B&B B&B B&B	N N N
Chamaecyparis obtusa 'Fernspray Gold' Golden Fernspray Hinoki Cypress <i>EVERGREEN ORNAMENTAL CONIFER; flat golden fishbone-like foliage; compact bushy pyramidal habit to about 5' tall by 4' wide at the base in 10 years; 'Filicoides Gold' is probably the same plant; locate in full to mostly sunny location & organic well-drained moisture retentive soil; Japanese native (Duncan & Davies) Zones 5 - 8</i>	H	5 - 6'	B&B	N
Cladrastis kentukea American Yellowwood <i>DECIDUOUS SHADE TREE; fragrant white panicles in late May bloom heaviest on alternate years; bright yellowish-green summer foliage turns golden in fall; upright habit to about 50' or more tall with a broader spread when mature; locate in full sun & well-drained soil of any pH; PHS Gold Metal; formerly named C. lutea; US native; Zones (3) 4 - 8</i>	L H/L H/T	2 - 2.5' 2.5 - 3' 3 - 3.5'	B&B B&B B&B	
Clethra alnifolia 'Hummingbird' Compact Summersweet <i>DECIDUOUS FLOWERING SHRUB; fragrant white flowers in July; compact upright form; locate in full sun to partial shade; likes moist to wet acidic soils & coastal conditions; PHS Gold Metal; eastern US native; Zones 4 - 9</i>	H	2 - 3'	B&B	
Cornus alternifolia Pagoda Dogwood <i>DECIDUOUS ORNAMENTAL TREE; extremely fragrant yellowish-white flat-topped cymes in late May; small fruit appears in late July that transitions from green to red to bluish-black; wide spreading horizontal habit to 25' tall by 40' wide; dark green summer foliage turns reddish in fall; locate in partial shade & well-drained acidic soil; US native; Zones 3 - 7</i>	T T T	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B	LOW BRANCHED
Cornus florida Cherokee Brave (Comco No. 1) Red Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; dark pink (light red) bracts in May are almost white in the center; red fruit in late summer loved by birds; bright red fall foliage; layered spreading habit to about 25' tall & wide; more disease resistant; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native (Nicholson) Zones (5) 6 - 9</i>	H H H	6 - 7' 7 - 8' 8 - 9'	B&B B&B B&B	
Cornus florida 'Cherokee Princess' White Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse large white bracts; red fruit in late summer loved by birds; bright red fall foliage; layered spreading habit to about 25' tall & wide; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9</i>	H H	6 - 7' 7 - 8'	B&B B&B	

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cornus kousa				
	H/L	6 - 7'	B&B	
LOW BRANCHED	H/L	7 - 8'	B&B	
Chinese Kousa Dogwood; Chinese Dogwood	H/L	8 - 9'	B&B	N
<i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; reddish-orange fall foliage; flowers, fruit & foliage reported to be slightly larger than the species; mottled gray & tan exfoliating bark; vase shaped when young becomes as high & wide at maturity - about 25'; plants have a short trunk of approximately 18"; locate in full sun to partial shade & acidic organic well-drained moisture retentive soil; Asian native; Zones 5 - 8</i>	L	9 - 10'	B&B	N
Cornus kousa				
	H	6 - 7'	B&B	
TREE FORM	H	7 - 8'	B&B	
Chinese Kousa Dogwood; Chinese Dogwood	H	8 - 9'	B&B	
<i>DECIDUOUS ORNAMENTAL TREE; showy creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; reddish-orange fall foliage; flowers, fruit & foliage reported to be slightly larger than the species; mottled gray & tan exfoliating bark; vase shaped when young becomes as high & wide at maturity - about 25'; plants have a single trunk with branching starting at about 2-3'; locate in full sun to partial shade & acidic organic well-drained moisture retentive soil; Asian native; Zones 5 - 8</i>	H	9 - 10'	B&B	N
Cornus kousa 'Milky Way'				
Kousa Dogwood; Japanese Dogwood	T	6 - 7'	B&B	
<i>DECIDUOUS ORNAMENTAL TREE; profuse creamy-white bracts from late May into June; bright pinkish-red edible round fruit from late summer into fall; dark green summer foliage turns reddish-orange in fall; mottled gray & tan exfoliating bark; more horizontal & tree-form than the species to about 20' tall by 25 wide; locate in full sun to partial shade with good organic well drained soil that's neutral to slightly acidic; Asian native; Zones 5 - 8</i>	T	7 - 8'	B&B	
	T	8 - 9'	B&B	
Cornus kousa 'Satomi'				
Pink Kousa Dogwood; Pink Japanese Dogwood	H	6 - 7'	B&B	
<i>DECIDUOUS ORNAMENTAL TREE; intensity of the pink bracts varies annually from red to off white; glossy foliage with reddish tint; upright spreading heads; locate in full sun to partial shade with good organic well drained soil that's neutral to slightly acidic; Asian native; Zones 4 - 8</i>	H	7 - 8'	B&B	N
Cornus mas				
	T	10 - 12'	B&B	
LOW BRANCHED	T	14 - 16'	B&B	
Corneliancherry Dogwood	T	16 - 18'	B&B	
<i>DECIDUOUS ORNAMENTAL TREE; yellow flowers in March; bright red oval edible but sour fruit in July; exfoliating gray to brown bark; broadly upright habit to about 20' tall & wide; branching starts about 18" above the ground; locate in full sun to partial shade & organic moisture retentive well-drained soil; native to Europe & Asia; Zones 4 - 7</i>				
Cornus racemosa				
Gray Dogwood	H	6 - 7'	B&B	N
<i>DECIDUOUS FLOWERING SHRUB; whitish flower clusters in late spring aren't especially ornamental nor are the subsequent whitish fruit clusters in late summer; reddish-pink pedicels appear after the fruit & are its' most ornamental quality; medium green summer foliage turns variable shades of purplish-red in fall; variably red stems in late fall & winter; broadly upright suckering shrub to about 12' by 12'; spreads by root suckers; locate in full sun or shade & moist or rocky areas near waterways; US native; Zones (3) 4 - 8</i>	H	7 - 8'	B&B	N
	H	8 - 9'	B&B	N
Cornus x Scarlet Fire[™],[®] ('Rutpink')				
Pink Rutgers Hybrid Dogwood	H	6 - 7'	B&B	
<i>DECIDUOUS ORNAMENTAL TREE; profuse dark pink bracts in late May occur at an early age; new foliage has purplish tinge which matures to dark green by summer & turns shades of red in fall; 1" red balls of edible fruit in late summer; well-branched heads reach about 10' tall by 8' wide in 10 years; resistant to anthracnose & borers; locate in full sun to partial shade & good organic acidic well-drained moisture retentive soil [C. kousa x C. florida] (Molnar) Zones 5 - 7</i>	H	7 - 8'	B&B	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Cornus x. Aurora[™],[®] ('Rutban')	T	8 - 9'	B&B	
White Rutgers Hybrid Dogwood; White Stellar [™] , [®] Dogwood	T	9 - 10'	B&B	
<i>DECIDUOUS ORNAMENTAL TREE; profuse overlapping white bracts appear in mid to late May which become off-white in time; vigorously upright in youth becomes broader with age to about 25' tall by 20'</i>	T	10 - 12'	B&B	
<i>wide; fall foliage turns reddish-purple; resistant to anthracnose, borers & powdery mildew; locate in full sun to partial shade & organic well-drained moisture retentive acidic soil [C. kousa x C. florida] (Orton)</i>	T	12 - 14'	B&B	
	T	14 - 16'	B&B	
	T	16 - 18'	B&B	N
<i>Zones 5 - 7</i>	T	18 - 20'	B&B	N
Cornus x. Celestial[™],[®] ('Rutdan')	H	6 - 7'	B&B	
White Rutgers Hybrid Dogwood; White Stellar [™] , [®] Dogwood	H	7 - 8'	B&B	
<i>DECIDUOUS ORNAMENTAL TREE; white overlapping bracts in mid May; sterile; dark green summer foliage turns purplish-red in fall; habit is vigorously upright when young matures to about 18' tall by 15'</i>	H	8 - 9'	B&B	
<i>wide; resistant to anthracnose, borers & powdery mildew; locate in full sun to partial shade & organic well-drained moisture retentive acidic soil; originally released as C. x rutgersensis 'Galaxy' [C. kousa x C. florida] (Orton) Zones 5 - 7</i>	H	9 - 10'	B&B	N
	H	10 - 12'	B&B	
Cornus x. Celestial Shadow[™],[®] ('Michael Steinhardt')	H	6 - 7'	B&B	
Variegated Rutgers Hybrid Dogwood; Variegated Stellar [™] , [®] Dogwood	H	7 - 8'	B&B	
<i>DECIDUOUS ORNAMENTAL TREE; showy white bracts in mid to late May; yellow & green variegated spring & summer foliage turns shades of pink orange & red in fall; broadly upright habit to 20' tall & 20'</i>	H	8 - 10'	B&B	
<i>wide; locate in full sun to partial shade with good organic well-drained soil that's neutral to slightly acidic; US / Asian cross; sport of 'Celestial' (Shadow) Zones 5 - 7</i>				
Cornus x. Constellation[™],[®] ('Rutcan')	T	10 - 12'	B&B	
White Rutgers Hybrid Dogwood; White Stellar [™] , [®] Dogwood	T	12 - 14'	B&B	
<i>DECIDUOUS ORNAMENTAL TREE; white overlapping bracts in mid May; sterile; dark green summer foliage turns purplish-red in fall; habit is vigorously upright when young matures to about 18' tall by 15'</i>	T	14 - 16'	B&B	
<i>wide; resistant to anthracnose & borers; locate in full sun to partial shade & organic well-drained moisture retentive acidic soil; originally released as C. x rutgersensis 'Galaxy' [C. kousa x C. florida] (Orton) Zones 5 - 7</i>				
Cornus x. Hyperion[™],[®] ('KF111-1')	H	6 - 7'	B&B	
White Rutgers Hybrid Dogwood	H	7 - 8'	B&B	
<i>DECIDUOUS ORNAMENTAL TREE; profuse large white overlapping bracts from late May into June almost cover the foliage; attractive red fruit in fall is enjoyed by birds; rapid upright to spreading habit reaching 20' or more tall & wide at 20 years; dark green summer foliage turns shades of yellow, purple</i>	H	8 - 9'	B&B	
<i>& orange in fall; resistant to anthracnose, borers & drought; locate in full sun to partial shade & organic well-drained moisture retentive acidic soil [C. kousa x C. florida] (Orton) Zones 6 - 8</i>	H	9 - 10'	B&B	N
	H	10 - 12'	B&B	
Cornus x. Stellar Pink[™],[®] ('Rutgan')	H/T	6 - 7'	B&B	N
Pink Stellar [™] , [®] Dogwood	H/T	7 - 8'	B&B	
<i>DECIDUOUS ORNAMENTAL TREE; variable light pink to almost white bracts in mid to late May; sterile; intensity of pink varies from year to year; dark green summer foliage turns reddish-purple in fall; fairly rapid upright habit to about 25" tall by 20' wide in 25 years; resistant to anthracnose, borers</i>	H/T	8 - 9'	B&B	
<i>& powdery mildew; locate in full sun to partial shade & organic well-drained moisture retentive acidic soil [C. kousa x C. florida] (Orton) Zones 5 - 7</i>	H/T	9 - 10'	B&B	
	H/T	10 - 12'	B&B	
	T	12 - 14'	B&B	
	T	14 - 16'	B&B	
Cornus x. Venus[™],[®] ('KN30-8')	H/T	6 - 7'	B&B	
White Jersey Star [™] , [®] Dogwood	H/T	7 - 8'	B&B	
<i>DECIDUOUS ORNAMENTAL TREE; profuse 6" diameter white bracts in mid to late May; round red strawberry-like fruit in fall; dark green summer foliage turns orange in fall; vigorous upright vase-shaped habit to about 20' tall & wide in 20 years & even wider than tall at maturity; resistant to powdery mildew, anthracnose & borers; locate in full sun to partial shade & organic well-drained moisture retentive acidic soil [C. kousa x C. nuttallii x C. kousa] (Orton) Zones 6 - 8 (9)</i>	T	8 - 9'	B&B	N
	T	9 - 10'	B&B	
	T	10 - 12'	B&B	N
	T	12 - 14'	B&B	N

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Crataegus viridis 'Winter King' Green Hawthorn <i>DECIDUOUS ORNAMENTAL TREE; profuse white flowers in May; persistent red fruit from early fall through early winter; prominent thorns; smooth light gray bark; glossy dark green summer foliage turns scarlet in fall; spreading to rounded heads to about 20' tall by 25' wide in time; locate in full sun & any well drained soil; PHS Gold Metal; US native (Simpson N) Zones 4 - 7</i>	L H/T T	1.5 - 2'c 2 - 2.5'c 2.5 - 3'c	B&B B&B B&B		N
Cryptomeria japonica 'Yoshino' Pyramidal Japanese Cedar <i>EVERGREEN ORNAMENTAL CONIFER; bright green spring & summer foliage can bronze a little in winter; rapid pyramid habit to about 15' tall by 5' wide in 10 years; lighter green foliage than 'Radicans'; good for screening or specimen use; protect from winter winds in northern range; tolerates deer browse & drought; locate in full sun to partial shade & moisture retentive well-drained acidic soil; PHS Gold Metal; native to China & Japan; Zones (5) 6 - 8</i>	H H	6 - 7' 7 - 8'	B&B B&B		N N
Fagus grandiflora LOW BRANCHED HEDGE American Beech <i>DECIDUOUS SHADE TREE; dark green summer foliage turns golden bronze in fall and can stay on the tree through the winter; smooth silver-gray bark contrasts beautifully with the tan foliage all winter; edible nuts are an important wildlife food; large wide-spreading tree to about 70' tall & wide (if given space); branched from the ground & heavily sheared; climax forest tree; not tolerant of urban conditions or compacted soils; locate in sun or shade & well-drained organic slightly acidic soils; US native; Zones 4 - 9</i>	H	6 - 7'	B&B		
Fagus sylvatica LOW BRANCHED HEDGE European Beech <i>DECIDUOUS SHADE TREE; dark glossy green foliage turns reddish-bronze in fall and is usually retained for most of if not all winter; smooth medium gray bark; large broadly pyramidal tree to about 60' tall by 45' wide at maturity; heads sheared into square columns with about a 5' single trunk; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones (4) 5 - 7</i>	H H	6 - 7' 8 - 9'	B&B B&B		N
Fagus sylvatica 'Red Obelisk' Columnar Purple European Beech <i>DECIDUOUS ORNAMENTAL TREE; slightly dissected dark purple spring foliage that fades in summer; narrow columnar habit to about 50' tall by 15' wide in time; smooth medium gray bark; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones 4 - 7</i>	H	2 - 2.5'c	B&B		N
Fagus sylvatica 'Roseo-marginata' Tricolor European Beech <i>DECIDUOUS ORNAMENTAL TREE; dazzling pink & white margins around a purple center that matures to purple with white margins then greenish-purple; afternoon shade helps retain colors; upright somewhat open habit to about 30' tall by 20' wide; smooth medium gray bark; branching starts at or very near the ground; surface rooted; not tolerant of urban conditions or compacted soils; locate in sun or shade with well-drained organic soils; European native; Zones 4 - 7</i>	H	2 - 2.5'c	B&B		
Gleditsia triacanthos f. inermis Skyline^Å,® ('Skycole') Thornless Honeylocust <i>DECIDUOUS SHADE TREE; virtually seedless; small dark green compound summer foliage turns bright golden in fall; provides light dappled shade; upright pyramidal habit to about 20' tall by 15' wide in 10 years; very tolerant of urban conditions including soil compaction & salt; locate in full sun & moisture retentive neutral to alkaline soils; US native (Cole Ns) Zones 4 - 8 (9)</i>	L L L	2 - 2.5'c 2.5 - 3'c 3 - 3.5'c	B&B B&B B&B		N N N

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Hamamelis x intermedia 'Arnold Promise' Yellow Hybrid Witchhazel <i>DECIDUOUS FLOWERING SHRUB; large fragrant clear yellow ribbon-like flowers with a red calyx from late February into March; latest to flower of intermediate types; large green summer foliage turns yellow to orangish in fall; large broadly upright habit to about 12' high & wide; somewhat more susceptible to foliar diseases than others; tolerant of deer browse, clay soils & urban situations; locate in full sun to light shade & rich organic well-drained neutral to acidic soil; Asian cross [H. japonica x H. mollis] (Arnold Arb) Zones 5 - 8</i>	T T T	8 - 9' 12 - 14' 14 - 16'	B&B B&B B&B	
Hamamelis vernalis Vernal Witchhazel; Ozark Witchhazel <i>DECIDUOUS FLOWERING SHRUB; usually very fragrant narrow ribbon-like yellow to red flowers from late January into early March; dark green summer foliage turns yellow in fall; broadly upright habit to about 8' tall & wider; branches can arch downward & root to create broad colonies; deer browse resistant; locate in full sun to moderate shade & most soils including moist & poorly drained; central & southern US native; Zones (4) 5 - 8</i>	H	6 - 7'	B&B	
Heptacodium miconioides Temple of Bloom[™],® ('SNMHMRF') Seven-son Flower <i>DECIDUOUS ORNAMENTAL SHRUB; fragrant creamy white flowers in dense clusters from mid-summer into early fall; good pollen source; green fruit follows that turns rosy-pink & is effective into late fall; compact upright habit to about 8' tall & wide; tan exfoliating bark gives winter interest; locate in full sun to partial shade & organic moisture retentive well-drained acidic soil; Chinese native; Zones 5 - 8</i>	H	6 - 7'	B&B	N
Hydrangea paniculata Fire Light[™],® ('SMHPFL') TREE FORM Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large white sterile flowers from mid-summer into fall on new wood that turn reddish pink by late summer on sturdy stems; dark green summer foliage; broadly upright habit to about 6' tall & wide; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones (3) 4 - 9</i>	T T	6 - 7' 7 - 8'	B&B B&B	N
Hydrangea paniculata 'Limelight' TREE FORM Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark green summer foliage; spreading habit to about 8' tall & wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asian native (PW) Zones 4 - 9</i>	T/H	5 - 6'	B&B	
Ilex x aquipernyi Dragon Lady[™],® ('Meschick') Pyramidal Hybrid Holly <i>BROADLEAF EVERGREEN TREE; small inconspicuous flowers in spring; bright red fruit persists from fall into or through winter; somewhat self-fruitful; spiny dark glossy green foliage; fairly narrow pyramidal habit to about 12' tall by 4' wide; resists deer browse; locate in full sun to partial shade & neutral to acidic well-drained organic soil; Asian / European cross [I. pernyi x I. aquifolium] Zones 6 - 9</i>	H H	6 - 7' 7 - 8'	B&B B&B	
Ilex x Christmas Jewel[™],® ('HL10-09') Female Hybrid Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous flowers in spring; bright red fruit without a pollinator persists from fall into or through winter; narrow glossy dark green foliage with minimal spines; compact pyramidal habit to about 10' high by 6' wide; locate in full sun to partial shade & neutral to acidic well-drained organic soil (Head) Zones 6 - 8</i>	H	6 - 7'	B&B	

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Ilex x meserveae Blue Maid[®] ('Mesid') Upright Female Blue Holly; Upright Female Meserve Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous greenish-white flowers in spring; bright red fruit persists from fall into or through winter; dark blue-green foliage on purple stems; columnar to pyramidal habit to about 10' tall by 6' wide; sheared with flat top for hedging; locate in full sun to partial shade & neutral to acidic well-drained organic soil; PHS Gold Metal [I. rugosa x I. aquifolium] Zones 5 - 8</i>	H	6 - 7'	B&B	
Ilex x 'Nellie R. Stevens' Pyramidal Hybrid Holly <i>BROADLEAF EVERGREEN TREE; small inconspicuous flowers in spring; bright red fruit persists from fall into or through winter; somewhat self-fruitful; glossy dark green foliage; dense broadly pyramidal habit to about 20' tall by 15' wide; locate in full sun to partial shade & neutral to acidic well-drained organic soil [I. cornuta x I. aquifolium] Zones 6 - 9</i>	H H H	6 - 7' 7 - 8' 8 - 9'	B&B B&B B&B	
Ilex opaca 'Miss Helen' American Holly <i>BROADLEAF EVERGREEN TREE; lightly fragrant white flowers in May; abundant bright red fruit clusters appear in October & persist into or through winter; spiny olive-green foliage; pyramidal habit to about 25' tall by 18' wide; tolerates deer browse as well as urban & coastal conditions; protect from windy sites in northern range; locate in full sun to partial shade & neutral to acidic well-drained organic soil; northeastern US native (McLean) Zones (5) 6 - 9</i>	H	7 - 8'	B&B	N
Ilex opaca 'Satyr Hill' American Holly <i>BROADLEAF EVERGREEN TREE; lightly fragrant white flowers in May; abundant bright red fruit clusters appear in October & persist into or through winter; dark olive-green foliage; tolerates deer browse as well as urban & coastal conditions; protect from windy sites in northern range; locate in full sun to partial shade & neutral to acidic well-drained organic soil; northeastern US native; Zones (5) 6 - 9</i>	H	6 - 7'	B&B	
Ilex x Red Beauty[®] ('Rutzan') Compact Pyramidal Hybrid Holly <i>BROADLEAF EVERGREEN SHRUB; small inconspicuous flowers in spring; bright red fruit persists from fall into or through winter; small to medium dark green spiny foliage; compact pyramidal habit to about 7' tall by 4' wide in 10 years; abundant bright red fruit lasts into winter when eaten by birds; resists deer browse; locate in full sun to partial shade & well-drained acidic organic moisture retentive soil [I. x meserveae x I. pernyi] (Rutgers - Orton) Zones 6 - 10</i>	H	6 - 7'	B&B	
Ilex verticillata 'Jim Dandy' Male Winterberry Holly <i>DECIDUOUS ORNAMENTAL SHRUB; inconspicuous small white flowers in profusion in early summer on new wood; early flowering male pollinator for: 'Afterglow', 'Berry Nice[®]' & 'Red Sprite', among others; formerly named 'Dwarf Male'; compact densely branched habit to about 5' tall; locate in full sun to partial shade & neutral to acidic moisture retentive soil; native to areas with persistently moist to wet soils; native to US & Canada; formerly 'Male Dwarf'; Zones (3) 4 - 9</i>	T	4 - 5'	B&B	N
Ilex verticillata 'Southern Gentleman' Male Winterberry Holly <i>DECIDUOUS ORNAMENTAL SHRUB; inconspicuous small white flowers in profusion in early summer on new wood; male pollinator for 'Capapon', 'Shaver', 'Sparkleberry', 'Winter Red' & 'Winter Gold', and other late bloomers if planted within 30'; broadly upright habit to about 6' tall & wide; locate in full sun to partial shade & neutral to acidic moisture retentive soil; native to areas with persistently moist to wet soils; native to US & Canada; formerly 'Late Male' (Simpson) Zones 3 - 9</i>	T T	4 - 5' 5 - 6'	B&B B&B	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Ilex verticillata 'Winter Gold' Female Winterberry Holly <i>DECIDUOUS ORNAMENTAL SHRUB; inconspicuous small white flowers in profusion in early summer on new wood; small inconspicuous flowers in late spring yield orange-yellow berries from early fall into or through winter; fruit eaten by birds in late winter; upright spreading habit to 8' high & wide; dark green summer foliage turns bronzy yellow in fall; locate in full sun to partial shade & neutral to acidic moisture retentive soil; native to areas with persistently moist to wet soils; native to US & Canada; Zones 3 - 9</i>	T T T T	4 - 5' 5 - 6' 6 - 7' 7 - 8'	B&B B&B B&B B&B	 N
Ilex verticillata 'Winter Red' Female Winterberry Holly <i>DECIDUOUS ORNAMENTAL SHRUB; inconspicuous small white flowers in profusion in early summer on new wood; large profuse & persistent bright red fruit from early fall into or through winter; use 'Southern Gentleman' to pollinate; upright rounded habit to about 8' tall & wide; locate in full sun to partial shade & neutral to acidic moisture retentive soil; native to areas with persistently moist to wet soils; US & Canadian native; PHS Gold Metal (Simpson) Zones 3 - 9</i>	T T T	4 - 5' 5 - 6' 6 - 7'	B&B B&B B&B	 N
Juniperus chinensis 'Blue Point' Blue Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; usually separate male & female flowers; female cones usually light blue & male cones tannish; gray-blue scale-like needles; compact pyramidal habit to about 5' tall by 3' wide in 10 years; locate in full sun & most well-drained soils; drought tolerant when established; Asian native (Monrovia) Zones 4 - 9</i>	H/L	6 - 7'	B&B	N
Juniperus chinensis 'Hetzi Columnaris' / 'Fairview' Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; usually separate male & female flowers; prominent light blue female cones in fall; juvenile foliage is blue & mature if green; narrow pyramidal habit to about 25' tall by 10' wide; somewhat loosely branched; needs shearing for fullness; locate in full sun & most well-drained soils; drought tolerant when established; Asian native (Hetzi) Zones 5 - 9</i>	L	6 - 7'	B&B	N
Juniperus chinensis 'Robusta Green' Irregular Upright Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; usually separate male & female flowers; female cones usually light blue & male cones tannish; blue-green foliage; irregular upright habit to 15' or more tall; shape varies with shearing; tolerant of coastal locations; locate in full sun & most well-drained soils; drought tolerant when established; Asian native (Monrovia) Zones 5 - 9</i>	H H H	6 - 7' 8 - 9' 9 - 10'	B&B B&B B&B	 N
Juniperus virginiana 'Taylor' Columnar Eastern Red Cedar <i>EVERGREEN ORNAMENTAL CONIFER; no fruit; medium green summer foliage can be gray or bronze during winter in northern range; narrow pyramid habit reaching about 25' tall by 4' wide; tolerant of drought, air pollution, sterile soil, some salt & Black Walnut; locate in full sun & well-drained soil of any pH; native to eastern & central North America (Bieberich) Zones (3) 4 - 9</i>	H H	6 - 7' 7 - 8'	B&B B&B	 N
Liquidambar styraciflua 'Moraine' Seedless American Sweetgum <i>DECIDUOUS SHADE TREE; seedless; dark glossy green summer foliage turns brilliant red in fall; rapid growing uniform upright oval habit to about 75' tall by 50' wide; locate in full sun & moist to partially wet organic soils; increased hardiness; native to eastern of US & Mexico; Zones (4) 5 - 9</i>	L L L	2 - 2.5'c 2.5 - 3'c 3 - 3.5'c	B&B B&B B&B	N N N
Liquidambar styraciflua 'Slender Silhouette' LOW BRANCHED Columnar American Sweetgum <i>DECIDUOUS ORNAMENTAL TREE; minimal to moderate fruit production; shiny dark green summer foliage turns mostly yellow with a red tinge in fall; very narrow upright habit to about 60' tall by 7' wide; locate in full sun & moist to partially wet organic soils; native to eastern of US & Mexico (Shadow) Zones (5) 6 - 8 (9)</i>	H H	2 - 2.5'c 3 - 3.5'c	B&B B&B	 N

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Liquidambar styraciflua 'Slender Silhouette' TREE FORM Columnar American Sweetgum <i>DECIDUOUS ORNAMENTAL TREE; minimal to moderate fruit production; shiny dark green summer foliage turns mostly yellow with a red tinge in fall; very narrow upright habit to about 60' tall by 7' wide; locate in full sun & moist to partially wet organic soils; native to eastern of US & Mexico (Shadow) Zones (5) 6 - 8 (9)</i>	H	2 - 2.5'c	B&B		N
Liriodendron tulipifera Tuliptree; Tulip Poplar <i>DECIDUOUS SHADE TREE; light orange-green flowers in early June; medium green summer foliage turns variable shades of yellow in fall; vigorous upright habit to about 80' tall by 40' wide; somewhat weak wooded; locate in full sun or light shade & deep organic well-drained moisture retentive slightly acidic soil; not drought tolerant; US native; Zones 4 - 9</i>	L L L	2 - 2.5'c 2.5 - 3'c 3 - 3.5'c	B&B B&B B&B		N N N
Maackia amurensis Amur Maackia <i>DECIDUOUS ORNAMENTAL TREE; 4 - 6" white racemes in July can smell like cut grass; coppery bark exfoliates in vertical curls with age & is most effective in winter; dark green summer foliage turns brown in fall; broadly upright habit to about 40' tall with similar or wider spread; few pests; drought resistant; locate in full sun & about any (acidic to alkaline) well-drained soil; PHS Gold Metal; Asian native; Zones (3) 4 - 7 (8)</i>	T T T	7.5 - 8'c 9.5 - 10'c 10 - 10.5'c	B&B B&B B&B		
Magnolia x acuminata 'Butterflies' Yellow Hybrid Cucumbertree Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant deep yellow flower in early April before the foliage opens; rarely produces seed; upright pyramidal habit to about 20' tall by 15' wide; multiple main branches reach upward from the ground; locate in full sun to partial shade & well-drained organic moisture retentive soil of varying pH; US / Asian cross [M. acuminata x M. denudata] (Savage) Zones (3) 4 - 8</i>	T T T T T	6 - 7' 7 - 8' 8 - 9' 9 - 10' 10 - 12'	B&B B&B B&B B&B B&B		N N N N N
Magnolia x acuminata 'Lois' TREE FORM Yellow Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant creamy yellow cup-shaped flowers for about 3 weeks just before bud break in late April; glossy green summer foliage turns coppery-bronze in fall; vigorous upright habit to about 20' tall by 15' wide; locate in full sun or light shade & moisture retentive well-drained organic soils of varying acidity (Koerting / BBG) Zones 5 - 8 (9)</i>	H H H	6 - 7' 7 - 8' 8 - 9'	B&B B&B B&B		N N N
Magnolia x Black Tulip 'Jurmag1' Purple Jury Magnolia <i>DECIDUOUS ORNAMENTAL TREE; very thick tepals prevent light from getting through them which intensifies the dark purple color of the flower in early spring before the foliage opens; large dark green summer foliage; upright habit to about 20' tall by 10' wide; attracts birds & butterflies; locate in full sun to partial shade & well-drained organic moisture retentive soil of varying pH [M. 'Vulcan' x M. 'Iolanthe' ?] (Jury) Zones 5 - 9</i>	L	5 - 6'	B&B		N
Magnolia x 'Daybreak' TREE FORM Pink Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE; highly fragrant light pink 9" diameter flowers in late April to early May; upright grower to about 30' tall & half as wide; medium green foliage is resistant to mildew and other maladies; tolerant of pollution & urban situations; locate in full sun or light shade & moist organic well-drained soils of varying acidity; PHS Gold Metal; M. acuminata cross; US native (Kehr) Zones 5 - 8</i>	L	8 - 9'	B&B		N

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Magnolia x 'Galaxy' Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE</i> ; profuse 9" lightly fragrant reddish-purple to pink flowers in mid-April; narrowly pyramidal to columnar habit to about 30' tall by 15' wide; multiple main branches reach upward from the ground; locate in full sun to light shade & well-drained organic slightly acidic soil; PHS Gold Metal [M. x liliiflora x M. sprengeri 'Diva'] (USNA / Kosar) Zones 5 - 9	H	6 - 7'	B&B	
	SHRUB FORM H	7 - 8'	B&B	
	H	8 - 10'	B&B	N
Magnolia x 'Galaxy' Hybrid Magnolia <i>DECIDUOUS ORNAMENTAL TREE</i> ; profuse 9" lightly fragrant reddish-purple to pink flowers in mid-April; narrowly pyramidal to columnar habit to about 30' tall by 15' wide; usually single stem with branching starting 3' to 5' above the ground; locate in full sun to light shade & well-drained organic slightly acidic soil; PHS Gold Metal [M. kobus var. x liliiflora stellata x M. sprengeri 'Diva'] (USNA / Kosar) Zones 5 - 9	H	7 - 8'	B&B	
	TREE FORM H	8 - 9'	B&B	
	H	9 - 10'	B&B	N
	H	10 - 12'	B&B	N
Magnolia x liliiflora 'Jane' Hybrid Lily Magnolia <i>DECIDUOUS ORNAMENTAL TREE</i> ; fuzzy light gray buds open to reddish-purple flowers with white centers in mid/late April as the foliage emerges; sporadic summer flowers; medium green summer foliage turns yellowish in fall; compact bushy upright habit to about 15' tall by 12' wide; smooth gray bark; locate in full sun or light shade & moist organic well-drained soils of varying acidity; tolerates limited excessive moisture; native Asian cross [M. liliiflora 'Reflorescens' x stellata 'Waterlily'] (Kosar & deVos / USNA) Zones 3 - 8	T	5 - 6'	B&B	N
	SHRUB FORM H/T	6 - 7'	B&B	
	H/L	7 - 8'	B&B	
	H	8 - 9'	B&B	
	L	9 - 10'	B&B	N
Magnolia x liliiflora 'Jane' Hybrid Lily Magnolia <i>DECIDUOUS ORNAMENTAL TREE</i> ; fuzzy light gray buds open to reddish-purple flowers with white centers in mid/late April as the foliage emerges; sporadic summer flowers; medium green summer foliage turns yellowish in fall; compact bushy upright habit to about 15' tall by 12' wide; smooth gray bark; locate in full sun or light shade & moist organic well-drained soils of varying acidity; tolerates limited excessive moisture; native Asian cross [M. liliiflora 'Reflorescens' x stellata 'Waterlily'] (Kosar & deVos / USNA) Zones 3 - 8	H	6 - 7'	B&B	N
	TREE FORM			
Magnolia x loebneri 'Leonard Messel' Pink Loebner Magnolia; Pink Star Magnolia <i>DECIDUOUS ORNAMENTAL TREE</i> ; fragrant purplish-pink star-like flowers in mid-April from purple buds are almost white on the inside; medium green summer foliage; bushy upright habit to about 20' tall & almost as wide; locate in full sun to light or dappled shade & deep well-drained neutral to slightly acidic soil with good moisture retention; Asian cross [M. kobus x M. stellata 'Rosea'] Zones 5 - 8 (9)	H	6 - 7'	B&B	N
	SHRUB FORM H	7 - 8'	B&B	N
Magnolia stellata 'Waterlily' / 'Verkades Waterlily' Star Magnolia <i>DECIDUOUS ORNAMENTAL TREE</i> ; highly fragrant white flowers bloom about a week later than 'Royal Star' from pink buds; compact bushy habit to 20' tall & wider; locate in full sun to light or dappled shade & deep well-drained acidic soil with good moisture retention; Japanese native (Verkade N) Zones 4 - 8	T	10 - 12'	B&B	

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Magnolia x Sunsation Hybrid Yellow Magnolia <i>DECIDUOUS ORNAMENTAL TREE; large fragrant yellow cup-shaped flower with some purple at the base which opens just before the foliage breaks in mid to late spring; dark green summer foliage; upright habit up to about 30' tall by 10' wide in time; prune in mid-summer; attracts butterflies & songbirds; tolerates some drought & clay soil; locate in full sun or minimal shade & well-drained organic moisture retentive soil with a pH can be either side of neutral (Kerr) Zones 5 - 9</i>	H	7 - 8'	B&B		N
Magnolia virginiana Sweetbay Magnolia; Swamp Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant lemon-scented creamy-white flowers in late spring among the foliage; bright red seeds emerge from large tan seed-pods in late summer; medium green summer foliage is silvery below & turns yellowish in fall; loose upright habit to about 25' tall & as wide in time; tolerant of air pollution; locate in full sun or shade & moist to wet acidic soils; some salt tolerance; eastern US native; Zones 5 - 9</i>	T H/T H/T H/T H/T T T	5 - 6' 6 - 7' 7 - 8' 8 - 10' 10 - 12' 12 - 14' 14 - 16' 18 - 20'	B&B B&B B&B B&B B&B B&B B&B B&B		N
Magnolia virginiana Sweetbay Magnolia; Swamp Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant lemon-scented creamy-white flowers in late spring among the foliage; bright red seeds emerge from large tan seed-pods in late summer; medium green summer foliage is silvery below & turns yellowish in fall; loose upright habit to about 25' tall & as wide in time; tolerant of air pollution; locate in full sun or shade & moist to wet acidic soils; some salt tolerance; eastern US native; Zones 5 - 9</i>	H H	7 - 8' 9 - 10'	B&B B&B		N N
Magnolia virginiana 'Green Shadow' Evergreen Sweetbay Magnolia; Evergreen Swamp Magnolia <i>EVERGREEN ORNAMENTAL TREE; 4" dia. creamy-white, lemon-scented flowers from May into summer; bright red seeds emerge from large tan seed-pods in the fall; semi-evergreen foliage in northern hardiness range; upright habit to about 25' tall by 20' wide; resists deer browse; tolerates air pollution, limited salt & swampy locations; locate in full sun or full shade & moist to wet acidic soils; native to coastal eastern US [formerly: M. 'Greenbay'] (D. Shadow) Zones 5 - 10</i>	H	8 - 10'	B&B		N
Magnolia virginiana 'Green Shadow' Evergreen Sweetbay Magnolia; Evergreen Swamp Magnolia <i>EVERGREEN ORNAMENTAL TREE; 4" dia. creamy-white, lemon-scented flowers from May into summer; bright red seeds emerge from large tan seed-pods in the fall; semi-evergreen foliage in northern hardiness range; upright habit to about 25' tall by 20' wide; resists deer browse; tolerates air pollution, limited salt & swampy locations; locate in full sun or full shade & moist to wet acidic soils; native to coastal eastern US [formerly: M. 'Greenbay'] (D. Shadow) Zones 5 - 10</i>	H H H	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B		N
Magnolia virginiana Moonglow[™],® ('Jim Wilson') Evergreen Sweetbay Magnolia; Evergreen Swamp Magnolia <i>EVERGREEN ORNAMENTAL TREE; slightly larger creamy-white lemon-scented flowers than the species from May into June; bright red seeds emerge from large tan seed-pods in late summer; dark green summer foliage is silvery below; semi-evergreen in northern range; uniform upright habit to 35' tall by 20' wide; deer browse resistant; tolerant of air pollution; locate in full sun or shade & moist to wet acidic soils; some salt tolerance; eastern US native; PHS Gold Metal (Cully) Zones 5 - 9</i>	H H	8 - 10' 10 - 12'	B&B B&B		N

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Malus Red Jewel[®] ('Jewelcole') White Crabapple <i>DECIDUOUS ORNAMENTAL TREE; pink buds open to profuse white flowers; persistent 1/2" bright red fruit in fall; dark green summer foliage turns shades of yellow in fall; compact upright habit to 15' tall by 12' wide; slightly susceptible to powdery mildew; tolerant of urban conditions if not allowed to dry out; locate in full or mostly sunny areas & moisture retentive well-drained acidic soil; Zones 4 - 8</i>	T T T	2 - 2.5" 3.5 - 4" 4 - 4.5"	B&B B&B B&B	
Malus Sugar Tyme[®] ('Sutyzam') White Crabapple <i>DECIDUOUS ORNAMENTAL TREE; pale pink buds open to profuse fragrant white flowers annually in mid-spring; persistent 1/2" red fruit; dark green summer foliage turns bronzy in fall; upright oval habit to about 20' tall by 15' wide; slight susceptibility to scab, mildew & fireblight; tolerant of urban conditions if not allowed to dry out; locate in full or mostly sunny areas & moisture retentive well-drained acidic soil (Lake County N) Zones 4 - 8</i>	T T T T T	2 - 2.5" 2.5 - 3" 7 - 7.5" 8 - 8.5" 10 - 10.5"	B&B B&B B&B B&B B&B	
Metasequoia glyptostroboides Dawn Redwood <i>DECIDUOUS CONIFER; bright green summer needles turn reddish-bronze in fall; large pyramidal habit to 100' or more tall by 25' or more wide; branching starts at or near the ground; tolerates somewhat wet & all but highly alkaline soils; locate in full sun & moisture retentive neutral to acidic organic soil, PHS Gold Metal; Chinese native; Zones 5 - 8</i>	H H H	7 - 8' 8 - 10' 10 - 12'	B&B B&B B&B	
Nyssa sylvatica Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; black fruit in fall favored by birds; glossy dark green summer foliage turns brilliant shades of red, orange &/or yellow in fall; pyramidal heads in youth usually become wide-spreading to about 40' tall by 25' wide; taproot; fall transplanting hazard; locate in full sun to partial shade & moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native; Zones 4 - 9</i>	L L	2 - 2.5" 2.5 - 3"	B&B B&B	
Nyssa sylvatica 'Tupelo Tower' Fastigiate Black Gum; Fastigiate Black Tupelo <i>DECIDUOUS SHADE TREE; narrow upright tree growing to 40 tall by 20' wide at maturity; glossy green summer foliage turns shades of yellow & orange in early fall; dark blue fruit in fall attracts birds; taproot; fall transplanting hazard; locate in full sun to partial shade & moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native (Klyn N) Zones 4 - 9</i>	L L	2 - 2.5" 2.5 - 3"	B&B B&B	N N
Nyssa sylvatica 'Wildfire' Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; bright red new leaves, veins & petioles contrasts with mature dark green foliage; fall foliage is bright red; pyramidal habit to about 50' tall by 30' wide; less susceptible to leaf spot; taproot; fall transplanting hazard; locate in full sun to partial shade & moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native (Hottovy) Zones 4 - 9</i>	H H/L	2 - 2.5" 2.5 - 3"	B&B B&B	N
Ostrya virginiana American Hop Hornbeam; American Ironwood <i>SHADE TREE; bright dark green summer foliage turns yellowish in fall; upright habit to about 35' tall by 25' wide; drought tolerant; fall transplanting hazard; locate in full sun to partial shade & most neutral to acidic well-drained soils; North American native; Zones (3) 4 - 9</i>	H	2 - 2.5"	B&B	
Oxydendrum arboreum Sourwood <i>ORNAMENTAL TREE; fragrant creamy cascading flower panicles in July or August; pendulous light green seed capsules; glossy summer foliage turns brilliant red in early fall & contrasts with persistent seed capsules; variable narrowly upright habit to about 35' tall by 25' wide; withstands limited drought; not tolerant of urban conditions; locate in full sun to partial shade & deep organic well-drained acidic soils; US native; Zones (4) 5 - 9</i>	T T	7 - 8' 8 - 9'	B&B B&B	N

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Parrotia persica Persian Ironwood; Persian Witchhazel <i>DECIDUOUS ORNAMENTAL TREE</i> ; small crimson flowers appear before the foliage in early spring creating a red cast; emerging spring foliage is purplish then glossy green with a maroon margin before turning bright glossy green by summer then shades of red & orange in late fall; exfoliating bark on older branches; oval or rounded upright habit to about 30' tall by 25' wide; branching starts within 12" of the ground; tolerates urban conditions; locate in full sun to partial shade & most well-drained slightly acidic soil; PHS Gold Metal; Asian native; Zones (4) 5 - 8	T LOW BRANCHED T T T	14 - 16' 16 - 18' 20 - 25' 25 - 30'	B&B B&B B&B B&B	
Parrotia persica Persian Ironwood; Persian Witchhazel <i>DECIDUOUS ORNAMENTAL TREE</i> ; small crimson flowers appear before the foliage in early spring creating a red cast; emerging spring foliage is purplish then glossy green with a maroon margin before turning bright glossy green by summer then shades of red & orange in late fall; exfoliating bark on older branches; oval or rounded upright habit to about 30' tall by 25' wide; branching starts about 3-4' above the ground; tolerates urban conditions; locate in full sun to partial shade & most well-drained slightly acidic soil; PHS Gold Metal; Asian native; Zones (4) 5 - 8	L TREE FORM T T T T T	1.5 - 2" 7 - 7.5" 7.5 - 8" 8 - 8.5" 8.5 - 9" 9 - 9.5"	B&B B&B B&B B&B B&B B&B	N
Picea abies 'Cupressina' Columnar Norway Spruce <i>EVERGREEN ORNAMENTAL CONIFER</i> ; dark green summer needles become bluish-green in winter; heavy snow or ice in winter can spread branches; narrow pyramidal to columnar habit to about 6' tall by 2' wide in 10 years; resists deer browse; locate in full sun to partial shade & well-drained neutral to acidic moisture retentive soils; native to northern Europe; Zones 2 - 7	H H	6 - 7' 7 - 8'	B&B B&B	
Pinus bungeana Lacebark Pine <i>EVERGREEN ORNAMENTAL CONIFER</i> ; exfoliating bark in irregular patches from red to lime green to nearly white; glossy dark green needles in groups of 3; broadly pyramidal habit to 8' tall by 6' wide in 10 years; can break under wet snow loads; locate in full sun & acidic to alkaline well-drained soils; native to China & Korea; Zones (4) 5 - 7	T	14 - 16'	B&B	
Platanus x acerifolia Exclamation (Morton Circle) London Planetree <i>DECIDUOUS SHADE TREE</i> ; reduced quantities of rounded tan ball in pairs appear in late fall through winter; showy exfoliating bark with patches of off-white, tan & light green; pyramidal to oval heads to about 80' tall by 65' wide; high resistance to mildew & anthracnose; tolerates moist soils & urban conditions; locate in full sun & a wide range of moisture retentive soils [P. orientalis x P. occidentalis] (Ware / Morton Arb.) Zones (5) 6 - 8 (9)	L	2 - 2.5"	B&B	N
Prunus x 'Okame' Pink Bell-flowered Cherry; Taiwan Cherry <i>DECIDUOUS ORNAMENTAL TREE</i> ; bright rosy-pink flowers in late March or early April for an extended period if not freeze damaged; dark green summer foliage turns shades of red & orange in fall; glossy reddish-brown bark; upright oval heads to about 30' tall & wide at maturity; locate in full sun & any well-drained soil; PHS Gold Metal [P. campanulata x P. incisa] (Ingram) Zones 6 - 8	L/T L T T T	2 - 2.5" 2.5 - 3" 4.5 - 5" 5 - 5.5" 6 - 6.5"	B&B B&B B&B B&B B&B	N N N N N
Prunus sargentii Sargent Cherry <i>DECIDUOUS ORNAMENTAL TREE</i> ; profuse single pink flowers in late April; small purple-black fruit in early July attract birds; shiny dark green summer foliage turns shades of bronze to red in fall; glossy reddish-brown bark; broadly upright habit to about 25' tall & wide; locate in full sun or minimal shade & any well-drained soil; Asian native; Zones 4 - 6 (7)	T T	3 - 3.5" 4 - 4.5"	B&B B&B	

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Prunus serrulata 'Kwanzan' Japanese Flowering Cherry; Oriental Cherry <i>DECIDUOUS ORNAMENTAL TREE; profuse dark double pink flowers in late April or early May are sterile; vase shaped heads to about 30' tall & wide; brilliant reddish-orange fall foliage; shiny dark brown bark; tolerant of salt & urban locations; locate in full sun & any well-drained soil; Asian native; Zones 4 - 7</i>	L T	2 - 2.5" c 12 - 12.5" c	B&B B&B		N N
Prunus x yedoensis Yoshino Cherry <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant white flower in early to mid-spring at or just before foliage break; small black fruit in late summer favored by birds; dark green summer foliage turns shades of yellow if fall; upright arching habit to about 30' high & wide; locate in full or light shade & any moisture retentive well-drained soil; Japanese native; Zones 5 - 8</i>	T T T T	8 - 8.5 c 8.5 - 9" c 9 - 9.5" c 10 - 10.5" c	B&B B&B B&B B&B		
Quercus acutissima Sawtooth Oak <i>DECIDUOUS SHADE TREE; narrow serrated foliage opens yellow in spring before turning dark green by summer then yellow to golden brown in fall; pyramidal habit when young, but usually becomes spreading with age to about 50' tall & variably wide; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & acidic well-drained soil; Asian native; Zones (5) 6 - 9</i>	H/L H	2 - 2.5" c 4 - 4.5" c	B&B B&B		N
Quercus alba White Oak <i>DECIDUOUS SHADE TREE; dark green summer foliage turns variable shades of brown to red; large spreading long-lived shade tree to about 60' tall with greater width; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & acidic well-drained soil; PHS Gold Metal; US native; Zones (3) 4 - 9</i>	H/L H	2 - 2.5" c 2.5 - 3" c	B&B B&B		N
Quercus alba 'Klaus Hardy' White Oak ?		2 - 2.5" c	B&B		N
Quercus bicolor Swamp White Oak <i>DECIDUOUS SHADE TREE; dark green rounded-lobed summer foliage is usually a good yellow in fall but can also be reddish-purple; deeply furrowed & flaking bark; broad rounded heads to about 50' or more tall with similar width; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun to part shade & moist to well-drained acidic soil; cannot take constantly wet soils; drought tolerant; native to US & Canada; Zones 4 - 8</i>	L/T L/T L/T T T T T T T T	2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 5 - 5.5" c 5.5 - 6" c 6 - 6.5" c 7 - 7.5" c 8 - 8.5" c 11.5 - 12" c	B&B B&B B&B B&B B&B B&B B&B B&B B&B B&B		N
Quercus coccinea Scarlet Oak <i>DECIDUOUS SHADE TREE; deeply cut dark glossy green summer foliage turns dark red in late fall; pyramidal habit to about 70' tall by 40' wide; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & acidic well-drained soil; native to US & Canada; Zones 4 - 9</i>	L/T L/T L/T T T T T T	2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 3.5 - 4" c 4 - 4.5" c 5 - 5.5" c 5.5 - 6" c 6.5 - 7" c	B&B B&B B&B B&B B&B B&B B&B B&B		N N N

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Quercus palustris	L	2 - 2.5" c	B&B		N
Pin Oak	L	2.5 - 3" c	B&B		N
<i>DECIDUOUS SHADE TREE; semi-conspicuous yellowish catkins in May; dark green summer foliage turns brown to russet in fall; pyramidal habit to about 50' or more tall by 35' wide with lower branches hanging downward at a 45° angle; important wildlife food source; not as much of a fall transplant hazard as other oaks however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & moist acidic soil; not tolerant of alkaline soils; US native; Zones 4 - 8</i>	L	3 - 3.5" c	B&B		N
	T	10 - 10.5" c	B&B		
	T	11.5 - 12" c	B&B		
	T	12.5 - 13" c	B&B		
	T	13 - 13.5" c	B&B		
	T	13.5 - 14" c	B&B		
	T	17.5 - 18" c	B&B		
	T	11 - 11.5" c	B&B		N
Quercus palustris Green Pillar[™],[®] ('Pringreen')	T	5.5 - 6" c	B&B		
Columnar Pin Oak	T	6 - 6.5" c	B&B		
<i>DECIDUOUS ORNAMENTAL TREE; semi-conspicuous yellowish catkins in May; glossy summer foliage turns red to maroon in the fall; narrow pyramidal habit to about 50' tall by 15' wide; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & moist acidic soil; not tolerant of alkaline soils; US native (Flemer) Zones 4 - 8</i>	T	6.5 - 7" c	B&B		
	T	7 - 7.5" c	B&B		
	T	7.5 - 8" c	B&B		
	T	8 - 8.5" c	B&B		
	T	8.5 - 9" c	B&B		
	T	9 - 9.5" c	B&B		
	T	9.5 - 10" c	B&B		
Quercus palustris Pacific Brilliance[™] ('PWJR08')	H	2 - 2.5" c	B&B		N
Pin Oak					
<i>DECIDUOUS SHADE TREE; semi-conspicuous yellowish catkins in May; new foliage emerges with silvery pubescence for a short time; summer foliage is glossy green & turns shades of red & orange in fall; broadly upright to pyramidal heads reaching about 50' tall & nearly as wide; lower branches don't droop like the seedlings - better for urban areas; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & moist acidic soil; tolerates neutral to slightly alkaline soils; US native (Brantano / Upshoot) Zones 4 - 8</i>					
Quercus phellos	L	1.5 - 2" c	B&B		N
Willow Oak	L	2 - 2.5" c	B&B		N
<i>DECIDUOUS SHADE TREE; narrow willow-like foliage turns orange to russet in fall; pyramidal heads; grows to about 50' or more; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & moist acidic soil; somewhat drought tolerant; US native; Zones (6) 7 - 9</i>	H/L	2.5 - 3" c	B&B		
	H	3 - 3.5" c	B&B		N
	H	3.5 - 4" c	B&B		N
Quercus rubra	L	2 - 2.5" c	B&B		
Northern Red Oak	L	2.5 - 3" c	B&B		N
<i>DECIDUOUS SHADE TREE; dark green summer foliage turns russet to bright red in fall; large grower to about 70' tall & wide; fall transplant hazard; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & well-drained neutral to acidic soil; some success to coastal areas; native to US & Canada; Zones (3) 4 - 7</i>					
Quercus x warei Kindred Spirit[™] ('Nadler')	H	2 - 2.5" c	B&B		
Columnar Hybrid English Oak	H	2.5 - 3" c	B&B		N
<i>DECIDUOUS ORNAMENTAL TREE; dark green summer foliage with silvery undersides turns shades of yellow & bronze in fall; narrow columnar habit to about 40' tall by 8' wide; drought & moisture tolerant; mildew resistant; important wildlife food source; fall transplant hazard however, if dug before leaf drop & thoroughly hydrated it has better survival results; sister seedling of Regal Prince; locate in full sun & most acidic to slightly alkaline soils [Q. robur 'Fastigiata' x Q. bicolor] (Nadler / Heritage) Zones 4 - 8</i>					

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Quercus x warei Regal Prince[™],[®] ('Long') Columnar Hybrid English Oak <i>DECIDUOUS ORNAMENTAL TREE; non ornamental yellowish-green catkins in April; leathery mildew resistant dark green foliage above & light green below becomes yellowish in fall; strong narrow upright habit to about 60' tall by 25' wide; resists wind & ice damage; tolerates drought; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & most acidic to slightly alkaline soils [Q. robur 'Fastigiata' x Q. bicolor] (Cully) Zones 4 - 8</i>	H/L/T T T T T T T T	2 - 2.5" c 5.5 - 6" c 6 - 6.5" c 8 - 8.5" c 8.5 - 9" c 9 - 9.5" c 9.5 - 10" c 10 - 10.5" c	B&B B&B B&B B&B B&B B&B B&B B&B		N
Stewartia pseudo-camellia Japanese Stewartia <i>DECIDUOUS ORNAMENTAL TREE; 3" diameter camellia-like white flowers with prominent yellow centers in late June or July; new foliage opens with bronze before turning medium green by summer then orange to red shades in fall; pyramidal habit to about 30' tall by 20' wide; showy exfoliating reddish-brown bark; dark green summer foliage turns reddish-orange to burgundy in fall; locate in mostly sunny or filtered shade & rich organic well-drained moisture retentive acidic soil; Asian native; Zones 5 - 8</i>	H H H	6 - 7' 7 - 8' 8 - 10'	B&B B&B B&B		N N N
Styrax japonicus Japanese Snowbell <i>DECIDUOUS ORNAMENTAL TREE; white bell-like flowers in early June; creamy white berry clusters in August & September; green summer foliage turns insignificant yellowish in fall; upright or spreading heads to about 25' tall & nearly as wide; branching starts above a single stem at about 3' to 5' above the ground; locate in full sun or partial shade (best) & deep organic well-drained moisture retentive acidic soil; eastern Asian native; Zones 5 - 7 (8)</i>	H H	2 - 2.5" c 2.5 - 3" c	B&B B&B		
Syringa reticulata 'Ivory Silk' Japanese Tree Lilac <i>DECIDUOUS ORNAMENTAL TREE; profuse fragrant creamy-white flowers in June occur at a young age; upright oval heads to 25'; branching starts from a single trunk at about 5' above the ground; locate in full sun or light shade & well-drained organic soil of any pH; Japanese native; PHS Gold Metal (Sheridan N) Zones 3 - 7</i>	H/L H/L H T	2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 7 - 7.5" c	B&B B&B B&B B&B		N
Taxodium distichum var. distichum Common Bald Cypress <i>DECIDUOUS CONIFER; globular cones of about 1" dia; yellowish-green needles turn brown in fall; pyramidal habit to about 100' or more tall by 50' or more wide; tolerant of urban situations with little water & compacted soils as well as wet tidal areas; alternate branching (opposite of Metasequoia); locate in full sun or minimal shade & moist to well-drained acidic soils; US native; Zones 4 - 11</i>	H	3 - 3.5" c	B&B		N
Taxodium distichum var. distichum Shawnee Brave[™] (Mickelson) Columnar Common Bald Cypress <i>DECIDUOUS ORNAMENTAL CONIFER; non-ornamental flower in early spring; medium green spring foliage darkens by summer then turns orange to coppery-brown in fall for an extended period; textured coppery to bronze bark; narrow columnar habit to as much as 75' tall by 25' wide at maturity; tolerant of urban situations with little water & compacted soils as well as wet tidal areas; locate in full sun or minimal shade & moist to well-drained acidic soils; US native; Zones 4 - 11</i>	H H H H	2 - 2.5" c 2.5 - 3" c 3 - 3.5" c 4 - 4.5" c	B&B B&B B&B B&B		N
Taxus x media 'Hicksii' Upright Anglo-Jap Yew <i>EVERGREEN SHRUB; red fruit in late fall through winter; dark green needles; columnar habit to about 5' tall by 3' wide in 10 years & as much as 20' tall by 12' wide at maturity; can be trimmed to about any size; a little narrower than 'Hatfield'; tolerates urban conditions; "deer candy"; prune in late winter; locate in full sun to fairly shady areas & moist well-drained slightly alkaline to acidic soil; not tolerant of waterlogged soils [T. baccata x T. cuspidata] Zones 4 - 7</i>	H	48 - 54"	B&B		N

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Thuja x 'Green Giant' Hybrid Western Arborvitae; Hybrid Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage; vigorous narrowly pyramidal habit to about 60' tall by 20' wide at maturity; minimal pest or disease problems; variable deer browse resistance; tolerant of coastal exposure but not persistent drought; locate in full sun or light shade & moist to well-drained soil of varying acidity; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA) Zones 5 - 8</i>	L H/L H/L H L H H	5 - 6' 6 - 7' 7 - 8' 8 - 9' 8 - 10' 9 - 10' 10 - 12'	B&B B&B B&B B&B B&B B&B B&B		
Thuja occidentalis 'Degroot's Spire' Columnar American Arborvitae; Columnar White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; narrow columnar habit to 15' or more by 2' to 3'; interesting nubby medium green foliage; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada; Zones 3 - 7</i>	H	7 - 8'	B&B		N
Thuja occidentalis 'Emerald' <i>see: Thuja occidentalis 'Smaragd'</i>					
Thuja occidentalis 'Smaragd' Emerald Green Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage that doesn't bronze in winter; narrow columnar or narrowly pyramidal habit to about 10' tall by 3' wide in 10 years; matures at about 25' tall; tolerant of air pollution, Black Walnut & most soil acidity; not drought tolerant; locate in full sun or very light shade & most moisture retentive well-drained soils; eastern US & Canadian native (Poulsen N) Zones (4) 5 - 7</i>	H H	6 - 7' 7 - 8'	B&B B&B		
Thuja occidentalis 'Techney' Mission Arborvitae; Mission White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; dark green summer foliage does not bronze in winter; interior foliage has above normal tendency not to brown; columnar or upright pyramidal habit to about 10' tall by 5' wide in 10 years; tolerates clay soil, air pollution & Black Walnut; locate in full sun or light shade & well-drained moisture retentive soil that's neutral to slightly alkaline; native to eastern US & Canada; Zones (2) 3 - 7</i>	L L L L	5 - 6' 6 - 7' 7 - 8' 8 - 9'	B&B B&B B&B B&B		N N N N
Thuja x Virginiana (BFC68) Hybrid Western Arborvitae; Hybrid Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage; fast grower with a fairly narrow pyramidal habit to about 15' tall by 6' wide in 10 years; tolerates coastal exposure & limited deer browse; not drought tolerant; locate in full sun or light shade & moist to well-drained soil of varying acidity; sport of Thuja x 'Green Giant'; US & Asian native cross [T. plicata x T. standishii] (UpShoot) Zones 5 - 8</i>	H	5 - 6'	B&B		
Thujaopsis dolobrata Hiba Cedar, Asunaro, False Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; large pyramidal evergreen conifer to 90' tall; not drought tolerant; longitudinal reddish peeling bark is aromatic; leathery dark green foliage has distinctive white stomata bands on the underside; deer browse resistant; locate in semi-shade or morning sun & loamy moisture retentive soils with adequate drainage; Japanese native; Zones 5 - 7</i>	H	4 - 5'	B&B		N
Tilia americana 'Redmond' American Linden; Basswood <i>DECIDUOUS SHADE TREE; fragrant but inconspicuous pale yellow flowers in late June; dark green summer foliage turns yellowish-green in fall; dense pyramidal head to 80'; locate in full sun to partial shade & most moist organic well-drained soil; US native (Plumfield Ns) [T. americana x T. euchlora] Zones (3) 4 - 7 (8)</i>	L L	2 - 2.5' 2.5 - 3'	B&B B&B		N N

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Tilia cordata 'Greenspire' Littleleaf Linden <i>DECIDUOUS SHADE TREE; very fragrant yellowish flowers in late June; dark green foliage turns yellow in fall; distinct pyramidal heads reaching 60' tall & half or more as wide; liked by Japanese Beetles; very tolerant of urban conditions; locate in full sun & most soils; native to Europe (Flemer) Zones (3) 4 - 7</i>	L	2 - 2.5'c	B&B		N
Tilia tomentosa Green Mountain[™],[®] ('PNI 6051') Silver Linden <i>DECIDUOUS SHADE TREE; fragrant flowers in late spring are not showy; vigorous grower with a broadly pyramidal head to 50' or more tall by 40' wide; green summer foliage has a generous amount of tomentose below, making it especially ornamental in the wind & resistant to Japanese Beetles; variable golden fall foliage; locate in full sun with moist well drained soils; heat & drought tolerant; native to Europe & western Asia (Flemer) Zones 4 - 8</i>	L L L	2 - 2.5'c 2.5 - 3'c 3 - 3.5'c	B&B B&B B&B		N N N
Ulmus americana 'Princeton' American Elm <i>DECIDUOUS SHADE TREE; green summer foliage turns yellowish in fall; upright habit with arching branches to about 75' tall by 50' wide; excellent lawn or shade tree; resistant to Dutch Elm disease but not most other problems; tolerates drought, salt, air pollution & black walnuts; locate in full sun or light shade & moist or wet to well-drained soil of any pH; native to US & Canada (Flemer) Zones 3 - 9</i>	L L	2.5 - 3'c 3 - 3.5'c	B&B B&B		
Viburnum x carlesii Koreanspice Viburnum <i>DECIDUOUS FLOWERING SHRUB; spicy fragrant 3-4" white flowers in early May; red fruit clusters in fall; compact rounded habit to 8'; dull fuzzy foliage turns reddish to burgundy in the fall; attracts butterflies & hummingbirds; tolerant of Black Locust; locate in full sun or partial shade & moisture retentive well-drained neutral to acidic soil; Korean native; Zones (4) 5 - 7 (8)</i>	H H	4 - 5' 5 - 6'	B&B B&B		N
Viburnum dentatum Chicago Lustre[™],[®] ('Synnesvest') Arrowwood Viburnum <i>DECIDUOUS FLOWERING SHRUB; dark glossy green foliage turns reddish purple in fall; white flowers in late May; upright habit to 10'; locate in full sun or moderate shade; prefers well-drained soil but is very adaptable including coastal locations; native to US & Canada (Chicagoland Grows) Zones (2) 3 - 8</i>	H H H H	4 - 5' 5 - 6' 6 - 7' 7 - 8'	B&B B&B B&B B&B		N
Viburnum dilitatum 'Erie' Compact Linden Viburnum <i>DECIDUOUS FLOWERING SHRUB; profuse creamy-white 5" cymes in mid-late May; masses of red fruit from late August well into winter; medium green summer foliage turns shades of yellow, orange & red in fall; compact spreading habit to 6' tall by 10' wide; locate in full sun or moderate shade & neutral to slightly acidic well-drained moisture retentive soil; best with some shade in southern range; native to eastern Asia; PHS Gold Metal (Egolf / USNA) Zones (5) 6 - 8</i>	T T T	4 - 5' 5 - 6' 6 - 7'	B&B B&B B&B		N
Viburnum dilitatum Tandoori Orange[™],[®] (SMNVDMDO') Linden Viburnum <i>DECIDUOUS FLOWERING SHRUB; profuse large white clusters of cymes in late May or early June; profuse clusters of orange fruit from late summer into winter; dark green heavily textured foliage turns shades of bronze, burgundy & red in fall; upright habit to about 8' tall & wide; attracts butterflies & birds; resists deer & rabbit browse as well as most pests & diseases; tolerates limited drought & most soils; can be invasive; locate in full sun or moderate shade & neutral to slightly acidic well-drained moisture retentive soil; native to eastern Asia; Zones (4) 5 - 7 (8)</i>	H	5 - 6'	B&B		

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Viburnum nudum Brandywine (Bulk') Smooth Witherod; Possumhaw Viburnum <i>DECIDUOUS FLOWERING SHRUB; dark glossy foliage turns brilliant reddish-purple in fall; creamy white flowers in late May; very showy fruit clusters start greenish then pink before turning blue with both colors visible in early fall; bushy grower to 5' high & wide; locate in full sun to partial shade with moist well drained soil; drought tolerant; eastern US native (Bulk) Zones 5 - 9</i>	T T T T	4 - 5' 5 - 6' 6 - 7' 7 - 8'	B&B B&B B&B B&B	 N
Viburnum nudum 'Winterthur' Smooth Witherod; Possumhaw Viburnum <i>DECIDUOUS FLOWERING SHRUB; dark glossy foliage turns brilliant reddish-purple in fall; creamy white flowers in late May; fruit emerges white before turning pink, then red, then blue; locate in full sun to partial shade with moist well drained soil; drought tolerant; PHS Gold Metal; eastern US native; Zones 5 - 9</i>	T T T	4 - 5' 5 - 6' 7 - 8'	B&B B&B B&B	
Viburnum opulus 'Roseum' (Sterile) European Snowball Viburnum; Old Fashioned Snowball Viburnum <i>DECIDUOUS FLOWERING SHRUB; very showy 3" round clusters of sterile white flowers in mid May; does not fruit; bushy upright habit to about 12' tall & wide; somewhat resistant to deer browse & drought; locate in full sun or partial shade & just about any well-drained soil; native to Europe & N. Africa; Zones 3 - 8</i>	H H H H	4 - 5' 5 - 6' 7 - 8' 8 - 9'	B&B B&B B&B B&B	 N N
Viburnum plicatum f. plicatum Opening Day [First Editions,®] (PIIVIB-II) Japanese Snowball Viburnum <i>DECIDUOUS FLOWERING SHRUB; profuse round white baseball-sized sterile flowers in May; no fruit; bushy habit; dark green summer foliage turns shades of shades of cabernet in fall; locate in full sun to light shade & well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)</i>	H	6 - 7'	B&B	
Viburnum plicatum f. tomentosum 'Shasta' Double-file Viburnum <i>DECIDUOUS FLOWERING SHRUB; profuse 5" white cymes in May along the branches; red fruit in July matures to black over several weeks; dark green summer foliage turns purplish-red to maroon in fall; broadly spreading habit to as much as 6' tall by 12' wide; locate in full sun to light shade & well-drained moisture retentive soil; PHS Gold Metal; native to eastern Asia (Egolf / USNA) Zones (5) 6 - 8</i>	H H	6 - 7' 7 - 8'	B&B B&B	
Viburnum plicatum f. tomentosum 'Summer Snowflake' / 'Fujisanensis' Compact Reblooming Double-file Viburnum <i>DECIDUOUS FLOWERING SHRUB; white lace-cap flowers from late spring into fall; fruit appears red before turning black; red fall foliage; upright habit to about 8' high & ultimately as wide; a little larger than 'Watanabei'; locate in full sun to light shade & well-drained moisture retentive soil; native to Japan; Zone 5 - 7 (8)</i>	T T T	6 - 7' 7 - 8' 8 - 9'	B&B B&B B&B	
Viburnum x pragense Prague Viburnum <i>EVERGREEN FLOWERING SHRUB; small narrow glossy leathery evergreen foliage; pink flower buds open white; bushy upright habit to 10' tall & nearly as wide; locate in full sun to light shade & well-drained moisture retentive acidic soil; Zones 5 - 8</i>	H/T H	4 - 5' 5 - 6'	B&B B&B	
Viburnum x rhytidophylloides 'Alleghany' Lantanaphyllum Viburnum <i>DECIDUOUS FLOWERING SHRUB; creamy white flowers in late May or early June & occasionally in the fall; clusters of red fruit in September matures to black in October & is favored by birds; dark green heavy textured semi-evergreen foliage is resistant to bacterial leaf spot; upright to 10' tall & wide; locate in full sun to light shade & well-drained moisture retentive acidic soil [V. rhytidophyllum x V. lantana 'Mohican'] (Egolf / USNA) Zones (4) 5 - 8</i>	H H H H	4 - 5' 5 - 6' 6 - 7' 7 - 8'	B&B B&B B&B B&B	 N N

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Viburnum rhytidophyllum	H	4 - 5'	B&B	
Leatherleaf Viburnum	H	5 - 6'	B&B	
<i>DECIDUOUS FLOWERING SHRUB; creamy white flowers in late May or early June & occasionally in the fall; clusters of red fruit in September matures to black in October & attracts birds; narrow dark green heavy textured semi-evergreen foliage is resistant to bacterial leaf spot; upright to 10' tall by 6' wide; locate in full sun to light shade & well-drained moisture retentive acidic soil (Hefner) Zones (4) 5 - 8 NOTE: All info not verified !</i>	H	6 - 7'	B&B	
	H	7 - 8'	B&B	
Viburnum rhytidophyllum 'Cree'	T	4 - 5'	B&B	
Compact Leatherleaf Viburnum				
<i>EVERGREEN FLOWERING SHRUB; yellowish-white flowers in mid May; fruit opens red before turning black; narrow foliage is semi-evergreen in northern range - especially dependent on winter wind exposure; compact habit to 8' high & wide; possibly more cold hardy than the species; locate in light to medium shade & well-drained moisture retentive acidic soil; native to China; Zones (4) 5 - 7</i>				
Zelkova serrata 'Green Vase'	L	2 - 2.5'c	B&B	
Japanese Zelkova	L	2.5 - 3'c	B&B	
<i>DECIDUOUS SHADE TREE; dark green summer foliage turns orange to bronze in fall; vigorous upright arching heads to about 60' tall by 40' wide; tolerant of urban conditions; locate in full sun or light shade & moist well-drained soil of varying pH; PHS Gold Metal; Asian native (Flemer) Zones (4) 5 - 8</i>	H/L	3 - 3.5'c	B&B	N
	T	4.5 - 5'c	B&B	
Zelkova serrata 'Musashino'	T	4 - 4.5'c	B&B	
Columnar Japanese Zelkova	T	4.5 - 5'c	B&B	
<i>DECIDUOUS SHADE TREE; medium green summer foliage turns yellowish in fall; very narrow upright vase-shaped heads to about 40' tall by 20' wide; tolerant of urban conditions; locate in full sun or light shade & moist well-drained soil of varying pH; Asian native; Zones (4) 5 - 8</i>	T	5.5 - 6'c	B&B	
	T	6.5 - 7'c	B&B	
	T	7 - 7.5'c	B&B	
Zelkova serrata 'Village Green'	L	2 - 2.5'c	B&B	N
Japanese Zelkova	L	2.5 - 3'c	B&B	N
<i>DECIDUOUS SHADE TREE; green summer foliage turns wine-red in fall; compact broadly spreading heads to about 40' tall & wide; tolerant of urban conditions; locate in full sun or light shade & moist well-drained soil of varying pH; Asian native (Flemer) Zones (4) 5 - 8</i>	L	3 - 3.5'c	B&B	N
	L	3.5 - 4'c	B&B	N
	L	4 - 4.5'c	B&B	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Harmony Hill Nursery, LLC Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY

Delivery Instructions

Company Name: _____

Delivery Address: _____

CITY: _____ STATE: _____ ZIP: _____

Contact(s): _____

Phone Numbers: OFFICE: _____ MOBILE: _____

ALTERNATE: _____ FAX: _____

Email Address: _____

Requested Delivery Weeks(s): _____

Delivery Days / Time: MON TUE WED THU FRI SAT SUN FROM _____ am / pm TO _____ am / pm

Special Instructions: _____

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com