

Youngblood Farms Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Acer tataricum Hot Wings[®] (GarAnn) Tartarian Maple <i>DECIDUOUS SHADE TREE; clusters of small white flowers just after leaf break are followed promptly by very showy fire engine red samara clusters; dark green summer foliage turns shades of yellow & red in fall; bushy heads reaching 15' or more tall & wide; locate in full sun & moist well-drained soil but tolerant of a wide variability including high alkalinity; native to SE Asia & western Europe (Colorado State U / PlantSelect) Zones 4 - 8</i>		1.5" c 1.75" c 2" c	B&B B&B B&B		N N N
Amelanchier x grandiflora 'Autumn Brilliance' SHRUB FORM Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly upright habit to about 25' tall & wide; stoloniferous; locate in full sun to partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>		6' 7' 8'	B&B B&B B&B		N N
Amelanchier x grandiflora 'Autumn Brilliance' TREE FORM Apple Serviceberry <i>DECIDUOUS ORNAMENTAL TREE; white flowers in April before the foliage; edible blue-black fruit matures in June; foliage resists leaf spot & turns showy shades of orange & red in fall; bushy broadly upright habit to about 25' tall & wide; trained to a single trunk; stoloniferous; locate in full sun to partial shade & moist well-drained acidic soil; native US cross [A. arborea x A. laevis] (Wandell) Zones 4 - 9</i>		1.5" c 1.75" c 2" c	B&B B&B B&B		
Betula nigra Heritage[®] (Cully) CLUMP River Birch <i>DECIDUOUS ORNAMENTAL TREE; creamy-tan bark exfoliates at an early age; dark green summer foliage turns variable shades of yellow in fall; leaf spot resistance; broadly upright habit to about 45' tall by 30' wide; 3 or more main trunks; fall dig hazard; locate in full sun or minimal shade & moist acidic soil; somewhat drought tolerant; supposedly improved selection of original Heritage; US native (Cully) Zones 3 - 9</i>	Ltd Ltd Ltd Ltd	8' 10' 12' 14'	B&B B&B B&B B&B		N
Buxus x 'Green Velvet' Compact Spreading Hybrid Boxwood <i>BROADLEAF EVERGREEN SHRUB; dark green summer & winter foliage; compact mounding habit to about 2' high by 3' wide in 10 years; resists deer & rabbit browse; subject to several foliar diseases; locate in full sun to moderate shade & moisture retentive well-drained organic soil that's slightly acidic to slightly alkaline; fairly drought tolerant; PHS Gold Metal [B. microphylla var. koreana x B. sempervirens] (Sheridan Ns) Zones 5 - 8</i>		18" spr	B&B		
Carpinus betulus 'Fastigiata' LOW BRANCHED Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; dark green summer foliage turns yellowish then tan by winter; columnar habit when young matures to about 40' tall & about 30' wide; good for hedging as it takes shearing well & the foliage is often retained through winter - especially in protected locations; branching starts at or near the ground; locate in full sun or part shade & any soil with moderate drainage; native to Europe & Asia Minor; Zones 5 - 8</i>		1.75" c 2" c	B&B B&B		
Carpinus betulus 'Franz Fontaine' LOW BRANCHED Columnar European Hornbeam <i>DECIDUOUS ORNAMENTAL TREE; yellowish-green catkins in early spring; medium green summer foliage turns yellowish then tan by winter; narrower columnar habit that's supposed to stay that way when matures; Franz can't read so also gets about 40' tall & about 30' wide; good for hedging as it takes shearing well & the foliage is often retained through winter - especially in protected locations; branching starts at or near the ground; locate in full sun or part shade & any soil with moderate drainage; native to Europe & Asia Minor; Zones 5 - 8</i>		1.75" c 2" c	B&B B&B		N N

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Youngblood Farms Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Celtis occidentalis Common Hackberry; Northern Hackberry <i>DECIDUOUS SHADE TREE; berry-like drupe from insignificant female flowers mature to dark purple; green summer foliage turns yellowish-tan in fall; oval or rounded heads to about 50' tall & wide; tolerates urban conditions & occasional flooding; resists drought, limited salt exposure & most pests; locate in full sun & prefers neutral to alkaline moisture retentive soil that isn't wet for extended periods; native to US & Canada; Zones 3 - 7 (8)</i>		2" 2.5"	B&B B&B		N N
Cercis canadensis SHRUB FORM Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching starts at the ground; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones (3) 4 - 9</i>		6' 7' 8' 9'	B&B B&B B&B B&B		N N
Cercis canadensis TREE FORM Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges reddish before turning dark green by summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching usually starts about 3' to 5' above the ground from a single stem; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native; Zones (3) 4 - 9</i>		1.5"	B&B		
Cercis canadensis 'Forest Pansy' SHRUB FORM Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges purple before becoming dark purplish-green by mid-summer then variable shades of yellow in fall; wide-spreading multi-stemmed bush to as much as 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Forest N) Zones (4) 5 - 9</i>	V Ltd	6' 7' 8'	B&B B&B B&B		N N
Cercis canadensis 'Forest Pansy' TREE FORM Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges purple before becoming dark purplish-green by mid-summer then variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; branching starts about 3' to 6' above the ground from a single stem; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Forest N) Zones (4) 5 - 9</i>		1.5" 1.75" 2" 2.5" 3"	B&B B&B B&B B&B B&B		N N
Cercis canadensis 'Hearts of Gold' Gold-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges yellow with reddish tones before turning bright yellow by summer then variable shades of yellow in fall; drought stress will turn the summer foliage green; wide-spreading tree to about 25' tall by 35' wide; resistant to Black Walnut; locate in full sun or partial shade & any well-drained moisture retentive soil; not tolerant of very wet or dry soils; US native (Roethling) Zones 4 - 9</i>		1.5"	B&B		

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Youngblood Farms Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Cercis canadensis Rise 'N Shine' (JN15) Gold-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; bright lavender-pink blooms along all the branches in April; spring foliage emerges yellow with reddish tones before turning chartreuse by summer then variable shades of yellow in fall; drought stress will turn the summer foliage green; compact upright habit to about 25' tall by 20' wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil; US native (Garden Debut) Zones 4 - 9</i>	V Ltd	1.5" c	B&B	_____	N
	V Ltd	1.75" c	B&B	_____	N
	V Ltd	2" c	B&B	_____	N
Cercis canadensis 'Ruby Falls' Weeping Purple-leaf Eastern Redbud <i>DECIDUOUS ORNAMENTAL TREE; reddish-purple buds open to bright pink flowers in April; spring foliage emerges purple then becomes purplish-green by summer & variable shades of yellow in fall; wide-spreading tree to about 25' tall by 35' wide; resists Black Walnut; not tolerant of very wet or very dry soils; locate in full sun or partial shade & any well-drained moisture retentive soil; US native [C.c. 'Covey' x C.c. 'Forest Pansy'] (Byrkit / Werner) Zones 4 - 9</i>		1.5" c	B&B	_____	N
Chionanthus virginicus White Fringetree <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant creamy white fringe-like flowers in May or early June; some flowers are perfect others are male or female; dark bluish-black fruit in late summer from female flowers attract birds; dark green summer foliage turns yellowish in fall; winter bark can have red furrows; bushy broadly upright habit to about 20' tall & wide; branching starts at the ground; tolerates Black Locust & pollution; locate in full sun to partial shade & most well-drained moisture retentive soils; eastern US native; Zones (3) 4 - 9</i>	SHRUB FORM	5' 6'	B&B B&B	_____ _____	
Cladrastis kentukea American Yellowwood <i>DECIDUOUS SHADE TREE; fragrant white panicles in late May bloom heaviest on alternate years; bright yellowish-green summer foliage turns golden in fall; upright habit to about 50' or more tall with a broader spread when mature; locate in full sun & well-drained soil of any pH; PHS Gold Metal [formerly: Cladrastis lutea] US native; Zones (3) 4 - 8</i>		1.5" c 1.75" c 2" c	B&B B&B B&B	_____ _____ _____	N N N
Cornus florida 'Appalachian Snow' White Flowering Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse, large overlapping, white, bracts in May; reddish fruit in late summer loved by birds; large medium green foliage turns bright red in fall; layered spreading habit to about 25' tall & wide; outstanding resistance to anthracnose; locate in full sun to partial shade with good organic well-drained moisture retentive acidic soil; US native; Zones (5) 6 - 9</i>	Ltd	1.5" c 1.75" c 2" c	B&B B&B B&B	_____ _____ _____	N N N
Cornus x Scarlet Fire,® ('Rutpink') Pink Rutgers Hybrid Dogwood <i>DECIDUOUS ORNAMENTAL TREE; profuse dark pink bracts in late May occur at an early age; new foliage has purplish tinge which matures to dark green by summer & turns shades of red in fall; 1" red balls of edible fruit in late summer; well-branched heads reach about 10' tall by 8' wide in 10 years; resistant to anthracnose & borers; locate in full sun to partial shade & good organic acidic well-drained moisture retentive soil [C. kousa x C. florida] (Molnar) Zones 5 - 7</i>		1.5" c 1.75" c	B&B B&B	_____ _____	N N
Crataegus viridis 'Winter King' Green Hawthorn <i>DECIDUOUS ORNAMENTAL TREE; profuse white flowers in May; persistent red fruit from early fall through early winter; prominent thorns; smooth light gray bark; glossy dark green summer foliage turns scarlet in fall; spreading to rounded heads to about 20' tall by 25' wide in time; locate in full sun & any well drained soil; PHS Gold Metal; US native (Simpson N) Zones 4 - 7</i>		1.5" c 1.75" c 2" c	B&B B&B B&B	_____ _____ _____	N N N

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Youngblood Farms Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Ginkgo biloba Princeton Sentry[™],[®] ('PNI2720') Columnar Ginkgo; Columnar Maidenhair Tree <i>DECIDUOUS CONIFER; male clone; medium green summer foliage turns bright yellow in fall; columnar habit to about 60' tall by 25' wide; highly resistant to pests & diseases; very tolerant of urban & coastal conditions; locate in full sun & any soil that drains; Chinese native (Flemer) Zones 4 - 8 (9)</i>	V Ltd	2" c	B&B	N
Gleditsia triacanthos var. inermis Skyline[™],[®] ('Skycole') Thornless Honeylocust <i>DECIDUOUS SHADE TREE; small dark green compound summer foliage turns bright golden in fall; provides light dappled shade; virtually seedless; upright pyramidal habit to about 20' tall by 15' wide in 10 years; very tolerant of urban conditions including soil compaction & salt; locate in full sun & moisture retentive neutral to alkaline soils; US native (Cole Ns) Zones 4 - 8 (9)</i>	SPCL \$ SPCL \$ SPCL \$	2" c 2.5" c 3" c	B&B B&B B&B	
Hydrangea paniculata 'Limelight' Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark green summer foliage; spreading habit to about 8' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asian native (PW) Zones 4 - 9</i>		3' 4' 5' 6'	B&B B&B B&B B&B	N N N N
Hydrangea paniculata 'Limelight' Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; bright greenish-white flowers in late summer on new wood; dark green summer foliage; spreading habit to about 8' tall & wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; PHS Gold Metal; Asian native (PW) Zones 4 - 9</i>		1.5" c	B&B	N
Hydrangea paniculata Quick Fire[™],[®] ('Bulk') Pink Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; white flowers appear a month earlier than older H. paniculata types on new wood, then turn rosy-pink; dark green summer foliage; spreading habit to about 8' tall & wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native (PW) Zones 4 - 9</i>		3'	B&B	
Hydrangea paniculata Vanilla Strawberry[™],[®] [First Editions[™],[®] ('RENhy')] Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large pyramidal flower clusters open greenish, quickly turn creamy white, then light pink before maturing to dark rosy-pink as they age; new flowers continually appear providing a two-tone effect in late summer on new wood; dark green summer foliage; broadly upright to about 7' tall by 5' wide at maturity; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>		3' 4'	B&B B&B	N N
Hydrangea paniculata Vanilla Strawberry[™],[®] [First Editions[™],[®] ('RENhy')] Late Panicle Hydrangea <i>DECIDUOUS FLOWERING SHRUB; large pyramidal flower clusters open greenish, quickly turn creamy white, then light pink before maturing to dark rosy-pink as they age; new flowers continually appear providing a two-tone effect in late summer on new wood; dark green summer foliage; broadly upright to about 7' tall by 5' wide at maturity; branching starts at about 3-4' above the ground from a single trunk; locate in full sun to partial or afternoon shade (especially in southern range); soil needs to be well-drained, but with good moisture retention; Asian native; Zones 4 - 9</i>		1.5" c	B&B	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Youngblood Farms Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Ilex x aquipernyi Dragon Lady[™],® ('Meschick') Pyramidal Hybrid Holly <i>BROADLEAF EVERGREEN TREE; small inconspicuous flowers in spring; bright red fruit persists from fall into or through winter; somewhat self-fruitful; spiny dark glossy green foliage; fairly narrow pyramidal habit to about 12' tall by 4' wide; resists deer browse; locate in full sun to partial shade & neutral to acidic well-drained organic soil; Asian / European cross [I. pernyi x I. aquifolium] Zones 6 - 9</i>	V Ltd	4'	B&B		N
Ilex x 'Nellie R. Stevens' Pyramidal Hybrid Holly <i>BROADLEAF EVERGREEN TREE; small inconspicuous flowers in spring; bright red fruit persists from fall into or through winter; somewhat self-fruitful; glossy dark green foliage; dense broadly pyramidal habit to about 20' tall by 15' wide; locate in full sun to partial shade & neutral to acidic well-drained organic soil [I. cornuta x I. aquifolium] Zones 6 - 9</i>		6' 7' 8'	B&B B&B B&B		
Ilex opaca 'Greenleaf' American Holly <i>BROADLEAF EVERGREEN TREE; lightly fragrant white flowers in May; bright red fruit clusters appear in October & persist into or through winter; rapid bushy pyramidal grower; glossy, spiny, medium green foliage; one of the least hardy cultivars; tolerates deer browse as well as urban & coastal conditions; protect from windy sites in northern range; locate in full sun to partial shade & neutral to acidic well-drained organic soil; northeastern US native; Zones 7 - 9</i>		5' 6' 7'	B&B B&B B&B		N
Juniperus chinensis 'Blue Point' Blue Pyramidal Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; usually separate male & female flowers; female cones usually light blue & male cones tannish; gray-blue scale-like needles; compact pyramidal habit to about 5' tall by 3' wide in 10 years; locate in full sun & most well-drained soils; drought tolerant when established; Asian native (Monrovia) Zones 4 - 9</i>	V Ltd	6'	B&B		
Juniperus chinensis 'Spartan' Upright Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; usually separate male & female flowers; female cones usually light blue & male cones tannish; bright green evergreen needles; narrowly pyramidal to columnar habit; grows to about 15' tall by 5' wide; susceptible to Phomopsis; locate in full sun & most well-drained soils; drought tolerant when established; Asian native (Monrovia) Zones 5 - 9</i>		5' 6'	B&B B&B		N N
Juniperus chinensis 'Trautman' Columnar Chinese Juniper <i>EVERGREEN ORNAMENTAL CONIFER; usually separate male & female flowers; prominent light blue female berries in fall; bluish-green needles seldom bronze in winter; narrowly columnar habit to about 6' tall by 2' wide in 10 years; resists deer browse & tip blight; locate in full sun & most well-drained soils; drought tolerant when established; Asian native (Trautman) Zones 5 - 9</i>		6' 7'	B&B B&B		N
Juniperus virginiana Eastern Red Cedar <i>EVERGREEN CONIFER; showy greenish-blue to bright blue female cones in fall; medium green summer foliage bronzes in winter; variably columnar to pyramid habit to about 40' tall by 15-25' wide; tolerant of drought, air pollution, sterile soil & Black Walnut; locate in full sun & well-drained soil of any pH; native to eastern North & Central America; Zones (3) 4 - 9</i>	V Ltd UNSHEARED V Ltd	6' 7'	B&B B&B		
Juniperus virginiana 'Burkii' Eastern Red Cedar <i>EVERGREEN CONIFER; male cultivar; bluish-green needle-like & scale-like summer foliage gets purplish in winter; columnar habit to about 20' tall by 10' wide; tolerant of drought, air pollution, sterile soil, some salt & Black Walnut; locate in full sun & well-drained soil of any pH; native to eastern & central North America; Zones (3) 4 - 9</i>	SPCL \$ UNSHEARED SPCL \$	6' 7'	B&B B&B		

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Youngblood Farms Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Juniperus virginiana 'Taylor' Columnar Eastern Red Cedar <i>EVERGREEN ORNAMENTAL CONIFER; no fruit; medium green summer foliage can be gray or bronze during winter in northern range; narrow pyramid habit reaching about 25' tall by 4' wide; tolerant of drought, air pollution, sterile soil, some salt & Black Walnut; locate in full sun & well-drained soil of any pH; native to eastern & central North America (Bieberich) Zones (3) 4 - 9</i>		6' 7' 8'	B&B B&B B&B	
Koelreuteria paniculata Golden Raintree <i>DECIDUOUS ORNAMENTAL TREE; golden yellow flowers from late June into mid-July yield light brown seed capsules that look similar to Chinese lanterns; compound dark green summer foliage turns variably yellow to orangish in fall; sparse irregular branching yields irregular rounded heads; mature trees can get to as much as 40' tall & wide; tolerates most urban conditions; locate in full sun & any well-drained moisture retentive soil; Asian native; Zones 4 - 8</i>	V Ltd V Ltd V Ltd	1.75"c 2"c 2.5"c	B&B B&B B&B	N
Liquidambar styraciflua Happidaze (Hapdell) Seedless American Sweetgum <i>DECIDUOUS SHADE TREE; non-ornamental yellowish-green male flower clusters in mid-spring; non-fruiting - mostly; dark green summer foliage turns a lovely maroon in the fall; vigorous pyramidal habit when young matures to a rounded head at about 70' tall by 50' wide; tolerates clay & compacted urban soils; locate in full sun & moist to partially wet organic soils; native to eastern US & Mexico; Zones 5 - 9</i>	V Ltd	2"c 4"c	B&B B&B	N
Liquidambar styraciflua 'Slender Silhouette' Columnar American Sweetgum <i>DECIDUOUS ORNAMENTAL TREE; minimal to moderate fruit production; shiny dark green summer foliage turns mostly yellow with a red tinge in fall; very narrow upright habit to about 60' tall by 7' wide; locate in full sun & moist to partially wet organic soils; native to eastern of US & Mexico (Shadow) Zones (5) 6 - 8 (9)</i>		2"c 2.5"c 3"c 3.5"c	B&B B&B B&B B&B	N
Liriodendron tulipifera Tuliptree; Tulip Poplar <i>DECIDUOUS SHADE TREE; light orange-green flowers in early June; medium green summer foliage turns variable shades of yellow in fall; vigorous upright habit to about 80' tall by 40' wide; somewhat weak wooded; locate in full sun or light shade & deep organic well-drained moisture retentive slightly acidic soil; not drought tolerant; US native; Zones 4 - 9</i>		2"c 2.5"c 3"c	B&B B&B B&B	N N N
Liriodendron tulipifera 'Arnold' BRANCHED @ 3.5' Columnar Tuliptree; Columnar Tulip Poplar <i>DECIDUOUS SHADE TREE; light orange-green flowers in early June; green summer foliage turns yellow in fall; narrowly upright habit to about 50' tall by 25' wide; often widens with age; locate in full sun or light shade & deep organic well-drained moisture retentive slightly acidic soil; not drought tolerant; US native (Monrovia) Zones 4 - 9</i>	V Ltd	2"c	B&B	
Magnolia grandiflora Alta[®] ('TIIMG') Compact Columnar Southern Magnolia <i>EVERGREEN FLOWERING TREE; fragrant white flowers from late spring into summer; small, dark, glossy evergreen foliage with rusty indumentum on the underside; bright red seeds in autumn; narrow columnar habit to 25' tall by 10' wide; heat tolerant; not as cold tolerant as some other cultivars; locate in full sun to partial shade & acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native; Zones 7 - 9</i>		8'	B&B	N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Youngblood Farms Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Magnolia grandiflora 'Bracken's Brown Beauty' Southern Magnolia <i>EVERGREEN FLOWERING TREE; fragrant white flowers in June; dark green leathery foliage is quite smaller than the species with dark brown indumentum; showy red seeds in late summer; broadly upright habit to about 30' by 20' wide; locate in full sun to partial shade & acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Bracken) Zones (5) 6 - 9 (10)</i>		6' 7' 8' 9'	B&B B&B B&B B&B	N
Magnolia grandiflora 'Claudia Wannamaker' Southern Magnolia <i>EVERGREEN FLOWERING TREE; fragrant white flowers in June; slightly smaller dark green leathery foliage with medium brown indumentum; showy red seeds in late summer; compact upright habit to about 50' tall by 25' wide; locate in full sun to partial shade & acidic moisture retentive well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Brailsford) Zones 6 - 9 (10)</i>	LOW BRANCHED	9' 10' 11' 12'	B&B B&B B&B B&B	
Magnolia grandiflora 'D.D. Blanchard' Southern Magnolia <i>EVERGREEN FLOWERING TREE; fragrant white flower in from late May into summer; showy red seeds in late summer; large leathery dark green foliage with prominent orange-brown indumentum; upright habit to about 50' tall by 35' wide; locate in full sun to partial shade & acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Robbins N) Zones 7 - 9</i>		9' 10' 11' 12'	B&B B&B B&B B&B	
Magnolia grandiflora 'Kay Parris' Compact Southern Magnolia <i>EVERGREEN FLOWERING TREE; slightly smaller fragrant white flowers from late spring through summer; showy red seeds appear in late summer; glossy medium green foliage with orange-brown indumentum; narrow upright habit to about 20' tall by 10' wide; locate in full to mostly sunny location & acidic well-drained organic soil; protect from winter winds in northern hardiness range [M. g. Bracken's Brown Beauty x M. g. Little Gem] southeastern US native (Gilberts N) Zones 6 - 9</i>		6'	B&B	N
Magnolia grandiflora 'Little Gem' Compact Southern Magnolia <i>EVERGREEN FLOWERING TREE; perfect creamy white flowers are 3-4" in diameter; leaves are lustrous dark green covered with bronzy brown pubescence; narrow upright habit to 20' tall by 10' wide; not as cold tolerant as most other cultivars; locate in full sun to partial shade & acidic well-drained organic soil; protect from winter winds in northern hardiness range; southeastern US native (Warren Steed N / Monrovia) Zones (7) 8 - 9</i>		6'	B&B	
Magnolia virginiana Sweetbay Magnolia; Swamp Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant lemon-scented creamy-white flowers in late spring among the foliage; bright red seeds emerge from large tan seed-pods in late summer; medium green summer foliage is silvery below & turns yellowish in fall; loose upright habit to about 25' tall & as wide in time; tolerant of air pollution; locate in full sun or shade & moist to wet acidic soils; some salt tolerance; eastern US native; Zones 5 - 9</i>	SHRUB FORM	6' 7' 8' 9' 10'	B&B B&B B&B B&B B&B	
Magnolia virginiana Sweetbay Magnolia; Swamp Magnolia <i>DECIDUOUS ORNAMENTAL TREE; fragrant lemon-scented creamy-white flowers in late spring among the foliage; bright red seeds emerge from large tan seed-pods in late summer; medium green summer foliage is silvery below & turns yellowish in fall; loose upright habit to about 25' tall & as wide in time; single trunk with branches starting about 3' above the ground; tolerant of air pollution; locate in full sun or shade & moist to wet acidic soils; some salt tolerance; eastern US native; Zones 5 - 9</i>	TREE FORM	2" c 2.5" c 3" c	B&B B&B B&B	N N N

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Youngblood Farms Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY	
Magnolia virginiana Moonglow[™],[®] ('Jim Wilson') TREE FORM Evergreen Sweetbay Magnolia; Evergreen Swamp Magnolia <i>EVERGREEN ORNAMENTAL TREE; slightly larger creamy-white lemon-scented flowers than the species from May into June; bright red seeds emerge from large tan seed-pods in late summer; dark green summer foliage is silvery below; semi-evergreen in northern range; uniform upright habit to 35' tall by 20' wide; branching starts about 3' above the ground; deer browse resistant; tolerant of air pollution; locate in full sun or shade & moist to wet acidic soils; some salt tolerance; eastern US native; PHS Gold Metal (Cully) Zones 5 - 9</i>		2" c	B&B	_____	N
		2.5" c	B&B	_____	
		3" c	B&B	_____	
Malus 'Donald Wyman' White Crabapple <i>DECIDUOUS ORNAMENTAL TREE; dark pink to red buds open to 1.75" white flowers are more prolific in alternate years; persistent 1/2" bright red fruit; dark green summer foliage large spreading habit to 20' tall by 25' wide; glossy dark green summer foliage; good resistance to scab & mildew; excellent resistance to others; tolerant of urban conditions if not allowed to dry out; locate in full or mostly sunny areas & moisture retentive well-drained acidic soil; PHS Gold Metal; Zones 4 - 8</i>		1.5" c	B&B	_____	N
		1.75" c	B&B	_____	N
		2" c	B&B	_____	N
Malus Golden Raindrops[™],[®] ('Schmidcutleaf') White Crabapple <i>DECIDUOUS ORNAMENTAL TREE; pink buds open to white flowers; 1/4" golden fruit; deeply cut dark green summer foliage turns yellow in fall; compact vase-shaped head to about 20' tall by 15' wide; excellent resistance to all but fireblight; tolerant of urban conditions if not allowed to dry out; locate in full or mostly sunny areas & moisture retentive well-drained acidic soil [M. transitoria] (Schmidt) Zones 4 - 8</i>		1.5" c	B&B	_____	N
		1.75" c	B&B	_____	N
		2" c	B&B	_____	N
Malus Royal Raindrops[™],[®] ('JFS-KW5') Pink Crabapple <i>DECIDUOUS ORNAMENTAL TREE; fragrant single deep pink flower in mid-spring; persistent 1/4" bright red fruit; purple cut-leaf summer foliage turns shades of orange & purple in fall; broadly oval heads to about 20' tall by 15' wide; very good disease resistance; tolerant of urban conditions & drought; locate in full or mostly sunny areas & moisture retentive well-drained acidic soil [M. transitoria] (Schmidt) Zones 4 - 8</i>		1.5" c	B&B	_____	N
		1.75" c	B&B	_____	
		2" c	B&B	_____	
Nyssa sylvatica Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; black fruit in fall favored by birds; glossy dark green summer foliage turns brilliant shades of red, orange &/or yellow in fall; pyramidal heads in youth usually become wide-spreading to about 40' tall by 25' wide; taproot; fall transplanting hazard; locate in full sun to partial shade & moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native; Zones 4 - 9</i>	V Ltd	2.5" c	B&B	_____	
	V Ltd	3" c	B&B	_____	
Nyssa sylvatica Green Gable[™] ('NSUHH') Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; very glossy green summer foliage turns bright orange-red to dark red in fall; dense upright pyramidal heads to about 50' tall & half as wide; superior resistance to leaf spot; taproot; fall transplanting hazard; locate in full sun to partial shade & moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native (Hidden Hollow N) Zones 5 - 9</i>		1.75" c	B&B	_____	N
		2" c	B&B	_____	N
Nyssa sylvatica 'Wildfire' Black Gum; Black Tupelo <i>DECIDUOUS SHADE TREE; bright red new leaves, veins & petioles contrasts with mature dark green foliage; fall foliage is bright red; pyramidal habit to about 50' tall by 30' wide; less susceptible to leaf spot; taproot; fall transplanting hazard; locate in full sun to partial shade & moisture retentive well-drained acidic soils; can tolerate temporary standing water; US native (Hottovy) Zones 4 - 9</i>		2" c	B&B	_____	N
		2.5" c	B&B	_____	
		3" c	B&B	_____	
		3.5" c	B&B	_____	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Youngblood Farms Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Pistacia chinensis Chinese Pistachio <i>DECIDUOUS SHADE TREE; red to light blue fruit on female trees; fall foliage ranges from none to yellow, orange &/or red; upright to rounded heads reaching about 40' tall at maturity; very drought tolerant when established; can be invasive in southern range; locate in full sun & well-drained soil; Asian native; Zones 6 - 9</i>	SPCL \$	3"c	B&B	
	SPCL \$	3.5"c	B&B	
	SPCL \$	4"c	B&B	N
Platanus x acerifolia Exclamation (Morton Thornhill) London Planetree <i>DECIDUOUS SHADE TREE; reduced quantities of rounded tan ball in pairs appear in late fall through winter; showy exfoliating bark with patches of off-white, tan & light green; pyramidal to oval heads to about 80' tall by 65' wide; high resistance to mildew & anthracnose; tolerates moist soils & urban conditions; subject to anthracnose & other diseases; locate in full sun & a wide range of moisture retentive soils [P. orientalis x P. occidentalis] (Ware / Morton Arb.) Zones (5) 6 - 8 (9)</i>		2"c 2.5"c	B&B B&B	
Prunus serrulata 'Kanzan' <i>see: Prunus serrulata 'Kwanzan'</i>				
Prunus serrulata 'Kwanzan' Japanese Flowering Cherry; Oriental Cherry <i>DECIDUOUS ORNAMENTAL TREE; profuse dark double pink flowers in late April or early May are sterile; vase shaped heads to about 30' tall & wide; brilliant reddish-orange fall foliage; shiny dark brown bark; tolerant of salt & urban locations; locate in full sun & any well-drained soil; Asian native; Zones 4 - 7</i>	SPCL \$ SPCL \$	1.5"c 2"c	B&B B&B	N
Prunus serrulata 'Sekiyama' <i>see: Prunus serrulata 'Kwanzan'</i>				
Prunus virginiana 'Canada Red' Red Chokecherry <i>DECIDUOUS ORNAMENTAL TREE; fragrant white racemes in early May; small red fruit matures to dark purple in August is not ornamental but loved by birds & can be used in used in cooking; foliage opens bright green and matures to a dark crimson which is very showy in spring with both colors; upright oval habit to about 30' tall by 20' wide; locate in full sun or light shade & most well-drained soils; eastern US & Canada native; Zones 2 - 7</i>		1.5"c	B&B	N
Prunus x yedoensis Yoshino Cherry <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant white flower in early to mid-spring at or just before foliage break; small black fruit in late summer favored by birds; dark green summer foliage turns shades of yellow if fall; upright arching habit to about 30' high & wide; locate in full or light shade & any moisture retentive well-drained soil; Japanese native; Zones 5 - 8</i>	SPCL \$ SPCL \$ SPCL \$ SPCL \$ SPCL \$	1.5"c 1.75"c 2"c 2.5"c 3"c	B&B B&B B&B B&B B&B	N N N N N
Prunus x yedoensis 'Akebono' / 'Daybreak' Pink Yoshino Cherry <i>DECIDUOUS ORNAMENTAL TREE; lightly fragrant soft pink flower in early to mid-spring that fades to white at or just before foliage break; small black fruit in late summer favored by birds; dark green summer foliage turns shades of yellow if fall; upright arching habit to about 25' high & wide; locate in full or light shade & any moisture retentive well-drained soil; Japanese native (Clarke) Zones 5 - 8</i>	SPCL \$ SPCL \$ SPCL \$	2"c 2.5"c 3"c	B&B B&B B&B	N N N
Quercus bicolor Swamp White Oak <i>DECIDUOUS SHADE TREE; dark green rounded-lobed summer foliage is usually a good yellow in fall but can also be reddish-purple; deeply furrowed & flaking bark; broad rounded heads to about 50' or more tall with similar width; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun to part shade & moist to well-drained acidic soil; cannot take constantly wet soils; drought tolerant; native to US & Canada; Zones 4 - 8</i>		2"c 2.5"c 3"c	B&B B&B B&B	

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Youngblood Farms Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Quercus imbricaria Shingle Oak; Laurel Oak <i>DECIDUOUS SHADE TREE; long narrow dark glossy leaves turn yellowish-brown to reddish in fall; upright to rounded habit to about 60' tall & about as wide; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & moist well-drained acidic soil; somewhat drought tolerant; US native; Zones (4) 5 - 8</i>	SPCL \$ SPCL \$ SPCL \$	2" 2.5" 3"	B&B B&B B&B	 N
Quercus Kindred Spirit (‘Nadler’) <i>see: Quercus x warei Kindred Spirit (‘Nadler’), BRANCHED @ 4.5'</i>				
Quercus macrocarpa Burr Oak; Mossycup Oak <i>DECIDUOUS SHADE TREE; irregular open broadly spreading heads to about 70' tall & often wider; bright green summer foliage turns variable shades of yellow-brown in fall; twigs often have corky longitudinal wings; fall transplant hazard; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & moist to well-drained alkaline to acidic soil; tolerant of some urban conditions; native to US & Canada; Zones 3 - 8</i>	SPCL \$ SPCL \$ SPCL \$ SPCL \$ SPCL \$	2" 2.5" 3" 3.5" 4"	B&B B&B B&B B&B B&B	
Quercus nuttallii Nuttall Oak <i>DECIDUOUS SHADE TREE; vigorous medium sized tree to 60' tall is tolerant of a wide range of soils; reddish new foliage becomes dark green in summer then yellowish to reddish-orange in fall; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; tolerates drought & urban conditions; locate in full sun & moisture retentive soils; often found in floodplains; native to south-central US [possible rename: Q. texana] Zones (5) 6 - 9</i>		2" 2.5"	B&B B&B	
Quercus palustris Pin Oak <i>DECIDUOUS SHADE TREE; pyramidal habit to about 50' or more tall by 35' wide with lower branches hanging downward at a 45° angle; dark green summer foliage turns brown to russet in fall; important wildlife food source; not as much of a fall transplant hazard as other oaks however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & moist acidic soil; not tolerant of alkaline soils; US native; Zones 4 - 8</i>		3.5" 4"	B&B B&B	
Quercus phellos Willow Oak <i>DECIDUOUS SHADE TREE; narrow willow-like foliage turns orange to russet in fall; pyramidal heads; grows to about 50' or more; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & moist acidic soil; somewhat drought tolerant; US native; Zones (6) 7 - 9</i>		2" 2.5" 3"	B&B B&B B&B	
Quercus robus 'Fastigiata' LOW BRANCHED Columnar English Oak <i>DECIDUOUS ORNAMENTAL TREE; green to bluish-green summer foliage turns brown in fall & can persist into winter; foliage subject to mildew in mid to late summer; narrow upright habit to about 60' tall by 15' wide although variable width if seed grown; slow to moderate grower; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & moist well-drained soil of varying acidity; European native; Zones 5 - 8</i>		2" 2.5" 3" 3.5"	B&B B&B B&B B&B	 N N
Quercus rubra Northern Red Oak <i>DECIDUOUS SHADE TREE; large grower to about 70' tall & wide; dark green summer foliage turns russet to bright red in fall; fall transplant hazard; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & well-drained neutral to acidic soil; some success to coastal areas; native to US & Canada; Zones (3) 4 - 7</i>		2" 2.5" 3"	B&B B&B B&B	

13 Decision Way West
Washington Crossing, PA 18977-1125
www.phintuthill.com

represented by:

phone: (215) 321-4545
fax: (267) 397-2076
email: Phin@RPTuthill.com

Youngblood Farms Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Quercus shumardii Southern Red Oak; Shumard Oak <i>DECIDUOUS SHADE TREE; pyramidal heads in youth become about as broad as tall when mature when 50' tall; variable reddish fall foliage; important wildlife food source; fall transplant hazard, however, if dug before leaf drop & thoroughly hydrated it has better survival results; locate in full sun & well-drained soil; quite drought tolerant; southeastern US native; Zones 5 - 9</i>		2" 2.5" 3"	B&B B&B B&B	
Quercus x warei Kindred Spirit (Nadler') BRANCHED @ 4.5' Columnar Hybrid English Oak <i>DECIDUOUS ORNAMENTAL TREE; dark green summer foliage with silvery undersides turns shades of yellow & bronze in fall; narrow columnar habit to about 40' tall by 8' wide; drought & moisture tolerant; mildew resistant; important wildlife food source; fall transplant hazard however, if dug before leaf drop & thoroughly hydrated it has better survival results; sister seedling of Regal Prince; locate in full sun & most acidic to slightly alkaline soils [Q. robur 'Fastigiata' x Q. bicolor] (Nadler / Heritage) Zones 4 - 8</i>		2" 2.5"	B&B B&B	N
Quercus x warei Kindred Spirit (Nadler') LOW BRANCHED Columnar Hybrid English Oak <i>DECIDUOUS ORNAMENTAL TREE; dark green summer foliage with silvery undersides turns shades of yellow & bronze in fall; narrow columnar habit to about 40' tall by 8' wide; drought & moisture tolerant; mildew resistant; important wildlife food source; fall transplant hazard; however, if dug before leaf drop & thoroughly hydrated it has better survival results; sister seedling of Regal Prince; locate in full sun & most acidic to slightly alkaline soils [Q. robur 'Fastigiata' x Q. bicolor] (Nadler / Heritage) Zones 4 - 8</i>		2" 2.5"	B&B B&B	N
Salix babylonica Babylon Weeping Willow; Green Weeping Willow <i>DECIDUOUS SHADE TREE; graceful arching heads to about 40' tall & wide with branches touching the ground; long narrow green foliage on brown to greenish-brown young stems turns yellowish-green in fall; weak wooded; tolerates Black Locust & wet soils; locate in full sun & moisture retentive organic neutral to acidic soils; native to China; Zones (5) 6 - 8</i>	V Ltd SPCL \$ SPCL \$	1.5" 1.75" 2" 2.5" 3"	B&B B&B B&B B&B B&B	N N N N N
Syringa pubescens subsp. patula 'Miss Kim' SHRUB FORM Manchurian Lilac <i>DECIDUOUS FLOWERING SHRUB; dark purple buds open to masses of very fragrant light lavender blooms with lighter centers in mid to late May that may be cut; dark green pointed summer foliage turns reddish-burgundy in fall; compact rounded habit to 6' tall by 5' wide; attracts butterflies & hummingbirds; resists deer browse; locate in full sun or light shade & well-drained organic soil of any pH; native to northeastern Asia; Zones 4 - 7</i>		3' 4'	B&B B&B	
Syringa reticulata 'Ivory Silk' Japanese Tree Lilac <i>DECIDUOUS ORNAMENTAL TREE; profuse fragrant creamy-white flowers in June occur at a young age; upright oval heads to 25'; branching starts from a single trunk at about 5' above the ground; locate in full sun or light shade & well-drained organic soil of any pH; Japanese native; PHS Gold Metal (Sheridan N) Zones 3 - 7</i>		1.5"	B&B	N
Taxodium distichum var. distichum Shawnee Brave (Mickelson') BRANCHED @ 4' Columnar Common Bald Cypress <i>DECIDUOUS ORNAMENTAL CONIFER; narrow columnar habit to about 75' tall by 20' wide; locate in full sun or minimal shade & moist to well-drained acidic soils; tolerant of urban situations with little water & compacted soils as well as wet tidal areas; US native; Zones 4 - 11</i>		2" 2.5"	B&B B&B	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Youngblood Farms Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Taxodium distichum var. imbricarium 'Nutans' Columnar Pond Bald Cypress; Columnar Pond Cypress <i>ORNAMENTAL CONIFER; fairly narrow upright habit; short pendulous needles are held closely to the stem giving a light airy appearance; slow to moderate grower; bright green summer foliage turns bright orange in fall; likes wet soils; grows to 35' tall; locate in full sun or minimal shade & moist to well-drained acidic soils; more tolerant of compacted soils & urban situations with little water than T. d. var. distichum; US native; Zones (4) 5 - 9 (10)</i>		2" c	B&B	N
Thuja x 'Green Giant' Hybrid Western Arborvitae; Hybrid Giant Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright green foliage; vigorous narrowly pyramidal habit to 60' tall by 20' wide at maturity; minimal pest or disease problems; variable deer browse resistance; locate in full sun or light shade & moist to well-drained soil of varying acidity; tolerant of coastal exposure but not persistent drought; PHS Gold Metal [T. plicata x T. standishii] US/Asian cross (USNA) Zones 5 - 8</i>		6' 7' 8'	B&B B&B B&B	
Thuja occidentalis Private Jet Narrow Dark American Arborvitae; Narrow White Cedar <i>EVERGREEN ORNAMENTAL CONIFER; dark green foliage that does not bronze in winter; narrowly pyramidal habit to about 20" tall by 5' wide; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada (Bloomin' Easy) Zones 3 - 7</i>		5' 6'	B&B B&B	N N
Thuja occidentalis 'Smaragd' Emerald Green Arborvitae <i>EVERGREEN ORNAMENTAL CONIFER; bright emerald-green foliage all year; columnar to narrow pyramidal habit; tolerant of air pollution & Black Walnut; locate in full sun or light shade; adaptable to varying soil acidity & moisture - except extremes of either; native to eastern US & Canada (Poulsen N) Zones (4) 5 - 7</i>	SINGLE LEADER	6' 7'	B&B B&B	
Tilia cordata 'Greenspire' Littleleaf Linden <i>DECIDUOUS SHADE TREE; very fragrant yellowish flowers in late June; dark green foliage turns yellow in fall; distinct pyramidal heads reaching 60' tall & half or more as wide; liked by Japanese Beetles; locate in full sun & most soils; very tolerant of urban conditions; native to Europe; Zones (3) 4 - 7</i>		1.75" c 2" c	B&B B&B	
Ulmus americana 'Princeton' American Elm <i>DECIDUOUS SHADE TREE; upright habit with arching branches to 60' tall & wide; yellow fall foliage; excellent lawn or shade tree; highly resistant to Dutch Elm disease, but not most other problems; tolerates drought, air pollution & black walnuts; locate in full sun or light shade & moist or wet to well-drained soil that's widely pH & salt tolerant; native to US & Canada (Princeton N) Zones 3 - 9</i>	SPCL \$	2" c 3" c 3.5" c 4" c	B&B B&B B&B B&B	N N
Ulmus x 'Frontier' Hybrid Upright Elm <i>DECIDUOUS SHADE TREE; rarely flowers or fruits; small green summer foliage turns reddish-purple in fall; pyramidal to columnar habit to about 25' tall by 15' wide in 20 years; high resistance to Dutch elm disease & moderate resistance to elm leaf beetle & highly tolerant of elm yellows; good choice for urban locations; locate in full sun or light shade & moist or wet to well-drained soil that's widely pH & salt tolerant [U. carpinifolia x U. parvifolia] (Townsend / USNA) Zones 4 - 10</i>		2" c 2.5" c	B&B B&B	

13 Decision Way West
 Washington Crossing, PA 18977-1125
 www.phintuthill.com

represented by:

phone: (215) 321-4545
 fax: (267) 397-2076
 email: Phin@RPTuthill.com

Youngblood Farms Plant List: Fall 2024 / Spring 2025

BOTANICAL NAME	AVAIL.	SIZE	ROOTS	QNTY
Ulmus parvifolia AlleeÃ,® ('Emer II'; 'Emerald Vase') Lacebark Elm <i>DECIDUOUS SHADE TREE; upright spreading head similar to the American Elm; grows to 50' or more with a similar spread; exfoliating bark; resistant to drought, Dutch Elm disease & elm leaf beetle; locate in full sun or light shade & moist or wet to well-drained soil that's widely pH & salt tolerant; Asian native; Zones (5) 6 - 9</i>		2" c 2.5" c 3" c SPCL \$ 3.5" c SPCL \$ 4" c	B&B B&B B&B B&B B&B	 N N
Ulmus parvifolia EverclearÃ,® ('BSNUPF') BRANCHED AT 3.5' Columnar Lacebark Elm; Columnar Chinese Elm <i>DECIDUOUS SHADE TREE; glossy dark green summer foliage turns yellowish & reddish-purple in fall; gray, green, orange & brown exfoliating bark; columnar habit to about 35' tall by 8' wide; resistant to Dutch Elm disease & Japanese Beetle; tolerates urban conditions; locate in full sun or light shade & moist or wet to well-drained soil that's widely pH & salt tolerant; Asian native (Bold Spring N) Zones (4) 5 - 9</i>		2" c 2.5" c 3" c	B&B B&B B&B	 N N
Viburnum x juddii Fragrant Viburnum <i>DECIDUOUS FLOWERING SHRUB; very fragrant white flowers in late April; rounded habit to 8' tall & wide; improved disease resistance over V. carlesii; locate in full to partial sun & neutral to acidic well-drained moisture retentive soil [V. carlesii x V. butchiense] (Judd) Zones 4 - 8</i>		3'	B&B	N
Viburnum plicatum f. tomentosum 'Mariesii' Double-file Viburnum <i>DECIDUOUS FLOWERING SHRUB; horizontal spreading branches are covered by white flowers in May, followed by red fruit in summer that turns to black; grows to 8' tall by 12' wide; locate in full sun to light shade & well-drained moisture retentive soil; native to eastern Asia; Zones 5 - 7 (8)</i>	V Ltd V Ltd	3' 4'	B&B B&B	N N
Viburnum plicatum f. tomentosum 'Shasta' Double-file Viburnum <i>DECIDUOUS FLOWERING SHRUB; profuse 5" white cymes in May along the branches; red fruit in July matures to black over several weeks; dark green summer foliage turns purplish-red to maroon in fall; broadly spreading habit to as much as 6' tall by 12' wide; locate in full sun to light shade & well-drained moisture retentive soil; PHS Gold Metal; native to eastern Asia (Egolf / USNA) Zones (5) 6 - 8</i>		3' 4'	B&B B&B	 N
Viburnum x pragense Prague Viburnum <i>EVERGREEN FLOWERING SHRUB; small narrow glossy leathery evergreen foliage; pink flower buds open white; bushy upright habit to 10' tall & nearly as wide; locate in full sun to light shade & well-drained moisture retentive acidic soil; Zones 5 - 8</i>	Ltd	4'	B&B	
Zelkova serrata 'Green Vase' Japanese Zelkova <i>DECIDUOUS SHADE TREE; dark green summer foliage turns orange to bronze in fall; vigorous upright arching heads to about 60' tall by 40' wide; tolerant of urban conditions; locate in full sun or light shade & moist well-drained soil of varying pH; PHS Gold Metal; Asian native; Zones (4) 5 - 8</i>		2" c 2.5" c 3" c	B&B B&B B&B	

